

JOURNAL OF THE CHEMICAL SOCIETY

ERRATA

Vol. 1953, page 546, line 9. For $[\alpha]_D^{20} - 37^\circ$ read $[\alpha]_D^{20} + 37^\circ$.

Vol. 1954, page 3517, line 19. For $[\alpha]_D - 61^\circ$ read $[\alpha]_D + 61^\circ$.

Vol. 1957, page 1458, line 5*. For $[\alpha]_D + 46^\circ$ read $[\alpha]_D - 46^\circ$.

Vol. 1957, page 1736, line 4. For pyrazolone read pyrazoline.

Vol. 1957, page 1737, line 11. For carbonate read bicarbonate.

Vol. 1957, page 1740, Table 2, first and second columns. For 2-methylheptane read 2 : 2 : 4-trimethylpentane.

Vol. 1957, page 2042, Table 1, line 3. Should read



| | | | | | | |
|---------------------------------|-----|-------|-----|------|---|---|
| <i>m</i> -NO ₂ | 230 | 11200 | 255 | 7200 | — | — |
|---------------------------------|-----|-------|-----|------|---|---|

Vol. 1957, page 3109, line 7*. For m. p. 75—76°, $[\alpha]_D - 27^\circ$ read m. p. 110—111°, $[\alpha]_D + 27^\circ$.

Vol. 1957, page 3246, footnote ^a. For 3287 read 3284.

Vol. 1957, page 3247, footnote ^a. For Schulz read Schulze.

Vol. 1957, page 3248, line 10. For atom read atoms.

Vol. 1957, page 3252, formula (XII). For  read 

Vol. 1957, page 3253, footnote ^a. Delete Lanson.

Vol. 1957, page 3629, Table 4, heading. For below 30·4° read below -30·4°.

Vol. 1957, page 3634, equation (14). Should read $V_p = -d[M]/dt = k_p k_1 K_1 [M]^2 [C]^2 / k_i$.

Vol. 1957, page 3639, line 17. For $E_1 = E_2 + E_3 - E_1$ read $E_1 = E_2 + E_3 - E_1$.

Vol. 1957, page 4326, line 6*. For 30% potassium iodide read 30% potassium bromide.

Vol. 1957, page 4419. Footnote * should be on p. 4420.

Vol. 1958, page 288, FIG. 3. Interchange A and C.

Vol. 1958, page 546, lines 17 and 21. For methyl β -D-glucoside 4-acetate 2 : 3 : 6-trinitrate read methyl β -D-glucoside 4-acetate 2 : 3 : 6-trinitrate.

Vol. 1958, page 546, line 22. For C, 29·4% read C, 29·1%.

Vol. 1958, page 603, line 25. For The disaccharide (1·2 mg.) read The disaccharide (102 mg.).

* From bottom of main text.

Errata.

-
- Vol. 1958, page 669, Table 1. For $\text{Concn. (m.)} = 0.1450$ read 0.1400 .
-
- Vol. 1958, page 669, Table 2. For $\text{NaDSO}_4 = 1.480$ read 1.430 .
-
- Vol. 1958, page 673, last line. For $4 \times 10^{-5} \text{ mole}^2 \text{ l.}^{-2}$ read $4 \times 10^{-5} \text{ mole}^2 \text{ kg.}^{-2}$.
-
- Vol. 1958, page 1522, Table. For $10^5 \times \text{Rel. rate}$ read $10^{-5} \times \text{Rel. rate}$.
-
- Vol. 1958, page 1570, line 6*. For rapidly read slowly.
-
- Vol. 1958, page 1602, lines 6 and 14. For 4-bromotoluquinol read 5-bromotoluquinol.
-
- Vol. 1958, page 1657, line 9*. For 4 β -chloro- read 4 ξ -chloro-.
-
- Vol. 1958, page 1661, line 10* and 12*. For 4 β -chloro- read 4 ξ -chloro-.
-
- Vol. 1958, page 2514, line 22. At end of line, add ; OMe, 5.4.
-
- Vol. 1958, page 2514, line 23. For $\text{C}_{33}\text{H}_{34}\text{O}_8\text{S}\cdot\text{OMe}$ read $\text{C}_{33}\text{H}_{34}\text{O}_8\text{S}$.
-
- Vol. 1958, page 2751, line below Table. For 2-chloro-1 : 3-benzene read 2-chloro-1 : 3-dinitrobenzene.
-
- Vol. 1958, page 2751, line 12*. For 1 : 9-Phenylenecarbazole-4'-carboxylic acid read 1 : 9-Phenylenecarbazole-6-carboxylic acid.
-
- Vol. 1958, page 2751, line 4*. For 4'-Methyl-1 : 9-phenylenecarbazole and methyl 1 : 9-phenylenecarbazole-4'-carboxylate read 6-Methyl-1 : 9-phenylenecarbazole and methyl 1 : 9-phenylenecarbazole-6-carboxylate.
-
- Vol. 1958, page 2752, line 1. For 4'-Methyl-1 : 9-phenylenecarbazole read 6-Methyl-1 : 9-phenylenecarbazole.
-
- Vol. 1958, page 3819. The Table at the top of the page should be read as a series of successive reactions, and not of alternative reactions.
-
- Vol. 1958, page 3821, line 9 below Table 3. For of cubo-octahedral cages read of cages.
-
- Vol. 1958, page 3823, line 5*. For 9.72 read 9.7₂.
-
- Vol. 1958, page 3823, line 3*. For energies read heats.
-
- Vol. 1958, page 3884, line 21. At beginning of line, add fractions 24—48 gave.
-
- Vol. 1958, page 3886, lines 8 and 14. For ²¹ read ¹⁶.
-
- Vol. 1958, page 4217, equation (2). Should read $k_{2t} = \frac{2.303}{2B(K^{-1} - 1)} \log_{10} \frac{1 + x/(B + A)}{1 - x/(B - A)}$.
-
- Vol. 1958, page 4511, line 18*. For benzoaldehyde read benzaldehyde.
-
- Vol. 1958, page 4516, line 7*. For simplet read simplest.
-
- Vol. 1958, page 4705, line 18. For 2 : 7 : 10-isomer read 2 : 6 : 11-isomer.
-

* From bottom of main text.