

JOURNAL OF THE CHEMICAL SOCIETY

Perkin Transactions II

A journal of physical organic chemistry

1987



ROYAL SOCIETY OF CHEMISTRY

© The Royal Society of Chemistry, 1987. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form, or by any means, electronic, mechanical, photographic, recording, or otherwise, without the prior permission of the publishers.

Printed in Great Britain by
Richard Clay Ltd.,
Bungay, Suffolk

AUTHOR INDEX

- Abe, Akito, 135
 Abe, Kazuhisa, 1829
 Abe, Yasuo, 715
 Abraham, Michael H., 797, 913, 1097
 Abraham, Raymond J., 977
 Adams, David B., 247
 Adefikayo Ayoko, G., 381, 1047
 Afanas'ev, Igor B., 281, 835
 Ağırbaş, Hikmet, 413
 Agrawal, Yadvendrak K., 479
 Ahlberg, Per, 461
 Aime, Silvio, 523
 Aizenshtat, Zeev, 287
 Akiyama, Masayasu, 669
 Al-Mallah, Khawla Y., 109
 A'berti, Massimo Bambagiotti, 1431
 Albini, Angelo, 1175
 Alemany, Antonio, 791
 Allen, Frank H., 51
 Amaral, Antonia T. do, 1717
 Amaral, Luciano do, 1717
 Ambrosetti, Roberto, 39
 Anderson, J. E., 955
 Anderson, Lesley M., 1239
 Andrews, Peter R., 415
 Ang, Kok-Peng, 1043
 Angelis, Francesco De, 633
 Anunziata, Jorge D., 79, 987
 Anzai, Jun-ichi, 67
 Appendino, Giovanni, 215
 Apreda, Maria del Carmen, 575
 Arata, Ryozo, 135
 Ariga, Katsuhiko, 1003
 Armesto, Diego, 1039
 Arnone, Alberto, 15
 Arnone, Caterina, 689
 Aroney, Manuel J., 1747
 Asensio, Salvador, 169
 Asmus, Klaus-Dieter, 1639, 1795
 Asres, Kaleab, 1159
 August, Ryan, 1683
 Aversa, Maria C., 1071
 Baban, Jehan A., 497
 Balsamo, Aldo, 841
 Banerji, Kalyan K., 1645
 Barchiesi, Emma, 1009, 1091
 Barcza, Lajos, 1815
 Barczyński, Piotr, 901, 969
 Barfield, Michael, 977
 Barkel, D. J. D., 955
 Barker, Stuart A., 1861
 Bartulin, Juan, 1881
 Battaglia, Arturo, 1113
 Beaton, Haydn G., 469
 Beckwith, Athelstan L. J., 1801
 Belghith, Hachemi, 1369
 Bellanato, Juana, 301
 Bello, Kasali A., 815
 Bellucci, Giuseppe, 39
 Benassi, Rois, 351, 961, 1443, 1851
 Benito, Yol, 423
 Bennet, Andrew J., 581
 Bentley, T. William, 293
 Bernáth, Gábor, 599
 Bernabe, Manuel, 791
 Berno, Piero, 935
 Bertonecello, Renzo, 1459
 Bertrán, Juan, 211
 Bertrand, Rol, 1517
 Bhattacharjee, Kausik K., 267
 Bianchini, Roberto, 39
 Bieri, Jost H., 1391
 Blagoeva, Iva B., 127
 Blanco, Francisco Garcia, 445
 Blonski, Casimir, 1369
 Böhmer, Volker, 1609
 Boese, Rol, 761
 Bonnett, Raymond, 1893
 Borrachero, Pastora, 301
 Bos, Hendrik J. T., 907
 Boutique, Jean-Pol, 259
 Bowden, Keith, 181, 185, 189
 Bowen, Richard D., 1019, 1495
 Bowie, John H., 275, 385, 1499
 Bowman, W. Russell, 1133
 Bradamante, Silvia, 1009, 1091
 Brammer, Lee, 51
 Brandt, E. Vincent, 1365
 Brey, Wallace S., 1701
 Brown, John M., 91, 1583, 1589, 1597
 Brown, Stephen J., 1128
 Brückner, Sergio, 699
 Brumby, Steven, 1801
 Bunton, Clifford A., 541, 547, 553
 Burke, Philip J., 1247
 Bury, Adrian, 1281
 Butler, Anthony R., 1239
 Buttrus, Nabeel H., 891, 1753
 Byrne, Christopher J., 1649
 Cabaleiro, Mercedes C., 1473
 Calestani, Gianluca, 523
 Calinaud, Evelyne, 921
 Calmon, Jean P., 929
 Calmon, Michelle, 929
 Calvino, Rosella, 523
 Camilleri, Patrick, 1671
 Campayo, Lucrecia, 569
 Campbell, Colin D., 1383
 Cano, Félix H., 569, 575, 791
 Canoira, Laureano, 423
 Carfagna, Carla, 1009
 Carr, Graham, 1877
 Carter, Brian G., 1247
 Casadei, Maria Antonietta, 1887
 Casado, Julio, 1759
 Castro, Albino, 651, 1759
 Cataldi, Mario T., 85
 Cattana, Rosa I., 79
 Cavicchioni, Giorgio, 33
 Cecon, Alberto, 935
 Cervellati, Rinaldo, 585
 Challis, Brian C., 1489
 Chaloner, Penny A., 1583
 Chan, Hak-Kim, 1747
 Charalambous, Mario A., 323
 Cheer, Clair J., 1455
 Chen, Ban Chin, 1701
 Cheng, Lubai, 815
 Cheng, Shee C., 1871
 Chenon, Marie-Thérèse, 1551
 Chiacchiera, Stella M., 987
 Chiari, Giacomo, 215, 523
 Chickos, James S., 365, 1109
 Cho, Bong Rae, 853
 Christodoulou, Marika, 1159
 Christofides, John C., 97
 Chudek, John A., 1341
 Cipiciani, Antonio, 541, 547, 553
 Cirma, Giuseppe, 73
 Ciszkowski, Konrad, 663
 Clarke, Norman C., 435
 Clegg, William, 639, 1621
 Coles, Clifford J., 1083
 Conesa, Jose C., 575
 Consiglio, Giovanni, 537
 Contreras, Rosalinda, 771
 Coran, Silvia A., 1431
 Corbelli, Giorgio, 585
 Corrêa, Carlos M. M. da Silva, 103, 811
 Corset, Jacques, 783
 Cortijo, Manuel, 169
 Courtneidge, John L., 1527
 Croisy, Alain, 249
 Cullis, Paul M., 1907
 Currie, Graeme J., 385
 D'Angeli, Ferruccio, 33
 D'Rozario, Augustine P., 1781, 1785
 Davies, Alwyn G., 1527
 Davies, David B., 97
 Davis, Andrew J., 581
 Dayrit, Fabian M., 91
 de Ligny, C. Leo, 559
 de Luca, Carlo, 847
 Dega-Szafran, Zofia, 897, 901
 del Vado, M. Angeles Garcia, 445
 Delhalle, Joseph, 259
 Dell'Erba, Carlo, 623
 DePuy, Charles H., 275
 De Renzi, Augusto, 427
 Descoings, Marie-Christine Moreau, 1733
 Desiraju, Gautam R., 1187, 1195
 Dhavale, Dilip Dattatraya, 449
 Dhiéfano, Giuseppe, 1459
 Döpp, Dietrich, 1153
 Docherty, Vincent J., 1351, 1357, 1361
 Doddi, Giancarlo, 633, 1427
 Dogra, Sneha K., 1465
 Doherty, Ruth M., 913, 1097
 Dohmaru, Takaaki, 337
 Doi, Mitsunobu, 1739
 Domiano, Paolo, 841
 Donoso, Josefa, 445
 Doucet, Jean-Pierre, 1733
 Drew, Michael G. B., 469
 Dunkin, Ian R., 1227
 Dunn, Peter J., 1669
 Eaborn, Colin, 381, 657, 775, 779, 891, 1047, 1753
 Earl, Harold A., 1273, 1281
 Echevarria, Gerardo R., 445
 Eichinger, Peter C. H., 385, 1499
 El-Alaoui, Mohiedine, 1517
 Ellison, Stephen L. R., 977
 Elsevier, Cornelius J., 1293
 Encinas, Maria V., 1125
 Englehardt, Lutz M., 1835
 Ercolani, Gianfranco, 633, 1427
 Eposti, Alessa Degli, 585
 Euranto, Erkki K., 441
 Evans, Jeffrey C., 1375
 Evans, Phillip L., 1589
 Everett, Jeremy R., 1659
 F. Baumann, Harold, 1293
 Fantucci, Piercarlo, 85
 Farfán, Norberto, 771
 Faul, Margaret, 1289
 Faure, Robert, 341
 Favini, Giorgio, 313
 Feil, Dirk, 721
 Ferraccioli, Raffaella, 1009
 Ferrarotti, Bruno, 523
 Ferreira, Daneel, 1365
 Field, Martin J., 617, 1311
 Fife, Thomas H., 143
 Fitzpatrick, Noel J., 1289
 Fleming, Maria Daniela C. M., 103
 Foces-Foces, Concepción, 569, 575, 791
 Folli, Ugo, 351, 961, 1443, 1851
 Fong, Yoke-Fan, 1043
 Ford, George P., 1695
 Formosinho, Sebastião J., 61, 1655
 Fornasier, Roberto, 193, 1121
 Forni, Arrigo, 699
 Foster, Roy, 1341
 Fracassini, Maria Cristina, 547
 Franco, M. Luisa T. M. B., 1399, 1407
 Frenna, Vincenzo, 537
 Frey, H. Monty, 365
 Fripiat, Joseph G., 259
 Froment, Françoise, 783
 Fronza, Giovanni, 15, 27
 Fruttero, Roberta, 523
 Frülöp, Ferenc, 599
 Fueki, Kenji, 881
 Fujita, Eiichi, 1543
 Fujita, Kahee, 7
 Fujiwara, Hideaki, 1015
 Fukuyama, Masahiro, 669
 Fukuzumi, Shunichi, 751
 Funicello, Maria, 427
 Furukawa, Naomichi, 405
 Gaggelli, Elena, 1707
 Gallardo, Hugo, 319
 Gambaro, Alessio, 935
 Garegg, Per J., 271, 1209
 Gasco, Alberto, 523
 Gaydou, Emile M., 341
 Gelb, Robert I., 453
 Germani, Raimondo, 541, 547, 553
 Giannetto, Placido, 1071
 Giannotti, Charles, 829
 Gibbons, William A., 1159
 Gil, Victor M. S., 1655
 Gilbert, Bruce C., 329, 371
 Gioia, Bruno, 1419
 Giovanetti, M. Stella, 1899
 Gleghorn, John T., 1303
 Gnanasekaran, Chinnasamy, 263
 Gómez-Parra, Vicente, 695
 Gómez-Sánchez, Antonio, 301
 Gobetto, Roberto, 523
 Goethals, Gerard, 1733
 Golding, Bernard T., 705
 Goldmann, Helmut, 1609
 Gonda, Igor, 1747

- Grabovetskii, Vadim V., 281
 Gramain, Jean-Claude, 921
 Granozzi, Gaetano, 1459
 Green, Iain G., 1773
 Gregory, Peter S., 1527
 Grellier, Priscilla L., 797
 Griffiths, Gwerydd, 1253
 Griffiths, John, 815
 Grimshaw, Edwin K., 1345
 Grimshaw, James, 1345
 Guerrero, Sandra A., 1459
 Guest, Martyn F., 1311
 Guglielmetti, Robert, 1413
 Haddon, Robert C., 259
 Haldna, Ülo L., 1559
 Hallé, Jean-Claude, 805
 Hambley, Trevor W., 1747
 Hanna, Salim Y., 109
 Hanson, Peter, 197
 Happer, Duncan A. R., 1649
 Harkema, Sybolt, 721
 Harris, J. Milton, 913, 1097
 Harris, Robin K., 1383
 Harrit, Niels, 1227
 Hartshorn, Michael P., 1649
 Hassanién, Makky M. M., 867
 Haszeldine, Robert N., 1861
 Hayes, Roger N., 275
 He, Gong-Xin, 135
 Hegarty, Anthony F., 47, 55, 345, 1675
 Herold, Bernardo J., 1399, 1407
 Hibbert, Frank, 243, 613, 1617
 Higuchi, Taiichi, 7
 Hill, M. N. Stuart, 639
 Hillier, Ian, 117, 617, 1311
 Hirakawa, Takayuki, 669
 Hiremath, Rajashekhar C., 1569
 Hironaka, Katsuhiko, 751
 Hirota, Minoru, 1829
 Hirotsu, Ken, 7
 Hitchcock, Peter B., 891, 1753
 Holm, Arne, 1227
 Hope, Eric G., 487
 Horii, Hideo, 715
 Horspool, William M., 1039
 Hosie, Lynn, 581
 Hudson, Reggie L., 1773
 Huel, Christiane, 249
 Hughes, Simon, 1253
 Hunter, Geoffrey, 1633
 Hyde, Carolyn B., 323
 Iarossi, Dario, 1443, 1851
 Ibáñez, Fern, 1899
 Ibaceta-Lizana, Juana S. L., 1221
 Iglesias, Emilia, 651
 Ihara, Yasuji, 607
 Ihjima, Masao, 669
 Ikeda, Toshihiko, 135
 Iley, James N., 1489, 1503, 1871
 Imoto, Taiji, 7
 Inesi, Achille, 847, 1887
 Innocenti, Annamaria, 1113
 Inoue, Masatoshi, 1739
 Isaacs, Neil S., 1477
 Isaksson, Rol, 491
 Ishida, Toshimasa, 1739
 Ishiguro, Katsuya, 881
 Ishikawa, Kunio, 751
 Ishiyama, Jun-ichi, 391
 Ishizu, Kazuhiko, 1543
 Iwasaki, Fujiko, 405
 Jørgensen, Flemming S., 1835
 Jørgensen, Karl Anker, 885
 Jackson, Anthony H., 1215, 1221, 1483
 Jackson, Richard A., 413
 Jayachandran, Harilakshmi, 1043
 Jennings, Keith R., 1495
 Jiménez-Barbero, Jesús, 791
 Jones, George D. D., 1907
 Jones, Graham P., 415
 Jonnalagadda, Sreekantha Babu, 1539
 Jonsäll, Göran, 461
 Jonsen, Paul, 1383
 Joshi, Poonam, 449
 Jürriado, Toomas J., 1559
 Juga, Raivo J., 1559
 Jurczyk, Stanley, 293
 Kabalka, George W., 1495
 Kamiichi, Katsuhisa, 1739
 Kamitori, Shigehiro, 7
 Kamlet, Mortimer J., 875, 913, 1097
 Kamphuis, Johann, 907
 Kanerva, Liisa T., 441
 Kaplan, Martin D., 259
 Kato, Noriyuki, 881
 Katritzky, Alan R., 73, 969, 1391, 1695, 1701, 1867
 Kawai, Tsutomu, 405
 Kawamura, Yoko, 607
 Keibell, Michael J., 705
 Kemmitt, Tim, 487
 Kemp, Terence J., 397
 Kennard, Olga, 51
 Kent, Alexander G., 1597
 Khan, Agha Zul-Qarnain, 491
 Khan, Mohammad Niyaz, 819
 Khuthier, Abdul-Hussain, 109
 Kieboom, Antonius P. G., 473
 Kijima, Atsushi, 1203
 Kikukawa, Kiyoshi, 135
 Kim, Sung-Hong, 1439
 Kim, Tae Rin, 853
 Kimura, Keiichi, 1181
 Kimura, Michio, 205
 Kirk, David N., 1247
 Kiss, Ágnes, 1815
 Klæbê, Alain, 1369
 Klos, Ryszard, 1563
 Kobayashi, Norimitsu, 881
 Kobayashi, Takashi, 669
 Koga, Joichi, 607
 Kokkou, Socrates, 1455
 Koomen, Gerrit-Jan, 733
 Korber, Günter, 761
 Koschmidder, Malgorzata, 1713
 Koseki, Yasuaki, 1181
 Krois, Daniel, 219, 1523
 Kroto, Harold W., 683
 Kuprianova, Natalia S., 281
 Kusabayashi, Shigekazu, 673
 Laatikainen, Reino, 121
 Laguzzi, Giuseppe, 857
 Lal, Manohar, 1639
 Lamartina, Liliana, 689
 Lamba, Dorian, 1391
 Landquist, Justus K., 435
 Langa, Fern, 1039
 Lauer, Manfred, 745
 Laufer, Daniel A., 453
 Laurence, Christian, 483
 Lavalette, Daniel, 249
 Laws, Andrew P., 591, 1033, 1691
 Lazana, M. Celina R. L. R., 1399, 1407
 Lazzaroni, Roberto, 259
 Lea, Jeremy, 1907
 Lebrilla, Carlito B., 237
 Lehner, Harald, 219, 1523
 Leis, J. Ramón, 651
 Lemp, Else, 1125
 Levason, William, 487
 Lhoste, Jean-Marc, 249
 Lickiss, Paul D., 891, 1753
 Lindsay Smith, J. R., 1533
 Lipiner, Gadi, 287
 Lissi, Eduardo A., 1125
 Lister, David G., 585
 Llor, Juan, 169
 Lluch, José M., 211
 López-Rupérez, Francisco, 575
 Lobo, Ana M., 1477
 Lockhart, Ian M., 705
 Lockhart, Joyce C., 639, 1621
 Lookk, Bernard, 249
 Lopez-Rodriguez, Maria L., 73
 Louw, Robert, 1167
 Luçon, Maryvonne, 483
 Luce, Hudson, 1695, 1701
 Lucy, Andrew R., 1589
 Ludvik, Jiří, 1727
 Luger, Peter, 1509
 Lumbruso-Bader, Nicole, 1551
 Luthra, Ajay K., 1575
 Lyčka, Antonín, 867
 Lynch, Patrick P., 1215, 1483
 Macaluso, Gabriella, 537
 Maccagnani, Gaetano, 1113
 Macchia, Bruno, 841
 Macchia, Franco, 841
 Maccoll, Allan, 1019
 MacCormack, Patricio, 227
 Macháček, Vladimír, 867
 MacInnes, Iain, 1077, 1789
 Maezaki, Hironobu, 1015
 Mahato, Shashi B., 1509
 Majeed, Nesreen N., 1139
 Malpezzi, Luciana, 699
 Mancini, Pedro M. E., 951
 Mangani, Stefano, 1159
 Maran, Flavio, 33
 Marathe, Keshav Gangadhar, 449
 Marchettini, Nadia, 1707
 Marconi, Giancarlo, 1419
 Marr, Alan W., 1341
 Martín-Lomas, Manuel, 791
 Martín, Ma. de Gracia García, 301
 Martinez, Rubén D., 951
 Marzocchi, Mario P., 1431
 Mascagni, Paolo, 323, 1159
 Maskill, H., 1083
 Masui, Masaichiro, 1065
 Mathur, Abha, 1645
 Matsuda, Tsutomu, 135
 Matsuo, Sanshiro, 1015
 Mattice, Wayne L., 739
 Mayanna, Sanabaghata M., 1569
 McDonnell, Martin B., 639
 McEwen, Ian, 1683
 McGill, R. Andrew, 797
 McIntosh, Alexis S., 1239
 McKeer, Linda C., 1533
 McLay, Neil R., 329
 McNaughton, Donald, 683
 Mejjide, Francisco, 651, 1759
 Merbach, A. E., 1477
 Mhala, Marutirao, 541
 Midgley, Gary, 1103
 Miler-Srenger, Erika, 1413
 Miller, Jack M., 1128
 Mitchell, David, 1495
 Miura, Masatoshi, 113
 Miyake, Shigenobu, 995
 Miyasaka, Tadayo, 1543
 Miyazaki, Tetsuo, 881
 Mönig, Jörg, 1639
 Modro, Tomasz A., 767
 Moffatt, John R., 541
 Mohan, Hari, 1795
 Momenteau, Michel, 249
 Mondelli, Rosanna, 15, 27
 Moodie, Roy B., 1059
 Moracci, Franco Micheletti, 1887
 Moreira, Rui, 1503
 Morelli, Giancarlo, 427
 Moretti, Irene, 699
 Morley, John O., 1243, 1351, 1357, 1361
 Moro, Giorgio, 85, 313
 Morris, Caroline R., 1375
 Morris, Gareth A., 1583
 Mosquera, Manuel, 1759
 Müller, Eveline, 1509
 Mulder, Peter, 1167
 Muller, Hedio, 1881
 Mumford-Zisk, Jonathan, 453
 Muñoz, Francisco, 445
 Murofushi, Katsumi, 1829
 Murphy, J. Timothy, 1767
 Murugan, Ramiah, 1695, 1701, 1867
 Musatti, Amos, 1443, 1851
 Musumarra, Giuseppe, 73, 1391
 Muthakia, Gerald K., 1539
 Nabae, Michiko, 1739
 Nadvi, Nighat S., 189
 Nagao, Yoshimitsu, 1543
 Nagase, Shigeru, 673
 Nagata, Yoshio, 337
 Najim, Sabah T., 891, 1753
 Nakamura, Gen-ichi, 1317
 Nakanishi, Eiji, 607
 Nakao, Ren, 337
 Namgoong, Sung Keon, 853
 Nango, Mamoru, 607
 Nardelli, Mario, 1443, 1851
 Naruchi, Kiyoshi, 113
 Navarro, Pilar, 569
 Neary, Adrian P., 1033
 Nebot-Gil, Ignacio, 307, 943
 Neuvonen, Helmi, 159, 1723
 Nguyen, Minh Tho, 47, 55, 345, 1289, 1675
 Nicolai, Neri, 1159
 Nicolet, Pierre, 483
 Nishijima, Yasunori, 507
 Noguchi, Hiroshi, 1317
 Nojima, Masatomo, 673
 Nome, Faruk, 175
 Nonhebel, Derek C., 1789
 Noto, Renato, 689
 Novi, Marino, 623
 Nudelman, N. Sbarbati, 227, 951
 Nunziante, Patrizia, 1427
 O'Neill, Peter, 1671
 Oae, Shigeru, 405
 Occhialini, Donatella, 1887
 Odell, Barbara, 1671
 Odijk, Willebrordus M., 733
 Ohkuro, Katsutoshi, 995
 Ohmori, Hidenobu, 1065
 Ohsaku, Masaru, 1027
 Oka, Kunio, 337
 Okada, Satoshi, 715
 Okahata, Yoshio, 1003, 1317
 Okamoto, Mari, 607
 Oliva, Antonio, 211
 Olivato, Paulo R., 1459
 Oliveira, Maria Augusta B. C. S., 811
 Oliver, Stuart W., 1579
 Onyido, Ikenna, 563
 Orbán, Miklós, 1815
 Orellana, Guillermo, 679
 Orpen, A. Guy, 51

- Orti, Enrique, 943
 Osa, Tetsuo, 67
 Osman, Osman I., 683
 Ostercamp, Daryl L., 969
 Oszczapowicz, Janusz, 663
 Packer, Kenneth J., 1383
 Paddon-Row, Michael N., 1835
 Padmanabhan, Kaillathe, 1153
 Pagani, Giorgio A., 1009, 1091
 Panda, Rama Krushna, 517
 Panunzi, Achille, 427
 Panzica, Raymond P., 1455
 Paradisi, Cristina, 531
 Parekh, Prakash C., 479
 Park, Jong-Hwan, 1439
 Parker, Anthony W., 397
 Parkin, J. E., 955
 Parry, David J., 329
 Parton, Andrew Williams Brian, 1785
 Parton, Brian, 1781
 Patney, Harish K., 1835
 Patsalides, Emilios, 1747
 Paulus, Erich, 1609
 Pérez-Ossorio, Rafael, 679
 Pellicchia, Claudio, 427
 Pellerano, Ida Domini, 1419
 Peña, M. Elena, 651
 Perez-Ossorio, Rafael, 1039
 Pericás, Miquel A., 151
 Perié, Jean-Jacques, 1369
 Peters, Joop A., 473
 Petrillo, Giovanni, 623
 Pfister-Guillouzo, Geneviève, 259
 Phillipson, J. David, 1159
 Pierens, Raymond K., 1747
 Piras, Pier P., 1265
 Pitea, Demetrio, 85, 313
 Planelles, Josep, 307
 Poizat, Olivier, 829
 Pola, Josef, 1727
 Poliakoff, Martyn, 1227
 Polozova, Natalia I., 835
 Porte, Andrew L., 1139
 Powell, H. Kipton J., 1649
 Prabhakar, Sundaresan, 1477
 Prasanna, Shyla, 181, 185
 Prasitpan, Noojaree, 1221
 Prewo, Rol, 1391
 Pryce, Robert J., 1575
 Przystas, Theodore J., 143
 Pugh, David, 1351, 1357, 1361
 Quirion, Jean-Charles, 921
 Quiroga, Maria L., 679
 Raczynska, Ewa D., 1117
 Rademacher, Paul, 761
 Radhakrishnamurti, Patapati Subu, 517
 Radoomska, Maria, 1563
 Radoomski, Ryszard, 1563
 Ragg, Enzo, 15, 27
 Rajasekaran, Kasi, 263
 Rajyaguru, Indira, 359, 1819
 Rakotonirainy, Olivier, 341
 Ramamurthy, Vaidyanathan, 1153
 Rampazzo, Liliana, 847
 Ranson, Richard J., 181
 Rath, Nabeen Kumar, 517
 Regberg, Tor, 271
 Reniero, Fabiano, 193, 1121
 Reynolds, Christopher A., 1337
 Rezende, Marcos C., 175
 Riand, Jacques, 1551
 Ridd, John H., 1767
 Riga, Joseph, 259
 Rigby, Keith, 117
 Roberts, Brian P., 497, 1773
 Roberts, Karl, 293
 Robins, David J., 1379
 Robinson, Peter J., 1861
 Rodriguez, J. Gonzalo, 423
 Romanelli, M. Novella, 657
 Rosa, Eduarda, 1503
 Rossi, Andrea, 1419
 Rowlands, Christopher C., 1375
 Ruijter, A. Peter, 907
 Runciman, Peter J. I., 435
 Runge, Wolfgang, 1293
 Rzepa, Henry S., 359, 767, 1477, 1669, 1819
 Štěrba, Vojeslav, 867
 Sánchez-Asiain, Maria P., 679
 Sánchez-Marín, José, 943
 Sánchez-Ruiz, Jose M., 169
 Sánchez, Félix, 695
 Sabbagh, Md Mowafak Al, 929
 Sahu, Niranjan P., 1509
 Saija, Antonino, 1071
 Sakamoto, Hidesumi, 1181
 Sakurai, Hiromu, 1543
 Samori, Bruno, 1419
 Sandström, Jan, 491
 Santamaria, Jean, 1
 Santos, José G., 1899
 Sarma, Jagarlapudi A. R. P., 1187, 1195
 Sasaki, Yoshio, 1015
 Sasson, Yoel, 1147
 Satchell, Derek P. N., 513
 Satchell, Rosemary S., 513
 Savelli, Gianfranco, 541, 547, 553
 Sawaki, Yasuhiko, 881
 Saxena, Anil K., 775, 779
 Sayo, Hiroteru, 1065
 Scarratt, Cathryn J., 371
 Schaeffer, Corinne, 249
 Schenetti, Luisa, 351, 961, 1443, 1851
 Schmidt, Rolf, 1153
 Schultz, Hanna, 73
 Schwartz, Lowell M., 453
 Schwarz, Helmut, 237
 Scorrano, Gianfranco, 531
 Scrimin, Paolo, 193, 1121
 Seguin, Jean-Paul, 1733
 Sekiguchi, Shizen, 1203
 Senda, Yasuhisa, 391
 Serratos, Félix, 151
 Seyden-Penne, Jacqueline, 783
 Shannon, Patrick V. R., 1221
 Sheldon, John C., 275
 Sheppard, Richard N., 1477
 Shono, Toshiyuki, 1181
 Silber, Juana J., 79, 987
 Silva, Francisco Carlos, 319
 Sim, George A., 1379
 Simonin, Marie-Paule, 783, 805
 Simpson, Gareth R., 243, 613
 Singh, Joaquín O., 79, 987
 Sinha, Hemant K., 1465
 Sinnott, Michael L., 581
 Sinou, Denis, 91
 Skelton, Brian W., 1835
 Smith, John, 895
 Smith, Thomas D., 1579
 Smulevich, Giuletta, 1431
 Sohár, Pál, 599
 Somera, Neusa M., 1717
 Soria, Javier, 575
 Sourisseau, Claude, 829
 Spagna, Riccardo, 1391
 Spencer, Catriona M., 1323
 Speranza, Maurizio, 857
 Spiers, Karen J., 1617
 Spinelli, Domenico, 537, 689
 Spreti, Silvia, 1175
 Stájer, Géza, 599
 Stachissini, Antonia S., 1717
 Stawiński, Jacek, 271, 1209
 Stephens, R. John, 1059
 Stezowski, John J., 1391
 Stirling, Charles J. M., 1253, 1265, 1273, 1281
 Stoddart, J. Fraser, 1323
 Stringer, Michael B., 385
 Strömberg, Roger, 271, 1209
 Strzalko, Tekla, 783
 Subramanian, Japyesan, 267
 Suffolk, Roger J., 683
 Sugiyama, Hiroshi, 391
 Sweeney, Marion, 1907
 Symes, Jill, 767
 Symons, Martyn C. R., 1133, 1907
 Szabó, Angela E., 599
 Szafran, Mirosław, 897, 901
 Szúnyog, József, 599
 Tabushi, Iwao, 7
 Taddei, Ferdin, 351, 961, 1443, 1851
 Taft, Robert W., 875, 913, 1097
 Takagi, Tatsuya, 1015
 Tan, Sau-Fun, 1043
 Tanaka, Akito, 1015
 Tanaka, Jiro, 673
 Tanaka, Toshio, 751
 Tani, Mika, 1015
 Taniguchi, Setsuo, 715
 Tarossi, Dario, 351
 Tato, José Vázquez, 651, 1759
 Taylor, Jonathan M., 1533
 Taylor, Robin, 51
 Taylor, Roger, 591, 1033, 1683, 1691
 Taylor, Ted R., 1881
 Tedder, John M., 895
 Temprano, Fern, 423
 Terrier, François, 805
 Tetreau, Catherine, 249
 Thibblin, Alf, 1629
 Thomas, C. Barry, 371, 1103
 Thomas, W. Anthony, 977
 Thomson, Colin, 1337
 Todesco, Paolo E., 585
 Tonellato, Umberto, 193, 1121
 Torossian, Garnick, 1303
 Torre, Giovanni, 699
 Torrens, Francisco, 943
 Torres, Tomás, 695
 Toulecc, Jean, 1517
 Traldi, Pietro, 531
 Truong, Thu Ba, 1
 Tsuchida, Akira, 507
 Tuppurainen, Kari, 121
 Turner, James J., 1227
 Tuulmets, Ants V., 1559
 Tyler, John W., 1659
 Tzeng, Cherng-Chyi, 1455
 Ubochi, Collins I., 563
 Ueda, Chihiro, 1065
 Ueno, Akihiko, 67
 Ugliengo, Piero, 215
 Ujeara, Marina, 175
 Uiterwijk, Jos W. H. M., 721
 Uruska, Irmira, 1713
 Utley, James H. P., 435
 Vaciago, Alesso, 1391
 Valensin, Gianni, 1707
 Valentí, Eduard, 151
 Valentini, Luigi, 1419
 Vallés, María Asunción, 1893
 Valle, Giovanni, 935
 van Bekkum, Herman, 473
 van Duin, Martin, 473
 van Houwelingen, Hans C., 559
 Varma, Rajender S., 1495
 Vecchiati, Giorgio, 33
 Venkatasubramanian, Nagaswami, 1569
 Venkatesan, Kailasam, 1153
 Venzo, Alfonso, 935
 Verbist, Jacques J., 259
 Vermeer, Peter, 1293
 Vianello, Elio, 33
 Vigevani, Aristide, 1419
 Vincent, Mark, 117
 Vincieri, Franco F., 1431
 Viruela-Martin, Rafael, 307
 Viruela-Martin, Pedro M., 307
 Viswanadhan, Vellar Kad N., 739
 Viterbo, Davide, 215
 Venzo, Nicolò, 537
 Vogt, Walter, 1609
 Vottero, Leonor R., 951
 Wada, Fumio, 135
 Walkinshaw, Malcolm D., 1903
 Walton, John C., 231, 1077, 1789, 1809
 Wardman, Peter, 397
 Watson, David G., 51
 Watts, John D., 683
 Weakley, Timothy J. R., 1633
 Weissensteiner, Walter, 1633
 Welham, Kevin J., 323
 White, Allan H., 1835
 Whittaker, David, 1877
 Willey, Gerald R., 469
 Williams, Andrew, 1575, 1781
 Williams, David J., 293
 Willner, Itamar, 287
 Wren, Stephen A. C., 197
 Wünsch, Emma, 211
 Wulff, Günter, 745
 Yamabe, Shinichi, 715
 Yamagata, Kohichi, 1065
 Yamamoto, Masahide, 507
 Yamamura, Hatsuo, 7
 Yoh, Soo-Dong, 1439
 Yokoyama, Tai, 875
 Young, Desmond A., 1365
 Young, Esmé, 1365
 Young, John, 371
 Zah-Letho, Jacques, 805
 Zanette, Dino, 175
 Zani, Paolo, 1113
 Zarzycki, Ryszard, 1323
 Zerde, Jaime de la, 1147
 Zerner, Michael, 1695
 Zerner, Michael C., 1701
 Zucco, César, 175
 Zuñiga, Celia, 1881

SUBJECT INDEX, 1987

ABSOLUTE CONFIGURATION

Absolute configuration of atropisomeric *m*-terphenyl-type flavan-3-ols, 1365–8

ABSORPTION SPECTRA

Radical cations from alkyl iodides in aqueous solution, 1795–800

ABSTRACTION

Intermolecular hydrogen-atom abstraction by vinyl radicals derived from hydroxyalkyl radicals and alkynes: an electron spin resonance investigation, 329–36

ACETAL

Divalent metal ion catalysis of acetal hydrolysis; effects of oxycarbocation stability and leaving group basicity, 143–50

ACETAL FORMATION

Kinetics and mechanism of acid-catalysed addition of methanol to α -methoxystyrenes, 1517–22

ACETAMIDINE

General structure–basicity relations for trisubstituted acetamides, 1117–20

ACETANILIDE

Alkaline hydrolyses of *N*-alkyl-2,4-dinitroacetanilides, 1203–8

ACETONITRILE

Solvent effect on activation parameters for the neutral hydrolysis of phenyl trifluoroacetates in aqueous acetonitrile, 1723–6

ACETOPHENONE

Hyperconjugative interactions in halogen-substituted carbonyls: ultraviolet photoelectron spectroscopy of ω -halogenoacetophenones, 1459–64

ACETOXYCINNAMIC ACID

C–H...O Interactions and the adoption of 4 Å short-axis crystal structures by oxygenated aromatic compounds, 1195–202

ACETOXYHALOGENOPROPANOATE

Elimination from diastereoisomeric methyl 3-acetoxy-2-halogeno- and 2,3-dihalogeno-3-phenylpropanoates, 1473–6

ACETYLMETHYLGLYOXIME

Oximation of acetyl(hydroxyimino)acetone: nuclear magnetic resonance spectroscopic, chemical, and *X*-ray crystallographic studies of the reaction products, 523–30

ACID

Properties of hydrogen bonds in 5,8-dihydroxy-1,4-naphthoquinone and 1,4-dihydroxy-9,10-antraquinone; reaction with bases in aqueous solution, 1617–20

ACID–BASE

¹³C Nuclear magnetic resonance study of acid–base tautomeric equilibria, 453–60

ACID CATALYSIS

Acid catalysis in thermal and photoinduced electron-transfer reactions, 751–60

Kinetics and mechanisms of decarboxylation of 4-phenylallophanate anions, 929–34

Acid-catalysed intramolecular allylic rearrangement of methyl ethers in aqueous solvent. Evidence for the intermediacy of ion–molecule pairs in solvolysis, 1629–32

ACID FORMATION

Acid formation in the radical-mediated degradation of chlorinated ethanes in aqueous environment. A radiation chemical study, 1639–44

ACIDIC BROMATE

A kinetic study of the oxidation of 2,4-dinitrophenylhydrazine with acidic bromate, 1539–42

ACIDITY

Carbon-13 nuclear magnetic resonance spectroscopy as a method to determine relative acidity of boron Lewis acids in pyridine complexes, 771–4

ACIDITY FUNCTION

Reactions in strongly basic media. Part 7. Correlation of the rates of alkaline hydrolysis of 2-substituted 3- and 5-nitropyridines, 4-nitropyridine *N*-oxide, and 2- and 4-substituted pyridine

methiodides in aqueous dimethyl sulphoxide with an acidity function, 181–4

Reactions in strongly basic media. Part 8. Correlation of the rates of alkaline hydrolysis of 2,4-dinitroanisole and 2-methoxy-5-nitropyridine in aqueous dipolar aprotic solvents with acidity functions. An order of basicity for aqueous dipolar aprotic solvents, 185–8

Reactions in strongly basic media. Part 9. Correlation of the rates of methoxide-catalysed methanolysis of 1-substituted 2,4-dinitrobenzenes and 2-substituted 5-nitropyridines in methanolic dimethyl sulphoxide with an acidity function. Details of the mechanistic pathway, 189–92

ACYLATION

The acylation of neutral phosphoramidates, 1489–94

ACYL MIGRATION

The mechanism of phosphoryl to carbonyl migration of amino groups in mixed anhydrides. A MNDŌ SCF-MO study, 767–70

ACYLPHOSPHATE

The *N*-phosphobiotin route: a possible new pathway for biotin coenzyme, 1369–74

ADDITION

Intermolecular hydrogen-atom abstraction by vinyl radicals derived from hydroxyalkyl radicals and alkynes: an electron spin resonance investigation, 329–36

ADDITION REACTION

Kinetics and mechanism of acid-catalysed addition of methanol to α -methoxystyrenes, 1517–22

ADDITION TO ACETYLENE

Addition of arenosulphonyl iodides to substituted phenylacetylenes, 103–8

ADDUCT

Nitrogen-bonded σ -adducts from amide anions and 1,3,5-trinitrobenzene. A ¹H nuclear magnetic resonance structural study, 805–10

ADRIAMYCIN

Nuclear magnetic resonance conformational study of daunomycin and related antitumour antibiotics in solution. The conformation of ring A, 15–26

Kinetics and mechanism of the reactions of superoxide ion in solution. Part 6. Interaction of superoxide ion with adriamycin in aprotic and protic media, 835–40

AGGREGATION

Aggregation of complexes of some phenols with triethylamine in benzene, 897–900

Interaction of 2,4,6-trimethylpyridine with some halogenocarboxylic acids in benzene and dichloromethane. Problem of stoichiometry, 901–6

ALCOHOLYSIS

Kinetic and thermodynamic parameters for the alcoholysis of 2,2-trichloro-1-arylethanones, 175–80

ALDEHYDE

Conformational analysis of organic carbonyl compounds. Part 6. Theoretical examination of the conformational properties (ground and transition states) and solvent effects on 2-formylfuran, -thiophene, and -pyridine, 961–8

ALDOSTERONE

18-Substituted steroids, Part 14. The high-field ¹H and ¹³C nuclear magnetic resonance spectra of aldosterone; full assignments for the main equilibrating forms in solution, 1247–52

ALIMEMAZINE RADICAL

Crystal and molecular structure of the alimemazine cation radical, 575–80

ALIPHATIC AMINE

Aromatic nucleophilic substitution reactions of 1,2-dinitrobenzene with aliphatic primary amines in *n*-hexane; catalysis by non-nucleophilic bases, 987–94

ALKENOL

Low-energy, low-temperature mass spectra. Part 7. Terminal alkenols, 1019–26

ALKENYLNAPHTHALENE

Conformations and internal rotation of simple 1-

- ALKENYLNAPHTHALENE** (contd)
alkenylnaphthalenes, studied by dynamic nuclear magnetic resonance spectroscopy, nuclear Overhauser effects, and molecular mechanics calculations, 955–60
- ALKOXIDE**
Oligomeric cyclization of dinitriles in the synthesis of phthalocyanines and related compounds: the role of the alkoxide anion, 1579–82
- ALKOXIDE ANION**
Kinetic determination of selectivity constants of anion extraction in phase-transfer catalytic systems, 1147–52
- ALKOXYCARBONYLATION**
A study of the phase-transfer alkoxy-carbonylation of secondary alkyl amines. Application of a factorial design, 695–8
- ALKYLARYLPIPERAZINE**
Synthesis and mesogenic properties of *N'*-(4-acylphenyl)-*N*-alkylpiperazines, 1881–6
- ALKYLATION**
Protonation and alkylation of 1-arylpropenyl-lithium, 673–8
Influence of solvent and cation on the properties of oxygen-containing organic anions. Part 1. Regioselectivity of methylation of acetophenone enolate, 1399–406
- ALKYL IODIDE**
Radical cations from alkyl iodides in aqueous solution, 1795–800
- ALKYNE**
The reaction between tetrasulphur tetranitride (S_4N_4) and electron-deficient alkynes. A molecular orbital study, 1669–70
- ALLENE**
The thermal cycloaddition of substituted thiobenzophenones with phenylallene: mechanism and linear free energy relationships of reaction rates, 907–12
The molecular structure of allenes and ketenes. Part 20. Excited states of 3-halogeno- and other 3-substituted phenylallenes: circular dichroism and absorption spectra, and CNDO/S calculations, 1293–302
- ALLOXAN**
Preparation and hydrogen bonding studies of phenylhydrazone derivatives of alloxan: crystal and molecular structure of pyrimidine-2(1*H*),4(3*H*),5,6-tetraone 5-(2-nitrophenyl)hydrazone, 469–72
- ALLYLIC ISOMERIZATION**
Acid-catalysed intramolecular allylic rearrangement of methyl ethers in aqueous solvent. Evidence for the intermediacy of ion-molecule pairs in solvolysis, 1629–32
- AMBIDENT NUCLEOPHILE**
Nitrogen-bonded σ -adducts from amide anions and 1,3,5-trinitrobenzene. A 1H nuclear magnetic resonance structural study, 805–10
- AMBIDENT REACTIVITY**
The acylation of neutral phosphoramidates, 1489–94
- AMIDE ANION**
Nitrogen-bonded σ -adducts from amide anions and 1,3,5-trinitrobenzene. A 1H nuclear magnetic resonance structural study, 805–10
- AMIDINE**
Amidines. Part 24. Influence of alkyl substituents at the amidino carbon atom on the sensitivity to substitution at the imino nitrogen atom. pK_a Values of N^1N^1 -dimethylamidines, 663–8
- AMINE**
Reaction of tertiary aliphatic amines with halogens. Kinetics and products of the reaction of tribenzylamine with molecular bromine and tribromide ion, 39–46
Identification of the pyrolysis products of some aromatic amines using microwave spectroscopy, 585–90
Interaction of singlet oxygen [$O_2(^1\Delta)$] with aliphatic amines and hydroxylamines, 1125–7
Hydrogen abstraction from primary amines. Substituent effects on the carbon–nitrogen bond rotation barriers in aminoalkyl radicals, 1789–94
- AMINO ACID**
The use of crown ethers in peptide chemistry. Part 1. Syntheses of amino acid complexes with the cyclic polyether 18-crown-6 and their oligomerisation in dicyclohexylcarbodi-imide-containing solutions, 323–8
Chloride ion-catalysed oxidation of arginine, threonine, and glutamic acid by 1-chlorobenzotriazole: a kinetic and mechanistic study, 1569–74
- AMINO ACID ESTER**
Efficient stereoselective hydrolysis of enantiomeric amino acid esters by bilayer vesicular systems which include di- or tri-peptide histidine catalysts, 995–1002
Hydrogen abstraction from primary amines. Substituent effects on the carbon–nitrogen bond rotation barriers in aminoalkyl radicals, 1789–94
- AMINOENONE**
Vibrational spectroscopy and conformations of 2,2-diacylethenamines, 301–6
- AMINOLYSIS**
Aminolysis of pyrido[2,1-*i*]purines, 733–8
Kinetic evidence for the occurrence of a stepwise mechanism in the aminolysis of maleimide. General acid and base catalysis by secondary amines, 819–28
- AMINOPROPYNE**
Electron delocalisation and stabilisation in substituted amino- and hydroxy-propynyl radicals, 1077–82
- AMINOPYRIDINE**
MNDO calculations and the non-planarity of arylamino groups, 247–8
- AMINYL RADICAL**
Electrochemical oxidation of 2,2,6,6-tetramethylpiperidines in acetonitrile: mechanism of *N*-cyanomethylation, 1065–70
- ANCHIMERIC ASSISTANCE**
Reactions of bis(dimethyl(vinyl)silyl)bis(trimethylsilyl)methane, $(Me_3Si)_2C(SiMe_2CH=CH_2)_2$, 381–4
Anchimeric assistance by the methoxy group in solvolysis of the compounds $(Me_3Si)_2C(SiMe_2OMe)(SiMe_2X)$, 657–62
The effect of the γ -OMe group on the reactivity of the germanium chloride $(Me_3Si)_2C(SiMe_2OMe)(GeMe_2Cl)$, 775–8
1,3-Migration of a methyl group from germanium to silicon in reactions of $(Me_3Si)_2C(GeMe_3)(SiMe_2Br)$ with silver salts, 779–82
Migration of the methoxy group in an organosilicon cation. Reactions of (bromodiphenylsilyl)(methoxydimethylsilyl)bis(trimethylsilyl)methane with silver borofluoride and silver chloride. Crystal structure of (chlorodiphenylsilyl)-(methoxydimethylsilyl)bis(trimethylsilyl)methane, 891–4
Anchimeric assistance by and migration of the vinyl group in reactions of sterically hindered organosilicon compounds of the type $(Me_3Si)_2C(SiMe_2CH=CH_2)(SiR_2X)$, 1047–58
1,3 Silicon to silicon migration of the methoxy group in solvolysis of (bromodiphenylsilyl)-(methoxydimethylsilyl)bis(trimethylsilyl)methane. Crystal structures of (ethoxydimethylsilyl)(methoxydiphenylsilyl)bis(trimethylsilyl)methane and (methoxydimethylsilyl)-(methoxydiphenylsilyl)bis(trimethylsilyl)methane, 1753–8
- ANILINE**
MNDO calculations and the non-planarity of arylamino groups, 247–8
Resonance and solvent effects on absorption spectra. Part 5. Substituent and solvent effects on infrared spectra of 2- and 4-substituted aniline derivatives, 875–80
- ANILINOACRIDINE**
Mechanism of the Chapman rearrangement of *N*-arylbenzimidates on the basis of a molecular structure established by *X*-ray crystallography, 205–10
- ANILINOPYRIDINE OXIDE**
Evaluation of the polar–inductive and mesomeric effects exerted on contiguous functionalities by *N*-oxidopyridinium groups, 1009–14
- ANION**
The reactions of two σ -anionic compounds (Jackson–Meisenheimer adducts) in liquid ammonia studied by ^{13}C nuclear magnetic resonance spectroscopy, 1341–4
Influence of solvent and cation on the properties of oxygen-containing organic anions. Part 2. Radical anions derived from 2,5-diarylfurans, 1407–12
- ANION EXTRACTION**
Kinetic determination of selectivity constants of anion extraction in phase-transfer catalytic systems, 1147–52
- ANISOLE**
Highly selective aromatic chlorination. Part 1. The 4-chlorination of anisole and phenol with *N*-chloroamines in acidic solution, 1533–8
- ANNULENE**
The quantitative electrophilic reactivity of annulenes. Part 2. Partial

ANNULENE (contd)

rate factors for hydrogen exchange of azulene, cycl[3,2,2]azine, indolizine, *N*-methylisindole, indole, and pyrrolo[2,1-*b*]thiazole, and attempted exchange in *trans*-9,10-dimethyldihdropyrene: the dramatic effect of creating aromaticity in the transition state for electrophilic substitution, and the importance of valence bond theory, 591-8

ANOMERIC EFFECT

Variation in the hydrophilicity of hexapyranose sugars explains features of the anomeric effect, 1903-6

ANTIBIOTIC

Nuclear magnetic resonance conformational study of daunomycin and related antitumour antibiotics in solution. The conformation of ring A, 15-26

Crystal and molecular structure of (3*R*)-3-(3-methyl-7-phenoxyacetamido-3-cephem-4-yl)-3-hydroxybutanoic acid, 841-6

ARABINONATE

Studies on borate esters. Part 5. The system glucarate-borate-calcium(II) as studied by ¹H, ¹¹B, and ¹³C nuclear magnetic resonance spectroscopy, 473-8

AROMADENDRENE

Two-dimensional nuclear magnetic resonance of sesquiterpenes.

Part 2. Total assignment of (+)-aromadendrene, (+)-longicyclene, and γ -gurjunene by the two-dimensional INADEQUATE method, 341-4

AROMATIC

The effects of single- and twin-tailed ionic surfactants upon aromatic nucleophilic substitution, 541-6

Nucleophilic aromatic substitution: transmission of substituent effects in alkaline hydrolysis of 4-aminophenylazobenzothiazolium dyes, 1781-4

Nucleophilic aromatic substitution: effect of complexation on the alkaline hydrolysis of 4-aminophenylazobenzothiazolium dyes, 1785-8

AROMATIC AMINE

The rearrangement of aromatic nitro compounds. Part 1. The reactions of nitroanilines in aqueous sulphuric acid, 1767-72

AROMATIC CHLORINATION

Highly selective aromatic chlorination. Part 1. The 4-chlorination of anisole and phenol with *N*-chloroamines in acidic solution, 1533-8

AROMATICITY

Kinetics and mechanism for the formation of phenylhydrazone from benzaldehydes, naphthaldehydes, and formyl-1,6-methano[10]annulenes, 1717-22

AROMATIC NUCLEOPHILIC

Solvents effects on aromatic nucleophilic substitutions. Part 5.

Kinetics of the reactions of 1-fluoro-2,4-dinitrobenzene with piperidine in aprotic solvents, 951-4

AROMATIC NUCLEOPHILIC SUBSTITUTION

Kinetics of the reaction between 1,2-dinitrobenzene and piperidine in *n*-hexane. Role of electron donor-acceptor complexes in the mechanism. Catalysis by pyridine, 79-84

Theoretical calculations of chemical interactions. Part 5. 1,1-Disubstituted 2,4,6-trinitrocyclohexadienylide ('Meisenheimer') complexes, 227-30

Aromatic nucleophilic substitution reactions of 1,2-dinitrobenzene with aliphatic primary amines in *n*-hexane; catalysis by non-nucleophilic bases, 987-94

AROMATIC REARRANGEMENT

The rearrangement of aromatic nitro compounds. Part 1. The reactions of nitroanilines in aqueous sulphuric acid, 1767-72

AROMATIC SUBSTITUTION

Nucleophilic aromatic substitution in solutions of cationic bolaform surfactants, 547-52

A theoretical study of the nitration of ethylene and benzene with the nitronium ion, 1303-10

AROMATIC TRANSITION STATE

The quantitative electrophilic reactivity of annulenes. Part 2. Partial rate factors for hydrogen exchange of azulene, cycl[3,2,2]azine, indolizine, *N*-methylisindole, indole, and pyrrolo[2,1-*b*]thiazole, and attempted exchange in *trans*-9,10-dimethyldihdropyrene: the dramatic effect of creating aromaticity in the transition state for electrophilic substitution, and the importance of valence bond theory, 591-8

ARYLBENZIMIDATE

Mechanism of the Chapman rearrangement of *N*-arylbenzimidates

on the basis of a molecular structure established by *X*-ray crystallography, 205-10

ARYLBORONATE

Complexation of arylboronates with nitrogen-containing bases, 745-50

ARYLDIAZOMETHANE

Spectroscopic studies of various carbene-radical-cations formed by radiolysis of solutions on halogenocarbons, 881-4

ARYLIDENEFLAVANONE

Flavanoids. Part 6. The kinetics and mechanism of base-catalysed isomerisation of 3-arylidene flavanones, 449-52

ARYLMETHYLENEHYDANTOIN

Substituent effects in ¹H and ¹³C nuclear magnetic resonance correlations of chemical shifts in *para*-substituted 5-arylmethylenehydantoins, 1043-6

ARYLPROPENYL-LITHIUM

Protonation and alkylation of 1-arylpropenyl-lithium, 673-8

ASCORBIC ACID

Kinetics and mechanism of the reactions of superoxide ion in solution. Part 5. Kinetics and mechanism of the interaction of superoxide ion with vitamin E and ascorbic acid, 281-6

A theoretical study on the mechanism of oxidation of L-ascorbic acid, 715-20

ASIATICOSIDE

Stereochemistry of a triterpenoid trisaccharide from *Centella asiatica*. *X*-Ray determination of the structure of asiaticoside, 1509-16

ASSOCIATION CONSTANT

Phase diagram and association constants of a molecular complex in the 1,3,5-trinitrobenzene-benzene binary system, 1563-8

ASYMMETRIC HYDROGENATION

The catalytic resting state of asymmetric homogeneous hydrogenation. Exchange processes delineated by nuclear magnetic resonance saturation-transfer (DANTE) techniques, 1583-8

ASYMMETRIC MEMBRANE

Photo-excitable membranes. Photoinduced membrane potential changes across poly(vinyl chloride) membranes doped with azobenzene-modified crown ethers, 67-72

ATROPISOMER

Absolute configuration of atropisomeric *m*-terphenyl-type flavan-3-ols, 1365-8

AZA-ALLYL RADICAL

Hydrogen abstraction from primary amines. Substituent effects on the carbon-nitrogen bond rotation barriers in aminoalkyl radicals, 1789-94

AZADIMETHANE

Substitution effects on the aza-di- π -methane rearrangement of imines, 1039-42

AZAHEPTADIYNE

Photoelectron, infrared, and theoretical study of the thermolysis of 4-azahepta-1,6-diyne: spectra of prop-2-ynylideneamine, H-C \equiv C-CH=NH, and penta-3,4-diene-1-yne, CH₂=C=CHC \equiv CH, 683-8

AZAPURINE

6-Azapurines. Part 2. Crystal and molecular structure of 8,9-dimethyl-6-azapurin-2-one, 1455-8

AZIRIDINIUM

Chemistry of nitrogen mustard [2-chloro-*N*-(2-chloroethyl)-*N*-methylethanamine] studied by nuclear magnetic resonance spectroscopy, 705-14

AZO-ACTIVATED

Heteroaromatic azo-activated substitutions. Part 3. Catalysis in the reaction of 4-(4-methoxyphenylazo)pyridinium methiodide with amines in dipolar aprotic solvents. Kinetic form and the mechanism of the uncatalysed reaction in nucleophilic aromatic substitution, 563-8

AZO COUPLING

Electrophilic substitution in indoles. Part 14. Azo-coupling of indoles with *p*-nitrobenzenediazonium fluoroborate, 1483-8

BARBITURATE

Structure-activity relations and receptor modelling of convulsant and anticonvulsant barbiturates from crystallographic data, 415-22

Preparation and hydrogen bonding studies of phenylhydrazone derivatives of alloxan: crystal and molecular structure of pyrimidine-2(1*H*),4(3*H*),5,6-tetraone 5-(2-nitrophenyl)hydrazone, 469-72

BASE CATALYSIS

- Kinetics of the reaction between 1,2-dinitrobenzene and piperidine in *n*-hexane. Role of electron donor-acceptor complexes in the mechanism. Catalysis by pyridine, 79-84
- Kinetics and mechanisms of reactions of pyridines and imidazoles with phenyl acetates and trifluoroacetates in aqueous acetonitrile with low content of water: nucleophilic and general base catalysis in ester hydrolysis, 159-68
- Solvents effects on aromatic nucleophilic substitutions. Part 5. Kinetics of the reactions of 1-fluoro-2,4-dinitrobenzene with piperidine in aprotic solvents, 951-4
- Aromatic nucleophilic substitution reactions of 1,2-dinitrobenzene with aliphatic primary amines in *n*-hexane; catalysis by non-nucleophilic bases, 987-94

BASE METHYLATION EFFECT

- Structural studies of the interaction between indole derivatives and biologically important aromatic compounds. Part 19. Effect of base methylation on the ring-stacking interaction between tryptophan and guanine derivatives: a nuclear magnetic resonance investigation, 1739-46

BASICITY

- Acid-base properties of highly substituted diamionaphthalenes, 243-6
- Effect of ring size on the basicity and kinetic behaviour of 1,5-dimethylnaphtho[1,8-*bc*]-1,5-diazacycloalkanes, 613-6
- Amidines. Part 24. Influence of alkyl substituents at the amidino carbon atom on the sensitivity to substitution at the imino nitrogen atom. pK_a Values of N^1N^1 -dimethylamidines, 663-8

BASICITY CONSTANT

- General structure-basicity relations for trisubstituted acetamidines, 1117-20
- Absorptiometric and fluorimetric study of solvent dependence and prototropism of 2-substituted benzimidazole derivatives, 1465-72

BENZENE

- Non-linear optical properties of organic molecules. Part 3. Effect of substituents on the calculated hyperpolarisability of monosubstituted benzenes, 1357-60

BENZENE DIMER

- Incorporation of a dispersion energy term to Fraga's atom-atom pair intermolecular potential. Application to benzene, *s*-tetrazine, and their mixed dimers, 943-50

BENZILIC ACID

- A MNDO SCF-MO study of the mechanism of the benzilic acid and related rearrangements, 1819-28

BENZIMIDAZOLE

- Absorptiometric and fluorimetric study of solvent dependence and prototropism of 2-substituted benzimidazole derivatives, 1465-72

BENZOCYCLO-OCTATETRAENE

- Synthesis, structure, and haptotropic rearrangement of benzocyclo-octatetraenetricarbonylchromium(0) complexes, 935-42

BENZONITRILE SULPHIDE

- Viscosity-dependent fluorescence and low-temperature photochemistry of mesoionic 4-phenyl-1,3,2-oxathiazolium-5-olate, 1227-38

BENZOPHTHALAZINIUM

- Protonation of 1,4-bis(alkylamino)benzo[*g*]phthalazine. Crystal structure of di{1,4-bis-(3-methoxypropylamino)-3(2)*H*-benzo[*g*]phthalazinium} tetrachlorocobaltate monohydrate, 569-74

BENZOTHIAZOLINE DERIVATIVE

- Crystal and molecular structure of $\text{CoCl}_2(\text{L})(1/2 \text{ acetone})$ where L is = [8-methoxy-3-methyl-6-nitro-2*H*-1-benzopyran-2-spiro-2'-(3-methylbenzothiazoline)], 1413-8

BENZOTHIAZOLIUM DYE

- Nucleophilic aromatic substitution: transmission of substituent effects in alkaline hydrolysis of 4-aminophenylazobenzothiazolium dyes, 1781-4
- Nucleophilic aromatic substitution: effect of complexation on the alkaline hydrolysis of 4-aminophenylazobenzothiazolium dyes, 1785-8

BENZYL ALCOHOL

- Nuclear magnetic resonance and molecular orbital study of internal hydrogen bonding in salicyl alcohol. Principal site analysis based on the sidechain methylene and hydroxy proton long-range coupling constants, 121-6

BENZYLPHENYLMERCURY

- Free radicals in solution. Part 10. The thermal decomposition of benzylphenylmercury in solution, 413-4

BENZYLPIRIDINE OXIDE

- Evaluation of the polar-inductive and mesomeric effects exerted on contiguous functionalities by *N*-oxidopyridinium groups, 1009-14

BENZYNE

- On the geometric structure and vibrational frequencies of *o*-benzyne. An *ab initio* study including electron correlation, 117-20

BILAYER MEMBRANE MODEL

- Efficient stereoselective hydrolysis of enantiomeric amino acid esters by bilayer vesicular systems which include di- or tri-peptide histidine catalysts, 995-1002

BILIVERDIN

- Complete chiral discrimination in bilipeptides: the chiroptical properties of the bilatriene helix, 1523-6

BILIVERDIN PEPTIDE

- Peptide-mediated chiral discrimination in bilipeptides: biliverdin di- and tri-peptides, 219-26

BIOLOGICAL CATALYSIS

- Kinetic and thermodynamic parameters for Schiff's base formation between pyridoxal 5'-phosphate and *n*-hexylamine, 445-8

BIOTIN

- General acid-base catalysed cyclisation reactions of a strained ω -phenylhydantoic acid, 127-34
- The *N*-phosphobiotin route: a possible new pathway for biotin coenzyme, 1369-74

BIPYRIDILIUM

- An electron spin resonance, ENDOR, and TRIPLE resonance study of symmetrical *N,N'*-disubstituted-4,4'-bipyridylum radical cations in which the quaternising groups are nitrogen heterocycles, 1375-8

BIS(ALKYLAMINO)BENZOPHTHALAZINE

- Protonation of 1,4-bis(alkylamino)benzo[*g*]phthalazine. Crystal structure of di{1,4-bis-(3-methoxypropylamino)-3(2)*H*-benzo[*g*]phthalazinium} tetrachlorocobaltate monohydrate, 569-74

BISCROWN EFFECT

- New applications of crown ethers. Part 6. Structural effects of bis(benzocrown ether)s and substituted benzocrown ethers on solvent extraction and complexation of alkali-metal cations, 135-42

BIS(CROWN ETHER)

- New applications of crown ethers. Part 6. Structural effects of bis(benzocrown ether)s and substituted benzocrown ethers on solvent extraction and complexation of alkali-metal cations, 135-42

BIS(ETHOXYTHIOCARBONYL) SULPHIDE

- Catalysed decomposition of bis(ethoxythiocarbonyl) sulphide with tributylphosphine. A kinetic study in dimethyl sulphoxide, acetonitrile, and their mixtures with toluene, 1899-902

BISHALOGENOPHENYLSUCCINATE

- Electrochemical synthesis of diethyl 2,3-bis-*p*-halogenophenylsuccinates; reduction of α -bromo-*p*-halogenophenylacetates, 847-52

BIS(MONOAZA-CROWN ETHER)

- Highly selective cation transport through membranes containing lipophilic bis(monoaza-crown ether)s, 1181-6

BIS-SULPHONE

- Electrochemical reduction of some *o*-bis(phenylsulphonyl)benzene derivatives. Effect of the substrate structure and of the addition of bases on the product distribution, 623-32

BOLAFORM

- Nucleophilic aromatic substitution in solutions of cationic bolaform surfactants, 547-52

BORATE ESTER

- Studies on borate esters. Part 5. The system glucarate-borate-calcium(II) as studied by ^1H , ^{11}B , and ^{13}C nuclear magnetic resonance spectroscopy, 473-8

BORON

- Carbon-13 nuclear magnetic resonance spectroscopy as a method to determine relative acidity of boron Lewis acids in pyridine complexes, 771-4

BORON-NITROGEN CO-ORDINATION

- Complexation of arylboronates with nitrogen-containing bases, 745-50

BRANCHING REARRANGEMENT

- MINDO/3 Study of the isomerization of 1-methylcyclohexylum ion to 1-ethylcyclopentylum ion. An alternative mechanism for this branching rearrangement, 307-12

BRIDGED CALIXARENE

- The crystal and molecular structure of two calix[4]arenes bridged

- BRIDGED CALIXARENE** (contd)
at opposite *para* positions, 1609–16
- BROMINATION**
Reaction of tertiary aliphatic amines with halogens. Kinetics and products of the reaction of tribenzylamine with molecular bromine and tribromide ion, 39–46
- BROMOAMIDE**
Electrochemistry of 2-bromo-2-methylpropanamides. Reduction mechanism and cyclocoupling reaction with amide solvents, 33–8
- BROMOBENZENESULPHONATE**
Kinetics and mechanism for the reaction of phenethyl *p*-bromobenzenesulphonate with substituted pyridines under high pressures, 1439–42
- BROMOCHLORONITROSOCAMPHANE**
Action of red light on solid (+)-10-bromo-2-chloro-2-nitrosocamphane: (i) nuclear and electron paramagnetic resonance studies; (ii) reaction products; (iii) solid-state photolysis reaction mechanisms, 1139–46
- BROMOHALOGENOPHENYLACETATE**
Electrochemical synthesis of diethyl 2,3-bis-*p*-halogenophenylsuccinates; reduction of α -bromo-*p*-halogenophenylacetates, 847–52
- BUTYLAZO**
The electronic effect of the phenylazo and *t*-butylazo groups, 1649–54
- BUTYL ISOCYANIDE-BORYL RADICAL**
Homolytic reactions of ligated boranes. Part 7. An electron spin resonance study of the *t*-butyl isocyanide-boryl radical, 1773–80
- CALCIUM CO-ORDINATION**
Studies on borate esters. Part 5. The system glucarate-borate-calcium(II) as studied by ^1H , ^{11}B , and ^{13}C nuclear magnetic resonance spectroscopy, 473–8
- CALCIUM ENTRY BLOCKER**
Nuclear magnetic resonance investigations of calcium-antagonist drugs. Part 1. Conformational and dynamic features of nimodipine {3-[(2-methoxyethoxy)carbonyl]-5-(isopropoxycarbonyl)-4-(3-nitrophenyl)-2,6-dimethyl-1,4-dihydropyridine}; in [$^2\text{H}_6$]dimethyl sulphoxide, 1707–12
- CALCULATION**
The mechanism of phosphoryl to carbonyl migration of amino groups in mixed anhydrides. A MNDO SCF-MO study, 767–70
An experimental and theoretical investigation of orientational dependence of H–F couplings in fluoro-olefins, 977–86
- CALIXARENE**
The crystal and molecular structure of two calix[4]arenes bridged at opposite *para* positions, 1609–16
- CAPSULE MEMBRANE**
Functional capsule membranes. Part 28. A capsule membrane grafted with viologen-containing polymers as a reactor of electron transfer catalysis in heterophases, 1003–8
- CAPTODATIVE**
An electron spin resonance investigation of free radicals with oxygen- and sulphur-containing substituents, 1801–8
- CAPTODATIVE RADICAL**
Electron delocalisation and stabilisation in substituted amino- and hydroxy-propynyl radicals, 1077–82
- CARBAMATE**
A study of the phase-transfer alkoxycarbonylation of secondary alkyl amines. Application of a factorial design, 695–8
- CARBANION**
A SCF-MO study of the relative barriers to inversion and to ring opening in three-membered ring carbanions, 359–64
Bicyclo[3.2.2]nonatrienyl-lithium and -potassium and their degenerate rearrangements studied by multiple labelling with ^{13}C and ^2H , ^{13}C nuclear magnetic resonance spectroscopy, ^{13}C – ^{13}C coupling constants, and isotopic perturbation, 461–8
Acyl derivatives of cyclic secondary amines. Part 1. Dipole stabilization of anions: the cumulative effect of two stabilizing groups, 1695–700
Electrochemical reduction of *N*-(2,2,2-trichloroethyl)acetamides, 1887–92
- CARBENE-RADICAL-CATION**
Spectroscopic studies of various carbene-radical-cations formed by radiolysis of solutions on halogenocarbons, 881–4
- CARBENIUM ION**
MINDO/3 Study of the isomerization of 1-methylcyclohexylium ion to 1-ethylcyclopentylum ion. An alternative mechanism for this branching rearrangement, 307–12
- CARBOCATION**
Lactone formation in superacidic media, 1877–80
- CARBOCATION-MOLECULE PAIR**
Acid-catalysed intramolecular allylic rearrangement of methyl ethers in aqueous solvent. Evidence for the intermediacy of ion-molecule pairs in solvolysis, 1629–32
- CARBON LABELLING**
Chemistry of nitrogen mustard [2-chloro-*N*-(2-chloroethyl)-*N*-methylethanamine] studied by nuclear magnetic resonance spectroscopy, 705–14
- CARBONYL ADDITION**
Volumes of reaction for the formation of some analogues of tetrahedral intermediates, 1477–82
- CARBONYLATED COMPLEX**
Synthesis and characterization of a new series of iron(II) single-face hindered porphyrins. Influence of central steric hindrance upon carbon monoxide and oxygen binding, 249–58
- CARBONYL COMPOUND**
Selectivity of radical formation in the reaction of carbonyl compounds with manganese(III) acetate, 1103–8
- CARBONYL STRETCH**
Influence of conformation on transmission of electronic effects of substituents. Correlation of infrared carbonyl stretching frequencies of 4-substituted α -naphthyl styryl ketones, 263–6
- CARBOXYLATE ANION**
Collision-induced dissociations of carboxylate negative ions from 2-ethylbutanoic, 2-methylpropanoic, and pivalic acids. An isotopic labelling study, 385–90
- CARBOXYLATION**
The *N*-phosphobiotin route: a possible new pathway for biotin coenzyme, 1369–74
- CARBOXYLIC ACID OXIDATION**
Electron spin resonance studies. Part 71. Side-chain oxidation pathways in the reactions of 'OH and $\text{SO}_4^{\cdot -}$ with some phenyl-substituted carboxylic acids, their anions, and some related compounds, 371–80
- CARCINOGENESIS**
Ab initio calculations relevant to the mechanism of chemical carcinogenesis by *N*-nitrosamines. Part 7. The nitrosation of amines by nitrosyl chloride, 1337–40
- CATALYSED OXIDATION**
Chloride ion-catalysed oxidation of arginine, threonine, and glutamic acid by 1-chlorobenzotriazole: a kinetic and mechanistic study, 1569–74
- CATALYSIS**
Chiral ligands for organometallic catalysis containing two dioxolane rings, 91–6
Divalent metal ion catalysis of acetal hydrolysis; effects of oxycarbocation stability and leaving group basicity, 143–50
Heteroaromatic azo-activated substitutions. Part 3. Catalysis in the reaction of 4-(4-methoxyphenylazo)pyridinium methiodide with amines in dipolar aprotic solvents. Kinetic form and the mechanism of the uncatalysed reaction in nucleophilic aromatic substitution, 563–8
Kinetic evidence for the occurrence of a stepwise mechanism in the aminolysis of maleimide. General acid and base catalysis by secondary amines, 819–28
Stereochemistry of intermediates in homogeneous hydrogenation catalysed by tris(phenyl)phosphine-rhodium chloride, employing nuclear magnetic resonance magnetisation transfer, 1589–96
Structural characterisation in solution of intermediates in rhodium-catalysed hydroformylation and their interconversion pathways, 1597–608
- CATALYTIC MECHANISM**
The catalytic resting state of asymmetric homogeneous hydrogenation. Exchange processes delineated by nuclear magnetic resonance saturation-transfer (DANTE) techniques, 1583–8
- CATECHIN DIMER**
Assessment by molecular mechanics of the preferred conformations of the sixteen C(4)–C(6) and C(4)–C(8) linked dimers of (+)-catechin and (–)-epicatechin with axial or equatorial dihydroxyphenyl substituents at C(2), 739–44
- CATHODIC**
Electro-organic reactions. Part 26. The cathodic reduction of dicyanoethylene derivatives; competition between hydrogenation and hydrodimerisation, 435–40
- CATION**
Influence of solvent and cation on the properties of oxygen-

- CATION** (contd)
containing organic anions. Part 1. Regioselectivity of methylation of acetophenone enolate, 1399–406
- CATION ANION COMBINATION REACTION**
Thiopyrylium cations as appropriate compounds for the quantitative evaluation of *ipso*-substituent effects, 1427–30
- CATION COMPLEX**
Investigation of cationic hydrogen-bonded systems by fast atom bombardment mass spectrometry, 1128–32
- CATION TRANSPORT**
Metallation of porphyrins in two-phase systems using carboxylic acid, thiols, and phenols, 287–92
- C.D.**
Peptide-mediated chiral discrimination in bilipeptides: biliverdin di- and tri-peptides, 219–26
Chiroptical properties of five-co-ordinated olefin complexes of platinum(II), 427–34
Preparation, chromatographic enantiomer separation, ultraviolet-visible and circular dichroism spectra, and barriers to rotation of chiral twisted 1-acyl-1-thioacyl- and 1,1-bis(thioacyl)-2,2-diaminoethylenes, 491–6
The molecular structure of allenes and ketenes. Part 20. Excited states of 3-halogeno- and other 3-substituted phenylallenes: circular dichroism and absorption spectra, and CNDO/S calculations, 1293–302
Complete chiral discrimination in bilipeptides: the chiroptical properties of the bilatriene helix, 1523–6
- CENTELLA ASIATICA**
Stereochemistry of a triterpenoid trisaccharide from *Centella asiatica*. X-Ray determination of the structure of asiaticoside, 1509–16
- CENTRAL STERIC HINDRANCE EFFECT**
Synthesis and characterization of a new series of iron(II) single-face hindered porphyrins. Influence of central steric hindrance upon carbon monoxide and oxygen binding, 249–58
- CHAPMAN REARRANGEMENT**
Mechanism of the Chapman rearrangement of *N*-arylbenzimidates on the basis of a molecular structure established by X-ray crystallography, 205–10
- CHARGE TRANSFER COMPLEX**
Reaction of tertiary aliphatic amines with halogens. Kinetics and products of the reaction of tribenzylamine with molecular bromine and tribromide ion, 39–46
- CHEMICAL SHIFT**
On the correlation between ionization potentials and ^{13}C - and ^{15}N -chemical shifts in substituted pyridines, 885–90
- CHIRAL DISCRIMINATION**
Peptide-mediated chiral discrimination in bilipeptides: biliverdin di- and tri-peptides, 219–26
Complete chiral discrimination in bilipeptides: the chiroptical properties of the bilatriene helix, 1523–6
- CHIRAL KETONE**
On the reduction of enol acetates and enolates derived from α -chiral ketones with lithium tetrahydridoaluminate, 679–82
- CHIRAL OXIDIZING REAGENT**
X-Ray structure and stereochemical properties of (*S,S*)-(-)-2-methylsulphonyl-3-phenyloxaziridine and of (*S,S*)-(-)-2-methylsulphonyl-3-(2-chloro-5-nitrophenyl)oxaziridine, 699–704
- CHIRAL PHOSPHINE**
Chiral ligands for organometallic catalysis containing two dioxolane rings, 91–6
- CHIROPTICAL PROPERTY**
X-Ray structure and stereochemical properties of (*S,S*)-(-)-2-methylsulphonyl-3-phenyloxaziridine and of (*S,S*)-(-)-2-methylsulphonyl-3-(2-chloro-5-nitrophenyl)oxaziridine, 699–704
- CHLOROAMINE**
Highly selective aromatic chlorination. Part 1. The 4-chlorination of anisole and phenol with *N*-chloroamines in acidic solution, 1533–8
- CHLOROBENZOTRIAZOLE**
Chloride ion-catalysed oxidation of arginine, threonine, and glutamic acid by 1-chlorobenzotriazole: a kinetic and mechanistic study, 1569–74
- CHLOROETHANE**
Acid formation in the radical-mediated degradation of chlorinated ethanes in aqueous environment. A radiation chemical study, 1639–44
- CHLOROPHENYLBENZOHYDROXAMIC ACID**
The thermodynamic proton-ligand stability constants of some *p*-substituted *N*-*m*-chlorophenylbenzohydroxamic acids in dioxane-water, 479–82
- CHROMATOGRAPHIC ENANTIOMER RESOLUTION**
Preparation, chromatographic enantiomer separation, ultraviolet-visible and circular dichroism spectra, and barriers to rotation of chiral twisted 1-acyl-1-thioacyl- and 1,1-bis(thioacyl)-2,2-diaminoethylenes, 491–6
- CHROMOPEPTIDE**
Peptide-mediated chiral discrimination in bilipeptides: biliverdin di- and tri-peptides, 219–26
Complete chiral discrimination in bilipeptides: the chiroptical properties of the bilatriene helix, 1523–6
- COLLISION-INDUCED DISSOCIATION**
Collision-induced dissociations of carboxylate negative ions from 2-ethylbutanoic, 2-methylpropanoic, and pivalic acids. An isotopic labelling study, 385–90
- COMPLEX**
Carbon-13 nuclear magnetic resonance spectroscopy as a method to determine relative acidity of boron Lewis acids in pyridine complexes, 771–4
- COMPLEXATION**
Nucleophilic aromatic substitution: effect of complexation on the alkaline hydrolysis of 4-aminophenylazobenzothiazolium dyes, 1785–8
- COMPLEX DISSOCIATION CONSTANT**
Rate and enantioselectivity with complexes of activated substrates and simply modified cyclodextrins, 1121–4
- COMPLEX FORMATION**
Complexation of arylboronates with nitrogen-containing bases, 745–50
- COMPLEX VIBRATION**
Vibrational spectroscopy and conformations of 2,2-diacylethenamines, 301–6
- CONCANAVALIN A**
Functional capsule membranes. Part 30. Concanavalin A-induced permeability control of capsule membranes corked with synthetic glycolipid bilayers of grafted with synthetic glycopolymers, 1317–22
- CONFORMATION**
Nuclear magnetic resonance conformational study of daunomycin and related antitumour antibiotics in solution. The conformation of ring A, 15–26
Conformational analysis of *N*-acetyl-daunomycin in solution. A transient ^1H nuclear Overhauser effect study of the glycosidic linkage geometry, 27–32
Methylation of hallerin: conformational aspects from X-ray analysis and MO calculations, 215–8
Influence of conformation on transmission of electronic effects of substituents. Correlation of infrared carbonyl stretching frequencies of 4-substituted α -naphthyl styryl ketones, 263–6
Conformational analysis of organic carbonyl compounds. Part 6. Theoretical examination of the conformational properties (ground and transition states) and solvent effects on 2-formyl-furan, -thiophene, and -pyridine, 961–8
Conformations of eleven-membered dilactone rings in pyrrolizidine alkaloid analogues. X-Ray crystallographic studies of *meso*-2,4-dimethylglutaryl, 3,3-tetramethyleneglutaryl, and 3,3-dimethylglutaryl derivatives of synthaneicine A, 1379–82
Conformational analysis of organic carbonyl compounds. Part 7. Conformational properties of aroyl derivatives of furan and benzo[*b*]furan studied by X-ray crystallography, n.m.r. lanthanide-induced shifts, and *ab-initio* MO calculations, 1443–54
Hyperconjugative interactions in halogen-substituted carbonyls: ultraviolet photoelectron spectroscopy of ω -halogenoacetophenones, 1459–64
Complete chiral discrimination in bilipeptides: the chiroptical properties of the bilatriene helix, 1523–6
Acyl derivatives of cyclic secondary amines. Part 1. Dipole stabilization of anions: the cumulative effect of two stabilizing groups, 1695–700
An electron spin resonance investigation of free radicals with oxygen- and sulphur-containing substituents, 1801–8
Dynamics of internal rotation in 2-(cycloalkenyl)ethyl radicals, 1809–14
Conformational analysis of organic carbonyl compounds. Part 8. Conformational properties of aroyl derivatives of thiophene and benzo[*b*]thiophene studied by X-ray crystallography, nuclear

CONFORMATION (contd)

magnetic resonance lanthanide-induced shifts spectroscopy, and MO *ab initio* calculations, 1851–60

CONFORMATIONAL ANALYSIS

Conformational analysis and Kerr effect studies of tricarboxylic aliphatic esters, 85–90

Nuclear magnetic resonance and molecular orbital study of internal hydrogen bonding in salicyl alcohol. Principal site analysis based on the sidechain methylene and hydroxy proton long-range coupling constants, 121–6

Vibrational spectroscopy and conformations of 2,2-diacylethenamines, 301–6

Conformational analysis of organic carbonyl compounds. Part 5. *p*-Methoxybenzoyl derivatives of benzo[*b*]furan, benzo[*b*]thiophene, and naphthalene, 351–8

Proton, carbon, and phosphorus nuclear magnetic resonance and conformational studies on phosphate esters, 391–6

2'-Substituted 1'-(2-dimethylcarbamoyl)-3'-spirocycloalkanoindolines: synthesis and conformational analysis of the propanamide fragment, 423–6

Assessment by molecular mechanics of the preferred conformations of the sixteen C(4)–C(6) and C(4)–C(8) linked dimers of (+)-catechin and (–)-epicatechin with axial or equatorial dihydroxyphenyl substituents at C(2), 739–44

Electronic structure and conformational properties of azines. Part 2. 2,5-Diacetyl-3,4-diazahexa-2,4-diene, a 2,3-diaza-1,3-diene with a synclinal conformation; and *X*-ray crystallographic, He¹ photoelectron spectroscopic, and MNDO study, 761–6

The solid-state and solution conformation of some 1,2-*O*-alkylidene xylopyranoses. Application of heteronuclear long-range coupling constants to the conformational analysis of dioxolane rings, 791–6

Determination of *cis*-methyldecalone and *cis*-methylhydrindanone conformation by proton nuclear magnetic resonance, 921–8

The conformational analysis of erythromycin A, 1659–68

CONFORMATIONAL DYNAMIC

Nuclear magnetic resonance investigations of calcium-antagonist drugs. Part 1. Conformational and dynamic features of nimodipine {3-[(2-methoxyethoxy)carbonyl]-5-(isopropoxycarbonyl)-4-(3-nitrophenyl)-2,6-dimethyl-1,4-dihydropyridine}; in [²H₆]dimethyl sulphoxide, 1707–12

CONFORMATIONS

Solution and crystal structure of cytosine, a quinolizidine alkaloid, 1159–66

CONJUGATION

Vibronic absorption spectra of naturally occurring conjugated polyenyne. Evidence for localized excitations, 1431–8

CO-OPERATIVE HYDROGEN BOND

Co-operative intramolecular hydrogen bonding in glucose and maltose, 97–102

CORNER PROTONATED REARRANGEMENT

MINDO/3 Study of the isomerization of 1-methylcyclohexylium ion to 1-ethylcyclopentylum ion. An alternative mechanism for this branching rearrangement, 307–12

CORRELATION ANALYSIS

Amidines. Part 24. Influence of alkyl substituents at the amidino carbon atom on the sensitivity to substitution at the imino nitrogen atom. *pK_a* Values of *N*¹*N*¹-dimethylamidines, 663–8

Influence of substituent on rate and equilibrium constants by means of spectral-isolation factor analysis, 1559–62

CROWN

Structure and dynamics of crowns containing the phenyldinaphthylmethane subunit (a three-bladed propeller): observations of correlated rotation of the propeller blades and certain ether segments, 639–50

CROWN COMPOUND

A molecular mechanics study of 18-crown-6 and its complexes with neutral organic molecules, 721–32

CROWN ETHER

New applications of crown ethers. Part 6. Structural effects of bis(benzocrown ethers) and substituted benzocrown ethers on solvent extraction and complexation of alkali-metal cations, 135–42

The use of crown ethers in peptide chemistry. Part 1. Syntheses of amino acid complexes with the cyclic polyether 18-crown-6 and their oligomerisation in dicyclohexylcarbodi-imide-containing solutions, 323–8

Benzenediazonium ions: structure, complexation, and reactivity, 1239–42

CROWN ETHER MEMBRANE

Photo-excitabile membranes. Photoinduced membrane potential changes across poly(vinyl chloride) membranes doped with azobenzene-modified crown ethers, 67–72

CRYSTAL ENGINEERING

Mixed crystals of 6-chloro-3,4-methylenedioxybenzoic acid with 2,4- and 3,4-dichlorobenzoic acids; structure, topochemistry, and intermolecular interactions, 1187–94

C–H···O Interactions and the adoption of 4 Å short-axis crystal structures by oxygenated aromatic compounds, 1195–202

CRYSTAL STRUCTURE

Structural study of monosubstituted β-cyclodextrins. Crystal structures of phenylthio-β-cyclodextrin and phenylsulphonyl-β-cyclodextrin and spectroscopic study of related compounds in aqueous solution, 7–14

Mechanism of the Chapman rearrangement of *N*-arylbenzimidates on the basis of a molecular structure established by *X*-ray crystallography, 205–10

Methylation of hallerin: conformational aspects from *X*-ray analysis and MO calculations, 215–8

Structure–activity relations and receptor modelling of convulsant and anticonvulsant barbiturates from crystallographic data, 415–22

Oximation of acetyl(hydroxyimino)acetone: nuclear magnetic resonance spectroscopic, chemical, and *X*-ray crystallographic studies of the reaction products, 523–30

Protonation of 1,4-bis(alkylamino)benzo[*g*]phthalazine. Crystal structure of di{1,4-bis-(3-methoxypropylamino)-3(2)*H*-benzo[*g*]phthalazinium} tetrachlorocobaltate monohydrate, 569–74

Crystal and molecular structure of the alimemazine cation radical, 575–80

Structure and dynamics of crowns containing the phenyldinaphthylmethane subunit (a three-bladed propeller): observations of correlated rotation of the propeller blades and certain ether segments, 639–50

X-Ray structure and stereochemical properties of (*S,S*)-(–)-2-methylsulphonyl-3-phenyloxaziridine and of (*S,S*)-(–)-2-methylsulphonyl-3-(2-chloro-5-nitrophenyl)oxaziridine, 699–704

The solid-state and solution conformation of some 1,2-*O*-alkylidene xylopyranoses. Application of heteronuclear long-range coupling constants to the conformational analysis of dioxolane rings, 791–6

Crystal and molecular structure of (3*R*)-3-(3-methyl-7-phenoxyacetamido-3-cephem-4-yl)-3-hydroxybutanoic acid, 841–6

Migration of the methoxy group in an organosilicon cation.

Reactions of (bromodiphenylsilyl)(methoxydimethylsilyl)bis(trimethylsilyl)methane with silver borofluoride and silver chloride. Crystal structure of (chlorodiphenylsilyl)(methoxydimethylsilyl)-bis(trimethylsilyl)methane, 891–4

Synthesis, structure, and haptotropic rearrangement of benzocyclooctatetraenetricarbonylchromium(0) complexes, 935–42

Structure–reactivity correlation of photochemical reactions in organic crystals: intramolecular hydrogen abstraction in an aromatic nitro compound, 1153–8

Solution and crystal structure of cytosine, a quinolizidine alkaloid, 1159–66

Conformations of eleven-membered dilactone rings in pyrrolizidine alkaloid analogues. *X*-Ray crystallographic studies of *meso*-2,4-dimethylglutaryl, 3,3-tetramethyleneglutaryl, and 3,3-dimethylglutaryl derivatives of synthanecine A, 1379–82

Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 25. *X*-Ray structure determinations, crystallographic evidence for steric crowding, and correlation with acceleration of rates, 1391–8

Crystal and molecular structure of CoCl₂(L)(1/2 acetone) where L is = [8-methoxy-3-methyl-6-nitro-2*H*-1-benzopyran-2-spiro-2'-(3-methylbenzothiazoline)], 1413–8

Conformational analysis of organic carbonyl compounds. Part 7.

Conformational properties of aroyl derivatives of furan and benzo[*b*]furan studied by *X*-ray crystallography, n.m.r. lanthanide-induced shifts, and *ab-initio* MO calculations, 1443–54

6-Azapurines. Part 2. Crystal and molecular structure of 8,9-dimethyl-6-azapurin-2-one, 1455–8

Stereochemistry of a triterpenoid trisaccharide from *Centella asiatica*. *X*-Ray determination of the structure of asiaticoside, 1509–16

CRYSTAL STRUCTURE (contd)

- The crystal and molecular structure of two calix[4]arenes bridged at opposite *para* positions, 1609–16
- On the possible isomerisation pathway for triarylmethanes Ar₃CX, including propeller crowns, 1621–8
- Hexamethylmelamine: a study of solvation and crystallisation, 1747–52
- Crystal structures and photoelectron spectra of some trimethanoanthracenes, tetramethanonaphthalenes, and pentamethanopentacenes. Experimental evidence for laticyclic hyperconjugation, 1835–50
- Conformational analysis of organic carbonyl compounds. Part 8. Conformational properties of aroyl derivatives of thiophene and benzo[*b*]thiophene studied by X-ray crystallography, nuclear magnetic resonance lanthanide-induced shifts spectroscopy, and MO *ab initio* calculations, 1851–60

CURTIUS REARRANGEMENT

- A Curtius-type rearrangement in the silicon series; an *ab initio* study of the model silylnitrene-silanimine isomerization, 1289–92

CYANOMETHYLATION

- Electrochemical oxidation of 2,2,6,6-tetramethylpiperidines in acetonitrile: mechanism of *N*-cyanomethylation, 1065–70

CYCLISATION

- Lactone formation in superacidic media, 1877–80

CYCLIZATION

- An *ab initio* study of the mechanism of the α -alkynone cyclization, 55–60
- Oligomeric cyclization of dinitriles in the synthesis of phthalocyanines and related compounds: the role of the alkoxide anion, 1579–82

CYCLOADDITION

- Model theoretical study of 2 + 2 cycloadditions of dialkoxyethynes with heterocumulenes, 151–8
- 1,2-Thiazines and related heterocycles. Part 4. The mechanism and periselectivity of the cycloadditions of *N*-sulphonylaminoazines with 1,4-epoxy-1,4-dihydronaphthalenes, 197–204
- The thermal cycloaddition of substituted thiobenzophenones with phenylallene: mechanism and linear free energy relationships of reaction rates, 907–12
- A theoretical approach to the investigation of the photochemical internal cycloaddition in penta-1,4-diene and hexa-1,5-diene, 1027–32
- The reaction between tetrasulphur tetranitride (S₄N₄) and electron-deficient alkynes. A molecular orbital study, 1669–70

CYCLOADDUCT

- Photoinduced [2 + 2] cycloreversion reactions of 1-vinylpyrene-4-dimethylaminostyrene cycloadducts, 507–12

CYCLOALKANOL

- Elimination and addition reactions. Part 44. Eliminative fission of cycloalkanols, 1281–8

CYCLOBUTANE

- The thermolysis of 2,2-dimethyl-1-vinylcyclobutane, 365–70
- Elimination and addition reactions. Part 43. Eliminative fission of cyclobutanes and the relationship between strain and reactivity in cyclobutanes and cyclopropanes, 1273–80

CYCLOCOUPLING

- Electrochemistry of 2-bromo-2-methylpropanamides. Reduction mechanism and cyclocoupling reaction with amide solvents, 33–8

CYCLODEXTRIN

- Structural study of monosubstituted β -cyclodextrins. Crystal structures of phenylthio- β -cyclodextrin and phenylsulphonyl- β -cyclodextrin and spectroscopic study of related compounds in aqueous solution, 7–14
- Structural mapping of an unsymmetrical chemically modified cyclodextrin by high-field nuclear magnetic resonance spectroscopy, 1323–36

CYCLODEXTRIN COMPLEX

- Enantioselectivity effects in the hydrolytic cleavage of activated substrates with α - and β -cyclodextrins, 193–6

CYCLOPROPANE

- Elimination and addition reactions. Part 41. Nucleophilic eliminative fission of cyclopropanes: the coiled spring effect of ring strain on nucleofugality and its evaluation, 1253–64
- Elimination and addition reactions. Part 43. Eliminative fission of cyclobutanes and the relationship between strain and reactivity in cyclobutanes and cyclopropanes, 1273–80

CYTISINE

- Solution and crystal structure of cytosine, a quinolizidine alkaloid, 1159–66

DAUNOMYCIN

- Nuclear magnetic resonance conformational study of daunomycin and related antitumour antibiotics in solution. The conformation of ring A, 15–26
- Conformational analysis of *N*-acetyl-daunomycin in solution. A transient ¹H nuclear Overhauser effect study of the glycosidic linkage geometry, 27–32

DAUNORUBICIN

- Interactions between drugs and nucleic acids. Part 1. Dichroic studies of doxorubicin, daunorubicin, and their basic chromophore, quinizarin, 1419–26

DEACYLATION

- Stereoselective micellar catalysis. Part 5. Deacylation behaviour in the cleavage of enantiomeric esters by optically active catalysts containing the imidazolyl group, 607–12

DECALONE

- Determination of *cis*-methyldecalone and *cis*-methylhydrindanone conformation by proton nuclear magnetic resonance, 921–8

DECARBOXYLATION

- Kinetics and mechanisms of decarboxylation of 4-phenylallophanate anions, 929–34

DEGLYCOSATION

- Kinetics and mechanism of the reactions of superoxide ion in solution. Part 6. Interaction of superoxide ion with adriamycin in aprotic and protic media, 835–40

DEOXYAGLYCONE

- Kinetics and mechanism of the reactions of superoxide ion in solution. Part 6. Interaction of superoxide ion with adriamycin in aprotic and protic media, 835–40

DEOXYIODO SUGAR

- A phosphorus nuclear magnetic resonance spectroscopic study of the conversion of hydroxy groups into iodo groups in carbohydrates using the iodine-triphenylphosphine-imidazole reagent, 271–4

DEOXYPYRIDOXAL

- The equilibria of 5-deoxypyridoxal in water-dioxane mixtures, 169–74

DEOXYRIBONUCLEIC ACID

- The effects of ionizing radiation on deoxyribonucleic acid. Part 5. The rôle of thiols in chemical repair, 1907–50

DEPROTONATION

- Deprotonation of 5-nitroindole and its 2-carboxylate ion in twin-tailed surfactants, 553–8
- Formation of phosphonoacetate carbanions by lithiated bases or by the conjunction of a lithium salt and an amine: structural study of intermediate species, 783–90

DEUTERIUM EXCHANGE

- Electrophilic substitution of heteroaromatic compounds. Part 54. Intramolecular base-catalysed hydrogen exchange at the 3-position in substituted pyridines, 1867–70

DEUTERIUM ISOTOPE EFFECT

- Electrophilic substitution in indoles. Part 13. The synthesis and rearrangement of 2-deuteriospiro[cyclopentane-3'-indolenine], 1221–6

DIACYLETHENAMINE

- Vibrational spectroscopy and conformations of 2,2-diacylethenamines, 301–6

DIALKOXYETHYNE

- Model theoretical study of 2 + 2 cycloadditions of dialkoxyethynes with heterocumulenes, 151–8

DIALKYLDIHYDROBENZODIAZEPINEDIONE

- ¹H Nuclear magnetic resonance study of the association between 1,5-dialkyl-1,5-dihydro-1,5-benzodiazepine-2,4-diones and the shift reagent Eu(fod)₃, 1071–6

DIALKYL SULPHIDE-BORANE

- Homolytic reactions of ligated boranes. Part 6. Electron spin resonance studies of dialkyl sulphide-boryl radicals, 497–506

DIALKYL SULPHIDE-BORYL RADICAL

- Homolytic reactions of ligated boranes. Part 6. Electron spin resonance studies of dialkyl sulphide-boryl radicals, 497–506

DIALLYL ETHER

- The gas-phase Wittig-oxy Cope rearrangement of deprotonated diallyl ether, 1499–502

DIAMINONAPHTHALENE

- Acid-base properties of highly substituted diamionaphthalenes, 243–6

DIASTEREOISOMERISM

- Elimination from diastereoisomeric methyl 3-acetoxy-2-halogeno-

- DIASTEREISOMERISM** (contd)
Elimination from diastereoisomeric methyl 3-acetoxy-2-halogeno- and 2,3-dihalogeno-3-phenylpropanoates, 1473-6
- DIASTEREOTOPIC EFFECT**
2'-Substituted 1'-(2-dimethylcarbamoyl)-3'-spirocycloalkanoindolines: synthesis and conformational analysis of the propanamide fragment, 423-6
- DIAZONIUM**
Benzenediazonium ions: structure, complexation, and reactivity, 1239-42
- DIBENZACRIDINE**
Mechanism of the Chapman rearrangement of *N*-arylbenzimidates on the basis of a molecular structure established by *X*-ray crystallography, 205-10
- DICHROISM**
Interactions between drugs and nucleic acids. Part 1. Dichroic studies of doxorubicin, daunorubicin, and their basic chromophore, quinizarin, 1419-26
- DICYANOETHYLENE**
Electro-organic reactions. Part 26. The cathodic reduction of dicyanoethylene derivatives; competition between hydrogenation and hydrodimerisation, 435-40
- DICYANOVINYLMETHINE DYE**
Near-infrared absorbing methine dyes based on dicyanovinyl derivatives of indane-1,3-dione, 815-8
- DIFLUOROETHYLENE**
Kinetics of the reactions of silicon compounds. Part 1. Kinetics and mechanism of the gas-phase photochemical reactions between trimethylsilane and 1,1-difluoroethylene, 1861-6
- DIMETHYLAMINO-OXAZOLIDINONE**
Electrochemistry of 2-bromo-2-methylpropanamides. Reduction mechanism and cyclocoupling reaction with amide solvents, 33-8
- DIMETHYLAMINOPYRIMIDINE**
¹H and ¹³C dynamic nuclear magnetic resonance study of hindered internal rotation in (*N,N*-dimethylamino)-pyrimidines, 1551-8
- DIMETHYLCYCLODEXTRIN**
Structural mapping of an unsymmetrical chemically modified cyclodextrin by high-field nuclear magnetic resonance spectroscopy, 1323-36
- DIMETHYLSILYLENE**
 γ -Induced generation of dimethylsilylene from dodecamethylcyclohexasilane, 337-40
- DIMETHYLVINYLCYCLOBUTANE**
The thermolysis of 2,2-dimethyl-1-vinylcyclobutane, 365-70
- DINITRILE**
Oligomeric cyclization of dinitriles in the synthesis of phthalocyanines and related compounds: the role of the alkoxide anion, 1579-82
- DINITROBENZENE**
Kinetics of the reaction between 1,2-dinitrobenzene and piperidine in *n*-hexane. Role of electron donor-acceptor complexes in the mechanism. Catalysis by pyridine, 79-84
Aromatic nucleophilic substitution reactions of 1,2-dinitrobenzene with aliphatic primary amines in *n*-hexane; catalysis by non-nucleophilic bases, 987-94
- DINITROGEN PENTAOXIDE**
Electrophilic aromatic substitution. Part 33. Kinetics and products of aromatic nitrations in solutions of dinitrogen pentoxide in nitric acid, 1059-64
- DINITROANILINE**
Formation of 4,6-dinitro-2-nitrosoaniline by intramolecular redox reaction of esters and amides of 2-(2,4,6-trinitroaniline) carboxylic acids, 867-74
- DINITROPHENYLHYDRAZINE**
A kinetic study of the oxidation of 2,4-dinitrophenylhydrazine with acidic bromate, 1539-42
- DIOL**
Kinetic study of oxidation of diols by sodium *N*-bromobenzenesulphonamide, 1645-8
- DIOXOLANE**
The solid-state and solution conformation of some 1,2-*O*-alkylidene xylopyranoses. Application of heteronuclear long-range coupling constants to the conformational analysis of dioxolane rings, 791-6
- DIPEPTIDE HISTIDINE**
Efficient stereoselective hydrolysis of enantiomeric amino acid esters by bilayer vesicular systems which include di- or tri-peptide histidine catalysts, 995-1002
- DIPHENYLAMINE**
Evaluation of the polar-inductive and mesomeric effects exerted by *para*-substituted phenyl rings on contiguous functionalities, 1091-6
- DIPHENYLMETHANE**
Evaluation of the polar-inductive and mesomeric effects exerted by *para*-substituted phenyl rings on contiguous functionalities, 1091-6
- DIPOLAR INTERACTION**
Nuclear magnetic resonance investigations of calcium-antagonist drugs. Part 1. Conformational and dynamic features of nimodipine {3-[(2-methoxyethoxy)carbonyl]-5-(isopropoxycarbonyl)-4-(3-nitrophenyl)-2,6-dimethyl-1,4-dihydropyridine} in [²H₆]dimethyl sulphoxide, 1707-12
- DIPOLAR STABILIZATION**
Acyl derivatives of cyclic secondary amines. Part 1. Dipole stabilization of anions: the cumulative effect of two stabilizing groups, 1695-700
- DIPOLE MOMENT**
Conformational analysis and Kerr effect studies of tricarboxylic aliphatic esters, 85-90
Molecular conformation of mono- and bi-cyclic derivatives. Part 6. Theoretical and experimental study of derivatives of a seven-membered ring, 313-8
- DIPYRROLE**
Propentdyopents and related compounds. Part 3. Some semiempirical calculations on propentdyopent systems, 1893-8
- DIRADICAL**
Secondary duterium isotope effects in the thermolysis of 2,2-dimethyl-1-vinylcyclobutane, 1109-12
- DISTONIC ION**
Low-energy, low-temperature mass spectra. Part 7. Terminal alkenols, 1019-26
- DITHIATETRAZOCINE**
Gas-phase ultraviolet photoelectron spectroscopic study of the 3,7-diphenyl- and 3,7-bis(dimethylamino)-1,5-dithia-2,4,6,8-tetrazocines, 259-62
- DODECAMETHYLCYCLOHEXASILANE**
 γ -Induced generation of dimethylsilylene from dodecamethylcyclohexasilane, 337-40
- DUAL SUBSTITUENT PARAMETER**
An analysis of ¹³C nuclear magnetic resonance substituent chemical shifts in 4- and 5-substituted thiophene-2-carboxylic acids by linear free energy relationships, 689-94
- DYNAMICS**
Structure and dynamics of crowns containing the phenyldinaphthylmethane subunit (a three-bladed propeller): observations of correlated rotation of the propeller blades and certain ether segments, 639-50
- ELECTRIC BIREFRINGENCE**
Hexamethylmelamine: a study of solvation and crystallisation, 1747-52
- ELECTROCATALYSIS**
Electrochemical reduction of some *o*-bis(phenylsulphonyl)benzene derivatives. Effect of the substrate structure and of the addition of bases on the product distribution, 623-32
- ELECTROCHEMICAL OXIDATION**
Electrochemical oxidation of 2,2,6,6-tetramethylpiperidines in acetonitrile: mechanism of *N*-cyanomethylation, 1065-70
- ELECTROCHEMISTRY**
Electrochemical properties of pyrazinethiadiazoles, 1671-4
- ELECTRON CAPTURE**
Radical-nucleophilic substitution (*S*_{RN}1) reactions: electron spin resonance studies of electron capture processes. Part 4. α -Substituted 2-methyl-5-nitrofurans, 1133-8
Mass spectra of 3-nitro-2*H*-chromenes and 3-nitrochromans, 1495-8
- ELECTRON CORRELATION**
On the geometric structure and vibrational frequencies of *o*-benzynes. An *ab initio* study including electron correlation, 117-20
Accurate calculations of the structure and energy of the π - and σ -succinimidyl radicals: an *ab initio* study including electron correlation, 1311-6
- ELECTRON DONOR-ACCEPTOR COMPLEX**
Kinetics of the reaction between 1,2-dinitrobenzene and piperidine in *n*-hexane. Role of electron donor-acceptor complexes in the mechanism. Catalysis by pyridine, 79-84
Aromatic nucleophilic substitution reactions of 1,2-dinitrobenzene

- ELECTRON DONOR-ACCEPTOR COMPLEX** (contd)
with aliphatic primary amines in *n*-hexane; catalysis by non-nucleophilic bases, 987-94
- ELECTRONIC ABSORPTION SPECTRUM**
Absorptiometric and fluorimetric study of solvent dependence and prototropism of 2-substituted benzimidazole derivatives, 1465-72
- ELECTRONIC EFFECT**
Influence of conformation on transmission of electronic effects of substituents. Correlation of infrared carbonyl stretching frequencies of 4-substituted α -naphthyl styryl ketones, 263-6
Theoretical studies on organic transition metal complexes. Part 4. An investigation of electronic and structural effects in *o*-hydroxyaryloximes, 1243-6
- ELECTRONIC SPECTRUM**
The molecular structure of allenes and ketenes. Part 20. Excited states of 3-halogeno- and other 3-substituted phenylallenes: circular dichroism and absorption spectra, and CNDO/S calculations, 1293-302
- ELECTRONIC STRUCTURE**
Gas-phase ultraviolet photoelectron spectroscopic study of the 3,7-diphenyl- and 3,7-bis(dimethylamino)-1,5-dithia-2,4,6,8-tetrazocines, 259-62
Electronic structure and conformational properties of azines. Part 2. 2,5-Diacetyl-3,4-diazahexa-2,4-diene, a 2,3-diaza-1,3-diene with a synclinal conformation; and *X*-ray crystallographic, He¹ photoelectron spectroscopic, and MNDO study, 761-6
The molecular structure of allenes and ketenes. Part 20. Excited states of 3-halogeno- and other 3-substituted phenylallenes: circular dichroism and absorption spectra, and CNDO/S calculations, 1293-302
- ELECTRON IMPACT**
Mass spectra of 3-nitro-2*H*-chromenes and 3-nitrochromans, 1495-8
- ELECTRON POLARIZATION**
Conformational analysis and Kerr effect studies of tricarboxylic aliphatic esters, 85-90
- ELECTRON TRANSFER**
Photochemically induced oxygenation of methylbenzenes, bibenzyls, and pinacols in the presence of naphthalene-1,4-dicarbonitrile, 1175-80
A model for the prediction of electron transfer rates in the highly exergonic region, applied to the reaction between solvated electrons and arenes in tetrahydrofuran, 1345-50
- ELECTRON TRANSFER CATALYSIS**
Functional capsule membranes. Part 28. A capsule membrane grafted with viologen-containing polymers as a reactor of electron transfer catalysis in heterophases, 1003-8
- ELECTROPHILIC ALKYLATION**
Gas-phase heteroaromatic substitution. Part 6. Alkylation of pyrrole, *N*-methylpyrrole, furan, and thiophene by isopropyl cation, 857-66
- ELECTROPHILIC AROMATIC REACTIVITY**
The quantitative electrophilic reactivity of annulenes. Part 3.¹ Partial rate factors for protiodetritiation and protiodesilylation of 1,6:8,13-propane-1,3-diylidene[14]annulene, 1691-4
- ELECTROPHILIC ASSISTANCE**
Linear solvation energy relationships. Part 37. An analysis of contributions of dipolarity-polarisability, nucleophilic assistance, electrophilic assistance, and cavity terms to solvent effects on *t*-butyl halide solvolysis rates, 913-20
- ELECTROPHILIC REACTIVITY**
The quantitative electrophilic reactivity of annulenes. Part 2. Partial rate factors for hydrogen exchange of azulene, cyc[3,2,2]azine, indolizine, *N*-methylisindole, indole, and pyrrolo[2,1-*b*]thiazole, and attempted exchange in *trans*-9,10-dimethyldihydropyrene: the dramatic effect of creating aromaticity in the transition state for electrophilic substitution, and the importance of valence bond theory, 591-8
- ELECTROPHILIC SUBSTITUTION**
Electrophilic substitution in indoles. Part 12. Kinetic studies of the rearrangement of 3,3-disubstituted indolenines to 2,3-disubstituted indoles, 1215-20
Electrophilic substitution in indoles. Part 13. The synthesis and rearrangement of 2-deuteriospiro[cyclopentane-3'-indolenine], 1221-6
Electrophilic substitution in indoles. Part 14. Azo-coupling of indoles with *p*-nitrobenzenediazonium fluoroborate, 1483-8
- ELECTROREDUCTION**
Electrochemistry of 2-bromo-2-methylpropanamides. Reduction mechanism and cyclocoupling reaction with amide solvents, 33-8
Electro-organic reactions. Part 26. The cathodic reduction of dicyanoethylene derivatives; competition between hydrogenation and hydrodimerisation, 435-40
Electrochemical reduction of *N*-(2,2,2-trichloroethyl)acetamides, 1887-92
- ELECTROSTATIC POTENTIAL MAP**
Computational studies on CH/ π interactions, 1015-8
- ELECTROSYNTHESIS**
Electrochemical synthesis of diethyl 2,3-bis-*p*-halogenophenylsuccinates; reduction of α -bromo-*p*-halogenophenylacetates, 847-52
- ELEVEN-MEMBERED RING**
Conformations of eleven-membered dilactone rings in pyrrolizidine alkaloid analogues. *X*-Ray crystallographic studies of *meso*-2,4-dimethylglutaryl, 3,3-tetramethyleneglutaryl, and 3,3-dimethylglutaryl derivatives of synthanecine A, 1379-82
- ELIMINATION**
Elimination and addition reactions. Part 42. Structural effects on reactivity and mechanism in eliminative fission of three-membered rings, 1265-72
Elimination and addition reactions. Part 44. Eliminative fission of cycloalkanols, 1281-8
Elimination from diastereoisomeric methyl 3-acetoxy-2-halogeno- and 2,3-dihalogeno-3-phenylpropanoates, 1473-6
- EMULSION POLYMERISATION**
Microgels as supports for α -chymotrypsin, 1575-8
- ENANTIOMERIC ESTER**
Stereoselective micellar catalysis. Part 5. Deacylation behaviour in the cleavage of enantiomeric esters by optically active catalysts containing the imidazolyl group, 607-12
- ENANTIOSELECTIVE HYDROLYSIS**
Efficient stereoselective hydrolysis of enantiomeric amino acid esters by bilayer vesicular systems which include di- or tri-peptide histidine catalysts, 995-1002
- ENANTIOSELECTIVITY**
Enantioselectivity effects in the hydrolytic cleavage of activated substrates with α - and β -cyclodextrins, 193-6
Rate and enantioselectivity with complexes of activated substrates and simply modified cyclodextrins, 1121-4
- ENCLOSED REACTION SITE**
Electrophilic aromatic substitution. Part 36. Protiodetritiation of some annelated *meta*-cyclophanes: effect of ring-buckling on reactivity, and the first example of electrophilic substitution through a hole, 1033-8
- ENDOR**
An electron spin resonance, ENDOR, and TRIPLE resonance study of symmetrical *N,N'*-disubstituted-4,4'-bipyridylium radical cations in which the quaternising groups are nitrogen heterocycles, 1375-8
- ENERGY TRANSFER**
 γ -Induced generation of dimethylsilylene from dodecamethylcyclohexasilene, 337-40
- ENOL ACETATE**
On the reduction of enol acetates and enolates derived from α -chiral ketones with lithium tetrahydridoaluminate, 679-82
- ENOLATE**
On the reduction of enol acetates and enolates derived from α -chiral ketones with lithium tetrahydridoaluminate, 679-82
Influence of solvent and cation on the properties of oxygen-containing organic anions. Part 1. Regioselectivity of methylation of acetophenone enolate, 1399-406
- ENOL ETHER**
Kinetics and mechanism of acid-catalysed addition of methanol to α -methoxystyrenes, 1517-22
- ENOLISABLE KETONE**
A novel reaction of some enolisable ketones *not* involving the rate-determining enolisation step. Kinetics of the reaction of ketones with trichloroisocyanuric acid in the presence of added chloride ion in acid medium, 517-22
- ENOLISATION**
An MNDO study of the unimolecular reactions of methyl acetate and its sulphur analogues, 237-42
- ENZYME IMMOBILISATION**
Microgels as supports for α -chymotrypsin, 1575-8
- EPOXIDE**
Electrochemical synthesis of diethyl 2,3-bis-*p*-halogenophenylsuccinates; reduction of α -bromo-*p*-halogenophenylacetates, 847-52

E.P.R.

Action of red light on solid (+)-10-bromo-2-chloro-2-nitrosocamphane: (i) nuclear and electron paramagnetic resonance studies; (ii) reaction products; (iii) solid-state photolysis reaction mechanisms, 1139-46

EQUILIBRIUM CONSTANT

The equilibria of 5-deoxyypyridoxal in water-dioxane mixtures, 169-74

Formation of hydrogen-bonded complexes between phenol and some heterocyclic bases in carbon tetrachloride, 1815-8

ERYTHROMYCIN

The conformational analysis of erythromycin A, 1659-68

E.S.R.

3-Methylenecyclobutyl, cyclopent-3-enyl, and 3-methylenecyclobutylmethyl radicals; absence of homoallylic conjugation, 231-6

Intermolecular hydrogen-atom abstraction by vinyl radicals derived from hydroxyalkyl radicals and alkynes: an electron spin resonance investigation, 329-36

Electron spin resonance studies. Part 71. Side-chain oxidation pathways in the reactions of $\cdot\text{OH}$ and $\text{SO}_4^{\cdot-}$ with some phenyl-substituted carboxylic acids, their anions, and some related compounds, 371-80

Homolytic reactions of ligated boranes. Part 6. Electron spin resonance studies of dialkyl sulphide-boryl radicals, 497-506

Spectroscopic studies of various carbene-radical-cations formed by radiolysis of solutions on halogenocarbons, 881-4

Electrochemical oxidation of 2,2,6,6-tetramethylpiperidines in acetonitrile: mechanism of *N*-cyanomethylation, 1065-70

Electron delocalisation and stabilisation in substituted amino- and hydroxy-propynyl radicals, 1077-82

Radical-nucleophilic substitution ($S_{\text{RN}}1$) reactions: electron spin resonance studies of electron capture processes. Part 4. α -Substituted 2-methyl-5-nitrofurans, 1133-8

An electron spin resonance, ENDOR, and TRIPLE resonance study of symmetrical *N,N'*-disubstituted-4,4'-bipyridylium radical cations in which the quaternising groups are nitrogen heterocycles, 1375-8

Influence of solvent and cation on the properties of oxygen-containing organic anions. Part 2. Radical anions derived from 2,5-diarylfurans, 1407-12

Electron spin resonance spectra of radical cations derived from stilbenes and phenanthrenes, 1527-32

Homolytic reactions of ligated boranes. Part 7. An electron spin resonance study of the *t*-butyl isocyanide-boryl radical, 1773-80

Hydrogen abstraction from primary amines. Substituent effects on the carbon-nitrogen bond rotation barriers in aminoalkyl radicals, 1789-94

An electron spin resonance investigation of free radicals with oxygen- and sulphur-containing substituents, 1801-8

Dynamics of internal rotation in 2-(cycloalkenyl)ethyl radicals, 1809-14

The effects of ionizing radiation on deoxyribonucleic acid. Part 5. The rôle of thiols in chemical repair, 1907-80

ESTER

An MNDO study of the unimolecular reactions of methyl acetate and its sulphur analogues, 237-42

Ester hydrolysis in aqueous sulphuric acid. Effects of solvent ionizing power and nucleophilicity separated from the effects of protonation of substrate, 293-300

ESTER HYDROLYSIS

Kinetics and mechanisms of reactions of pyridines and imidazoles with phenyl acetates and trifluoroacetates in aqueous acetonitrile with low content of water: nucleophilic and general base catalysis in ester hydrolysis, 159-68

Taft σ^* constants, particularly for halogen-substituted alkyl groups, and their utility in mechanistic studies, 441-4

EXCITED STATE

The molecular structure of allenes and ketenes. Part 20. Excited states of 3-halogeno- and other 3-substituted phenylallenes: circular dichroism and absorption spectra, and CNDO/S calculations, 1293-302

Absorptiometric and fluorimetric study of solvent dependence and prototropism of 2-substituted benzimidazole derivatives, 1465-72

FACILITATED TRANSPORT

Highly selective cation transport through membranes containing lipophilic bis(monoaza-crown ether)s, 1181-6

FACTOR ANALYSIS

Influence of substituent on rate and equilibrium constants by means of spectral-isolation factor analysis, 1559-62

FACTORIAL DESIGN

A study of the phase-transfer alkoxycarbonylation of secondary alkyl amines. Application of a factorial design, 695-8

FAST ATOM BOMBARDMENT

Fast atom bombardment mass spectrometry: a useful technique for structural characterization of pyrylium, thiopyrylium, and pyridinium cations, 633-8

FISSION

Elimination and addition reactions. Part 41. Nucleophilic eliminative fission of cyclopropanes: the coiled spring effect of ring strain on nucleofugality and its evaluation, 1253-64

Elimination and addition reactions. Part 42. Structural effects on reactivity and mechanism in eliminative fission of three-membered rings, 1265-72

Elimination and addition reactions. Part 43. Eliminative fission of cyclobutanes and the relationship between strain and reactivity in cyclobutanes and cyclopropanes, 1273-80

Elimination and addition reactions. Part 44. Eliminative fission of cycloalkanol, 1281-8

FIVE CO-ORDINATED COBALT

Crystal and molecular structure of $\text{CoCl}_2(\text{L})(1/2 \text{ acetone})$ where L is = [8-methoxy-3-methyl-6-nitro-2*H*-1-benzopyran-2-spiro-2'-(3-methylbenzothiazoline)], 1413-8

FIVE CO-ORDINATION

Chiroptical properties of five-co-ordinated olefin complexes of platinum(II), 427-34

FIVE-MEMBERED HETEROARENE

Gas-phase heteroaromatic substitution. Part 6. Alkylation of pyrrole, *N*-methylpyrrole, furan, and thiophene by isopropyl cation, 857-66

FLUORESCENCE

Aminolysis of pyrido[2,1-*f*]purines, 733-8

FLUORESCENCE SPECTRUM

Absorptiometric and fluorimetric study of solvent dependence and prototropism of 2-substituted benzimidazole derivatives, 1465-72

FLUORIDE DETACHMENT

Solvents effects on aromatic nucleophilic substitutions. Part 5. Kinetics of the reactions of 1-fluoro-2,4-dinitrobenzene with piperidine in aprotic solvents, 951-4

FLUORINATED METHANE

Hydrogen abstraction from methane and its fluoro derivatives by methyl radicals, 211-4

FLUOROALKENE

Kinetics of the reactions of silicon compounds. Part 1. Kinetics and mechanism of the gas-phase photochemical reactions between trimethylsilane and 1,1-difluoroethylene, 1861-6

FLUORO-OLEFIN

An experimental and theoretical investigation of orientational dependence of H-F couplings in fluoro-olefins, 977-86

FORMAMIDINE

General structure-basicity relations for trisubstituted acetamides, 1117-20

FORMATION CONSTANT

Reaction of tertiary aliphatic amines with halogens. Kinetics and products of the reaction of tribenzylamine with molecular bromine and tribromide ion, 39-46

FORMYLMETHANO-ANNULENE

Kinetics and mechanism for the formation of phenylhydrazone from benzaldehydes, naphthaldehydes, and formyl-1,6-methano[10]annulenes, 1717-22

FREE RADICAL

Intermolecular hydrogen-atom abstraction by vinyl radicals derived from hydroxyalkyl radicals and alkynes: an electron spin resonance investigation, 329-36

Hydrogen abstraction from primary amines. Substituent effects on the carbon-nitrogen bond rotation barriers in aminoalkyl radicals, 1789-94

FREE RADICAL SUBSTITUTION

Hydrogen abstraction from methane and its fluoro derivatives by methyl radicals, 211-4

FRONTIER ORBITAL

The reaction between tetrasulphur tetranitride (S_4N_4) and electron-deficient alkynes. A molecular orbital study, 1669-70

GAS PHASE

An attempt to detect thirenium ions in the gas phase, 531-6

GAS PHASE (contd)

- Secondary deuterium isotope effects in the thermolysis of 2,2-dimethyl-1-vinylcyclobutane, 1109–12
The gas-phase Wittig–oxy Cope rearrangement of deprotonated diallyl ether, 1499–502

GAS-PHASE ION

- Gas-phase heteroaromatic substitution. Part 6. Alkylation of pyrrole, *N*-methylpyrrole, furan, and thiophene by isopropyl cation, 857–66

GAS-PHASE REACTION

- The mechanisms of alkane eliminations from the intermediates produced by reactions of the hydroxide and methoxide negative ions with tetramethylsilane in the gas phase, 275–80

GENERAL ACID CATALYSIS

- General acid catalytic activity of 2-substituted imidazoles for hydrolysis of diethyl phenyl orthoformate, 669–72

GENERAL STRUCTURE–BASICITY RELATION

- General structure–basicity relations for trisubstituted acetamides, 1117–20

GEOMETRICAL ISOMERIZATION

- Flavonoids. Part 6. The kinetics and mechanism of base-catalysed isomerisation of 3-arylidene flavanones, 449–52

GERMANIUM

- The effect of the γ -OMe group on the reactivity of the germanium chloride (Me₃Si)₂C(SiMe₂OMe)(GeMe₂Cl), 775–8
1,3-Migration of a methyl group from germanium to silicon in reactions of (Me₃Si)₂C(GeMe₃)(SiMe₂Br) with silver salts, 779–82

GLUCARATE

- Studies on borate esters. Part 5. The system glucarate–borate–calcium(II) as studied by ¹H, ¹¹B, and ¹³C nuclear magnetic resonance spectroscopy, 473–8

GLUCOSE

- Co-operative intramolecular hydrogen bonding in glucose and maltose, 97–102
Variation in the hydrophilicity of hexapyranose sugars explains features of the anomeric effect, 1903–6

GLYCOLIPID-CORKED CAPSULE

- Functional capsule membranes. Part 30. Concanavalin A-induced permeability control of capsule membranes corked with synthetic glycolipid bilayers of grafted with synthetic glycopolymers, 1317–22

GLYCOPOLYMER-GRAFTED CAPSULE

- Functional capsule membranes. Part 30. Concanavalin A-induced permeability control of capsule membranes corked with synthetic glycolipid bilayers of grafted with synthetic glycopolymers, 1317–22

GLYCOSIDE

- A temperature-dependent change in the mechanism of acid catalysis of the hydrolysis of *p*-nitrophenyl β -D-glucopyranoside indicated by oxygen-18 and solvent deuterium kinetic isotope effects, 581–4

GLYCOSIDIC BOND

- Conformational analysis of *N*-acetyl daunomycin in solution. A transient ¹H nuclear Overhauser effect study of the glycosidic linkage geometry, 27–32

GUANINE DERIVATIVE

- Structural studies of the interaction between indole derivatives and biologically important aromatic compounds. Part 19. Effect of base methylation on the ring-stacking interaction between tryptophan and guanine derivatives: a nuclear magnetic resonance investigation, 1739–46

GURJUNENE

- Two-dimensional nuclear magnetic resonance of sesquiterpenes. Part 2. Total assignment of (+)-aromadendrene, (+)-longicyclene, and γ -gurjunene by the two-dimensional INADEQUATE method, 341–4

HALOGEN ABSTRACTION

- Reaction of aren sulphonyl halides with free radicals. Part 3., 811–4

HALOGENOACETAMIDE

- Electrochemical reduction of *N*-(2,2,2-trichloroethyl)acetamides, 1887–92

HALOGENOBENZYL METHYLAMINE

- Reactions of *N*-halogenobenzyl methylamines with triethylamine in acetonitrile. Effect of leaving group upon the imine-forming transition state, 853–6

HALOGENOCARBOXYLIC ACID

- Interaction of 2,4,6-trimethylpyridine with some halogenocarboxylic

- acids in benzene and dichloromethane. Problem of stoichiometry, 901–6

HAMMETT CORRELATION

- Flavonoids. Part 6. The kinetics and mechanism of base-catalysed isomerisation of 3-arylidene flavanones, 449–52
Substituent effects in ¹H and ¹³C nuclear magnetic resonance correlations of chemical shifts in *para*-substituted 5-arylmethylenehydantoins, 1043–6
Vapour-phase chemistry of arenes. Part 13. Reactivity and selectivity in the gas-phase reactions of hydroxyl radicals with monosubstituted benzenes at 563 K, 1167–74

HAMMETT EQUATION

- Amidines. Part 24. Influence of alkyl substituents at the amidino carbon atom on the sensitivity to substitution at the imino nitrogen atom. pK_a Values of *N*¹*N*¹-dimethylamidines, 663–8

HEAT OF SOLUTION

- A calorimetric study of complex formation between molecular iodine and pyridine or 2-ethylpyridine in weakly polar solvents, 1713–6

HETEROAROMATIC

- Heteroaromatic azo-activated substitutions. Part 3. Catalysis in the reaction of 4-(4-methoxyphenylazo)pyridinium methiodide with amines in dipolar aprotic solvents. Kinetic form and the mechanism of the uncatalysed reaction in nucleophilic aromatic substitution, 563–8

HETEROAROMATIC SUBSTITUTION

- Gas-phase heteroaromatic substitution. Part 6. Alkylation of pyrrole, *N*-methylpyrrole, furan, and thiophene by isopropyl cation, 857–66

HETEROCUMULENE

- Model theoretical study of 2 + 2 cycloadditions of dialkoxyethynes with heterocumulenes, 151–8

HETEROCYCLE

- Conformational analysis of organic carbonyl compounds. Part 5. *p*-Methoxybenzoyl derivatives of benzo[*b*]furan, benzo[*b*]thiophene, and naphthalene, 351–8
Conformational analysis of organic carbonyl compounds. Part 6. Theoretical examination of the conformational properties (ground and transition states) and solvent effects on 2-formylfuran, -thiophene, and -pyridine, 961–8
Mechanisms of heterocycle ring formation. Part 5. A carbon-13 nuclear magnetic resonance study of pyrazolinone synthesis by the reaction of β -ketoesters with substituted hydrazines, 969–76
Conformational analysis of organic carbonyl compounds. Part 7. Conformational properties of aroyl derivatives of furan and benzo[*b*]furan studied by *X*-ray crystallography, n.m.r. lanthanide-induced shifts, and *ab-initio* MO calculations, 1443–54
Conformational analysis of organic carbonyl compounds. Part 8. Conformational properties of aroyl derivatives of thiophene and benzo[*b*]thiophene studied by *X*-ray crystallography, nuclear magnetic resonance lanthanide-induced shifts spectroscopy, and MO *ab initio* calculations, 1851–60

HETEROCYCLIC BASE

- Formation of hydrogen-bonded complexes between phenol and some heterocyclic bases in carbon tetrachloride, 1815–8

HETEROCYCLIC RING

- Assessment by molecular mechanics of the preferred conformations of the sixteen C(4)–C(6) and C(4)–C(8) linked dimers of (+)-catechin and (–)-epicatechin with axial or equatorial dihydroxyphenyl substituents at C(2), 739–44

HETEROCYCLOALKANE

- Synthesis and mesogenic properties of *N'*-(4-acylphenyl)-*N*-alkylpiperazines, 1881–6

HEXADECANE

- Determination of olive oil–gas and hexadecane–gas partition coefficients, and calculation of the corresponding olive oil–water and hexadecane–water partition coefficients, 797–804

HEXAHYDROPYRIMIDINE

- Acyl derivatives of cyclic secondary amines. Part 2. Dynamic ¹H and ¹³C nuclear magnetic resonance studies on bis- and tris-amines: equilibria of *syn-anti* interconversion, 1701–6

HEXAHYDROTRIAZINE

- Acyl derivatives of cyclic secondary amines. Part 2. Dynamic ¹H and ¹³C nuclear magnetic resonance studies on bis- and tris-amines: equilibria of *syn-anti* interconversion, 1701–6

HEXAMETHYLMELAMINE

- Hexamethylmelamine: a study of solvation and crystallisation, 1747–52

HEXAMETHYLMELAMINE HEXAFLUOROBENZENE ADDUCT

Hexamethylmelamine: a study of solvation and crystallisation, 1747–52

HEXAPROPYLBENZENE

Stereochemistry and stereodynamics of hexa-*n*-propylbenzene and of its tricarbonylchromium complex. Crystal and molecular structure of tricarbonyl(η^6 -hexa-*n*-propylbenzene)chromium(0), 1633–8

HEXAPYRANOSE

Variation in the hydrophilicity of hexapyranose sugars explains features of the anomeric effect, 1903–6

HIGH SODIUM ION SELECTIVITY

Highly selective cation transport through membranes containing lipophilic bis(monoaza-crown ether)s, 1181–6

HINDERED AMINE

Acid-base properties of highly substituted diamionaphthalenes, 243–6

HOMOAROMATICITY

Bicyclo[3.2.2]nonatrienyl-lithium and -potassium and their degenerate rearrangements studied by multiple labelling with ^{13}C and ^2H , ^{13}C nuclear magnetic resonance spectroscopy, ^{13}C - ^{13}C coupling constants, and isotopic perturbation, 461–8

HOMOGENEOUS ELECTRON TRANSFER

A model for the prediction of electron transfer rates in the highly exergonic region, applied to the reaction between solvated electrons and arenes in tetrahydrofuran, 1345–50

HOMOLOGOUS SERIES

A study of the effect of a lateral methoxy group on the transition temperature of the liquid crystalline phases of the 4-(4-*n*-heptyloxybenzoyloxy)benzylidene-4-*n*-alkoxyaniline series, 319–22

HOMOLYSIS

Free radicals in solution. Part 10. The thermal decomposition of benzylphenylmercury in solution, 413–4

Secondary deuterium isotope effects in the thermolysis of 2,2-dimethyl-1-vinylcyclobutane, 1109–12

HOMOLYTIC ARYLATION

Electrochemical reduction of some *o*-bis(phenylsulphonyl)benzene derivatives. Effect of the substrate structure and of the addition of bases on the product distribution, 623–32

HOMOSOLVOLYSIS

Homosolvolysis. Part 3. The reaction of aromatic acid chlorides with di-*t*-butyl nitroxide, 895–6

HYDRAZINE

Mechanisms of heterocycle ring formation. Part 5. A carbon-13 nuclear magnetic resonance study of pyrazolinone synthesis by the reaction of β -ketoesters with substituted hydrazines, 969–76

HYDRINDANONE

Determination of *cis*-methyldecalone and *cis*-methylhydrindanone conformation by proton nuclear magnetic resonance, 921–8

HYDROCYANIC ACID

What makes hydrocyanic acid a normal acid?, 1655–8

HYDRODIMERISATION

Electro-organic reactions. Part 26. The cathodic reduction of dicyanoethylene derivatives; competition between hydrogenation and hydrodimerisation, 435–40

HYDROFORMYLATION

Structural characterisation in solution of intermediates in rhodium-catalysed hydroformylation and their interconversion pathways, 1597–608

HYDROGEN ABSTRACTION

Hydrogen abstraction from methane and its fluoro derivatives by methyl radicals, 211–4

HYDROGENATION

Chiral ligands for organometallic catalysis containing two dioxolane rings, 91–6

Electro-organic reactions. Part 26. The cathodic reduction of dicyanoethylene derivatives; competition between hydrogenation and hydrodimerisation, 435–40

Stereochemistry of intermediates in homogeneous hydrogenation catalysed by tris(phenylphosphine)rhodium chloride, employing nuclear magnetic resonance magnetisation transfer, 1589–96

HYDROGEN BOND

A molecular mechanics study of 18-crown-6 and its complexes with neutral organic molecules, 721–32

Properties of hydrogen bonds in 5,8-dihydroxy-1,4-naphthoquinone

and 1,4-dihydroxy-9,10-anthraquinone; reaction with bases in aqueous solution, 1617–20

Carbon-13 chemical shifts of methanolic carbon and electron reorganization induced by hydrogen bonding for methanol-base complexes, 1733–8

Formation of hydrogen-bonded complexes between phenol and some heterocyclic bases in carbon tetrachloride, 1815–8

HYDROGEN BONDING

Nuclear magnetic resonance and molecular orbital study of internal hydrogen bonding in salicyl alcohol. Principal site analysis based on the sidechain methylene and hydroxy proton long-range coupling constants, 121–6

Preparation and hydrogen bonding studies of phenylhydrazone derivatives of alloxan: crystal and molecular structure of pyrimidine-2(1*H*),4(3*H*),5,6-tetraone 5-(2-nitrophenyl)hydrazone, 469–72

Aggregation of complexes of some phenols with triethylamine in benzene, 897–900

Interaction of 2,4,6-trimethylpyridine with some halogenocarboxylic acids in benzene and dichloromethane. Problem of stoichiometry, 901–6

Investigation of cationic hydrogen-bonded systems by fast atom bombardment mass spectrometry, 1128–32

HYDROGEN-BONDING BASICITY

Polarity and basicity of solvents. Part 3. A new infrared spectroscopic indicator of hydrogen-bonding basicity, 483–6

HYDROGEN EXCHANGE

The quantitative electrophilic reactivity of annulenes. Part 2. Partial rate factors for hydrogen exchange of azulene, cycl[3.2.2]azine, indolizine, *N*-methylisindole, indole, and pyrrolo[2.1-*b*]thiazole, and attempted exchange in *trans*-9,10-dimethyldihydropyrene: the dramatic effect of creating aromaticity in the transition state for electrophilic substitution, and the importance of valence bond theory, 591–8

Electrophilic aromatic substitution. Part 36. Protiodetritiation of some annelated *meta*-cyclophanes: effect of ring-buckling on reactivity, and the first example of electrophilic substitution through a hole, 1033–8

HYDROGEN-FLUORINE COUPLING

An experimental and theoretical investigation of orientational dependence of H-F couplings in fluoro-olefins, 977–86

HYDROGEN SHIFT

A Curtius-type rearrangement in the silicon series; an *ab initio* study of the model silylnitrene-silanimine isomerization, 1289–92

HYDROLYSIS

Divalent metal ion catalysis of acetal hydrolysis; effects of oxycarbocation stability and leaving group basicity, 143–50

Reactions in strongly basic media. Part 7. Correlation of the rates of alkaline hydrolysis of 2-substituted 3- and 5-nitropyridines, 4-nitropyridine *N*-oxide, and 2- and 4-substituted pyridine methiodides in aqueous dimethyl sulphoxide with an acidity function, 181–4

Reactions in strongly basic media. Part 8. Correlation of the rates of alkaline hydrolysis of 2,4-dinitroanisole and 2-methoxy-5-nitropyridine in aqueous dipolar aprotic solvents with acidity functions. An order of basicity for aqueous dipolar aprotic solvents., 185–8

Ester hydrolysis in aqueous sulphuric acid. Effects of solvent ionizing power and nucleophilicity separated from the effects of protonation of substrate, 293–300

An *ab initio* calculation of the acid-catalysed hydrolysis of *N*-nitrosoamines. A hypothesis on the rate-determining step, 345–50

Kinetics and mechanism of the metal ion-promoted hydrolysis of 2-phenyl-1,3-dithiane in aqueous dioxane solution, 513–6

A temperature-dependent change in the mechanism of acid catalysis of the hydrolysis of *p*-nitrophenyl β -D-glucopyranoside indicated by oxygen-18 and solvent deuterium kinetic isotope effects, 581–4

General acid catalytic activity of 2-substituted imidazoles for hydrolysis of diethyl phenyl orthoformate, 669–72

Alkaline hydrolyses of *N*-alkyl-2,4-dinitroacetanilides, 1203–8

Triazene drug metabolites. Part 4. Kinetics and mechanism of the decomposition of 1-aryl-3-benzoyloxymethyl-3-methyltriazenes in mixed aqueous-organic solvents, 1503–8

Solvent effect on activation parameters for the neutral hydrolysis of phenyl trifluoroacetates in aqueous acetonitrile, 1723–6

Nucleophilic aromatic substitution: transmission of substituent effects in alkaline hydrolysis of 4-

HYDROLYSIS (contd)

aminophenylazobenzothiazolium dyes, 1781–4
Nucleophilic aromatic substitution: effect of complexation on the alkaline hydrolysis of 4-aminophenylazobenzothiazolium dyes, 1785–8

HYDROLYTIC CLEAVAGE

Enantioselectivity effects in the hydrolytic cleavage of activated substrates with α - and β -cyclodextrins, 193–6
Rate and enantioselectivity with complexes of activated substrates and simply modified cyclodextrins, 1121–4

HYDROPHILICITY

Variation in the hydrophilicity of hexapyranose sugars explains features of the anomeric effect, 1903–6

HYDROXYALKENE

The mechanism of thermal eliminations. Part 22. Rate data for pyrolysis of primary, secondary, and tertiary β -hydroxy alkenes, β -hydroxy esters, and β -hydroxy ketones. The dependence of transition-state structure for six-centre eliminations upon compound type, 1683–90

HYDROXYARYLOXIME

Theoretical studies on organic transition metal complexes. Part 4. An investigation of electronic and structural effects in *o*-hydroxyaryloximes, 1243–6

HYDROXY ESTER

The mechanism of thermal eliminations. Part 22. Rate data for pyrolysis of primary, secondary, and tertiary β -hydroxy alkenes, β -hydroxy esters, and β -hydroxy ketones. The dependence of transition-state structure for six-centre eliminations upon compound type, 1683–90

HYDROXY KETONE

The mechanism of thermal eliminations. Part 22. Rate data for pyrolysis of primary, secondary, and tertiary β -hydroxy alkenes, β -hydroxy esters, and β -hydroxy ketones. The dependence of transition-state structure for six-centre eliminations upon compound type, 1683–90

HYDROXYLAMINE

Interaction of singlet oxygen [$O_2(^1\Delta)$] with aliphatic amines and hydroxylamines, 1125–7

HYDROXYL RADICAL

Vapour-phase chemistry of arenes. Part 13. Reactivity and selectivity in the gas-phase reactions of hydroxyl radicals with monosubstituted benzenes at 563 K, 1167–74

HYDROXYPHENYLOXAZOLINE

Synthesis of parabactin analogues and formation of transition metal complexes of parabactin and related compounds, 1543–50

HYPERCONJUGATION

General structure–basicity relations for trisubstituted acetamides, 1117–20

Hyperconjugative interactions in halogen-substituted carbonyls: ultraviolet photoelectron spectroscopy of ω -halogenoacetophenones, 1459–64

HYPERPOLARISABILITY

Non-linear optical properties of organic molecules. Part 2. Effect of conjugation length and molecular volume on the calculated hyperpolarisabilities of polyphenyls and polyenes, 1351–6

Non-linear optical properties of organic molecules. Part 3. Effect of substituents on the calculated hyperpolarisability of monosubstituted benzenes, 1357–60

Non-linear optical properties of organic molecules. Part 4. Calculations of the hyperpolarisability of sulphur-containing systems, 1361–4

IMIDAZOLE

General acid catalytic activity of 2-substituted imidazoles for hydrolysis of diethyl phenyl orthoformate, 669–72

IMIDAZOLINE

Acyl derivatives of cyclic secondary amines. Part 2. Dynamic 1H and ^{13}C nuclear magnetic resonance studies on bis- and tris- amines: equilibria of *syn-anti* interconversion, 1701–6

IMIDAZOTRIAZINE

6-Azapurines. Part 2. Crystal and molecular structure of 8,9-dimethyl-6-azapurin-2-one, 1455–8

IMINIUM

Triazene drug metabolites. Part 4. Kinetics and mechanism of the decomposition of 1-aryl-3-benzoyloxymethyl-3-methyltriazenes in mixed aqueous–organic solvents, 1503–8

INCLUSION COMPOUND

Structural study of monosubstituted β -cyclodextrins. Crystal structures of phenylthio- β -cyclodextrin and phenylsulphonyl- β -

cyclodextrin and spectroscopic study of related compounds in aqueous solution, 7–14

INDANEDIONE DYE

Near-infrared absorbing methine dyes based on dicyanovinyl derivatives of indane-1,3-dione, 815–8

INDOLE

Electrophilic substitution in indoles. Part 12. Kinetic studies of the rearrangement of 3,3-disubstituted indolenines to 2,3-disubstituted indoles, 1215–20

Electrophilic substitution in indoles. Part 13. The synthesis and rearrangement of 2-deuteriospiro[cyclopentane-3'-indolenine], 1221–6

Electrophilic substitution in indoles. Part 14. Azo-coupling of indoles with *p*-nitrobenzenediazonium fluoroborate, 1483–8

INDOLEAZONITROBENZENE

Electrophilic substitution in indoles. Part 14. Azo-coupling of indoles with *p*-nitrobenzenediazonium fluoroborate, 1483–8

INDOLENINE

Electrophilic substitution in indoles. Part 12. Kinetic studies of the rearrangement of 3,3-disubstituted indolenines to 2,3-disubstituted indoles, 1215–20

INFLUENCE OF SUBSTITUENT

Influence of substituent on rate and equilibrium constants by means of spectral-isolation factor analysis, 1559–62

INTERMOLECULAR INTERACTION

Computational studies on CH/ π interactions, 1015–8

Mixed crystals of 6-chloro-3,4-methylenedioxybenzoic acid with 2,4- and 3,4-dichlorobenzoic acids; structure, topochemistry, and intermolecular interactions, 1187–94

INTERMOLECULAR POTENTIAL

Incorporation of a dispersion energy term to Fraga's atom–atom pair intermolecular potential. Application to benzene, *s*-tetrazine, and their mixed dimers, 943–50

INTERNAL RETURN

Preparation and solvolysis of *trans,trans,trans*-tricyclo[7.3.1.0^{5,13}]tridecan-3-yl toluene-*p*-sulphonates in acetic acid and aqueous hexafluoropropan-2-ol. The role of non-chair conformers and the question of internal return in the limiting S_N1 solvolytic mechanism, 1083–90

INTERNAL ROTATION

Conformations and internal rotation of simple 1-alkenyl naphthalenes, studied by dynamic nuclear magnetic resonance spectroscopy, nuclear Overhauser effects, and molecular mechanics calculations, 955–60

INTRAMOLECULAR

Acid-catalysed intramolecular allylic rearrangement of methyl ethers in aqueous solvent. Evidence for the intermediacy of ion–molecule pairs in solvolysis, 1629–32

Electrophilic substitution of heteroaromatic compounds. Part 54. Intramolecular base-catalysed hydrogen exchange at the 3-position in substituted pyridines, 1867–70

INTRAMOLECULAR EXCIPLEX

Photoinduced [2 + 2] cycloreversion reactions of 1-vinylpyrene–4-dimethylaminostyrene cycloadducts, 507–12

INTRAMOLECULAR GENERAL ACID–BASE

Kinetic evidence for the occurrence of a stepwise mechanism in the aminolysis of maleimide. General acid and base catalysis by secondary amines, 819–28

INTRAMOLECULAR HYDROGEN ABSTRACTION

Structure–reactivity correlation of photochemical reactions in organic crystals: intramolecular hydrogen abstraction in an aromatic nitro compound, 1153–8

INTRAMOLECULAR REDOX REACTION

Formation of 4,6-dinitro-2-nitrosoaniline by intramolecular redox reaction of esters and amides of 2-(2,4,6-trinitroaniline) carboxylic acids, 867–74

INVERSION BARRIER

A SCF-MO study of the relative barriers to inversion and to ring opening in three-membered ring carbanions, 359–64

IODINE–TRIPHOSPHINE–IMIDAZOLE

A phosphorus nuclear magnetic resonance spectroscopic study of the conversion of hydroxy groups into iodo groups in carbohydrates using the iodine–triphenylphosphine–imidazole reagent, 271–4

ION CHEMISTRY

Low-energy, low-temperature mass spectra. Part 7. Terminal alkenols, 1019–26

IONIZATION CONSTANT

The thermodynamic proton–ligand stability constants of some *p*-

IONIZATION CONSTANT (contd)

substituted *N-m*-chlorophenylbenzohydroxamic acids in dioxane-water, 479–82

IONIZATION POTENTIAL

On the correlation between ionization potentials and ¹³C- and ¹⁵N-chemical shifts in substituted pyridines, 885–90

IONIZING RADIATION

The effects of ionizing radiation on deoxyribonucleic acid. Part 5. The rôle of thiols in chemical repair, 1907–S0

ION-PAIR TYPE EXCIPLEX

Photoinduced [2 + 2] cycloreversion reactions of 1-vinylpyrene–4-dimethylaminostyrene cycloadducts, 507–12

IPSO-SUBSTITUENT EFFECT

Thiopyrylium cations as appropriate compounds for the quantitative evaluation of *ipso*-substituent effects, 1427–30

IPSO SUBSTITUTION

Vapour-phase chemistry of arenes. Part 13. Reactivity and selectivity in the gas-phase reactions of hydroxyl radicals with monosubstituted benzenes at 563 K, 1167–74

I.R.

Influence of conformation on transmission of electronic effects of substituents. Correlation of infrared carbonyl stretching frequencies of 4-substituted α -naphthyl styryl ketones, 263–6

Polarity and basicity of solvents. Part 3. A new infrared spectroscopic indicator of hydrogen-bonding basicity, 483–6

Photoelectron, infrared, and theoretical study of the thermolysis of 4-azahepta-1,6-diyne: spectra of prop-2-ynylideneamine, H–C \equiv C–CH=NH, and penta-3,4-diene-1-yne, CH₂=C=CHC \equiv CH, 683–8

Near-infrared absorbing methine dyes based on dicyanovinyl derivatives of indane-1,3-dione, 815–8

Solid-phase reactivity of pure methyl viologen upon thermolysis and photolysis: a vibrational and electronic study, 829–34

Resonance and solvent effects on absorption spectra. Part 5. Substituent and solvent effects on infrared spectra of 2- and 4-substituted aniline derivatives, 875–80

IRON(II) PORPHYRIN

Synthesis and characterization of a new series of iron(II) single-face hindered porphyrins. Influence of central steric hindrance upon carbon monoxide and oxygen binding, 249–58

ISOCYANIDE

Non-stereospecificity in neutral 1,1-addition to isocyanides. An *ab initio* study of the reactions of HNC with water, ammonia, water dimer, ammonia dimer, and the water–ammonia complex, 1675–82

ISOTOPE EFFECT

Co-operative intramolecular hydrogen bonding in glucose and maltose, 97–102

The thermal cycloaddition of substituted thiobenzophenones with phenylallene: mechanism and linear free energy relationships of reaction rates, 907–12

Electrophilic substitution in indoles. Part 14. Azo-coupling of indoles with *p*-nitrobenzenediazonium fluoroborate, 1483–8

Chloride ion-catalysed oxidation of arginine, threonine, and glutamic acid by 1-chlorobenzotriazole: a kinetic and mechanistic study, 1569–74

ISOTOPIC LABELLING

Bicyclo[3.2.2]nonatrienyl-lithium and -potassium and their degenerate rearrangements studied by multiple labelling with ¹³C and ²H, ¹³C nuclear magnetic resonance spectroscopy, ¹³C–¹³C coupling constants, and isotopic perturbation, 461–8

ISOXAZOLE

Mononuclear heterocyclic rearrangements. Part 14. Rearrangement of some *Z*-arylhydrazones of 3-benzoyl-5-phenylisoxazole to 2-aryl-4-phenacyl-1,2,3-triazoles in dioxane–water, 537–40

JACKSON–MEISENHEIMER COMPOUND

The reactions of two σ -anionic compounds (Jackson–Meisenheimer adducts) in liquid ammonia studied by ¹³C nuclear magnetic resonance spectroscopy, 1341–4

KERR EFFECT

Conformational analysis and Kerr effect studies of tricarboxylic aliphatic esters, 85–90

Molecular conformation of mono- and bi-cyclic derivatives. Part 6. Theoretical and experimental study of derivatives with a seven-membered ring, 313–8

KETOESTER

Mechanisms of heterocycle ring formation. Part 5. A carbon-13 nuclear magnetic resonance study of pyrazolinone synthesis by the reaction of β -ketoesters with substituted hydrazines, 969–76

KETONE

Conformational analysis of organic carbonyl compounds. Part 5. *p*-Methoxybenzoyl derivatives of benzo[*b*]furan, benzo[*b*]thiophene, and naphthalene, 351–8

Conformational analysis of organic carbonyl compounds. Part 7. Conformational properties of aroyl derivatives of furan and benzo[*b*]furan studied by *X*-ray crystallography, n.m.r. lanthanide-induced shifts, and *ab-initio* MO calculations, 1443–54

Conformational analysis of organic carbonyl compounds. Part 8. Conformational properties of aroyl derivatives of thiophene and benzo[*b*]thiophene studied by *X*-ray crystallography, nuclear magnetic resonance lanthanide-induced shifts spectroscopy, and MO *ab initio* calculations, 1851–60

KINETIC EFFECT

Rate and enantioselectivity with complexes of activated substrates and simply modified cyclodextrins, 1121–4

KINETIC ISOTOPE EFFECT

A temperature-dependent change in the mechanism of acid catalysis of the hydrolysis of *p*-nitrophenyl β -D-glucopyranoside indicated by oxygen-18 and solvent deuterium kinetic isotope effects, 581–4

KINETICS

Reaction of tertiary aliphatic amines with halogens. Kinetics and products of the reaction of tribenzylamine with molecular bromine and tribromide ion, 39–46

Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 22. Reactions with various nucleophiles and a study of the effects of substrate concentration, traces of water, and nature of the gegenion on the rates, 73–8

Studies of tertiary amine oxides. Part 8. Rearrangement of *N*-(2,4-dinitrophenyl)-piperidines and -morpholine *N*-oxides in aprotic solvents, 109–12

Kinetic and thermodynamic parameters for the alcoholysis of 2,2,2-trichloro-1-arylethanones, 175–80

Reactions in strongly basic media. Part 7. Correlation of the rates of alkaline hydrolysis of 2-substituted 3- and 5-nitropyridines, 4-nitropyridine *N*-oxide, and 2- and 4-substituted pyridine methiodides in aqueous dimethyl sulphoxide with an acidity function, 181–4

Reactions in strongly basic media. Part 8. Correlation of the rates of alkaline hydrolysis of 2,4-dinitroanisole and 2-methoxy-5-nitropyridine in aqueous dipolar aprotic solvents with acidity functions. An order of basicity for aqueous dipolar aprotic solvents, 185–8

Reactions in strongly basic media. Part 9. Correlation of the rates of methoxide-catalysed methanolysis of 1-substituted 2,4-dinitrobenzenes and 2-substituted 5-nitropyridines in methanolic dimethyl sulphoxide with an acidity function. Details of the mechanistic pathway, 189–92

γ -Induced generation of dimethylsilylene from dodecamethylcyclohexasilane, 337–40

Free radicals in solution. Part 10. The thermal decomposition of benzylphenylmercury in solution, 413–4

Kinetic and thermodynamic parameters for Schiff's base formation between pyridoxal 5'-phosphate and *n*-hexylamine, 445–8

Flavonoids. Part 6. The kinetics and mechanism of base-catalysed isomerisation of 3-arylideneflavones, 449–52

Kinetics and mechanism of the metal ion-promoted hydrolysis of 2-phenyl-1,3-dithiane in aqueous dioxane solution, 513–6

A novel reaction of some enolisable ketones *not* involving the rate-determining enolisation step. Kinetics of the reaction of ketones with trichloroisocyanuric acid in the presence of added chloride ion in acid medium, 517–22

Mononuclear heterocyclic rearrangements. Part 14.

Rearrangement of some *Z*-arylhydrazones of 3-benzoyl-5-phenylisoxazole to 2-aryl-4-phenacyl-1,2,3-triazoles in dioxane–water, 537–40

Effect of ring size on the basicity and kinetic behaviour of 1,5-dimethylnaphtho[1,8-*bc*]-1,5-diazacycloalkanes, 613–6

Kinetics and mechanism of the nitrosation of thioproline: evidence of the existence of two reaction paths, 651–6

General acid catalytic activity of 2-substituted imidazoles for hydrolysis of diethyl phenyl orthoformate, 669–72

Aminolysis of pyrido[2,1-*f*]purines, 733–8

Kinetic evidence for the occurrence of a stepwise mechanism in the aminolysis of maleimide. General acid and base catalysis by secondary amines, 819–28

Formation of 4,6-dinitro-2-nitrosoaniline by intramolecular redox

KINETICS (contd)

- reaction of esters and amides of 2-(2,4,6-trinitroaniline) carboxylic acids, 867-74
- Kinetics and mechanisms of decarboxylation of 4-phenylallophanate anions, 929-34
- Electrophilic aromatic substitution. Part 33. Kinetics and products of aromatic nitrations in solutions of dinitrogen pentoxide in nitric acid, 1059-64
- Kinetic determination of selectivity constants of anion extraction in phase-transfer catalytic systems, 1147-52
- Kinetics and mechanism for the reaction of phenethyl *p*-bromobenzenesulphonate with substituted pyridines under high pressures, 1439-42
- Kinetics and mechanism of acid-catalysed addition of methanol to α -methoxystyrenes, 1517-22
- A kinetic study of the oxidation of 2,4-dinitrophenylhydrazine with acidic bromate, 1539-42
- Kinetic study of oxidation of diols by sodium *N*-bromobenzenesulphonamide, 1645-8
- Acyl derivatives of cyclic secondary amines. Part 2. Dynamic ¹H and ¹³C nuclear magnetic resonance studies on bis- and tris- amines: equilibria of *syn-anti* interconversion, 1701-6
- Kinetic study of the phenylurea-nitrous acid reaction: evidence for an *O*-nitrosation initial step, 1759-66
- Substituent effect on the spin-trapping reactions of substituted *N*-benzylidene-*t*-butylamine *N*-oxides, 1829-34
- Catalysed decomposition of bis(ethoxythiocarbonyl) sulphide with tributylphosphine. A kinetic study in dimethyl sulphoxide, acetonitrile, and their mixtures with toluene, 1899-902
- LACTAM**
- Non-dissociative proton transfer in 2-pyridone-2-hydroxypyridine. An *ab initio* molecular orbital study, 617-22
- Crystal and molecular structure of (3*R*)-3-(3-methyl-7-phenoxyacetamido-3-cephem-4-yl)-3-hydroxybutanoic acid, 841-6
- LACTIM**
- Non-dissociative proton transfer in 2-pyridone-2-hydroxypyridine. An *ab initio* molecular orbital study, 617-22
- LACTONE**
- Lactone formation in superacidic media, 1877-80
- LANTHANIDE-INDUCED SHIFT**
- Triazine drug metabolites. Part 6. The interaction of *N*-hydroxymethyltriazenes with lanthanide-induced shift reagents, 1871-6
- LASER**
- Continuous wave carbon dioxide laser-driven oxidation of tetrafluoroethene with molecular oxygen, 1727-32
- LASER FLASH PHOTOLYSIS**
- Interactions of triplet-state nucleic acid bases with electroaffinic molecules in solution by laser flash photolysis, 397-404
- LATERAL SUBSTITUTION**
- A study of the effect of a lateral methoxy group on the transition temperature of the liquid crystalline phases of the 4-(4-*n*-heptyloxybenzoyloxy)benzylidene-4-*n*-alkoxyaniline series, 319-22
- LATICYCLIC HYPERCONJUGATION**
- Crystal structures and photoelectron spectra of some trimethanoanthracenes, tetramethanonaphthalenes, and pentamethanopentacenes. Experimental evidence for laticyclic hyperconjugation, 1835-50
- LEAVING ABILITY**
- Kinetics and mechanisms of reactions of pyridines and imidazoles with phenyl acetates and trifluoroacetates in aqueous acetonitrile with low content of water: nucleophilic and general base catalysis in ester hydrolysis, 159-68
- LEAVING GROUP**
- Reactions of *N*-halogenbenzylmethylamines with triethylamine in acetonitrile. Effect of leaving group upon the imine-forming transition state, 853-6
- LIGAND COUPLING REACTIONS**
- Ligand coupling within σ -sulphurane intermediates formed in the reaction of benzyl 2-pyridyl and related sulphoxides with Grignard reagents, 405-12
- LIGATED BORANE**
- Homolytic reactions of ligated boranes. Part 7. An electron spin resonance study of the *t*-butyl isocyanide-boryl radical, 1773-80
- LINEAR FREE ENERGY RELATIONSHIP**
- Addition of arenosulphonyl iodides to substituted phenylacetylenes, 103-8

The three-parameter Nieuwdorp equation is the optimal linear free energy relationship for the prediction of missing data, 559-62

The thermal cycloaddition of substituted thiobenzophenones with phenylallene: mechanism and linear free energy relationships of reaction rates, 907-12

LINEAR SOLVATION ENERGY CORRELATION

Solvents effects on aromatic nucleophilic substitutions. Part 5. Kinetics of the reactions of 1-fluoro-2,4-dinitrobenzene with piperidine in aprotic solvents, 951-4

LINEAR SOLVATION ENERGY RELATIONSHIP

Resonance and solvent effects on absorption spectra. Part 5. Substituent and solvent effects on infrared spectra of 2- and 4-substituted aniline derivatives, 875-80

LIQUID AMMONIA

The reactions of two σ -anionic compounds (Jackson-Meisenheimer adducts) in liquid ammonia studied by ¹³C nuclear magnetic resonance spectroscopy, 1341-4

LIQUID CRYSTAL

A study of the effect of a lateral methoxy group on the transition temperature of the liquid crystalline phases of the 4-(4-*n*-heptyloxybenzoyloxy)benzylidene-4-*n*-alkoxyaniline series, 319-22

Synthesis and mesogenic properties of *N'*-(4-acylphenyl)-*N*-alkylpiperazines, 1881-6

LIQUID-CRYSTAL-LINEAR DICHROISM

Interactions between drugs and nucleic acids. Part 1. Dichroic studies of doxorubicin, daunorubicin, and their basic chromophore, quinizarin, 1419-26

LITHIATIONS

Acyl derivatives of cyclic secondary amines. Part 1. Dipole stabilization of anions: the cumulative effect of two stabilizing groups, 1695-700

LITHIUM CHELATE

Formation of phosphonoacetate carbanions by lithiated bases or by the conjunction of a lithium salt and an amine: structural study of intermediate species, 783-90

LITHIUM SALT ACTIVATION

Formation of phosphonoacetate carbanions by lithiated bases or by the conjunction of a lithium salt and an amine: structural study of intermediate species, 783-90

LITHIUM TETRAHYDRIDOALUMINATE

On the reduction of enol acetates and enolates derived from α -chiral ketones with lithium tetrahydridoaluminate, 679-82

LOCALIZED EXCITATION

Vibronic absorption spectra of naturally occurring conjugated polyenyne. Evidence for localized excitations, 1431-8

LONGICYCLENE

Two-dimensional nuclear magnetic resonance of sesquiterpenes. Part 2. Total assignment of (+)-aromadendrene, (+)-longicyclicene, and γ -gurjunene by the two-dimensional INADEQUATE method, 341-4

MALEIMIDE

Kinetic evidence for the occurrence of a stepwise mechanism in the aminolysis of maleimide. General acid and base catalysis by secondary amines, 819-28

MALTOSE

Co-operative intramolecular hydrogen bonding in glucose and maltose, 97-102

MANGANESE ACETATE

Selectivity of radical formation in the reaction of carbonyl compounds with manganese(III) acetate, 1103-8

MARCUS EQUATION

An *ab initio* study of the diadic prototropic tautomerism $H_3PX \rightleftharpoons H_2PXH$ ($X = O, NH, CH_2$), 47-54

MASS-ANALYSED ION KINETIC ENERGY SPECTROMETRY

An attempt to detect thirenium ions in the gas phase, 531-6

MASS SPECTRA

Low-energy, low-temperature mass spectra. Part 7. Terminal alkenols, 1019-26

Mass spectra of 3-nitro-2*H*-chromenes and 3-nitrochromans, 1495-8

MEAN BOND LENGTH

Tables of bond lengths determined by X-ray and neutron diffraction. Part 1. Bond lengths in organic compounds, S1

MECHANISM

Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 22. Reactions with various nucleophiles and a study of the effects of substrate concentration,

MECHANISM (contd)

- traces of water, and nature of the gegenion on the rates, 73–8
- Studies of tertiary amine oxides. Part 8. Rearrangement of *N*-(2,4-dinitrophenyl)-piperidines and -morpholine *N*-oxides in aprotic solvents, 109–12
- General acid–base catalysed cyclisation reactions of a strained ω -phenylhydantoic acid, 127–34
- Divalent metal ion catalysis of acetal hydrolysis; effects of oxycarbocation stability and leaving group basicity, 143–50
- 1,2-Thiazines and related heterocycles. Part 4. The mechanism and periselectivity of the cycloadditions of *N*-sulphinylaminoazines with 1,4-epoxy-1,4-dihydronaphthalenes, 197–204
- Kinetics and mechanism of the metal ion-promoted hydrolysis of 2-phenyl-1,3-dithiane in aqueous dioxane solution, 513–6
- Mononuclear heterocyclic rearrangements. Part 14. Rearrangement of some *Z*-arylhydrazones of 3-benzoyl-5-phenylisoxazole to 2-aryl-4-phenacyl-1,2,3-triazoles in dioxane–water, 537–40
- Non-dissociative proton transfer in 2-pyridone–2-hydroxypyridine. An *ab initio* molecular orbital study, 617–22
- Chemistry of nitrogen mustard [2-chloro-*N*-(2-chloroethyl)-*N*-methylethanamine] studied by nuclear magnetic resonance spectroscopy, 705–14
- Kinetics and mechanisms of decarboxylation of 4-phenylallophanate anions, 929–34
- A theoretical approach to the investigation of the photochemical internal cycloaddition in penta-1,4-diene and hexa-1,5-diene, 1027–32
- Action of red light on solid (+)-10-bromo-2-chloro-2-nitrosocamphane: (i) nuclear and electron paramagnetic resonance studies; (ii) reaction products; (iii) solid-state photolysis reaction mechanisms, 1139–46
- Alkaline hydrolyses of *N*-alkyl-2,4-dinitroacetanilides, 1203–8
- Nucleoside hydrogenphosphonates. Part 6. Reaction of nucleoside hydrogenphosphonates with arenosulphonyl chlorides, 1209–14
- Elimination from diastereoisomeric methyl 3-acetoxy-2-halogeno- and 2,3-dihalogeno-3-phenylpropanoates, 1473–6
- Kinetics and mechanism of acid-catalysed addition of methanol to α -methoxystyrenes, 1517–22
- Structural characterisation in solution of intermediates in rhodium-catalysed hydroformylation and their interconversion pathways, 1597–608
- Acid formation in the radical-mediated degradation of chlorinated ethanes in aqueous environment. A radiation chemical study, 1639–44
- Kinetics and mechanism for the formation of phenylhydrazone from benzaldehydes, naphthaldehydes, and formyl-1,6-methano[10]annulenes, 1717–22
- A MNDO SCF-MO study of the mechanism of the benzylic acid and related rearrangements, 1819–28

MEISENHEIMER COMPLEX

- Reactions in strongly basic media. Part 7. Correlation of the rates of alkaline hydrolysis of 2-substituted 3- and 5-nitropyridines, 4-nitropyridine *N*-oxide, and 2- and 4-substituted pyridine methiodides in aqueous dimethyl sulphoxide with an acidity function, 181–4
- Reactions in strongly basic media. Part 9. Correlation of the rates of methoxide-catalysed methanolysis of 1-substituted 2,4-dinitrobenzenes and 2-substituted 5-nitropyridines in methanolic dimethyl sulphoxide with an acidity function. Details of the mechanistic pathway, 189–92
- Theoretical calculations of chemical interactions. Part 5. 1,1-Disubstituted 2,4,6-trinitrocyclohexadienylium ('Meisenheimer') complexes, 227–30
- Nitrogen-bonded σ -adducts from amide anions and 1,3,5-trinitrobenzene. A ^1H nuclear magnetic resonance structural study, 805–10

MEISENHEIMER COMPOUND

- The reactions of two σ -anionic compounds (Jackson–Meisenheimer adducts) in liquid ammonia studied by ^{13}C nuclear magnetic resonance spectroscopy, 1341–4

MEMBRANE CATION TRANSPORT

- Highly selective cation transport through membranes containing lipophilic bis(monoaza-crown ether)s, 1181–6

MEMBRANE POTENTIAL

- Photo-excitable membranes. Photoinduced membrane potential changes across poly(vinyl chloride) membranes doped with azobenzene-modified crown ethers, 67–72

MESOION

- Viscosity-dependent fluorescence and low-temperature

photochemistry of mesoionic 4-phenyl-1,3,2-oxathiazolium-5-olate, 1227–38

METABOLITE

- Triazene drug metabolites. Part 4. Kinetics and mechanism of the decomposition of 1-aryl-3-benzoyloxymethyl-3-methyltriazenes in mixed aqueous–organic solvents, 1503–8

METAL CO-ORDINATION SPHERE

- Crystal and molecular structure of $\text{CoCl}_2(\text{L})(1/2 \text{ acetone})$ where L is = [8-methoxy-3-methyl-6-nitro-2*H*-1-benzopyran-2-spiro-2'-(3-methylbenzothiazoline)], 1413–8

METAL ION

- Divalent metal ion catalysis of acetal hydrolysis; effects of oxycarbocation stability and leaving group basicity, 143–50

METAL ION-PROMOTED

- Kinetics and mechanism of the metal ion-promoted hydrolysis of 2-phenyl-1,3-dithiane in aqueous dioxane solution, 513–6

METHACRYLATE POLYMER

- Microgels as supports for α -chymotrypsin, 1575–8

METHANE

- Hydrogen abstraction from methane and its fluoro derivatives by methyl radicals, 211–4

METHANOL-BASE COMPLEX

- Carbon-13 chemical shifts of methanolic carbon and electron reorganization induced by hydrogen bonding for methanol–base complexes, 1733–8

METHANOLYSIS

- Reactions in strongly basic media. Part 9. Correlation of the rates of methoxide-catalysed methanolysis of 1-substituted 2,4-dinitrobenzenes and 2-substituted 5-nitropyridines in methanolic dimethyl sulphoxide with an acidity function. Details of the mechanistic pathway, 189–92

METHOXIDE ATTACHMENT

- Thiopyrylium cations as appropriate compounds for the quantitative evaluation of *ipso*-substituent effects, 1427–30

METHYLBENZENE

- Photochemically induced oxygenation of methylbenzenes, bibenzyls, and pinacols in the presence of naphthalene-1,4-dicarbonitrile, 1175–80

METHYLENOCYCLOBUTANE

- 3-Methylenecyclobutyl, cyclopent-3-enyl, and 3-methylenecyclobutylmethyl radicals; absence of homoallylic conjugation, 231–6

METHYLPYRIDINE

- A calorimetric study of complex formation between molecular iodine and pyridine or 2-ethylpyridine in weakly polar solvents, 1713–6

METHYL RADICAL

- Hydrogen abstraction from methane and its fluoro derivatives by methyl radicals, 211–4

METHYL VIOLOGEN

- Solid-phase reactivity of pure methyl viologen upon thermolysis and photolysis: a vibrational and electronic study, 829–34

MICELLAR CATALYSIS

- Stereoselective micellar catalysis. Part 5. Deacylation behaviour in the cleavage of enantiomeric esters by optically active catalysts containing the imidazolyl group, 607–12

MICROGEL

- Microgels as supports for α -chymotrypsin, 1575–8

MICROSCOPIC BASICITY CONSTANT

- The equilibria of 5-deoxyxypyridoxal in water–dioxane mixtures, 169–74

MICROWAVE SPECTROSCOPY

- Identification of the pyrolysis products of some aromatic amines using microwave spectroscopy, 585–90

MIGRATORY APTITUDE

- Electrophilic substitution in indoles. Part 12. Kinetic studies of the rearrangement of 3,3-disubstituted indolenines to 2,3-disubstituted indoles, 1215–20

MIXED CRYSTAL

- Mixed crystals of 6-chloro-3,4-methylenedioxybenzoic acid with 2,4- and 3,4-dichlorobenzoic acids; structure, topochemistry, and intermolecular interactions, 1187–94

MO CALCULATION

- An *ab initio* study of the diadic prototropic tautomerism $\text{H}_3\text{PX} \rightleftharpoons \text{H}_2\text{PXH}$ ($\text{X} = \text{O}, \text{NH}, \text{CH}_2$), 47–54
- An *ab initio* study of the mechanism of the α -alkynone cyclization, 55–60
- Theoretical studies of proton-transfer reactions, 61–8

MO CALCULATION (contd)

- Conformational analysis and Kerr effect studies of tricarboxylic aliphatic esters, 85–90
- Nuclear magnetic resonance and molecular orbital study of internal hydrogen bonding in salicyl alcohol. Principal site analysis based on the sidechain methylene and hydroxy proton long-range coupling constants, 121–6
- Model theoretical study of 2 + 2 cycloadditions of dialkoxyethynes with heterocumulenes, 151–8
- Methylation of hallerin: conformational aspects from *X*-ray analysis and MO calculations, 215–8
- Theoretical calculations of chemical interactions. Part 5. 1,1-Disubstituted 2,4,6-trinitrocyclohexadienylide ('Meisenheimer') complexes, 227–30
- An MNDO study of the unimolecular reactions of methyl acetate and its sulphur analogues, 237–42
- MNDO calculations and the non-planarity of arylamino groups, 247–8
- CNDO/2 Calculations on phlorin trianion: a model for a bilatriene-type of bile pigment, 267–70
- MINDO/3 Study of the isomerization of 1-methylcyclohexylium ion to 1-ethylcyclopentylum ion. An alternative mechanism for this branching rearrangement, 307–12
- An *ab initio* calculation of the acid-catalysed hydrolysis of *N*-nitrosoamines. A hypothesis on the rate-determining step, 345–50
- A SCF-MO study of the relative barriers to inversion and to ring opening in three-membered ring carbanions, 359–64

MODIFIED CYCLODEXTRIN

- Rate and enantioselectivity with complexes of activated substrates and simply modified cyclodextrins, 1121–4

MOLECULAR ASSOCIATION

- Incorporation of a dispersion energy term to Fraga's atom-atom pair intermolecular potential. Application to benzene, *s*-tetrazine, and their mixed dimers, 943–50

MOLECULAR COMPLEX

- Phase diagram and association constants of a molecular complex in the 1,3,5-trinitrobenzene-benzene binary system, 1563–8

MOLECULAR CONFORMATION

- Molecular conformation of mono- and bi-cyclic derivatives. Part 6. Theoretical and experimental study of derivatives with a seven-membered ring, 313–8
- Crystal and molecular structure of the alimemazine cation radical, 575–80

MOLECULAR INTERACTION

- C-H...O Interactions and the adoption of 4 Å short-axis crystal structures by oxygenated aromatic compounds, 1195–202

MOLECULAR IODINE

- A calorimetric study of complex formation between molecular iodine and pyridine or 2-ethylpyridine in weakly polar solvents, 1713–6

MOLECULAR MECHANICS

- A molecular mechanics study of 18-crown-6 and its complexes with neutral organic molecules, 721–32
- Assessment by molecular mechanics of the preferred conformations of the sixteen C(4)–C(6) and C(4)–C(8) linked dimers of (+)-catechin and (–)-epicatechin with axial or equatorial dihydroxyphenyl substituents at C(2), 739–44
- Conformations and internal rotation of simple 1-alkenylnaphthalenes, studied by dynamic nuclear magnetic resonance spectroscopy, nuclear Overhauser effects, and molecular mechanics calculations, 955–60

MOLECULAR MODELLING

- Stereochemistry of intermediates in homogeneous hydrogenation catalysed by tris(phenyl)phosphinerhodium chloride, employing nuclear magnetic resonance magnetisation transfer, 1589–96
- The conformational analysis of erythromycin A, 1659–68

MOLECULAR ORBITAL

- The mechanism of phosphoryl to carbonyl migration of amino groups in mixed anhydrides. A MNDO SCF-MO study, 767–70

MOLECULAR ORBITAL CALCULATION

- A theoretical study on the mechanism of oxidation of L-ascorbic acid, 715–20

MONONUCLEAR HETEROCYCLIC REARRANGEMENT

- Mononuclear heterocyclic rearrangements. Part 14. Rearrangement of some *Z*-arylhydrazones of 3-benzoyl-5-phenylisoxazole to 2-aryl-4-phenacyl-1,2,3-triazoles in dioxane-water, 537–40

M.S.

- Fast atom bombardment mass spectrometry: a useful technique for

structural characterization of pyrylium, thiopyrylium, and pyridinium cations, 633–8

Investigation of cationic hydrogen-bonded systems by fast atom bombardment mass spectrometry, 1128–32

Synthesis of parabactin analogues and formation of transition metal complexes of parabactin and related compounds, 1543–50

NAPHTHALDEHYDE

Kinetics and mechanism for the formation of phenylhydrazone from benzaldehydes, naphthaldehydes, and formyl-1,6-methano[10]annulenes, 1717–22

NAPHTHALENEDICARBONITRILE

Photochemically induced oxygenation of methylbenzenes, bibenzyls, and pinacols in the presence of naphthalene-1,4-dicarbonitrile, 1175–80

NAPHTHALENOPHANE

Electrophilic aromatic substitution. Part 36. Protodetritiation of some annelated *meta*-cyclophanes: effect of ring-buckling on reactivity, and the first example of electrophilic substitution through a hole, 1033–8

NAPHTHYL STYRYL KETONE

Influence of conformation on transmission of electronic effects of substituents. Correlation of infrared carbonyl stretching frequencies of 4-substituted α -naphthyl styryl ketones, 263–6

NATURAL SURFACTANT

Metallation of porphyrins in two-phase systems using carboxylic acid, thiols, and phenols, 287–92

NEMATIC PHASE

A study of the effect of a lateral methoxy group on the transition temperature of the liquid crystalline phases of the 4-(4-n-heptyloxybenzoyloxy)benzylidene-4-n-alkoxyaniline series, 319–22

NEUTRON DATA

Tables of bond lengths determined by *X*-ray and neutron diffraction. Part 1. Bond lengths in organic compounds, S1

NITRANION

Evaluation of the polar-inductive and mesomeric effects exerted on contiguous functionalities by *N*-oxidopyridinium groups, 1009–14

Evaluation of the polar-inductive and mesomeric effects exerted by *para*-substituted phenyl rings on contiguous functionalities, 1091–6

NITRATION

Electrophilic aromatic substitution. Part 33. Kinetics and products of aromatic nitrations in solutions of dinitrogen pentoxide in nitric acid, 1059–64

A theoretical study of the nitration of ethylene and benzene with the nitronium ion, 1303–10

NITROCHROMAN

Mass spectra of 3-nitro-2*H*-chromenes and 3-nitrochromans, 1495–8

NITROCHROMENE

Mass spectra of 3-nitro-2*H*-chromenes and 3-nitrochromans, 1495–8

NITRO COMPOUND

Structure-reactivity correlation of photochemical reactions in organic crystals: intramolecular hydrogen abstraction in an aromatic nitro compound, 1153–8

NITROFURAN

Radical-nucleophilic substitution ($S_{RN}1$) reactions: electron spin resonance studies of electron capture processes. Part 4. α -Substituted 2-methyl-5-nitrofurans, 1133–8

NITROGEN MUSTARD

Chemistry of nitrogen mustard [2-chloro-*N*-(2-chloroethyl)-*N*-methylethanamine] studied by nuclear magnetic resonance spectroscopy, 705–14

NITRO GROUP

The rearrangement of aromatic nitro compounds. Part 1. The reactions of nitroanilines in aqueous sulphuric acid, 1767–72

NITRONE

Substituent effect on the spin-trapping reactions of substituted *N*-benzylidene-*t*-butylamine *N*-oxides, 1829–34

NITROSAMINE

Ab initio calculations relevant to the mechanism of chemical carcinogenesis by *N*-nitrosamines. Part 7. The nitrosation of amines by nitrosyl chloride, 1337–40

NITROSATION

Kinetics and mechanism of the nitrosation of thioproline: evidence of the existence of two reaction paths, 651–6

NITROSATION (contd)

Kinetic study of the phenylurea-nitrous acid reaction: evidence for an *O*-nitrosation initial step, 1759-66

NITROSOAMINE

An *ab initio* calculation of the acid-catalysed hydrolysis of *N*-nitrosoamines. A hypothesis on the rate-determining step, 345-50

NITROSO COMPOUND

Kinetics and mechanism of the nitrosation of thioproline: evidence of the existence of two reaction paths, 651-6

NITROSOTHIOKETENE

Viscosity-dependent fluorescence and low-temperature photochemistry of mesoionic 4-phenyl-1,3,2-oxathiazolylum-5-olate, 1227-38

NITROSYL CHLORIDE

Ab initio calculations relevant to the mechanism of chemical carcinogenesis by *N*-nitrosamines. Part 7. The nitrosation of amines by nitrosyl chloride, 1337-40

NITROUS ACID

Kinetic study of the phenylurea-nitrous acid reaction: evidence for an *O*-nitrosation initial step, 1759-66

N.M.R.

Nuclear magnetic resonance conformational study of daunomycin and related antitumour antibiotics in solution. The conformation of ring A, 15-26

Conformational analysis of *N*-acetyl-daunomycin in solution. A transient ¹H nuclear Overhauser effect study of the glycosidic linkage geometry, 27-32

Co-operative intramolecular hydrogen bonding in glucose and maltose, 97-102

Nuclear magnetic resonance and molecular orbital study of internal hydrogen bonding in salicyl alcohol. Principal site analysis based on the sidechain methylene and hydroxy proton long-range coupling constants, 121-6

A phosphorus nuclear magnetic resonance spectroscopic study of the conversion of hydroxy groups into iodo groups in carbohydrates using the iodine-triphenylphosphine-imidazole reagent, 271-4

Two-dimensional nuclear magnetic resonance of sesquiterpenes.

Part 2. Total assignment of (+)-aromadendrene, (+)-longicyclene, and γ -gurjunene by the two-dimensional INADEQUATE method, 341-4

Conformational analysis of organic carbonyl compounds. Part 5. *p*-Methoxybenzoyl derivatives of benzo[*b*]furan, benzo[*b*]thiophene, and naphthalene, 351-8

Proton, carbon, and phosphorus nuclear magnetic resonance and conformational studies on phosphate esters, 391-6

Flavonoids. Part 6. The kinetics and mechanism of base-catalysed isomerisation of 3-arylidene flavanones, 449-52

¹³C Nuclear magnetic resonance study of acid-base tautomeric equilibria, 453-60

Bicyclo[3.2.2]nonatrienyl-lithium and -potassium and their degenerate rearrangements studied by multiple labelling with ¹³C and ²H, ¹³C nuclear magnetic resonance spectroscopy, ¹³C-¹³C coupling constants, and isotopic perturbation, 461-8

Studies on borate esters. Part 5. The system glucarate-borate-calcium(II) as studied by ¹H, ¹¹B, and ¹³C nuclear magnetic resonance spectroscopy, 473-8

Synthesis, properties, and multinuclear (¹H, ¹³C, ⁷⁷Se) magnetic resonance studies of the hybrid selenide ligands *o*-C₆H₄(SeMe)₂Y (Y = NMe₂, PMe₂, AsMe₂, SbMe₂, OMe, and SMe), 487-90

Oximation of acetyl(hydroxyimino)acetone: nuclear magnetic resonance spectroscopic, chemical, and X-ray crystallographic studies of the reaction products, 523-30

Stereochemical studies. Part 89. Saturated heterocycles. Part 84.

Preparation and nuclear magnetic resonance study of norbornane-norbornene-fused 2-phenylimino-1,3-oxazines and -thiazines, 599-606

Structure and dynamics of crowns containing the phenyldinaphthylmethane subunit (a three-bladed propeller): observations of correlated rotation of the propeller blades and certain ether segments, 639-50

An analysis of ¹³C nuclear magnetic resonance substituent chemical shifts in 4- and 5-substituted thiophene-2-carboxylic acids by linear free energy relationships, 689-94

Chemistry of nitrogen mustard [2-chloro-*N*-(2-chloroethyl)-*N*-methyl-ethanamine] studied by nuclear magnetic resonance spectroscopy, 705-14

Carbon-13 nuclear magnetic resonance spectroscopy as a method

N.M.R. (contd)

to determine relative acidity of boron Lewis acids in pyridine complexes, 771-4

Formation of phosphonoacetate carbanions by lithiated bases or by the conjunction of a lithium salt and an amine: structural study of intermediate species, 783-90

The solid-state and solution conformation of some 1,2-*O*-alkylidene xylopyranoses. Application of heteronuclear long-range coupling constants to the conformational analysis of dioxolane rings, 791-6

Formation of 4,6-dinitro-2-nitrosoaniline by intramolecular redox reaction of esters and amides of 2-(2,4,6-trinitroaniline) carboxylic acids, 867-74

Determination of *cis*-methyldecalone and *cis*-methylhydrindanone conformation by proton nuclear magnetic resonance, 921-8

Synthesis, structure, and haptotropic rearrangement of benzocyclo-octatetraenetricarbonylchromium(0) complexes, 935-42

Conformations and internal rotation of simple 1-alkenyl-naphthalenes, studied by dynamic nuclear magnetic resonance spectroscopy, nuclear Overhauser effects, and molecular mechanics calculations, 955-60

Mechanisms of heterocycle ring formation. Part 5. A carbon-13 nuclear magnetic resonance study of pyrazolinone synthesis by the reaction of β -ketoesters with substituted hydrazines, 969-76

An experimental and theoretical investigation of orientational dependence of H-F couplings in fluoro-olefins, 977-86

Evaluation of the polar-inductive and mesomeric effects exerted on contiguous functionalities by *N*-oxidopyridinium groups, 1009-14

Substituent effects in ¹H and ¹³C nuclear magnetic resonance correlations of chemical shifts in *para*-substituted 5-arylmethylenehydantoins, 1043-6

¹H Nuclear magnetic resonance study of the association between 1,5-dialkyl-1,5-dihydro-1,5-benzodiazepine-2,4-diones and the shift reagent Eu(fod)₃, 1071-6

Evaluation of the polar-inductive and mesomeric effects exerted by *para*-substituted phenyl rings on contiguous functionalities, 1091-6

Action of red light on solid (+)-10-bromo-2-chloro-2-nitrosocamphane: (i) nuclear and electron paramagnetic resonance studies; (ii) reaction products; (iii) solid-state photolysis reaction mechanisms, 1139-46

Solution and crystal structure of cytosine, a quinolizidine alkaloid, 1159-66

Nucleoside hydrogenphosphonates. Part 6. Reaction of nucleoside hydrogenphosphonates with arenulphonyl chlorides, 1209-14

Benzenediazonium ions: structure, complexation, and reactivity, 1239-42

18-Substituted steroids, Part 14. The high-field ¹H and ¹³C nuclear magnetic resonance spectra of aldosterone; full assignments for the main equilibrating forms in solution, 1247-52

Structural mapping of an unsymmetrical chemically modified cyclodextrin by high-field nuclear magnetic resonance spectroscopy, 1323-36

Absolute configuration of atropisomeric *m*-terphenyl-type flavan-3-ols, 1365-8

Investigation of the structure of an insoluble pigment by means of nuclear magnetic resonance, 1383-90

¹H and ¹³C dynamic nuclear magnetic resonance study of hindered internal rotation in (*N,N*-dimethylamino)-pyrimidines, 1551-8

Phase diagram and association constants of a molecular complex in the 1,3,5-trinitrobenzene-benzene binary system, 1563-8

The catalytic resting state of asymmetric homogeneous hydrogenation. Exchange processes delineated by nuclear magnetic resonance saturation-transfer (DANTE) techniques, 1583-8

Stereochemistry of intermediates in homogeneous hydrogenation catalysed by trisphenylphosphinerhodium chloride, employing nuclear magnetic resonance magnetisation transfer, 1589-96

Structural characterisation in solution of intermediates in rhodium-catalysed hydroformylation and their interconversion pathways, 1597-608

The conformational analysis of erythromycin A, 1659-68

Nuclear magnetic resonance investigations of calcium-antagonist drugs. Part 1. Conformational and dynamic features of nimodipine

{3-[(2-methoxyethoxy)carbonyl]-5-(isopropoxycarbonyl)-4-(3-nitrophenyl)-2,6-dimethyl-1,4-dihydropyridine} in [2H₆]dimethyl sulphoxide, 1707-12

Carbon-13 chemical shifts of methanolic carbon and electron

- reorganization induced by hydrogen bonding for methanol-base complexes, 1733-8
- Structural studies of the interaction between indole derivatives and biologically important aromatic compounds. Part 19. Effect of base methylation on the ring-stacking interaction between tryptophan and guanine derivatives: a nuclear magnetic resonance investigation, 1739-46
- Conformational analysis of organic carbonyl compounds. Part 8. Conformational properties of aroyl derivatives of thiophene and benzo[*b*]thiophene studied by *X*-ray crystallography, nuclear magnetic resonance lanthanide-induced shifts spectroscopy, and MO *ab initio* calculations, 1851-60
- Triazene drug metabolites. Part 6. The interaction of *N*-hydroxymethyltriazenes with lanthanide-induced shift reagents, 1871-6
- NON-BONDED CONTACT**
C-H...O Interactions and the adoption of 4 Å short-axis crystal structures by oxygenated aromatic compounds, 1195-202
- NON-BONDING INTERACTION**
Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 25. *X*-Ray structure determinations, crystallographic evidence for steric crowding, and correlation with acceleration of rates, 1391-8
- NON-CHAIR CONFORMER**
Preparation and solvolysis of *trans,trans,trans*-tricyclo[7.3.1.0^{5,13}]tridecan-3-yl toluene-*p*-sulphonates in acetic acid and aqueous hexafluoropropan-2-ol. The role of non-chair conformers and the question of internal return in the limiting S_N1 solvolytic mechanism, 1083-90
- NON-CONJUGATED DIENE**
A theoretical approach to the investigation of the photochemical internal cycloaddition in penta-1,4-diene and hexa-1,5-diene, 1027-32
- NON-PLANAR AROMATIC COMPOUND**
Electrophilic aromatic substitution. Part 36. Protiodetritiation of some annelated *meta*-cyclophanes: effect of ring-buckling on reactivity, and the first example of electrophilic substitution through a hole, 1033-8
- NON-PLANARITY**
MNDO calculations and the non-planarity of arylamino groups, 247-8
- NORBORNANE-NORBORNENE**
Stereochemical studies. Part 89. Saturated heterocycles. Part 84. Preparation and nuclear magnetic resonance study of norbornane-norbornene-fused 2-phenylimino-1,3-oxazines and -thiazines, 599-606
- NUCLEAR OVERHAUSER EFFECT**
Conformational analysis of *N*-acetyl-daunomycin in solution. A transient ¹H nuclear Overhauser effect study of the glycosidic linkage geometry, 27-32
Conformations and internal rotation of simple 1-alkenyl-naphthalenes, studied by dynamic nuclear magnetic resonance spectroscopy, nuclear Overhauser effects, and molecular mechanics calculations, 955-60
- NUCLEIC ACID**
Interactions of triplet-state nucleic acid bases with electroaffinic molecules in solution by laser flash photolysis, 397-404
- NUCLEOFUGALITY**
Elimination and addition reactions. Part 41. Nucleophilic eliminative fission of cyclopropanes: the coiled spring effect of ring strain on nucleofugality and its evaluation, 1253-64
- NUCLEOPHILE**
Kinetics and mechanisms of reactions of pyridines and imidazoles with phenyl acetates and trifluoroacetates in aqueous acetonitrile with low content of water: nucleophilic and general base catalysis in ester hydrolysis, 159-68
Nucleophilic aromatic substitution: effect of complexation on the alkaline hydrolysis of 4-aminophenylazobenzothiazolium dyes, 1785-8
- NUCLEOPHILIC**
Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 22. Reactions with various nucleophiles and a study of the effects of substrate concentration, traces of water, and nature of the gegenion on the rates, 73-8
Heteroaromatic azo-activated substitutions. Part 3. Catalysis in the reaction of 4-(4-methoxyphenylazo)pyridinium methiodide with amines in dipolar aprotic solvents. Kinetic form and the mechanism of the uncatalysed reaction in nucleophilic aromatic substitution, 563-8
- Elimination and addition reactions. Part 41. Nucleophilic eliminative fission of cyclopropanes: the coiled spring effect of ring strain on nucleofugality and its evaluation, 1253-64
- Nucleophilic aromatic substitution: transmission of substituent effects in alkaline hydrolysis of 4-aminophenylazobenzothiazolium dyes, 1781-4
- NUCLEOPHILIC ADDITION**
The reactions of two σ-anionic compounds (Jackson-Meisenheimer adducts) in liquid ammonia studied by ¹³C nuclear magnetic resonance spectroscopy, 1341-4
- NUCLEOPHILIC AROMATIC SUBSTITUTION**
Reactions in strongly basic media. Part 7. Correlation of the rates of alkaline hydrolysis of 2-substituted 3- and 5-nitropyridines, 4-nitropyridine *N*-oxide, and 2- and 4-substituted pyridine methiodides in aqueous dimethyl sulphoxide with an acidity function, 181-4
Reactions in strongly basic media. Part 8. Correlation of the rates of alkaline hydrolysis of 2,4-dinitroanisole and 2-methoxy-5-nitropyridine in aqueous dipolar aprotic solvents with acidity functions. An order of basicity for aqueous dipolar aprotic solvents., 185-8
Reactions in strongly basic media. Part 9. Correlation of the rates of methoxide-catalysed methanolysis of 1-substituted 2,4-dinitrobenzenes and 2-substituted 5-nitropyridines in methanolic dimethyl sulphoxide with an acidity function. Details of the mechanistic pathway, 189-92
Formation of 4,6-dinitro-2-nitrosoaniline by intramolecular redox reaction of esters and amides of 2-(2,4,6-trinitroaniline) carboxylic acids, 867-74
- NUCLEOPHILIC ASSISTANCE**
Linear solvation energy relationships. Part 37. An analysis of contributions of dipolarity-polarisability, nucleophilic assistance, electrophilic assistance, and cavity terms to solvent effects on *t*-butyl halide solvolysis rates, 913-20
- NUCLEOPHILIC SUBSTITUTION**
The effects of single- and twin-tailed ionic surfactants upon aromatic nucleophilic substitution, 541-6
- NUCLEOSIDE HYDROGENPHOSPHONATE**
Nucleoside hydrogenphosphonates. Part 6. Reaction of nucleoside hydrogenphosphonates with aren sulphonyl chlorides, 1209-14
- OLEFIN**
Chiroptical properties of five-co-ordinated olefin complexes of platinum(II), 427-34
- OLIGOMERIC**
Oligomeric cyclization of dinitriles in the synthesis of phthalocyanines and related compounds: the role of the alkoxide anion, 1579-82
- OLIVE OIL**
Determination of olive oil-gas and hexadecane-gas partition coefficients, and calculation of the corresponding olive oil-water and hexadecane-water partition coefficients, 797-804
- ONE-ELECTRON REDUCTION**
Kinetics and mechanism of the reactions of superoxide ion in solution. Part 6. Interaction of superoxide ion with adriamycin in aprotic and protic media, 835-40
- OPTICAL ABSORPTION**
Spectroscopic studies of various carbene-radical-cations formed by radiolysis of solutions on halogenocarbons, 881-4
- OPTICALLY ACTIVE CATALYST**
Stereoselective micellar catalysis. Part 5. Deacylation behaviour in the cleavage of enantiomeric esters by optically active catalysts containing the imidazolyl group, 607-12
- ORBITAL INTERACTION**
Electronic structure and conformational properties of azines. Part 2. 2,5-Diacetyl-3,4-diazahexa-2,4-diene, a 2,3-diaza-1,3-diene with a synclinal conformation; and *X*-ray crystallographic, He¹ photoelectron spectroscopic, and MNDO study, 761-6
Crystal structures and photoelectron spectra of some trimethanoanthracenes, tetramethanonaphthacenes, and pentamethanopentacenes. Experimental evidence for laticyclic hyperconjugation, 1835-50
- ORGANIC COMPOUND**
Tables of bond lengths determined by *X*-ray and neutron diffraction. Part 1. Bond lengths in organic compounds, S1
- ORGANOSILANE**
Anchimeric assistance by the methoxy group in solvolysis of the compounds (Me₃Si)₂C(SiMe₂OMe)(SiMe₂X), 657-62

ORGANOSILICON

- Reactions of bis(dimethyl(vinyl)silyl)bis(trimethylsilyl)methane, $(\text{Me}_2\text{Si})_2\text{C}(\text{SiMe}_2\text{CH}=\text{CH}_2)_2$, 381–4
- The effect of the γ -OMe group on the reactivity of the germanium chloride $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{OMe})(\text{GeMe}_2\text{Cl})$, 775–8
- Migration of the methoxy group in an organosilicon cation. Reactions of (bromodiphenylsilyl)(methoxydimethylsilyl)bis(trimethylsilyl) methane with silver borofluoride and silver chloride. Crystal structure of (chlorodiphenylsilyl)(methoxydimethylsilyl) bis(trimethylsilyl)methane, 891–4
- Anchimeric assistance by and migration of the vinyl group in reactions of sterically hindered organosilicon compounds of the type $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{CH}=\text{CH}_2)(\text{SiR}_2\text{X})$, 1047–58
- 1,3 Silicon to silicon migration of the methoxy group in solvolysis of (bromodiphenylsilyl)-(methoxydimethylsilyl)bis(trimethylsilyl)-methane. Crystal structures of (ethoxydimethylsilyl)(methoxydiphenylsilyl)-bis(trimethylsilyl)methane and (methoxydimethylsilyl)(methoxydiphenylsilyl)bis(trimethylsilyl)methane, 1753–8
- Kinetics of the reactions of silicon compounds. Part 1. Kinetics and mechanism of the gas-phase photochemical reactions between trimethylsilane and 1,1-difluoroethylene, 1861–6

ORGANOSULPHUR CATION

- An attempt to detect thiirenium ions in the gas phase, 531–6

ORIENTATION EFFECT

- An experimental and theoretical investigation of orientational dependence of H–F couplings in fluoro-olefins, 977–86

OSTWALD COEFFICIENT

- Determination of olive oil–gas and hexadecane–gas partition coefficients, and calculation of the corresponding olive oil–water and hexadecane–water partition coefficients, 797–804

OXAZINE–THIAZINE

- Stereochemical studies. Part 89. Saturated heterocycles. Part 84. Preparation and nuclear magnetic resonance study of norbornane–norbornene-fused 2-phenylimino-1,3-oxazines and -thiazines, 599–606

OXAZIRIDINE

- Oxidation of thiones to sulphines (thione *S*-oxides) with *N*-sulphonyloxaziridines: synthetic and mechanistic aspects, 1113–6

OXIDATION

- A theoretical study on the mechanism of oxidation of L-ascorbic acid, 715–20
- Selectivity of radical formation in the reaction of carbonyl compounds with manganese(III) acetate, 1103–8
- Oxidation of thiones to sulphines (thione *S*-oxides) with *N*-sulphonyloxaziridines: synthetic and mechanistic aspects, 1113–6
- Nucleoside hydrogenphosphonates. Part 6. Reaction of nucleoside hydrogenphosphonates with arenesulphonyl chlorides, 1209–14
- A kinetic study of the oxidation of 2,4-dinitrophenylhydrazine with acidic bromate, 1539–42
- Kinetic study of oxidation of diols by sodium *N*-bromobenzenesulphonamide, 1645–8
- Continuous wave carbon dioxide laser-driven oxidation of tetrafluoroethene with molecular oxygen, 1727–32

OXIMATION

- Oximation of acetyl(hydroxyimino)acetone: nuclear magnetic resonance spectroscopic, chemical, and X-ray crystallographic studies of the reaction products, 523–30

OXYGENATED COMPLEX

- Synthesis and characterization of a new series of iron(II) single-face hindered porphyrins. Influence of central steric hindrance upon carbon monoxide and oxygen binding, 249–58

OXYGEN HETEROCYCLE

- C–H...O Interactions and the adoption of 4 Å short-axis crystal structures by oxygenated aromatic compounds, 1195–202

PAIR POTENTIAL

- Incorporation of a dispersion energy term to Fraga's atom–atom pair intermolecular potential. Application to benzene, *s*-tetrazine, and their mixed dimers, 943–50

PARABACTIN ANALOGUE

- Synthesis of parabactin analogues and formation of transition metal complexes of parabactin and related compounds, 1543–50

PARTIAL RATE FACTOR

- The quantitative electrophilic reactivity of annulenes. Part 3.¹ Partial rate factors for protiodetritiation and protiodesilylation of 1,6:8,13-propane-1,3-diylidene[14]annulene, 1691–4

PARTITION COEFFICIENT

- Determination of olive oil–gas and hexadecane–gas partition coefficients, and calculation of the corresponding olive oil–water

- and hexadecane–water partition coefficients, 797–804

PENTADIENYNE

- Photoelectron, infrared, and theoretical study of the thermolysis of 4-azahexa-1,6-diyne: spectra of prop-2-ynylideneamine, H–C≡C–CH=NH, and penta-3,4-dien-1-yne, CH₂=C=CHC≡CH, 683–8

PEPTIDE

- The use of crown ethers in peptide chemistry. Part 1. Syntheses of amino acid complexes with the cyclic polyether 18-crown-6 and their oligomerisation in dicyclohexylcarbodi-imide-containing solutions, 323–8

PEPTIDE SYNTHESIS

- The use of crown ethers in peptide chemistry. Part 1. Syntheses of amino acid complexes with the cyclic polyether 18-crown-6 and their oligomerisation in dicyclohexylcarbodi-imide-containing solutions, 323–8

PERISELECTIVITY

- 1,2-Thiazines and related heterocycles. Part 4. The mechanism and periselectivity of the cycloadditions of *N*-sulphinylaminoazines with 1,4-epoxy-1,4-dihydronaphthalenes, 197–204

PERMEATION CONTROL

- Functional capsule membranes. Part 30. Concanavalin A-induced permeability control of capsule membranes corked with synthetic glycolipid bilayers of grafted with synthetic glycopolymers, 1317–22

PHASE DIAGRAM

- Phase diagram and association constants of a molecular complex in the 1,3,5-trinitrobenzene–benzene binary system, 1563–8

PHASE TRANSFER

- 2'-Substituted 1'-(2-dimethylcarbamoyl)ethyl)-3'-spirocycloalkanoindolines: synthesis and conformational analysis of the propanamide fragment, 423–6
- A study of the phase-transfer alkoxycarbonylation of secondary alkyl amines. Application of a factorial design, 695–8

PHASE-TRANSFER CATALYSIS

- Kinetic determination of selectivity constants of anion extraction in phase-transfer catalytic systems, 1147–52

PHASE TRANSFER CATALYST

- Metallation of porphyrins in two-phase systems using carboxylic acid, thiols, and phenols, 287–92

PHENANTHRENE

- Electron spin resonance spectra of radical cations derived from stilbenes and phenanthrenes, 1527–32

PHENETHYL

- Kinetics and mechanism for the reaction of phenethyl *p*-bromobenzenesulphonate with substituted pyridines under high pressures, 1439–42

PHENOL

- Aggregation of complexes of some phenols with triethylamine in benzene, 897–900
- Vapour-phase chemistry of arenes. Part 13. Reactivity and selectivity in the gas-phase reactions of hydroxyl radicals with monosubstituted benzenes at 563 K, 1167–74
- Highly selective aromatic chlorination. Part 1. The 4-chlorination of anisole and phenol with *N*-chloroamines in acidic solution, 1533–8

PHENOL COMPLEX

- Formation of hydrogen-bonded complexes between phenol and some heterocyclic bases in carbon tetrachloride, 1815–8

PHENOTHIAZINE DERIVATIVE

- Crystal and molecular structure of the alimemazine cation radical, 575–80

PHENYL

- Solvent effect on activation parameters for the neutral hydrolysis of phenyl trifluoroacetates in aqueous acetonitrile, 1723–6

PHENYLACETYLENE

- Addition of arenesulphonyl iodides to substituted phenylacetylenes, 103–8

PHENYLALLOPHANATE

- Kinetics and mechanisms of decarboxylation of 4-phenylallophanate anions, 929–34

PHENYLAZO

- The electronic effect of the phenylazo and *t*-butylazo groups, 1649–54

PHENYLDITHIANE

- Kinetics and mechanism of the metal ion-promoted hydrolysis of 2-phenyl-1,3-dithiane in aqueous dioxane solution, 513–6

PHENYLHYDRAZONE

- Preparation and hydrogen bonding studies of phenylhydrazones

PHENYLHYDRAZONE (contd)

derivatives of alloxan: crystal and molecular structure of pyrimidine-2(1*H*),4(3*H*),5,6-tetraone 5-(2-nitrophenyl)hydrazone, 469-72

Mononuclear heterocyclic rearrangements. Part 14. Rearrangement of some *Z*-arylhydrazones of 3-benzoyl-5-phenylisoxazole to 2-aryl-4-phenacyl-1,2,3-triazoles in dioxane-water, 537-40

PHENYLHYDRAZONE FORMATION

Kinetics and mechanism for the formation of phenylhydrazone from benzaldehydes, naphthaldehydes, and formyl-1,6-methano[10]annulenes, 1717-22

PHENYL RADICAL

Vapour-phase chemistry of arenes. Part 13. Reactivity and selectivity in the gas-phase reactions of hydroxyl radicals with monosubstituted benzenes at 563 K, 1167-74

PHENYLUREA

Kinetic study of the phenylurea-nitrous acid reaction: evidence for an *O*-nitrosation initial step, 1759-66

PHENYLUREIDO

General acid-base catalysed cyclisation reactions of a strained ω -phenylhydantoic acid, 127-34

PHLORIN

CNDO/2 Calculations on phlorin trianion: a model for a bilatriene-type of bile pigment, 267-70

PHLORIN TRIANION

CNDO/2 Calculations on phlorin trianion: a model for a bilatriene-type of bile pigment, 267-70

PHOSPHATE ESTER

Proton, carbon, and phosphorus nuclear magnetic resonance and conformational studies on phosphate esters, 391-6

PHOSPHIMIDE

An *ab initio* study of the diadic prototropic tautomerism $H_3PX \rightleftharpoons H_2PXH$ ($X = O, NH, CH_2$), 47-54

PHOSPHINE OXIDE

An *ab initio* study of the diadic prototropic tautomerism $H_3PX \rightleftharpoons H_2PXH$ ($X = O, NH, CH_2$), 47-54

PHOSPHONATE REAGENT

Formation of phosphonoacetate carbanions by lithiated bases or by the conjunction of a lithium salt and an amine: structural study of intermediate species, 783-90

PHOSPHORAMIDATE

The acylation of neutral phosphoramidates, 1489-94

PHOSPHORIC ANHYDRIDE

The mechanism of phosphoryl to carbonyl migration of amino groups in mixed anhydrides. A MNDO SCF-MO study, 767-70

PHOSPHORYLATED UREA

The *N*-phosphobiotin route: a possible new pathway for biotin coenzyme, 1369-74

PHOTOCHEMISTRY

Substitution effects on the aza-di- π -methane rearrangement of imines, 1039-42

Action of red light on solid (+)-10-bromo-2-chloro-2-nitrosocamphane: (i) nuclear and electron paramagnetic resonance studies; (ii) reaction products; (iii) solid-state photolysis reaction mechanisms, 1139-46

Structure-reactivity correlation of photochemical reactions in organic crystals: intramolecular hydrogen abstraction in an aromatic nitro compound, 1153-8

Viscosity-dependent fluorescence and low-temperature photochemistry of mesoionic 4-phenyl-1,3,2-oxathiazolylum-5-olate, 1227-38

Kinetics of the reactions of silicon compounds. Part 1. Kinetics and mechanism of the gas-phase photochemical reactions between trimethylsilane and 1,1-difluoroethylene, 1861-6

PHOTOCHROMIC SPIROPYRAN LIGAND

Crystal and molecular structure of $CoCl_2(L)(1/2 \text{ acetone})$ where L is = [8-methoxy-3-methyl-6-nitro-2*H*-1-benzopyran-2-spiro-2'-(3-methylbenzothiazoline)], 1413-8

PHOTOELECTRON SPECTROSCOPY

Gas-phase ultraviolet photoelectron spectroscopic study of the 3,7-diphenyl- and 3,7-bis(dimethylamino)-1,5-dithia-2,4,6,8-tetrazocines, 259-62

Photoelectron, infrared, and theoretical study of the thermolysis of 4-azahepta-1,6-diyne: spectra of prop-2-ynylideneamine, $H-C\equiv C-CH=NH$, and penta-3,4-dien-1-yne, $CH_2=C=CHC\equiv CH$, 683-8

Electronic structure and conformational properties of azines. Part 2. 2,5-Diacetyl-3,4-diazahexa-2,4-diene, a 2,3-diaza-1,3-diene with

a synclinal conformation; and *X*-ray crystallographic, He^1

photoelectron spectroscopic, and MNDO study, 761-6

Crystal structures and photoelectron spectra of some trimethanoanthracenes, tetramethanonaphthalenes, and pentamethanopentacenes. Experimental evidence for laticyclic hyperconjugation, 1835-50

PHOTO-EXCITABLE MEMBRANE

Photo-excitabile membranes. Photoinduced membrane potential changes across poly(vinyl chloride) membranes doped with azobenzene-modified crown ethers, 67-72

PHOTOINDUCED CYCLOREVERSION

Photoinduced [2 + 2] cycloreversion reactions of 1-vinylpyrene-4-dimethylaminostyrene cycloadducts, 507-12

PHOTOINDUCED ELECTRON TRANSFER

Evidence of an ion-pair charge-transfer complex between 9,10-dicyanoanthracene and 1,4-dimethylnaphthalene in acetonitrile, studied by photoinduced charge-recombination luminescence and by direct photoexcitation luminescence techniques, 1-6

Acid catalysis in thermal and photoinduced electron-transfer reactions, 751-60

PHOTOLYSIS

Solid-phase reactivity of pure methyl viologen upon thermolysis and photolysis: a vibrational and electronic study, 829-34

PHOTO-OXIDATION

Photochemically induced oxygenation of methylbenzenes, bibenzyls, and pinacols in the presence of naphthalene-1,4-dicarbonitrile, 1175-80

PHOTO-OXYGENATION

Evidence of an ion-pair charge-transfer complex between 9,10-dicyanoanthracene and 1,4-dimethylnaphthalene in acetonitrile, studied by photoinduced charge-recombination luminescence and by direct photoexcitation luminescence techniques, 1-6

PHOTOREACTION

A theoretical approach to the investigation of the photochemical internal cycloaddition in penta-1,4-diene and hexa-1,5-diene, 1027-32

PHOTORESPONSE

Photo-excitabile membranes. Photoinduced membrane potential changes across poly(vinyl chloride) membranes doped with azobenzene-modified crown ethers, 67-72

PHTHALOCYANINE

Oligomeric cyclization of dinitriles in the synthesis of phthalocyanines and related compounds: the role of the alkoxide anion, 1579-82

PIGMENT

Investigation of the structure of an insoluble pigment by means of nuclear magnetic resonance, 1383-90

PINACOL

Photochemically induced oxygenation of methylbenzenes, bibenzyls, and pinacols in the presence of naphthalene-1,4-dicarbonitrile, 1175-80

PIPERIDINE

Kinetics of the reaction between 1,2-dinitrobenzene and piperidine in *n*-hexane. Role of electron donor-acceptor complexes in the mechanism. Catalysis by pyridine, 79-84

PLATINUM(II)

Chiroptical properties of five-co-ordinated olefin complexes of platinum(II), 427-34

POLAR EFFECT

Taft σ^* constants, particularly for halogen-substituted alkyl groups, and their utility in mechanistic studies, 441-4

Reaction of arenesulphonyl halides with free radicals. Part 3, 811-4

POLYENE

Non-linear optical properties of organic molecules. Part 2. Effect of conjugation length and molecular volume on the calculated hyperpolarisabilities of polyphenyls and polyenes, 1351-6

POLYENYNE

Vibronic absorption spectra of naturally occurring conjugated polyenyne. Evidence for localized excitations, 1431-8

POLYMER-GRAFTED CAPSULE

Functional capsule membranes. Part 28. A capsule membrane grafted with viologen-containing polymers as a reactor of electron transfer catalysis in heterophases, 1003-8

POLYMER LATEX

Microgels as supports for α -chymotrypsin, 1575-8

POLYPHENYL

Non-linear optical properties of organic molecules. Part 2. Effect of

- POLYPHENYL** (contd)
conjugation length and molecular volume on the calculated hyperpolarisabilities of polyphenyls and polyenes, 1351–6
- PORPHYRIN METALLATION**
Metallation of porphyrins in two-phase systems using carboxylic acid, thiols, and phenols, 287–92
- POTASSIUM CROTONATE**
Thermal dimerization of alkali-metal salts of crotonic acid in the solid state, 113–6
- POTENTIAL ENERGY SURFACE**
Viscosity-dependent fluorescence and low-temperature photochemistry of mesoionic 4-phenyl-1,3,2-oxathiazolium-5-olate, 1227–38
- PREDICTION OF MISSING DATA**
The three-parameter Nieuwdorp equation is the optimal linear free energy relationship for the prediction of missing data, 559–62
- PRESSURE**
Kinetics and mechanism for the reaction of phenethyl *p*-bromobenzenesulphonate with substituted pyridines under high pressures, 1439–42
- PROANTHOCYANIDIN**
Assessment by molecular mechanics of the preferred conformations of the sixteen C(4)–C(6) and C(4)–C(8) linked dimers of (+)-catechin and (–)-epicatechin with axial or equatorial dihydroxyphenyl substituents at C(2), 739–44
- PRODUCT REGIOCHEMISTRY**
Protonation and alkylation of 1-arylpropenyl-lithium, 673–8
- PRODUCT STEREOCHEMISTRY**
Protonation and alkylation of 1-arylpropenyl-lithium, 673–8
- PROPANAMIDE**
2'-Substituted 1'-(2-dimethylcarbamoyl)ethyl)-3'-spirocycloalkanoindolines: synthesis and conformational analysis of the propanamide fragment, 423–6
- PROPELLER**
Structure and dynamics of crowns containing the phenyldinaphthylmethane subunit (a three-bladed propeller): observations of correlated rotation of the propeller blades and certain ether segments, 639–50
- PROPENTDYOPENT**
Propentdyopents and related compounds. Part 3. Some semiempirical calculations on propentdyopent systems, 1893–8
- PROPYNYLIDENEAMINE**
Photoelectron, infrared, and theoretical study of the thermolysis of 4-azahepta-1,6-diyne: spectra of prop-2-ynylideneamine, H–C≡C–CH=NH, and penta-3,4-dien-1-yne, CH₂=C=CHC≡CH, 683–8
- PROTIODESILYLATION**
The quantitative electrophilic reactivity of annulenes. Part 3.¹ Partial rate factors for protiodetrinitiation and protiodesilylation of 1,6:8,13-propane-1,3-diyldene[14]annulene, 1691–4
- PROTIODETRITIATION**
The quantitative electrophilic reactivity of annulenes. Part 3.¹ Partial rate factors for protiodetrinitiation and protiodesilylation of 1,6:8,13-propane-1,3-diyldene[14]annulene, 1691–4
- PROTONATION**
MNDO calculations and the non-planarity of arylamino groups, 247–8
An *ab initio* calculation of the acid-catalysed hydrolysis of *N*-nitrosoamines. A hypothesis on the rate-determining step, 345–50
Protonation of 1,4-bis(alkylamino)benzo[*g*]phthalazine. Crystal structure of di{1,4-bis-(3-methoxypropylamino)-3(2)*H*-benzo[*g*]phthalazinium} tetrachlorocobaltate monohydrate, 569–74
Protonation and alkylation of 1-arylpropenyl-lithium, 673–8
Chloride ion-catalysed oxidation of arginine, threonine, and glutamic acid by 1-chlorobenzotriazole: a kinetic and mechanistic study, 1569–74
- PROTON-DRIVEN TRANSPORT**
Highly selective cation transport through membranes containing lipophilic bis(monoaza-crown ether)s, 1181–6
- PROTON-LIGAND STABILITY CONSTANT**
The thermodynamic proton-ligand stability constants of some *p*-substituted *N*-*m*-chlorophenylbenzohydroxamic acids in dioxane-water, 479–82
- PROTON TRANSFER**
Theoretical studies of proton-transfer reactions, 61–6
Effect of ring size on the basicity and kinetic behaviour of 1,5-dimethylnaphtho[1,8-*bc*]-1,5-diazacycloalkanes, 613–6
Non-dissociative proton transfer in 2-pyridone–2-hydroxypyridine.
An *ab initio* molecular orbital study, 617–22
Kinetics and mechanism of acid-catalysed addition of methanol to α -methoxystyrenes, 1517–22
Properties of hydrogen bonds in 5,8-dihydroxy-1,4-naphthoquinone and 1,4-dihydroxy-9,10-anthraquinone; reaction with bases in aqueous solution, 1617–20
What makes hydrocyanic acid a normal acid?, 1655–8
- PROTROPIC TAUTOMERISM**
An *ab initio* study of the diadic prototropic tautomerism H₃PX \rightleftharpoons H₂PXH (X = O, NH, CH₂), 47–54
- PULSE RADIOLYSIS**
Radical cations from alkyl iodides in aqueous solution, 1795–800
- PYRAZINOTHIA DIAZOLE**
Electrochemical properties of pyrazinothiadiazoles, 1671–4
- PYRAZOLINONE**
Mechanisms of heterocycle ring formation. Part 5. A carbon-13 nuclear magnetic resonance study of pyrazolinone synthesis by the reaction of β -ketoesters with substituted hydrazines, 969–76
- PYRIDINE**
Carbon-13 nuclear magnetic resonance spectroscopy as a method to determine relative acidity of boron Lewis acids in pyridine complexes, 771–4
Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 25. X-Ray structure determinations, crystallographic evidence for steric crowding, and correlation with acceleration of rates, 1391–8
Kinetics and mechanism for the reaction of phenethyl *p*-bromobenzenesulphonate with substituted pyridines under high pressures, 1439–42
A calorimetric study of complex formation between molecular iodine and pyridine or 2-ethylpyridine in weakly polar solvents, 1713–6
- PYRIDINIUM**
Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 22. Reactions with various nucleophiles and a study of the effects of substrate concentration, traces of water, and nature of the gegenion on the rates, 73–8
Investigation of cationic hydrogen-bonded systems by fast atom bombardment mass spectrometry, 1128–32
- PYRIDINIUM SALT**
Fast atom bombardment mass spectrometry: a useful technique for structural characterization of pyrylium, thiopyrylium, and pyridinium cations, 633–8
- PYRIDOPURINE**
Aminolysis of pyrido[2,1-*i*]purines, 733–8
- PYRIDOXAL 5'-PHOSPHATE**
Kinetic and thermodynamic parameters for Schiff's base formation between pyridoxal 5'-phosphate and *n*-hexylamine, 445–8
- PYRIDYL SULPHOXIDE**
Ligand coupling within σ -sulphurane intermediates formed in the reaction of benzyl 2-pyridyl and related sulphoxides with Grignard reagents, 405–12
- PYROLYSIS**
Identification of the pyrolysis products of some aromatic amines using microwave spectroscopy, 585–90
- PYROLYSIS MECHANISM**
The mechanism of thermal eliminations. Part 22. Rate data for pyrolysis of primary, secondary, and tertiary β -hydroxy alkenes, β -hydroxy esters, and β -hydroxy ketones. The dependence of transition-state structure for six-centre eliminations upon compound type, 1683–90
- PYRROLIZIDINE ALKALOID**
Conformations of eleven-membered dilactone rings in pyrrolizidine alkaloid analogues. X-Ray crystallographic studies of *meso*-2,4-dimethylglutaryl, 3,3-tetramethyleneglutaryl, and 3,3-dimethylglutaryl derivatives of synthanecine A, 1379–82
- PYRYLIUM SALT**
Fast atom bombardment mass spectrometry: a useful technique for structural characterization of pyrylium, thiopyrylium, and pyridinium cations, 633–8
- QUENCHING**
Aminolysis of pyrido[2,1-*i*]purines, 733–8
Interaction of singlet oxygen [O₂(¹ Δ)] with aliphatic amines and hydroxylamines, 1125–7
- QUINIZARIN**
Interactions between drugs and nucleic acids. Part 1. Dichroic studies of doxorubicin, daunorubicin, and their basic chromophore, quinizarin, 1419–26

QUINOLIZIDINE ALKALOID

Solution and crystal structure of cytosine, a quinolizidine alkaloid, 1159–66

RADIATION

Radical-nucleophilic substitution ($S_{RN}1$) reactions: electron spin resonance studies of electron capture processes. Part 4. α -Substituted 2-methyl-5-nitrofurans, 1133–8

RADICAL

3-Methylenecyclobutyl, cyclopent-3-enyl, and 3-methylenecyclobutylmethyl radicals; absence of homoallylic conjugation, 231–6
Homolytic reactions of ligated boranes. Part 6. Electron spin resonance studies of dialkyl sulphide-boryl radicals, 497–506
Electron delocalisation and stabilisation in substituted amino- and hydroxy-propynyl radicals, 1077–82

Selectivity of radical formation in the reaction of carbonyl compounds with manganese(III) acetate, 1103–8

Influence of solvent and cation on the properties of oxygen-containing organic anions. Part 2. Radical anions derived from 2,5-diarylfurans, 1407–12

Acid formation in the radical-mediated degradation of chlorinated ethanes in aqueous environment. A radiation chemical study, 1639–44

An electron spin resonance investigation of free radicals with oxygen- and sulphur-containing substituents, 1801–8

Dynamics of internal rotation in 2-(cycloalkenyl)ethyl radicals, 1809–14

RADICAL ANION

A model for the prediction of electron transfer rates in the highly exergonic region, applied to the reaction between solvated electrons and arenes in tetrahydrofuran, 1345–50

RADICAL CATION

Electron spin resonance studies. Part 71. Side-chain oxidation pathways in the reactions of $\cdot\text{OH}$ and $\text{SO}_4^{\cdot-}$ with some phenyl-substituted carboxylic acids, their anions, and some related compounds, 371–80

Solid-phase reactivity of pure methyl viologen upon thermolysis and photolysis: a vibrational and electronic study, 829–34

An electron spin resonance, ENDOR, and TRIPLE resonance study of symmetrical N,N' -disubstituted-4,4'-bipyridylum radical cations in which the quaternising groups are nitrogen heterocycles, 1375–8

Electron spin resonance spectra of radical cations derived from stilbenes and phenanthrenes, 1527–32

Radical cations from alkyl iodides in aqueous solution, 1795–800

RADICAL FRAGMENTATION

Electron spin resonance studies. Part 71. Side-chain oxidation pathways in the reactions of $\cdot\text{OH}$ and $\text{SO}_4^{\cdot-}$ with some phenyl-substituted carboxylic acids, their anions, and some related compounds, 371–80

RADICAL-NUCLEOPHILIC SUBSTITUTION

Radical-nucleophilic substitution ($S_{RN}1$) reactions: electron spin resonance studies of electron capture processes. Part 4. α -Substituted 2-methyl-5-nitrofurans, 1133–8

RADIOLYSIS

γ -Induced generation of dimethylsilylene from dodecamethylcyclohexasilane, 337–40

Spectroscopic studies of various carbene-radical-cations formed by radiolysis of solutions on halogenocarbons, 881–4

Acid formation in the radical-mediated degradation of chlorinated ethanes in aqueous environment. A radiation chemical study, 1639–44

RADIOPROTECTION

The effects of ionizing radiation on deoxyribonucleic acid. Part 5. The rôle of thiols in chemical repair, 1907–50

RADIOSENSITIZING DRUG

Interactions of triplet-state nucleic acid bases with electroaffinic molecules in solution by laser flash photolysis, 397–404

RATE CONSTANT

Linear solvation energy relationships. Part 38. An analysis of the use of solvent parameters in the correlation of rate constants, with special reference to the solvolysis of *t*-butyl chloride, 1097–102

REACTION PATHWAY

On the possible isomerisation pathway for triarylmethanes Ar_3CX , including propeller crowns, 1621–8

REACTIVITY

CNDO/2 Calculations on phlorin trianion: a model for a bilatriene-type of bile pigment, 267–70

The effects of single- and twin-tailed ionic surfactants upon aromatic nucleophilic substitution, 541–6

Nucleophilic aromatic substitution in solutions of cationic bolaform surfactants, 547–52

Elimination and addition reactions. Part 42. Structural effects on reactivity and mechanism in eliminative fission of three-membered rings, 1265–72

Elimination and addition reactions. Part 43. Eliminative fission of cyclobutanes and the relationship between strain and reactivity in cyclobutanes and cyclopropanes, 1273–80

Accurate calculations of the structure and energy of the π - and σ -succinimidyl radicals: an *ab initio* study including electron correlation, 1311–6

Propendyopents and related compounds. Part 3. Some semiempirical calculations on propendyopent systems, 1893–8

REAGENT SHIFT

Conformational analysis of organic carbonyl compounds. Part 5. *p*-Methoxybenzoyl derivatives of benzo[*b*]furan, benzo[*b*]thiophene, and naphthalene, 351–8

REARRANGEMENT

An *ab initio* study of the mechanism of the α -alkynone cyclization, 55–60

Studies of tertiary amine oxides. Part 8. Rearrangement of *N*-(2,4-dinitrophenyl)-piperidines and -morpholine *N*-oxides in aprotic solvents, 109–12

3-Methylenecyclobutyl, cyclopent-3-enyl, and 3-methylenecyclobutylmethyl radicals; absence of homoallylic conjugation, 231–6

The effect of the γ -OMe group on the reactivity of the germanium chloride $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{OMe})(\text{GeMe}_2\text{Cl})$, 775–8

1,3-Migration of a methyl group from germanium to silicon in reactions of $(\text{Me}_3\text{Si})_2\text{C}(\text{GeMe}_3)(\text{SiMe}_2\text{Br})$ with silver salts, 779–82

Synthesis, structure, and haptotropic rearrangement of benzocyclo-octatetraenetricarbonylchromium(0) complexes, 935–42

Low-energy, low-temperature mass spectra. Part 7. Terminal alkenols, 1019–26

Substitution effects on the aza-di- π -methane rearrangement of imines, 1039–42

Anchimeric assistance by and migration of the vinyl group in reactions of sterically hindered organosilicon compounds of the type $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{CH}=\text{CH}_2)(\text{SiR}_2\text{X})$, 1047–58

Electrophilic substitution in indoles. Part 12. Kinetic studies of the rearrangement of 3,3-disubstituted indolenines to 2,3-disubstituted indoles, 1215–20

Electrophilic substitution in indoles. Part 13. The synthesis and rearrangement of 2-deuteriospiro[cyclopentane-3'-indolenine], 1221–6

1,3 Silicon to silicon migration of the methoxy group in solvolysis of (bromodiphenylsilyl)-

(methoxydimethylsilyl)bis(trimethylsilyl)methane. Crystal structures of (ethoxydimethylsilyl)(methoxydiphenylsilyl)-bis(trimethylsilyl)methane and (methoxydimethylsilyl)(methoxydiphenylsilyl)bis(trimethylsilyl)methane, 1753–8

The rearrangement of aromatic nitro compounds. Part 1. The reactions of nitroanilines in aqueous sulphuric acid, 1767–72

A MNDO SCF-MO study of the mechanism of the benzoic acid and related rearrangements, 1819–28

Lactone formation in superacidic media, 1877–80

RECEPTOR

Structure-activity relations and receptor modelling of convulsant and anticonvulsant barbiturates from crystallographic data, 415–22

REDUCTION OF SUBSTRATE

Functional capsule membranes. Part 28. A capsule membrane grafted with viologen-containing polymers as a reactor of electron transfer catalysis in heterophases, 1003–8

REGIOSELECTIVITY

Influence of solvent and cation on the properties of oxygen-containing organic anions. Part 1. Regioselectivity of methylation of acetophenone enolate, 1399–406

RELATIVE REACTIVITY

Addition of arenesulphonyl iodides to substituted phenylacetylenes, 103–8

RHODIUM

Chiral ligands for organometallic catalysis containing two dioxolane rings, 91–6

The catalytic resting state of asymmetric homogeneous

RHODIUM (contd)

hydrogenation. Exchange processes delineated by nuclear magnetic resonance saturation-transfer (DANTE) techniques, 1583-8

Stereochemistry of intermediates in homogeneous hydrogenation catalysed by tris(phenyl)phosphine-rhodium chloride, employing nuclear magnetic resonance magnetisation transfer, 1589-96

Structural characterisation in solution of intermediates in rhodium-catalysed hydroformylation and their interconversion pathways, 1597-608

RING CLOSURE

General acid-base catalysed cyclisation reactions of a strained ω -phenylhydantoic acid, 127-34

RING OPENING

A SCF-MO study of the relative barriers to inversion and to ring opening in three-membered ring carbanions, 359-64

RING SIZE

Elimination and addition reactions. Part 44. Eliminative fission of cycloalkanols, 1281-8

RING-STACKING INTERACTION

Structural studies of the interaction between indole derivatives and biologically important aromatic compounds. Part 19. Effect of base methylation on the ring-stacking interaction between tryptophan and guanine derivatives: a nuclear magnetic resonance investigation, 1739-46

ROTATION

Acyl derivatives of cyclic secondary amines. Part 2. Dynamic ^1H and ^{13}C nuclear magnetic resonance studies on bis- and tris- amines: equilibria of *syn-anti* interconversion, 1701-6

ROTATIONAL BARRIER

^1H and ^{13}C dynamic nuclear magnetic resonance study of hindered internal rotation in (*N,N*-dimethylamino)-pyrimidines, 1551-8

ROTATION BARRIER

Dynamics of internal rotation in 2-(cycloalkenyl)ethyl radicals, 1809-14

SALICYL ALCOHOL

Nuclear magnetic resonance and molecular orbital study of internal hydrogen bonding in salicyl alcohol. Principal site analysis based on the sidechain methylene and hydroxy proton long-range coupling constants, 121-6

SCHIFF'S BASE

Kinetic and thermodynamic parameters for Schiff's base formation between pyridoxal 5'-phosphate and *n*-hexylamine, 445-8

SECONDARY DEUTERIUM ISOTOPE EFFECT

Secondary deuterium isotope effects in the thermolysis of 2,2-dimethyl-1-vinylcyclobutane, 1109-12

SELECTIVITY CONSTANT

Kinetic determination of selectivity constants of anion extraction in phase-transfer catalytic systems, 1147-52

SELENIDE

Synthesis, properties, and multinuclear (^1H , ^{13}C , ^{77}Se) magnetic resonance studies of the hybrid selenide ligands *o*-C₆H₄(SeMe)Y (Y = NMe₂, PMe₂, AsMe₂, SbMe₂, OMe, and SMe), 487-90

SELENIUM

Synthesis, properties, and multinuclear (^1H , ^{13}C , ^{77}Se) magnetic resonance studies of the hybrid selenide ligands *o*-C₆H₄(SeMe)Y (Y = NMe₂, PMe₂, AsMe₂, SbMe₂, OMe, and SMe), 487-90

SELF-PROTONATION MECHANISM

Electrochemistry of 2-bromo-2-methylpropanamides. Reduction mechanism and cyclocoupling reaction with amide solvents, 33-8

SESQUITERPENE

Two-dimensional nuclear magnetic resonance of sesquiterpenes.

Part 2. Total assignment of (+)-aromadendrene, (+)-longicyclene, and γ -gurjunene by the two-dimensional INADEQUATE method, 341-4

SEVEN-MEMBERED RING DERIVATIVE

Molecular conformation of mono- and bi-cyclic derivatives. Part 6. Theoretical and experimental study of derivatives with a seven-membered ring, 313-8

SHIFT REAGENT

^1H Nuclear magnetic resonance study of the association between 1,5-dialkyl-1,5-dihydro-1,5-benzodiazepine-2,4-diones and the shift reagent Eu(fod)₃, 1071-6

SILANE

Reactions of bis[dimethyl(vinyl)silyl]bis(trimethylsilyl)methane, (Me₃Si)₂C(SiMe₂CH=CH₂)₂, 381-4

SILANIMINE

A Curtius-type rearrangement in the silicon series; an *ab initio* study of the model silylnitrene-silanimine isomerization, 1289-92

SILICOCATION

Anchimeric assistance by the methoxy group in solvolysis of the compounds (Me₃Si)₂C(SiMe₂OMe)(SiMe₂X), 657-62

SILICON

Anchimeric assistance by the methoxy group in solvolysis of the compounds (Me₃Si)₂C(SiMe₂OMe)(SiMe₂X), 657-62

The effect of the γ -OMe group on the reactivity of the germanium chloride (Me₃Si)₂C(SiMe₂OMe)(GeMe₂Cl), 775-8

1,3-Migration of a methyl group from germanium to silicon in reactions of (Me₃Si)₂C(GeMe₃)(SiMe₂Br) with silver salts, 779-82

Anchimeric assistance by and migration of the vinyl group in reactions of sterically hindered organosilicon compounds of the type (Me₃Si)₂C(SiMe₂CH=CH₂)(SiR₂X), 1047-58

1,3 Silicon to silicon migration of the methoxy group in solvolysis of (bromodiphenylsilyl)-

(methoxydimethylsilyl)bis(trimethylsilyl)methane. Crystal structures of (ethoxydimethylsilyl)(methoxydiphenylsilyl)-bis(trimethylsilyl)methane and (methoxydimethylsilyl)(methoxydiphenylsilyl)bis(trimethylsilyl)methane, 1753-8

SILVER SALT

Migration of the methoxy group in an organosilicon cation. Reactions of (bromodiphenylsilyl)(methoxydimethylsilyl)bis(trimethylsilyl)methane with silver borofluoride and silver chloride. Crystal structure of (chlorodiphenylsilyl)(methoxydimethylsilyl)bis(trimethylsilyl)methane, 891-4

SILYLNITRENE

A Curtius-type rearrangement in the silicon series; an *ab initio* study of the model silylnitrene-silanimine isomerization, 1289-92

SINGLE ELECTRON TRANSFER

A MNDO SCF-MO study of the mechanism of the benzoic acid and related rearrangements, 1819-28

SINGLET OXYGEN

Evidence of an ion-pair charge-transfer complex between 9,10-dicyanoanthracene and 1,4-dimethylnaphthalene in acetonitrile, studied by photoinduced charge-recombination luminescence and by direct photoexcitation luminescence techniques, 1-6

Interaction of singlet oxygen [O₂(¹ Δ)] with aliphatic amines and hydroxylamines, 1125-7

SMECTIC PHASE

A study of the effect of a lateral methoxy group on the transition temperature of the liquid crystalline phases of the 4-(4-*n*-heptyloxybenzoyloxy)benzylidene-4-*n*-alkoxyaniline series, 319-22

SODIUM BROMOBENZENESULPHONAMIDE

Kinetic study of oxidation of diols by sodium *N*-bromobenzenesulphonamide, 1645-8

SODIUM CROTONATE

Thermal dimerization of alkali-metal salts of crotonic acid in the solid state, 113-6

SOLID

Investigation of the structure of an insoluble pigment by means of nuclear magnetic resonance, 1383-90

SOLID-STATE REACTION

Thermal dimerization of alkali-metal salts of crotonic acid in the solid state, 113-6

SOLUBILITY

Determination of olive oil-gas and hexadecane-gas partition coefficients, and calculation of the corresponding olive oil-water and hexadecane-water partition coefficients, 797-804

SOLVATED ELECTRON

A model for the prediction of electron transfer rates in the highly exergonic region, applied to the reaction between solvated electrons and arenes in tetrahydrofuran, 1345-50

SOLVATION

Hexamethylmelamine: a study of solvation and crystallisation, 1747-52

SOLVENT

Influence of solvent and cation on the properties of oxygen-containing organic anions. Part 1. Regioselectivity of methylation of acetophenone enolate, 1399-406

SOLVENT DEPENDENCE

On the correlation between ionization potentials and ^{13}C - and ^{15}N -chemical shifts in substituted pyridines, 885-90

SOLVENT EFFECT

Evidence of an ion-pair charge-transfer complex between 9,10-dicyanoanthracene and 1,4-dimethylnaphthalene in acetonitrile, studied by photoinduced charge-recombination luminescence and by direct photoexcitation luminescence techniques, 1-6

SOLVENT EFFECT (contd)

Studies of tertiary amine oxides. Part 8. Rearrangement of *N*-(2,4-dinitrophenyl)-piperidines and -morpholine *N*-oxides in aprotic solvents, 109–12

Reactions in strongly basic media. Part 8. Correlation of the rates of alkaline hydrolysis of 2,4-dinitroanisole and 2-methoxy-5-nitropyridine in aqueous dipolar aprotic solvents with acidity functions. An order of basicity for aqueous dipolar aprotic solvents, 185–8

Resonance and solvent effects on absorption spectra. Part 5. Substituent and solvent effects on infrared spectra of 2- and 4-substituted aniline derivatives, 875–80

Linear solvation energy relationships. Part 37. An analysis of contributions of dipolarity–polarisability, nucleophilic assistance, electrophilic assistance, and cavity terms to solvent effects on *t*-butyl halide solvolysis rates, 913–20

Determination of *cis*-methyldecalone and *cis*-methylhydrindanone conformation by proton nuclear magnetic resonance, 921–8

Solvents effects on aromatic nucleophilic substitutions. Part 5. Kinetics of the reactions of 1-fluoro-2,4-dinitrobenzene with piperidine in aprotic solvents, 951–4

Conformational analysis of organic carbonyl compounds. Part 6. Theoretical examination of the conformational properties (ground and transition states) and solvent effects on 2-formylfuran, -thiophene, and -pyridine, 961–8

Interaction of singlet oxygen [$O_2(^1\Delta)$] with aliphatic amines and hydroxylamines, 1125–7

A calorimetric study of complex formation between molecular iodine and pyridine or 2-ethylpyridine in weakly polar solvents, 1713–6

Solvent effect on activation parameters for the neutral hydrolysis of phenyl trifluoroacetates in aqueous acetonitrile, 1723–6

Catalysed decomposition of bis(ethoxythiocarbonyl) sulphide with tributylphosphine. A kinetic study in dimethyl sulphoxide, acetonitrile, and their mixtures with toluene, 1899–902

SOLVENT EXTRACTION

New applications of crown ethers. Part 6. Structural effects of bis(benzocrown ether)s and substituted benzocrown ethers on solvent extraction and complexation of alkali-metal cations, 135–42

SOLVENT ISOTOPE EFFECT

Alkaline hydrolyses of *N*-alkyl-2,4-dinitroacetanilides, 1203–8

SOLVENT NUCLEOPHILICITY

Ester hydrolysis in aqueous sulphuric acid. Effects of solvent ionizing power and nucleophilicity separated from the effects of protonation of substrate, 293–300

SOLVENT PARAMETER

Linear solvation energy relationships. Part 38. An analysis of the use of solvent parameters in the correlation of rate constants, with special reference to the solvolysis of *t*-butyl chloride, 1097–102

SOLVENT POLARITY

The equilibria of 5-deoxyribose in water–dioxane mixtures, 169–74

SOLVOLYSIS

Linear solvation energy relationships. Part 37. An analysis of contributions of dipolarity–polarisability, nucleophilic assistance, electrophilic assistance, and cavity terms to solvent effects on *t*-butyl halide solvolysis rates, 913–20

Preparation and solvolysis of *trans,trans,trans*-tricyclo[7.3.1.0^{5,13}]tridecan-3-yl toluene-*p*-sulphonates in acetic acid and aqueous hexafluoropropan-2-ol. The role of non-chair conformers and the question of internal return in the limiting S_N1 solvolytic mechanism, 1083–90

Linear solvation energy relationships. Part 38. An analysis of the use of solvent parameters in the correlation of rate constants, with special reference to the solvolysis of *t*-butyl chloride, 1097–102

Acid-catalysed intramolecular allylic rearrangement of methyl ethers in aqueous solvent. Evidence for the intermediacy of ion-molecule pairs in solvolysis, 1629–32

SPECTROSCOPY

Aggregation of complexes of some phenols with triethylamine in benzene, 897–900

Interaction of 2,4,6-trimethylpyridine with some halogenocarboxylic acids in benzene and dichloromethane. Problem of stoichiometry, 901–6

SPIN TRAPPING

Substituent effect on the spin-trapping reactions of substituted *N*-

benzylidene-*t*-butylamine *N*-oxides, 1829–34

SPIROCYCLOALKANOINDOLINE

2'-Substituted 1'-(2-dimethylcarbamoyl)ethyl)-3'-spirocycloalkanoindolines: synthesis and conformational analysis of the propanamide fragment, 423–6

SPIROCYCLOPENTYLINDOLENINE

Electrophilic substitution in indoles. Part 13. The synthesis and rearrangement of 2-deuteriospiro[cyclopentane-3'-indolenine], 1221–6

STABILITY CONSTANT

New applications of crown ethers. Part 6. Structural effects of bis(benzocrown ether)s and substituted benzocrown ethers on solvent extraction and complexation of alkali-metal cations, 135–42

STEPWISE MECHANISM

Kinetic evidence for the occurrence of a stepwise mechanism in the aminolysis of maleimide. General acid and base catalysis by secondary amines, 819–28

STEREOCHEMISTRY

Stereochemistry and stereodynamics of hexa-*n*-propylbenzene and of its tricarbonylchromium complex. Crystal and molecular structure of tricarbonyl(η^6 -hexa-*n*-propylbenzene)chromium(0), 1633–8

STEREODYNAMICS

Stereochemistry and stereodynamics of hexa-*n*-propylbenzene and of its tricarbonylchromium complex. Crystal and molecular structure of tricarbonyl(η^6 -hexa-*n*-propylbenzene)chromium(0), 1633–8

STEREOELECTRONIC

The mechanism of phosphoryl to carbonyl migration of amino groups in mixed anhydrides. A MNDO SCF-MO study, 767–70

STEREOISOMERISM

Stereochemical studies. Part 89. Saturated heterocycles. Part 84. Preparation and nuclear magnetic resonance study of norbornane–norbornene-fused 2-phenylimino-1,3-oxazines and -thiazines, 599–606

STEREOSELECTION

Efficient stereoselective hydrolysis of enantiomeric amino acid esters by bilayer vesicular systems which include di- or tri-peptide histidine catalysts, 995–1002

STEREOSELECTIVE CATALYSIS

Stereoselective micellar catalysis. Part 5. Deacylation behaviour in the cleavage of enantiomeric esters by optically active catalysts containing the imidazolyl group, 607–12

STEREOSPECIFICITY

Non-stereospecificity in neutral 1,1-addition to isocyanides. An *ab initio* study of the reactions of HNC with water, ammonia, water dimer, ammonia dimer, and the water–ammonia complex, 1675–82

STERIC ACCELERATION

Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 25. X-Ray structure determinations, crystallographic evidence for steric crowding, and correlation with acceleration of rates, 1391–8

STERIC EFFECT

General acid catalytic activity of 2-substituted imidazoles for hydrolysis of diethyl phenyl orthoformate, 669–72

STERIC HINDRANCE

Electrophilic aromatic substitution. Part 36. Protidetritiation of some annelated *meta*-cyclophanes: effect of ring-buckling on reactivity, and the first example of electrophilic substitution through a hole, 1033–8

STILBENE

Electron spin resonance spectra of radical cations derived from stilbenes and phenanthrenes, 1527–32

STRAIN

Elimination and addition reactions. Part 41. Nucleophilic eliminative fission of cyclopropanes: the coiled spring effect of ring strain on nucleofugality and its evaluation, 1253–64

Elimination and addition reactions. Part 43. Eliminative fission of cyclobutanes and the relationship between strain and reactivity in cyclobutanes and cyclopropanes, 1273–80

Elimination and addition reactions. Part 44. Eliminative fission of cycloalkanols, 1281–8

STRUCTURAL EFFECT

Theoretical studies on organic transition metal complexes. Part 4. An investigation of electronic and structural effects in *o*-hydroxyaryloximes, 1243–6

STRUCTURE

On the geometric structure and vibrational frequencies of *o*-benzyne. An *ab initio* study including electron correlation, 117–20

STRUCTURE–ACTIVITY

Structure–activity relations and receptor modelling of convulsant and anticonvulsant barbiturates from crystallographic data, 415–22

STRUCTURE ANALYSIS

Electronic structure and conformational properties of azines. Part 2. 2,5-Diacetyl-3,4-diazahexa-2,4-diene, a 2,3-diaza-1,3-diene with a synclinal conformation; and *X*-ray crystallographic, He¹ photoelectron spectroscopic, and MNDO study, 761–6

STRUCTURE CORRELATION

On the possible isomerisation pathway for triarylmethanes Ar₃CX, including propeller crowns, 1621–8

STRUCTURE–REACTIVITY CORRELATION

Structure–reactivity correlation of photochemical reactions in organic crystals: intramolecular hydrogen abstraction in an aromatic nitro compound, 1153–8

SUBSTITUENT CHEMICAL SHIFT

An analysis of ¹³C nuclear magnetic resonance substituent chemical shifts in 4- and 5-substituted thiophene-2-carboxylic acids by linear free energy relationships, 689–94

SUBSTITUENT CONSTANT

Taft σ^* constants, particularly for halogen-substituted alkyl groups, and their utility in mechanistic studies, 441–4

The quantitative electrophilic reactivity of annulenes. Part 3.¹

Partial rate factors for protiodetritiation and protiodesilylation of 1,6:8,13-propane-1,3-diylidene[14]annulene, 1691–4

SUBSTITUENT EFFECT

The three-parameter Nieuwdorp equation is the optimal linear free energy relationship for the prediction of missing data, 559–62

Amidines. Part 24. Influence of alkyl substituents at the amidino carbon atom on the sensitivity to substitution at the imino nitrogen atom. pK_a Values of *N,N*'-dimethylamidines, 663–8

Resonance and solvent effects on absorption spectra. Part 5.

Substituent and solvent effects on infrared spectra of 2- and 4-substituted aniline derivatives, 875–80

Evaluation of the polar–inductive and mesomeric effects exerted on contiguous functionalities by *N*-oxidopyridinium groups, 1009–14

Substituent effects in ¹H and ¹³C nuclear magnetic resonance correlations of chemical shifts in *para*-substituted 5-arylmethylenehydantoins, 1043–6

Evaluation of the polar–inductive and mesomeric effects exerted by *para*-substituted phenyl rings on contiguous functionalities, 1091–6

Alkaline hydrolyses of *N*-alkyl-2,4-dinitroacetanilides, 1203–8

¹H and ¹³C dynamic nuclear magnetic resonance study of hindered internal rotation in (*N,N*-dimethylamino)-pyrimidines, 1551–8

Nucleophilic aromatic substitution: transmission of substituent effects in alkaline hydrolysis of 4-aminophenylazobenzothiazolium dyes, 1781–4

Substituent effect on the spin-trapping reactions of substituted *N*-benzylidene-*t*-butylamine *N*-oxides, 1829–34

SUBSTITUTED PYRIDINE

On the correlation between ionization potentials and ¹³C- and ¹⁵N-chemical shifts in substituted pyridines, 885–90

Carbon-13 chemical shifts of methanolic carbon and electron reorganization induced by hydrogen bonding for methanol–base complexes, 1733–8

Electrophilic substitution of heteroaromatic compounds. Part 54.

Intramolecular base-catalysed hydrogen exchange at the 3-position in substituted pyridines, 1867–70

SUBSTITUTION

Heteroaromatic azo-activated substitutions. Part 3. Catalysis in the reaction of 4-(4-methoxyphenylazo)pyridinium methiodide with amines in dipolar aprotic solvents. Kinetic form and the mechanism of the uncatalysed reaction in nucleophilic aromatic substitution, 563–8

Solvents effects on aromatic nucleophilic substitutions. Part 5.

Kinetics of the reactions of 1-fluoro-2,4-dinitrobenzene with piperidine in aprotic solvents, 951–4

SUBSTITUTION EFFECT

Substitution effects on the aza- δ - π -methane rearrangement of imines, 1039–42

SUCCINIMIDYL RADICAL

Accurate calculations of the structure and energy of the π - and σ -

succinimidyl radicals: an *ab initio* study including electron correlation, 1311–6

SULPHATE RADICAL ANION

Electron spin resonance studies. Part 71. Side-chain oxidation pathways in the reactions of [•]OH and SO₄^{•-} with some phenyl-substituted carboxylic acids, their anions, and some related compounds, 371–80

SULPHINE

Oxidation of thiones to sulphines (thione *S*-oxides) with *N*-sulphonyloxaziridines: synthetic and mechanistic aspects, 1113–6

SULPHINYLAMINOAZINE

1,2-Thiazines and related heterocycles. Part 4. The mechanism and periselectivity of the cycloadditions of *N*-sulphinylaminoazines with 1,4-epoxy-1,4-dihydronaphthalenes, 197–204

SULPHONYL HALIDE

Reaction of arenesulphonyl halides with free radicals. Part 3, 811–4

SULPHONYLOXAZIRIDINE

X-Ray structure and stereochemical properties of (*S,S*)-(–)-2-methylsulphonyl-3-phenyloxaziridine and of (*S,S*)-(–)-2-methylsulphonyl-3-(2-chloro-5-nitrophenyl)oxaziridine, 699–704

SULPHONYL RADICAL

Addition of arenesulphonyl iodides to substituted phenylacetylenes, 103–8

Reaction of arenesulphonyl halides with free radicals. Part 3, 811–4

SULPHUR

Oxidation of thiones to sulphines (thione *S*-oxides) with *N*-sulphonyloxaziridines: synthetic and mechanistic aspects, 1113–6

SULPHURANE

Ligand coupling within σ -sulphurane intermediates formed in the reaction of benzyl 2-pyridyl and related sulphoxides with Grignard reagents, 405–12

SULPHURIC ACID

Ester hydrolysis in aqueous sulphuric acid. Effects of solvent ionizing power and nucleophilicity separated from the effects of protonation of substrate, 293–300

SUPERACID

Lactone formation in superacidic media, 1877–80

SUPEROXIDE

Kinetics and mechanism of the reactions of superoxide ion in solution. Part 5. Kinetics and mechanism of the interaction of superoxide ion with vitamin E and ascorbic acid, 281–6

Kinetics and mechanism of the reactions of superoxide ion in solution. Part 6. Interaction of superoxide ion with adriamycin in aprotic and protic media, 835–40

SUPEROXIDE ANION

Evidence of an ion-pair charge-transfer complex between 9,10-dicyanoanthracene and 1,4-dimethylnaphthalene in acetonitrile, studied by photoinduced charge-recombination luminescence and by direct photoexcitation luminescence techniques, 1–6

SURFACTANT

The effects of single- and twin-tailed ionic surfactants upon aromatic nucleophilic substitution, 541–6

Nucleophilic aromatic substitution in solutions of cationic bolaform surfactants, 547–52

Deprotonation of 5-nitroindole and its 2-carboxylate ion in twin-tailed surfactants, 553–8

SYNTHESIS

Stereochemical studies. Part 89. Saturated heterocycles. Part 84.

Preparation and nuclear magnetic resonance study of norbornane–norbornene-fused 2-phenylimino-1,3-oxazines and -thiazines, 599–606

6-Azapurines. Part 2. Crystal and molecular structure of 8,9-dimethyl-6-azapurin-2-one, 1455–8

Synthesis of parabactin analogues and formation of transition metal complexes of parabactin and related compounds, 1543–50

TAFT CONSTANT

Taft σ^* constants, particularly for halogen-substituted alkyl groups, and their utility in mechanistic studies, 441–4

TAUTOMER

¹³C Nuclear magnetic resonance study of acid–base tautomeric equilibria, 453–60

TAUTOMERISM

Non-dissociative proton transfer in 2-pyridone–2-hydroxypyridine. An *ab initio* molecular orbital study, 617–22

Investigation of the structure of an insoluble pigment by means of nuclear magnetic resonance, 1383–90

TAUTOMERISM

6-Azapurines. Part 2. Crystal and molecular structure of 8,9-dimethyl-6-azapurin-2-one, 1455-8

T-BUTYL CHLORIDE

Linear solvation energy relationships. Part 38. An analysis of the use of solvent parameters in the correlation of rate constants, with special reference to the solvolysis of t-butyl chloride, 1097-102

T-BUTYL HALIDE

Linear solvation energy relationships. Part 37. An analysis of contributions of dipolarity-polarisability, nucleophilic assistance, electrophilic assistance, and cavity terms to solvent effects on t-butyl halide solvolysis rates, 913-20

TEMPERATURE JUMP

Effect of ring size on the basicity and kinetic behaviour of 1,5-dimethylnaphtho[1,8-*bc*]-1,5-diazacycloalkanes, 613-6
Properties of hydrogen bonds in 5,8-dihydroxy-1,4-naphthoquinone and 1,4-dihydroxy-9,10-anthraquinone; reaction with bases in aqueous solution, 1617-20

TERPHENYL-TYPE FLAVANOL

Absolute configuration of atropisomeric *m*-terphenyl-type flavan-3-ols, 1365-8

TERTIARY AMINE OXIDE

Studies of tertiary amine oxides. Part 8. Rearrangement of *N*-(2,4-dinitrophenyl)-piperidines and -morpholine *N*-oxides in aprotic solvents, 109-12

TETRAFLUOROETHENE

Continuous wave carbon dioxide laser-driven oxidation of tetrafluoroethene with molecular oxygen, 1727-32

TETRAHEDRAL INTERMEDIATE

Volumes of reaction for the formation of some analogues of tetrahedral intermediates, 1477-82

TETRAMETHYLPYPERIDINE

Electrochemical oxidation of 2,2,6,6-tetramethylpiperidines in acetonitrile: mechanism of *N*-cyanomethylation, 1065-70

TETRAMETHYLSILANE

The mechanisms of alkane eliminations from the intermediates produced by reactions of the hydroxide and methoxide negative ions with tetramethylsilane in the gas phase, 275-80

TETRASULPHUR TETRANITRIDE

The reaction between tetrasulphur tetranitride (S₄N₄) and electron-deficient alkynes. A molecular orbital study, 1669-70

TETRAZINE DIMER

Incorporation of a dispersion energy term to Fraga's atom-atom pair intermolecular potential. Application to benzene, *s*-tetrazine, and their mixed dimers, 943-50

THEORETICAL CALCULATION

Gas-phase ultraviolet photoelectron spectroscopic study of the 3,7-diphenyl- and 3,7-bis(dimethylamino)-1,5-dithia-2,4,6,8-tetrazocines, 259-62

Preparation, chromatographic enantiomer separation, ultraviolet-visible and circular dichroism spectra, and barriers to rotation of chiral twisted 1-acyl-1-thioacyl- and 1,1-bis(thioacyl)-2,2-diaminoethylenes, 491-6

Conformational analysis of organic carbonyl compounds. Part 6. Theoretical examination of the conformational properties (ground and transition states) and solvent effects on 2-formylfuran, -thiophene, and -pyridine, 961-8

Computational studies on CH/π interactions, 1015-8

A theoretical approach to the investigation of the photochemical internal cycloaddition in penta-1,4-diene and hexa-1,5-diene, 1027-32

Theoretical studies on organic transition metal complexes. Part 4. An investigation of electronic and structural effects in *o*-hydroxyaryloximes, 1243-6

A Curtius-type rearrangement in the silicon series; an *ab initio* study of the model silylnitrene-silanimine isomerization, 1289-92

A theoretical study of the nitration of ethylene and benzene with the nitronium ion, 1303-10

Accurate calculations of the structure and energy of the π- and σ-succinimidyl radicals: an *ab initio* study including electron correlation, 1311-6

Ab initio calculations relevant to the mechanism of chemical carcinogenesis by *N*-nitrosamines. Part 7. The nitrosation of amines by nitrosyl chloride, 1337-40

Non-linear optical properties of organic molecules. Part 2. Effect of conjugation length and molecular volume on the calculated hyperpolarisabilities of polyphenyls and polyenes, 1351-6

Non-linear optical properties of organic molecules. Part 3. Effect of

substituents on the calculated hyperpolarisability of monosubstituted benzenes, 1357-60

Non-linear optical properties of organic molecules. Part 4.

Calculations of the hyperpolarisability of sulphur-containing systems, 1361-4

Conformational analysis of organic carbonyl compounds. Part 7.

Conformational properties of aroyl derivatives of furan and benzo[*b*]furan studied by *X*-ray crystallography, n.m.r. lanthanide-induced shifts, and *ab-initio* MO calculations, 1443-54

Hyperconjugative interactions in halogen-substituted carbonyls: ultraviolet photoelectron spectroscopy of ω-halogenoacetophenones, 1459-64

The reaction between tetrasulphur tetranitride (S₄N₄) and electron-deficient alkynes. A molecular orbital study, 1669-70

Non-stereospecificity in neutral 1,1-addition to isocyanides. An *ab initio* study of the reactions of HNC with water, ammonia, water dimer, ammonia dimer, and the water-ammonia complex, 1675-82

Carbon-13 chemical shifts of methanolic carbon and electron reorganization induced by hydrogen bonding for methanol-base complexes, 1733-8

A MNDO SCF-MO study of the mechanism of the benzylic acid and related rearrangements, 1819-28

Substituent effect on the spin-trapping reactions of substituted *N*-benzylidene-*t*-butylamine *N*-oxides, 1829-34

Conformational analysis of organic carbonyl compounds. Part 8.

Conformational properties of aroyl derivatives of thiophene and benzo[*b*]thiophene studied by *X*-ray crystallography, nuclear magnetic resonance lanthanide-induced shifts spectroscopy, and MO *ab initio* calculations, 1851-60

Propendyopents and related compounds. Part 3. Some semiempirical calculations on propendyopent systems, 1893-8

THERMAL DIMERIZATION

Thermal dimerization of alkali-metal salts of crotonic acid in the solid state, 113-6

THERMAL ELECTRON TRANSFER

Acid catalysis in thermal and photoinduced electron-transfer reactions, 751-60

THERMAL ELIMINATION

The mechanism of thermal eliminations. Part 22. Rate data for pyrolysis of primary, secondary, and tertiary β-hydroxy alkenes, β-hydroxy esters, and β-hydroxy ketones. The dependence of transition-state structure for six-centre eliminations upon compound type, 1683-90

THERMAL RACEMIZATION

Preparation, chromatographic enantiomer separation, ultraviolet-visible and circular dichroism spectra, and barriers to rotation of chiral twisted 1-acyl-1-thioacyl- and 1,1-bis(thioacyl)-2,2-diaminoethylenes, 491-6

THERMODYNAMICS

Kinetic and thermodynamic parameters for Schiff's base formation between pyridoxal 5'-phosphate and *n*-hexylamine, 445-8

Formation of hydrogen-bonded complexes between phenol and some heterocyclic bases in carbon tetrachloride, 1815-8

THERMOLYSIS

An MNDO study of the unimolecular reactions of methyl acetate and its sulphur analogues, 237-42

The thermolysis of 2,2-dimethyl-1-vinylcyclobutane, 365-70

Solid-phase reactivity of pure methyl viologen upon thermolysis and photolysis: a vibrational and electronic study, 829-34

THIAZINE

1,2-Thiazines and related heterocycles. Part 4. The mechanism and periselectivity of the cycloadditions of *N*-sulphinylaminoazines with 1,4-epoxy-1,4-dihydronaphthalenes, 197-204

THIURENIUM ION

An attempt to detect thiurenium ions in the gas phase, 531-6

THIOL

The effects of ionizing radiation on deoxyribonucleic acid. Part 5. The rôle of thiols in chemical repair, 1907-50

THIONE

The thermal cycloaddition of substituted thiobenzophenones with phenylallene: mechanism and linear free energy relationships of reaction rates, 907-12

THIOPHENECARBOXYLIC ACID

An analysis of ¹³C nuclear magnetic resonance substituent chemical shifts in 4- and 5-substituted thiophene-2-carboxylic acids by linear free energy relationships, 689-94

THIOPROLINE

Kinetics and mechanism of the nitrosation of thioproline: evidence of the existence of two reaction paths, 651–6

THIOPYRAN

Thiopyrylium cations as appropriate compounds for the quantitative evaluation of *ipso*-substituent effects, 1427–30

THIOPYRYLIUM ION

Thiopyrylium cations as appropriate compounds for the quantitative evaluation of *ipso*-substituent effects, 1427–30

THIOPYRYLIUM SALT

Fast atom bombardment mass spectrometry: a useful technique for structural characterization of pyrylium, thiopyrylium, and pyridinium cations, 633–8

THREE-ELECTRON BOND

Radical cations from alkyl iodides in aqueous solution, 1795–800

THREE-MEMBERED RING

Elimination and addition reactions. Part 42. Structural effects on reactivity and mechanism in eliminative fission of three-membered rings, 1265–72

TOCOPHEROL

Kinetics and mechanism of the reactions of superoxide ion in solution. Part 5. Kinetics and mechanism of the interaction of superoxide ion with vitamin E and ascorbic acid, 281–6

TOCOPHERYL ACETATE

Kinetics and mechanism of the reactions of superoxide ion in solution. Part 5. Kinetics and mechanism of the interaction of superoxide ion with vitamin E and ascorbic acid, 281–6

TOPOCHEMISTRY

Mixed crystals of 6-chloro-3,4-methylenedioxybenzoic acid with 2,4- and 3,4-dichlorobenzoic acids; structure, topochemistry, and intermolecular interactions, 1187–94

TOSYLATE

Preparation and solvolysis of *trans,trans,trans*-tricyclo[7.3.1.0^{3,13}]tridecan-3-yl toluene-*p*-sulphonates in acetic acid and aqueous hexafluoropropan-2-ol. The role of non-chair conformers and the question of internal return in the limiting S_N1 solvolytic mechanism, 1083–90

TRANSIENT ABSORPTION SPECTRUM

Photoinduced [2 + 2] cycloreversion reactions of 1-vinylpyrene–4-dimethylaminostyrene cycloadducts, 507–12

TRANSITION METAL COMPLEX

Synthesis of parabactin analogues and formation of transition metal complexes of parabactin and related compounds, 1543–50

TRANSITION STATE

Reactions of *N*-halogenobenzylmethylamines with triethylamine in acetonitrile. Effect of leaving group upon the imine-forming transition state, 853–6

TRANSITION STRUCTURE

Ab initio calculations relevant to the mechanism of chemical carcinogenesis by *N*-nitrosamines. Part 7. The nitrosation of amines by nitrosyl chloride, 1337–40

TRANSITION TEMPERATURE

A study of the effect of a lateral methoxy group on the transition temperature of the liquid crystalline phases of the 4-(4-*n*-heptyloxybenzoyloxy)benzylidene-4-*n*-alkoxyaniline series, 319–22

TRIARYLMETHANE

On the possible isomerisation pathway for triarylmethanes Ar_3CX , including propeller crowns, 1621–8

TRIAZENE

Triazene drug metabolites. Part 4. Kinetics and mechanism of the decomposition of 1-aryl-3-benzoyloxymethyl-3-methyltriazenes in mixed aqueous–organic solvents, 1503–8

Triazene drug metabolites. Part 6. The interaction of *N*-hydroxymethyltriazenes with lanthanide-induced shift reagents, 1871–6

TRIAZOLE

Mononuclear heterocyclic rearrangements. Part 14. Rearrangement of some *Z*-arylhydrazones of 3-benzoyl-5-phenylisoxazole to 2-aryl-4-phenacyl-1,2,3-triazoles in dioxane–water, 537–40

TRIBUTYLPHOSPHINE

Catalysed decomposition of bis(ethoxythiocarbonyl) sulphide with tributylphosphine. A kinetic study in dimethyl sulphoxide, acetonitrile, and their mixtures with toluene, 1899–902

TRIBUTYL TIN HYDRIDE

3-Methylenecyclobutyl, cyclopent-3-enyl, and 3-methylenecyclobutylmethyl radicals; absence of homoallylic conjugation, 231–6

TRICARBONYLCHROMIUM

Synthesis, structure, and haptotropic rearrangement of benzocyclo-octatetraenetricarbonylchromium(0) complexes, 935–42

Stereochemistry and stereodynamics of hexa-*n*-propylbenzene and of its tricarbonylchromium complex. Crystal and molecular structure of tricarbonyl(η^6 -hexa-*n*-propylbenzene)chromium(0), 1633–8

TRICHLOROARYLETHANONE

Kinetic and thermodynamic parameters for the alcoholysis of 2,2,2-trichloro-1-arylethanones, 175–80

TRICHLOROCYANURIC ACID

A novel reaction of some enolisable ketones *not* involving the rate-determining enolisation step. Kinetics of the reaction of ketones with trichloroisocyanuric acid in the presence of added chloride ion in acid medium, 517–22

TRIETHYLAMINE

Reactions of *N*-halogenobenzylmethylamines with triethylamine in acetonitrile. Effect of leaving group upon the imine-forming transition state, 853–6

Aggregation of complexes of some phenols with triethylamine in benzene, 897–900

TRIFLUOROACETATE

Kinetics and mechanisms of reactions of pyridines and imidazoles with phenyl acetates and trifluoroacetates in aqueous acetonitrile with low content of water: nucleophilic and general base catalysis in ester hydrolysis, 159–68

Solvent effect on activation parameters for the neutral hydrolysis of phenyl trifluoroacetates in aqueous acetonitrile, 1723–6

TRIGONAL BIPYRAMIDAL INTERMEDIATE

The mechanisms of alkane eliminations from the intermediates produced by reactions of the hydroxide and methoxide negative ions with tetramethylsilane in the gas phase, 275–80

TRIMETHYLPYRIDINE

Interaction of 2,4,6-trimethylpyridine with some halogenocarboxylic acids in benzene and dichloromethane. Problem of stoichiometry, 901–6

TRIMETHYLSILANE

Kinetics of the reactions of silicon compounds. Part 1. Kinetics and mechanism of the gas-phase photochemical reactions between trimethylsilane and 1,1-difluoroethylene, 1861–6

TRINITROBENZENE–BENZENE

Phase diagram and association constants of a molecular complex in the 1,3,5-trinitrobenzene–benzene binary system, 1563–8

TRINUCLEOSIDE METAPHOSPHITE

Nucleoside hydrogenphosphonates. Part 6. Reaction of nucleoside hydrogenphosphonates with arenosulphonyl chlorides, 1209–14

TRIOSE REDUCTION

A theoretical study on the mechanism of oxidation of L-ascorbic acid, 715–20

TRIOXIME DERIVATIVE

Oxidation of acetyl(hydroxyimino)acetone: nuclear magnetic resonance spectroscopic, chemical, and X-ray crystallographic studies of the reaction products, 523–30

TRIPLETTIDE HISTIDINE

Efficient stereoselective hydrolysis of enantiomeric amino acid esters by bilayer vesicular systems which include di- or tri-peptide histidine catalysts, 995–1002

TRIPLET STATE

Interactions of triplet-state nucleic acid bases with electroaffinic molecules in solution by laser flash photolysis, 397–404

TRITERPENOID TRISACCHARIDE

Stereochemistry of a triterpenoid trisaccharide from *Centella asiatica*. X-Ray determination of the structure of asiaticoside, 1509–16

TRYPTOPHAN DERIVATIVE

Structural studies of the interaction between indole derivatives and biologically important aromatic compounds. Part 19. Effect of base methylation on the ring-stacking interaction between tryptophan and guanine derivatives: a nuclear magnetic resonance investigation, 1739–46

TWIN-TAILED

The effects of single- and twin-tailed ionic surfactants upon aromatic nucleophilic substitution, 541–6

Deprotonation of 5-nitroindole and its 2-carboxylate ion in twin-tailed surfactants, 553–8

TWISTED ETHYLENE

Preparation, chromatographic enantiomer separation, ultraviolet-visible and circular dichroism spectra, and barriers to rotation of

TWISTED ETHYLENE (contd)

chiral twisted 1-acyl-1-thioacyl- and 1,1-bis(thioacyl)-2,2-diaminoethylenes, 491-6

UNIMOLECULAR NUCLEOPHILIC SUBSTITUTION

Preparation and solvolysis of *trans,trans,trans*-tricyclo[7.3.1.0^{5,13}]tridecan-3-yl toluene-*p*-sulphonates in acetic acid and aqueous hexafluoropropan-2-ol. The role of non-chair conformers and the question of internal return in the limiting S_N1 solvolytic mechanism, 1083-90

UNSATURATED IMINE

Substitution effects on the aza-di-π-methane rearrangement of imines, 1039-42

UNSOLVATED ISOPROPYL CATION

Gas-phase heteroaromatic substitution. Part 6. Alkylation of pyrrole, *N*-methylpyrrole, furan, and thiophene by isopropyl cation, 857-66

U.V.

Preparation, chromatographic enantiomer separation, ultraviolet-visible and circular dichroism spectra, and barriers to rotation of chiral twisted 1-acyl-1-thioacyl- and 1,1-bis(thioacyl)-2,2-diaminoethylenes, 491-6

U.V. PHOTOELECTRON SPECTROSCOPY

Hyperconjugative interactions in halogen-substituted carbonyls: ultraviolet photoelectron spectroscopy of ω-halogenoacetophenones, 1459-64

U.V.-VISIBLE

Peptide-mediated chiral discrimination in bilipeptides: biliverdin di- and tri-peptides, 219-26

VALENCE BOND THEORY

The quantitative electrophilic reactivity of annulenes. Part 2. Partial rate factors for hydrogen exchange of azulene, cycl[3,2,2]azine, indolizine, *N*-methylisoindole, indole, and pyrrolo[2,1-*b*]thiazole, and attempted exchange in *trans*-9,10-dimethyldihdropyrene: the dramatic effect of creating aromaticity in the transition state for electrophilic substitution, and the importance of valence bond theory, 591-8

VALENCE LEVEL

Gas-phase ultraviolet photoelectron spectroscopic study of the 3,7-diphenyl- and 3,7-bis(dimethylamino)-1,5-dithia-2,4,6,8-tetrazocines, 259-62

VAPOUR PRESSURE OSMOMETRY

Aggregation of complexes of some phenols with triethylamine in benzene, 897-900
Interaction of 2,4,6-trimethylpyridine with some halogenocarboxylic acids in benzene and dichloromethane. Problem of stoichiometry, 901-6

VIBRATIONAL FREQUENCY

On the geometric structure and vibrational frequencies of *o*-benzynes. An *ab initio* study including electron correlation, 117-20

VIBRATIONAL SPECTROSCOPY

Vibrational spectroscopy and conformations of 2,2-diacylethenamines, 301-6

VIBRONIC ABSORPTION SPECTRUM

Vibronic absorption spectra of naturally occurring conjugated polyenyne. Evidence for localized excitations, 1431-8

VINYL

Reactions of bis[dimethyl(vinyl)silyl]bis(trimethylsilyl)methane, (Me₃Si)₂C(SiMe₂CH=CH₂)₂, 381-4

Anchimeric assistance by and migration of the vinyl group in reactions of sterically hindered organosilicon compounds of the type (Me₃Si)₂C(SiMe₂CH=CH₂)(SiR₂X), 1047-58

VINYL CARBENE

An *ab initio* study of the mechanism of the α-alkynone cyclization, 55-60

VINYL CATION

An attempt to detect thiirenium ions in the gas phase, 531-6

VINYLCYCLOBUTANE

Secondary deuterium isotope effects in the thermolysis of 2,2-dimethyl-1-vinylcyclobutane, 1109-12

VINYLPYRENE-DIMETHYLAMINOSTYRENE

Photoinduced [2 + 2] cycloreversion reactions of 1-vinylpyrene-4-dimethylaminostyrene cycloadducts, 507-12

VINYL RADICAL

Intermolecular hydrogen-atom abstraction by vinyl radicals derived from hydroxyalkyl radicals and alkynes: an electron spin resonance investigation, 329-36

VILOGEN-CONTAINING POLYMER

Functional capsule membranes. Part 28. A capsule membrane grafted with viologen-containing polymers as a reactor of electron transfer catalysis in heterophases, 1003-8

VITAMIN E

Kinetics and mechanism of the reactions of superoxide ion in solution. Part 5. Kinetics and mechanism of the interaction of superoxide ion with vitamin E and ascorbic acid, 281-6

VOLTAMMETRY

Electrochemical synthesis of diethyl 2,3-bis-*p*-halogenophenylsuccinates; reduction of α-bromo-*p*-halogenophenylacetates, 847-52
Electrochemical reduction of *N*-(2,2,2-trichloroethyl)acetamides, 1887-92

VOLUME OF REACTION

Volumes of reaction for the formation of some analogues of tetrahedral intermediates, 1477-82

WAGNER-MEERWEIN REACTION

MINDO/3 Study of the isomerization of 1-methylcyclohexylium ion to 1-ethylcyclopentylm ion. An alternative mechanism for this branching rearrangement, 307-12

WATER DIMER

Non-stereospecificity in neutral 1,1-addition to isocyanides. An *ab initio* study of the reactions of HNC with water, ammonia, water dimer, ammonia dimer, and the water-ammonia complex, 1675-82

WATER-DIOXANE MIXTURE

The equilibria of 5-deoxyribose in water-dioxane mixtures, 169-74

WITTIG-OXY COPE REARRANGEMENT

The gas-phase Wittig-oxy Cope rearrangement of deprotonated diallyl ether, 1499-502

X-RAY DATA

Tables of bond lengths determined by X-ray and neutron diffraction. Part 1. Bond lengths in organic compounds, S1

XYLOPYRANOSE

The solid-state and solution conformation of some 1,2-*O*-alkylidene xylopyranoses. Application of heteronuclear long-range coupling constants to the conformational analysis of dioxolane rings, 791-6