

## **ORGANIC REACTIONS MECHANISMS GROUP**

Following the annual general meeting of the Organic Reactions Mechanisms Group (ORMG) of The Royal Society of Chemistry on 5th January 1988, membership of the ORMG will be open to non-members of the RSC from 1989. This initiative by the ORMG is intended to widen its membership to all those interested in its subject area: experimental and theoretical investigations into mechanisms of reactions and reactivity of organic compounds including reactive intermediates and biologically important molecules. For further details and information during 1988, please contact the secretary/treasurer of the ORMG: **Dr. H. Maskill, Department of Chemistry, University of Stirling, Stirling FK9 4LA, Scotland.**



## JOURNAL OF THE CHEMICAL SOCIETY

## Perkin Transactions II

## Physical Organic Chemistry

---

CONTENTS

- 597 A novel approach to systematic classification of organic reactions. Hierarchical subgraphs of imaginary transition structures **Shinsaku Fujita**
- 617 X-Ray crystal structures of 2,2'-bridged biphenyls with heterocyclic bridging rings: contraction in ring size on reduction **Stanley C. Nyburg, Lata Prasad, Basil A. Behnam, and D. Muriel Hall**
- 625 The stabilities of  $\alpha$ -oxy and  $\alpha$ -thio carbenium ions: the importance of the ground-state energies of the neutral precursors **Yitzhak Apeloig and Miriam Karni**
- 637 Interaction between electron donor and acceptor groups in some trisubstituted benzenes. Part 1. Relative reactivities of 4-substituted 1,2-dinitrobenzenes towards sodium methoxide **Sampatrao D. Patil and P. Madhavan Nair**
- 641 Gas-phase tautomerism in 2,4-dihydropyrazol-3-ones: an ultraviolet photoelectron spectroscopic study and MNDO molecular orbital calculations **Tomáš Vondrák, Zdeněk Bastl, and Stanislav Böhm**
- 647 Thermal and photochemical cycloaddition reactions of thiocarbonyls: a qualitative molecular orbital analysis **Varanasi Pushkara Rao, Jayaraman Chandrasekhar, and Vaidhyanathan Ramamurthy**
- 661 Structural and molecular orbital study of the furazan *N*-oxide system. Structures of 3-amino-4-methylfurazan *N*-oxide and 4-amino-3-methylfurazan *N*-oxide, and molecular orbital calculations **Piero Ugliengo, Davide Viterbo, and Mariano Calleri**
- 669 Conformational analysis. Part 10. A theoretical and nuclear magnetic resonance (lanthanide-induced shift) study of the conformation of cyclohex-2-enone **Raymond J. Abraham and M. Secundino Lucas**
- 673 Fragmentation reactions of radicals formed from sugar phosphates and the hydroxyl radical: an investigation by electron spin resonance spectroscopy and pulse radiolysis **Mark Fitchett, Bruce C. Gilbert, and Robin L. Willson**
- 691 Conversion of *o*-nitrothiophenols into *o*-aminobenzenesulphonic acids **Peter Bamfield, David Greenwood, Harvinder Lotey, and Charles J. M. Stirling**
- 697 Electrophilic substitution in annulenes. Part 4. Transmission of substituent effects in 1,6-methano[10]annulene, determined *via* protiodesilylation: evidence for substantial C(1)-C(6) transannular orbital interaction **Tsuyoshi Suzuki, Kahei Takase, Kazuko Takahashi, Andrew P. Laws, and Roger Taylor**
- 701 Structure of the *trans*-dimer of 2-methyl-2-nitrosopropane **Brian G. Gowenlock, Kevin J. McCullough, and Ross B. Manson**
- 705 An *ab initio* theoretical study of the eliminative ring fission in cyclopropylmethanide and cyclobutylmethanide **Glauco Tonachini, Fernando Bernardi, H. Bernhard Schlegel, and Charles J. M. Stirling**
- 711 The hybridization state of nitrogen as a conformational variable in biologically active molecules **Peter R. Andrews, Sharon L. A. Munro, Maruse Sadek, and Margaret G. Wong**
- 719 New applications of crown ethers. Part 8. Complexation of bis(monoazacrown ether)s with alkali-metal cations **Gong-Xin He, Kiyoshi Kikukawa, Toshihiko Ikeda, Fumio Wada, and Tsutomu Matsuda**
- 725 Pathways in the reactions of nitronate ions with sulphonyl halides **Paul E. Pigou and Charles J. M. Stirling**

- 731 Effect of the counter-ion on the structures of tetraphenylantimony(v)–stibonium compounds: crystal and molecular structures of tetraphenylantimony(v) bromide, perchlorate, and tetraphenylborate **George Ferguson, Christopher Glidewell, Douglas Lloyd, and Shirley Metcalfe**
- 737 The mechanism of thermal eliminations. Part 26. Substituent effects at each carbon of vinyl ethers: non-planarity of the transition state **Roger Taylor**
- 745 Photochemical reactions of aromatic compounds. Part 44. Mechanisms for direct photoamination of arenes with ammonia and amines in the presence of *m*-dicyanobenzene **Masahide Yasuda, Yoriaki Matsuzaki, Kensuke Shima, and Chyongjin Pac**
- 753 *syn-anti* Isomerism in the 1,3-dipolar cycloaddition to *cis*-3,4-disubstituted cyclobutenes. Part 2. Role of conformation in bicyclo[3.2.0]hept-6-enes **Marina Burdisso, Remo Gandolfi, Paolo Pevarello, and Augusto Rastelli**
- 759 3-Hydroxypyrroles and 1*H*-pyrrol-3(2*H*)-ones. Part 4. Oxidation of 2-monosubstituted and 2-unsubstituted pyrrolones, with an electron spin resonance study of a dimeric intermediate **Hamish McNab, Lillian C. Monahan, and John C. Walton**
- 765 Solution conformation of three steroid 19-nor-4-en-3-ones determined from two-dimensional nuclear magnetic resonance spectroscopy, coupling constant calculations, and circular dichroism **Tuck C. Wong, Wei Guo, Martin Bohl, Michael Hübner, Gerhard Luck, Thomas Steiger, and Gunter Reck**
- 773 Conjugative effects in furan *syn*-diepoxides. Crystal and molecular structure of methyl 3,5,7-trioxatricyclo[4.1.0.0<sup>2,4</sup>]-heptane-1-carboxylate **Federico Giordano, M. Liliana Graziano, and M. Rosario Iesce**
- 777 A kinetic study of the Friedel–Crafts reaction of naphthalene with *para*-substituted benzenesulphonyl chlorides; the effect of the substituent **Yoshihiro Yoshii, Akiyoshi Ito, Tsuneaki Hirashima, Seiji Shinkai, and Osamu Manabe**
- 783 Rapid solvolyses of 2,6-dimethyl- and 2,4,6-trimethyl-benzoyl chlorides: model systems for solvent effects on the reactivity of acid chlorides **T. William Bentley, H. Carl Harris, and In Sun Koo**
- 791 Nuclear magnetic resonance study of molecules in anisotropic systems. Part 9. Solution structure and preferred orientation of *myo*-inositol in a lyotropic liquid crystal **Hideaki Fujiwara, Junichi Hirai, and Yoshio Sasaki**
- 795 Substituent effects on the reaction of 2-(substituted phenyl)-4,5-dihydro-4,4,5,5-tetramethylimidazol-1-oxyl 3-oxides with nitric oxide: an experimental and MNDO study **Osamu Shimomura, Kazuhisa Abe, and Minoru Hirota**
- 799 An electron spin resonance study of cyclopentadiene radical cations **John L. Courtneidge, Alwyn G. Davies, Charles J. Shields, and Safieh N. Yazdi**
- 807 Generation of azulene radical cations from arylalkynes **Christopher J. Cooksey, John L. Courtneidge, Alwyn G. Davies, Peter S. Gregory, Jeffrey C. Evans, and Christopher C. Rowlands**

## AUTHOR INDEX

- Abe, Kazuhisa, 795  
Abraham, Raymond J., 669  
Andrews, Peter R., 711  
Apeloig, Yitzhak, 625  
Bamfield, Peter, 691  
Bastl, Zdeněk, 641  
Behnam, Basil A., 617  
Bentley, T. William, 783  
Bernardi, Fernando, 705  
Böhm, Stanislav, 641  
Bohl, Martin, 765  
Burdisso, Marina, 753  
Calleri, Mariano, 661  
Chandrasekhar, Jayaraman, 647  
Cooksey, Christopher J., 807  
Courtneidge, John L., 799, 807  
Davies, Alwyn G., 799, 807  
Evans, Jeffrey C., 807  
Ferguson, George, 731  
Fitchett, Mark, 673  
Fujita, Shinsaku, 597  
Fujiwara, Hideaki, 791  
Gandolfi, Remo, 753  
Gilbert, Bruce C., 673  
Giordano, Federico, 773  
Glidewell, Christopher, 731  
Gowenlock, Brian G., 701  
Graziano, M. Liliana, 773  
Greenwood, David, 691  
Gregory, Peter S., 807  
Guo, Wei, 765  
Hall, D. Muriel, 617  
Harris, H. Carl, 783  
He, Gong-Xin, 719  
Hirai, Junichi, 791  
Hirashima, Tsuneaki, 777  
Hirota, Minoru, 795  
Hübner, Michael, 765  
Iesce, M. Rosario, 773  
Ikeda, Toshihiko, 719  
Ito, Akiyoshi, 777  
Karni, Miriam, 625  
Kikukawa, Kiyoshi, 719  
Koo, In Sun, 783  
Laws, Andrew P., 697  
Lloyd, Douglas, 731  
Lotey, Harvinder, 691  
Lucas, M. Secundino, 669  
Luck, Gerhard, 765  
Manabe, Osamu, 777  
Manson, Ross B., 701  
Matsuda, Tsutomu, 719  
Matsuzaki, Yoriaki, 745  
McCullough, Kevin J., 701  
McNab, Hamish, 759  
Metcalfe, Shirley, 731  
Monahan, Lilian C., 759  
Munro, Sharon L. A., 711  
Nair, P. Madhavan, 637  
Nyburg, Stanley C., 617  
Pac, Chyongjin, 745  
Patil, Sampatrao D., 637  
Pevarello, Paolo, 753  
Pigou, Paul E., 725  
Prasad, Lata, 617  
Ramamurthy, Vaidhyanathan, 647  
Rao, Varanasi Pushkara, 647  
Rastelli, Augusto, 753  
Reck, Gunter, 765  
Rowlands, Christopher C., 807  
Sadek, Maruse, 711  
Sasaki, Yoshio, 791  
Schlegel, H. Bernhard, 705  
Shields, Charles J., 799  
Shima, Kensuke, 745  
Shimomura, Osamu, 795  
Shinkai, Seiji, 777  
Steiger, Thomas, 765  
Stirling, Charles J. M., 691, 705, 725  
Suzuki, Tsuyoshi, 697  
Takahashi, Kazuko, 697  
Takase, Kahei, 697  
Taylor, Roger, 697, 737  
Tonachini, Glauco, 705  
Ugliengo, Piero, 661  
Viterbo, Davide, 661  
Vondrák, Tomáš, 641  
Wada, Fumio, 719  
Walton, John C., 759  
Willson, Robin L., 673  
Wong, Margaret G., 711  
Wong, Tuck C., 765  
Yasuda, Masahide, 745  
Yazdi, Safieh N., 799  
Yoshii, Yoshihiro, 777

---

### Perkin Communications

Communications will be published in *Perkin Transactions I* from the beginning of 1989. These will consist of preliminary accounts of novel and significant work of exceptional interest in any branch of organic, bio-organic, or physical organic chemistry. Material of wide general appeal is more appropriately submitted to *Chemical Communications*; *Perkin Communications* are intended for work of a more specialist nature. Where relevant, typical experimental data will be included; otherwise the principles governing acceptance are essentially the same as for *Chemical Communications*. Where appropriate, authors should provide corroborative material, not for publication, as supplementary information for referees. Full papers based upon communications will be acceptable subsequently provided that they represent a substantial amplification and extension of the original material.

Individual articles should be as brief as possible [normally less than 1 200 words (*ca.* 2 printed pages) or the equivalent]. The summary should be restricted to one sentence only. Otherwise, the format and style of presentation should be the same as for a full paper.

Times to publication will be similar to those for *Chemical Communications*. In order to achieve this, failure of an author to produce a revised script in response to referees' comments within 4 weeks will be regarded as a withdrawal of the communication. Furthermore, proof corrections received more than 2 weeks after despatch of proofs by the printer will not be incorporated.

---

NOTE: An asterisk in the heading of each paper indicates the author who is to receive any correspondence.

