

Corrigendum

The effective ‘size’ of the tris(trimethylsilyl)silyl group in several molecular environments

**Joseph Frey, Etti Schottland, Zvi Rappoport, Dmitry Bravo-Zhivotovskii, Moshe Nakash,
Mark Botoshansky, Menahem Kaftory and Yitzhak Apeloig**

J. Chem. Soc., Perkin Trans. 2, 1994, 2555–2562

Page 2555, Abstract, line 2. Compound **1g** should read: 2,2-Dimesityl-1-tris(trimethylsilyl)silylethenol.

OMCOS 8

**ORGANOMETALLIC CHEMISTRY
DIRECTED TOWARDS ORGANIC SYNTHESIS**

AUGUST 6-10, 1995

Santa Barbara, California, USA

PLENARY SPEAKERS

David Evans (*Harvard*)

Carlo Floriani (*Lausanne*)

Leon Ghosez (*Louvain-La-Neuve*)

Robert Grubbs (*Cal Tech*)

Henri Kagan (*Orsay*)

Yoshinori Yamamoto (*Tohoku*)

INVITED SPEAKERS

Mark Burk (*Duke*)

Sandro Cacchi (*Roma*)

Gérard Cahiez (*Curie*)

Vittorio Farina (*Boehringer-Ingelheim*)

John Gladysz (*Utah*)

Yvan Guindon (*Clin. Res. Inst. Montréal*)

Peter Kündig (*Geneva*)

Tien-Yau Luh (*Taiwan*)

István Markó (*Louvain-La-Neuve*)

Armin de Meijere (*Göttingen*)

Eiichi Nakamura (*Tokyo Institute*)

Rudolf Schmid (*Hoffmann-La Roche*)

Kohei Tamao (*Kyoto*)

James Tour (*South Carolina*)

For more information, contact:
Professor Bruce H. Lipshutz
Chairman, OMCOS 8
Department of Chemistry
University of California
Santa Barbara, CA 93106-9510
Fax: 805/893-4120

