
Non-linear, continuous-wave EPR spectroscopy and spin–lattice relaxation: spin-label EPR methods for structure and dynamics †



Derek Marsh,^{*,a} Vsevolod A. Livshits^b and Tibor Páli^c

^a Max-Planck-Institut für biophysikalische Chemie, Abt. Spektroskopie, Am Fassberg 11, D-37077 Göttingen, Germany

^b Institute of Chemical Physics, Russian Academy of Sciences, 117977, Moscow, Russian Federation

^c Institute of Biophysics, Biological Research Center, H-6701 Széged, Hungary

The sensitivity of continuous-wave, non-linear EPR signals to spin–lattice (T_1) relaxation has been investigated. The aim was to identify those spectral displays that are most appropriate to obtain structural and dynamic information from spin-label EPR experiments that involve detection of T_1 -relaxation enhancements. This has been achieved by solving the Bloch equations for the various harmonics of the absorption and dispersion components of the spin magnetisation. Of interest are the magnetisation components that are out-of-phase with respect to the static magnetic field modulation, under conditions of partial saturation of the microwave absorption. It is found that both the first- and second-harmonic out-of-phase absorption EPR signals are particularly sensitive to T_1 -relaxation. The first-harmonic absorption quadrature-phase signal is favoured for determining T_1 -relaxation enhancements because of its superior intensity and relative insensitivity to transverse (T_2) relaxation. The second-harmonic absorption quadrature-phase EPR signal has lower relative intensity and is more sensitive to T_2 -relaxation, but has a unique sensitivity to rotational diffusion that is exploited in saturation transfer EPR spectroscopy. The non-linear dispersion signals are less appropriate because of their principal sensitivity to T_2 -relaxation and because they saturate less readily. These novel non-linear EPR spectroscopies can be contrasted with the conventional progressive saturation behaviour of the in-phase absorption signals that are determined by the T_1T_2 relaxation time product.

Introduction

Spin–lattice (T_1) relaxation enhancement of stable aminoxyl ‡ free radicals used as spin labels has proved to be a sensitive means for studying slow exchange processes (both physical/chemical exchange and Heisenberg spin exchange) and also weak dipolar and spin exchange interactions with paramagnetic ions (see *e.g.* refs. 1, 2). Such spin-label EPR experiments are capable of yielding both structural and dynamic information about biomembranes and other biological systems (*e.g.* ref. 3), particularly when combined with the molecular genetic technique of site-directed spin-labelling on selective cysteine-mutant proteins.⁴ Continuous-wave saturation EPR experiments with magnetic field modulation have proved useful for measurements on biological systems because of their relative simplicity, accessibility and high signal sensitivity. In addition to conventional progressive saturation studies, continuous-wave EPR spectroscopy that involves detection of the non-linear response in phase quadrature with the magnetic field modulation offers an alternative and potentially more sensitive approach. It has been demonstrated that the non-linear second-harmonic, absorption saturation-transfer EPR spectroscopy, which is normally used for studying slow rotational diffusion,⁵ may be used successfully also for spin-label applications involving spin–lattice relaxation enhancement (*e.g.* refs. 6, 7).

In the present paper, the sensitivity of the various non-linear EPR displays to spin–lattice relaxation is investigated from solution of the Bloch equations for the spin magnetisation by including the effects of the static field modulation, in addition

to those of the microwave magnetic field.⁸ The various harmonics of the absorption and dispersion signals that are out-of-phase with respect to the field modulation are considered, under conditions of partial saturation. The aim is to identify those non-linear EPR displays that are most sensitive to T_1 -relaxation, as opposed to rotational diffusion, and also that are least affected by other processes, in particular transverse (T_2) relaxation. It is predicted that the dispersion signals are less appropriate for such studies than are the harmonics of the out-of-phase absorption signals. In particular, attention is drawn to the first-harmonic, absorption, quadrature-phase EPR signal. This non-linear display is unsuitable for the more usual saturation transfer EPR studies of slow rotational diffusion, but is found to be appropriate for studies of T_1 -relaxation enhancement. Special advantages of the first-harmonic non-linear spectra are the relatively high signal intensity, the predicted insensitivity to T_2 -relaxation, and the ability to tune the range of T_1 -relaxation rates to which the spectral intensities are sensitive by varying the modulation frequency, whilst still maintaining adequate signal strengths.

Theoretical background

It is necessary to determine the non-linear EPR signals that are obtained in phase quadrature to the static magnetic field modulation, $H_m \cos \omega_m t$, under conditions of partial saturation of the microwave power absorption. This is achieved by solution of the standard Bloch equations for the spin magnetisation, M , taking explicit account of the microwave and modulation fields, H_1 and H_m , in addition to the longitudinal (T_1) and transverse (T_2) relaxation processes.

The Fourier harmonics, n , of the spin magnetisation with respect to the field modulation frequency, ω_m , are given by eqn. (1),⁹ where $M = M_0(u, v, w)$ is the spin magnetisation

† Presented at the 30th International Meeting of the Electron Spin Resonance Group of the RSC, University of Lancaster, 6–10th April 1997.

‡ Formerly known as nitroxide.

$$\mathbf{M} = \sum_{n=-\infty}^{\infty} \mathbf{M}_n e^{-in\omega_m t} \quad (1)$$

expressed in a coordinate frame rotating at the Larmor frequency about the static field direction, which is specified by the z -axis. Solution of the Bloch equations for the spin magnetisation in the rotating frame is obtained by expanding the Fourier amplitudes, \mathbf{M}_n , in a power series of the field modulation amplitude, k eqn. (2),⁸ where $k = H_m/2\Delta H$ is the

$$\mathbf{M}_n = \sum_{\nu=0}^{\infty} \mathbf{M}_{n,\nu} k^\nu \quad (2)$$

modulation amplitude, H_m , normalised with respect to the linewidth, ΔH . The expansion coefficients $\mathbf{M}_{n,\nu} = (u_{n,\nu}, v_{n,\nu}, w_{n,\nu})$ are non-zero only for $\nu \geq n$. To lowest order in the field modulation amplitude, k , the harmonics of the absorption and dispersion EPR signals that are in phase quadrature with respect to the field modulation are given, respectively, by eqns. (3) and (4),

$$v_n' = k^n \text{Im}(v_{n,n}) \quad (3)$$

$$u_n' = k^n \text{Im}(u_{n,n}) \quad (4)$$

where the components of $\mathbf{M}_{n,\nu}$ are obtained by substituting eqns. (1) and (2) in the Bloch equations that contain specifically the microwave and modulation fields, H_1 and H_m , respectively.⁷ The harmonics of the conventional EPR spectrum that are in-phase with the field modulation are given by corresponding expressions involving the real part of $\mathbf{M}_{n,\nu}$. The spectral line-shapes and integrated intensities are obtained from the explicit dependence of the transverse components of $\mathbf{M}_{n,\nu}$ on the static magnetic strength, H_0 .

Results and discussion

Model calculations: sensitivity to T_1 and T_2

Analytical expressions are obtained, to the lowest order in modulation amplitude, for the spectral amplitudes of the various harmonics of the out-of-phase absorption and dispersion signals (v_n' and u_n' , respectively) under partial microwave saturation (see refs. 7, 8). In each case, terms involving the saturation parameter, $\gamma_e^2 H_1^2 T_1 T_2$ where γ_e is the electron gyromagnetic ratio are retained, but the reasonable approximations that $T_2/T_1 \ll 1$ and $\omega_m^2 T_2^2 \ll 1$ are made. The zeroth harmonic solutions, $v_{0,0}$ and $u_{0,0}$ are identical to those for the conventional 'slow passage' Bloch equations. They are independent of the field modulation amplitude and have no out-of-phase components.

The amplitudes of the first-harmonic, out-of-phase absorption and dispersion signals are given respectively by eqns. (5) and (6), where the amplitude of the dispersion signal $u_1'(0)$ is

$$v_1'(\Delta H) = -\frac{1}{2}\gamma_e H_m \frac{\gamma_e H_1 \omega_m T_2^3}{1 + \frac{1}{2}\gamma_e^2 H_1^2 T_1 T_2} \times \frac{\gamma_e^2 H_1^2 T_1^2 (1 + \omega_m^2 T_1^2) - 1}{[2 + \gamma_e^2 H_1^2 T_1 T_2 / (1 + \omega_m^2 T_1^2)]^2} \quad (5)$$

$$u_1'(0) = \frac{1}{2}\gamma_e H_m \frac{\gamma_e H_1 \omega_m T_2^3}{1 + \gamma_e^2 H_1^2 T_1 T_2} \quad (6)$$

measured at the centre of the line, and that of the absorption signal $v_1'(\Delta H)$ is measured at a distance equal to the intrinsic (zeroth harmonic) linewidth, $\Delta H = 1/\gamma_e T_2$, from the centre. (The amplitude at the centre of the line is zero, in the latter case.) From the structure of eqns. (5) and (6), it is clear that the out-of-phase absorption signal is far more sensitive to T_1 -relaxation than is the dispersion signal. Apart from the saturation factor in the denominator of eqn. (6), the maximum amplitude of the dispersion signal is dependent only on T_2 -relaxation.

The amplitude of the second-harmonic, out-of-phase absorption is given by eqn. (7). (This spectral display corres-

$$v_2'(0) = -\frac{1}{4}\gamma_e^2 H_m^2 \frac{\gamma_e H_1 \omega_m T_2^4}{1 + \gamma_e^2 H_1^2 T_1 T_2} \times \left[\frac{\gamma_e^2 H_1^2 T_1 (2T_1 + 5T_2)}{1 + 2\gamma_e^2 H_1^2 T_1 T_2 + 4\omega_m^2 T_1^2} - 3 \right] \quad (7)$$

ponds to the standard second-harmonic saturation transfer spectroscopy.) Again, as for the first-harmonic, the second-harmonic out-of-phase absorption signal possesses an additional sensitivity to T_1 , beyond that expressed simply by the saturation factor. The first and second-harmonic non-linear absorption EPR spectra therefore possess a superior sensitivity to T_1 -relaxation processes than do conventional progressive saturation experiments performed on the in-phase spectra. The T_1 -sensitivity of the latter is determined solely by the saturation factor (see *e.g.* ref. 10). For the second-harmonic absorption out-of-phase spectra, the enhanced sensitivity to T_1 -relaxation enhancement has previously been demonstrated experimentally.^{6,11}

For experimental analysis, the non-linear out-of-phase signals are conveniently normalized to the conventional first-harmonic in-phase spectral intensity, $v_1(\Delta H)$. This gives an internal standard to correct for differences in number of spins, spectrometer gain and detection sensitivity, *etc.* (see *e.g.* ref. 12). The corresponding normalized intensities for the first- and second-harmonic out-of-phase absorption signals therefore take the forms given by eqns. (8) and (9), where it is assumed for

$$V_1'(\Delta H) \sim \omega_m T_2 \frac{\gamma_e^2 H_1^2 T_1^2 (1 + \omega_m^2 T_1^2) - 1}{[2 + \gamma_e^2 H_1^2 T_1 T_2 / (1 + \omega_m^2 T_1^2)]^2} \quad (8)$$

$$V_2'(0) \sim \frac{1}{2}\gamma_e H_m \omega_m T_2^2 \left[\frac{\gamma_e^2 H_1^2 T_1 (2T_1 + 5T_2)}{1 + 2\gamma_e^2 H_1^2 T_1 T_2 + 4\omega_m^2 T_1^2} - 3 \right] \quad (9)$$

simplicity that the conventional in-phase spectral intensity of the first-harmonic varies as $v_1 \sim (\frac{1}{2}\gamma_e^2 H_m H_1 T_2^2) / (1 + \gamma_e H_1^2 T_1 T_2)$. The latter condition is deduced from the real part of the expansion coefficients of the spin magnetisation obtained in the solution of the Bloch equations. As a first approximation, solely for the purposes of the normalisation, the weaker dependence of the in-phase signal on modulation frequency is ignored.

Expressions (8) and (9) may be used to explore the sensitivity of the first- and second-harmonic non-linear spectra to the T_1 - and T_2 -relaxation times. The predicted dependences of the normalised spectral intensity on spin-lattice relaxation for various values of T_2 are given in Figs. 1 and 2 for the first-harmonic and second-harmonic signals, respectively. These model calculations indicate that both the first-harmonic and the second-harmonic out-of-phase spectral amplitudes are sensitive to the spin-lattice relaxation time over a wide range of T_1 -values. This range includes values that are of relevance in spin-label EPR experiments.^{3,5,7} Over an appreciable region the normalised amplitude depends approximately linearly on the T_1 -relaxation time, as found experimentally for the second-harmonic out-of-phase signal in response to spin-label relaxation enhancements by paramagnetic ions or spin-spin interactions.^{7,13,14}

In order to obtain sensitivity of the first-harmonic quadrature signal to a wide range in T_1 , it is necessary to use a somewhat lower modulation frequency, ω_m , than for the second-harmonic quadrature signal. However, because of the intrinsically higher intensity of the first-harmonic signal, intensities comparable to those of the second-harmonic signal are obtained, in spite of the lower modulation frequency (compare Figs. 1 and 2). At higher modulation frequencies, the first-harmonic quadrature signal is sensitive to shorter values of T_1 , *i.e.* to faster spin-lattice relaxation rates. Comparison of Figs. 1




Fig. 1 Dependence of the normalized amplitude of the first-harmonic absorption out-of-phase EPR signal, $V_1'(\Delta H) = v_1'(\Delta H) \times [(1 + \frac{1}{2}\gamma_e^2 H_1^2 T_1 T_2) / (\frac{1}{2}\gamma_e^2 H_m H_1 T_2^2)]$, on T_1 -relaxation time for various values of T_2 . The normalized amplitude is calculated from eqn. (8) with $\omega_m/2\pi = 2.5 \times 10^4$ Hz, $H_1 = 0.25$ G and the values of T_2 indicated on the figure.




Fig. 2 Dependence of the normalized amplitude of the second-harmonic absorption out-of-phase EPR signal $V_2'(0) = v_2'(0) [(1 + \gamma_e^2 H_1^2 T_1 T_2) / (\frac{1}{2}\gamma_e^2 H_m H_1 T_2^2)]$, on T_1 -relaxation time for various values of T_2 . The normalized amplitude is calculated from eqn. (9) with $\omega_m/2\pi = 5 \times 10^4$ Hz, $H_1 = 0.25$ G, $H_m = 5$ G and the values of T_2 indicated on the figure.

and 2 indicates that the first-harmonic quadrature signal is far less sensitive to the transverse relaxation time, T_2 , than is the second-harmonic quadrature signal. This is of advantage for estimating absolute values of T_1 , and favours use of the first-harmonic quadrature absorption signal for T_1 -sensitive experiments. However, for relative T_1 -relaxation enhancements, in the absence of appreciable changes in T_2 , the second-harmonic quadrature absorption signal may equally be used. Currently, most non-linear experiments have been performed with the second-harmonic display (for a review, see ref. 3). In contrast, the second-harmonic display is far more sensitive to anisotropy in the relaxation rates, and hence to rotational diffusion, as is exploited in the standard saturation transfer EPR experiment.⁵ The lineshape of the first-harmonic quadrature absorption signal, however, is relatively insensitive to rotational diffusion and therefore is unsuitable for the conventional application of saturation transfer EPR in studying slow rotational diffusion.

Applications and simulations

In practice, the non-linear saturation transfer EPR spectra are normally analysed in terms of the integrated spectral intensities.^{7,12} This method of analysis circumvents potential problems arising from inhomogeneous broadening,¹⁰ and in the case




Fig. 3 Simulated first-harmonic absorption, in-phase (full line) and out-of-phase (broken line) EPR spectra for a rigid aminoxyl spin label. The simulations are for $T_1 = 2$ μ s, $T_2 = 20$ ns, $H_1 = 0.4$ G and $\omega_m/2\pi = 100$ kHz.




Fig. 4 Dependence of the ratio, ρ_1' , of the second integrals of the out-of-phase to in-phase, first-harmonic absorption EPR spectra, on spin-lattice relaxation time for a rigid aminoxyl spin label. The values of T_2 are indicated on the figure. The upper data for ρ_1' are for a modulation frequency $\omega_m/2\pi = 100$ kHz and the lower data for ρ_1' are for $\omega_m/2\pi = 25$ kHz, with $H_1 = 0.5$ G for both. At the bottom of the figure, the ratio, ρ_2' , of the first integral of the out-of-phase, second-harmonic absorption EPR spectrum to the second integral of the in-phase, first-harmonic absorption EPR spectrum, with $H_1 = 0.25$ G, is given for comparison.

of the first-harmonic absorption spectra resolves potential arbitrariness with regard to the choice of spectral position at which the spectral amplitude is measured. Simulated spectra of the in-phase and out-of-phase first-harmonic absorption are compared in Fig. 3, for a rigid aminoxyl spin label, in the absence of molecular rotation. It is seen that the out-of-phase signal has very useable spectral intensities, especially in the case of high modulation frequencies. Eqns. (8) and (9) suggest ways in which calibrations of the normalised spectral intensities in terms of the dependences on T_1 and T_2 that are established by such lineshape simulations may be analysed.

It is found from lineshape simulations, that the dependence of the ratio, ρ_1' , of the second integrals of the out-of-phase to in-phase first-harmonic absorption spectra on T_1 -relaxation time (Fig. 4) may be fitted empirically by the eqn. (10), where

$$\rho_1' = \frac{a_1' T_1^m}{1 + b_1' T_1^m} \quad (10)$$

a_1' , b_1' and the exponent m are fitting parameters. A depend-

ence of this form may be expected on the basis of eqn. (8) with $m = 2$ for the spectral amplitudes. This is found by simulation to be the case for the spectral integrals with a modulation frequency of $\omega_m/2\pi = 100$ kHz. For the lower modulation frequency of $\omega_m/2\pi = 25$ kHz, the dependence of the ratio, ρ_1' , of spectral integrals on T_1 is better fitted with $m = 1.3$. Also as expected, the coefficient a_1' is only weakly dependent on T_2 (for normalization to the in-phase signal) but is directly dependent on the modulation frequency. For a modulation frequency of 100 kHz and $T_2 = 20$ ns, $a_1' \approx 0.1$ and $b_1' \approx 0.7$ ($m = 2$), in the absence of molecular rotational motion. At the lower modulation frequency (25 kHz) and $T_2 = 20$ ns, $a_1' \approx 0.03$ and $b_1' \approx 0.07$ ($m = 1.3$), where in both cases T_1 is expressed in μs in eqn. (10) and $H_1 = 0.5$ G.

For the second-harmonic absorption spectra, it is found that the ratio, ρ_2' , of the first integral of the out-of-phase spectrum to the second integral of the first-harmonic in-phase spectrum (see Fig. 4) is fitted empirically by eqn. (11). This equation for

$$\rho_2' = \rho_2^0 + \frac{a_2' T_1^2}{1 + b_2' T_1^2} \quad (11)$$

the dependence of the normalised intensity on T_1 bears similarities to eqn. (9) where, in this case, a_2' and ρ_2^0 are directly dependent on T_2 and on the modulation frequency. In the absence of molecular motion, the calibration parameters obtained by spectral simulation are: $\rho_2^0 \approx 10^{-5}$, $a_2' \approx 4 \times 10^{-4}$ and $b_2' \approx 0.06$, for $T_2 = 20$ ns, $H_1 = 0.25$ G and a modulation frequency of $\omega_m/2\pi = 50$ kHz. Again T_1 is expressed in μs , for the calibration given by eqn. (11). These practical simulations illustrate how the non-linear EPR methods may be used to obtain values of T_1 and spin-lattice relaxation enhancements in real experimental situations.

Conclusions

The first- and second-harmonic absorption EPR signals detected 90°-out-of-phase with respect to the static field modulation are predicted to exhibit a practically useful sensitivity to spin-lattice relaxation that in many circumstances exceeds that of progressive saturation measurements. Whereas the first-harmonic non-linear EPR display is unsuitable for the study of slow rotational diffusion by conventional saturation transfer EPR spectroscopy, it provides a useful alternative for determin-

ing T_1 -relaxation enhancements of spin-labelled systems. The potential advantages of first-harmonic phase-quadrature absorption EPR, for the latter type of experiment, lie in the greater signal strength and comparative insensitivity to T_2 -relaxation. Additionally, different regimes of T_1 -sensitivity may be probed by using different modulation frequencies. Preliminary experimental support for the practicability of the first-harmonic display has been obtained with spin labels (Livshits, Páli and Marsh, unpublished). The usefulness of the second-harmonic display has already been demonstrated for spin-lattice relaxation enhancements in which the T_2 -relaxation is not changed appreciably.⁷

Acknowledgements

This work was supported in part by the Deutsche Forschungsgemeinschaft (DFG).

References

- 1 D. Marsh, *Appl. Magn. Reson.*, 1992, **3**, 53.
- 2 D. Marsh, *Chem. Soc. Rev.*, 1993, **22**, 329.
- 3 D. Marsh, T. Páli and L. I. Horváth, in *Spin-Labeling: The Next Millennium*, ed. L. J. Berliner, Plenum Publishing Corporation, New York, 1997, in the press.
- 4 W. L. Hubbell and C. Altenbach, in *Membrane Protein Structure: Experimental Approaches*, ed. S. H. White, Oxford University Press, New York, 1994, p. 224.
- 5 D. D. Thomas, L. R. Dalton and J. S. Hyde, *J. Chem. Phys.*, 1976, **65**, 3006.
- 6 D. Marsh and L. I. Horváth, *J. Magn. Reson.*, 1992, **97**, 13.
- 7 T. Páli, V. A. Livshits and D. Marsh, *J. Magn. Reson., Ser. B*, 1966, **113**, 151.
- 8 K. Halbach, *Helv. Phys. Acta*, 1954, **27**, 259.
- 9 D. D. Thomas and H. M. McConnell, *Chem. Phys. Lett.*, 1974, **25**, 470.
- 10 T. Páli, L. I. Horváth and D. Marsh, *J. Magn. Reson., Ser. A*, 1993, **101**, 215.
- 11 L. I. Horváth, P. J. Brophy and D. Marsh, *Biophys. J.*, 1993, **64**, 622.
- 12 L. I. Horváth and D. Marsh, *J. Magn. Reson.*, 1983, **54**, 363.
- 13 T. Páli, R. Bartucci, L. I. Horváth and D. Marsh, *Biophys. J.*, 1992, **61**, 1595.
- 14 T. Páli, R. Bartucci, L. I. Horváth and D. Marsh, *Biophys. J.*, 1993, **64**, 1781.

Paper 7/02476B

Received 10th April 1997

Accepted 2nd June 1997