

Editorial Information

As of November 3, 1993, the backlog for this journal was approximately 1 issue. This estimate is the result of dividing the number of manuscripts for this journal in the Providence office that have not yet gone to the printer on the above date by the average number of articles per issue over the previous twelve months, reduced by the number of issues published in six months (the time necessary for editing and composing a typical issue).

A Copyright Transfer Agreement is required before a paper will be published in this journal. By submitting a paper to this journal, authors certify that the manuscript has not been submitted to nor is it under consideration for publication by another journal, conference proceedings, or similar publication.

Information for Authors and Editors

The first page must consist of a *descriptive title*, followed by an *abstract* that summarizes the article in language suitable for workers in the general field (algebra, analysis, etc.). The *descriptive title* should be short, but informative; useless or vague phrases such as “some remarks about” or “concerning” should be avoided. The *abstract* must be brief and reasonably self-contained. Included with the footnotes to the paper, there should be the 1991 *Mathematics Subject Classification* representing the primary and secondary subjects of the article. This may be followed by a list of *key words and phrases* describing the subject matter of the article and taken from it. A list of the numbers may be found in the annual index of *Mathematical Reviews*, published with the December issue starting in 1990, as well as from the electronic service e-MATH [telnet e-MATH.ams.com (or telnet 130.44.1.100)]. Login and password are e-math]. For journal abbreviations used in bibliographies, see the list of serials in the latest *Mathematical Reviews* annual index. When the manuscript is submitted, authors should supply the editor with electronic addresses if available. These will be printed after the postal address at the end of each article.

Electronically prepared manuscripts. The AMS encourages submission of electronically prepared manuscripts in $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$ or $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ because properly prepared electronic manuscripts save the author proofreading time and move more quickly through the production process. To this end, the Society has prepared “preprint” style files, specifically the amspt style of $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$ and the amsart style of $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$, which will simplify the work of authors and of the production staff. Those authors who make use of these style files from the beginning of the writing process will further reduce their own effort. Electronically submitted manuscripts prepared in plain $\mathcal{T}\mathcal{E}\mathcal{X}$ or $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ do not mesh properly with the AMS production systems and cannot, therefore, realize the same kind of expedited processing. Users of plain $\mathcal{T}\mathcal{E}\mathcal{X}$ should have little difficulty learning $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$, and $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ users will find that $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ is the same as $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ with additional commands to simplify the typesetting of mathematics.

Guidelines for Preparing Electronic Manuscripts provides additional assistance and is available for use with either $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$ or $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$. Authors with FTP access may obtain *Guidelines* from the Society’s Internet node e-MATH.ams.org (130.44.1.100). For those without FTP access *Guidelines* can be obtained free of charge from the e-mail address guide-elec@math.ams.org (Internet) or from the Customer Services Department, American

Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When requesting *Guidelines*, please specify which version you want.

At the time of submission, authors should indicate if the paper has been prepared using $\mathcal{A}\mathcal{M}\mathcal{S}\text{-T}\mathcal{E}\mathcal{X}$ or $\mathcal{A}\mathcal{M}\mathcal{S}\text{-L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$. The *Manual for Authors of Mathematical Papers* should be consulted for symbols and style conventions. The *Manual* may be obtained free of charge from the e-mail address `cust-serv@math.ams.org` or from the Customer Services Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. The Providence office should be supplied with a manuscript that corresponds to the electronic file being submitted.

Electronic manuscripts should be sent to the Providence office immediately after the paper has been accepted for publication. They can be sent via e-mail to `pub-submit@math.ams.org` (Internet) or on diskettes to the Publications Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When submitting electronic manuscripts please be sure to include a message indicating in which publication the paper has been accepted. No corrections will be accepted electronically. Authors must mark their changes on their proof copies and return them to the Providence office. Authors and editors are encouraged to make the necessary submissions of electronically prepared manuscripts and proof copies in a timely fashion.

An author should submit the original and two copies of the manuscript and retain one copy. The author may suggest an appropriate editor for his paper. All contributions intended for publication and all books for review should be addressed to Walter Gautschi, Chairman, Editorial Committee, Mathematics of Computation, Department of Computer Sciences, Purdue University, West Lafayette, Indiana 47907. The date received, which is published with the final version of an accepted paper, is the date received in the office of the Chairman of the Editorial Committee, and it is the responsibility of the author to submit manuscripts directly to this office.

Any inquiries concerning a paper that has been accepted for publication should be sent directly to the Editorial Department, American Mathematical Society, P. O. Box 6248, Providence, RI 02940-6248.

Editorial Committee

WALTER GAUTSCHI, Chairman, Department of Computer Sciences, Purdue University, West Lafayette, IN 47907; *E-mail*: `wxg@cs.purdue.edu`

ANDREW M. ODLYZKO, AT&T Bell Laboratories, 600 Mountain Avenue, Murray Hill, NJ 07974; *E-mail*: `amo@research.att.com`

FRANK W. J. OLVER, Institute for Physical Science and Technology, University of Maryland, College Park, MD 20742; *E-mail*: `olver@bessel.umd.edu`

LARS B. WAHLBIN, Department of Mathematics, Cornell University, Ithaca, NY 14853; *E-mail*: `wahlbin@math.cornell.edu`

Technical Editor

ERIKA GAUTSCHI, Department of Computer Sciences, Purdue University, West Lafayette, IN 47907; *E-mail*: `exg@cs.purdue.edu`

Board of Associate Editors

JAMES H. BRAMBLE, Department of Mathematics, Cornell University, Ithaca, NY 14853; *E-mail*: `bramble@math.cornell.edu`

SUSANNE C. BRENNER, Department of Mathematics, University of South Carolina, Columbia, SC 29208; *E-mail*: brenner@math.scarcolina.edu

E. W. CHENEY, Department of Mathematics, University of Texas at Austin, Austin, TX 78712-1082; *E-mail*: cheney@cs.utexas.edu

JAMES W. DEMMEL, Department of Mathematics, University of California, Berkeley, CA 94720; *E-mail*: demmel@robalo.berkeley.edu

EUGENE ISAACSON, Courant Institute of Mathematical Sciences, New York University, 251 Mercer Street, New York, NY 10012; *E-mail*: isaacson@acf7.nyu.edu

JAMES N. LYNESS, Argonne National Laboratory, 9700 South Cass Avenue, Argonne, IL 60439; *E-mail*: lyness@mcs.anl.gov

HARALD NIEDERREITER, Institute for Information Processing, Austrian Academy of Sciences, Sonnenfelsgasse 19, A-1010 Vienna, Austria; *E-mail*: nied@qiinfo.oeaw.ac.at

JORGE J. NOCEDAL, Department of Electrical Engineering and Computer Science, Northwestern University, Evanston, IL 60208-3118; *E-mail*: nocedal@eecs.nwu.edu

SYVERT P. NØRSETT, Division of Numerical Mathematics, The University of Trondheim and The Norwegian Institute of Technology, Alfred Getz vei 1, N-7034 Trondheim-NTH, Norway; *E-mail*: norsett@imf.unit.no

JOHN E. OSBORN, Department of Mathematics, University of Maryland, College Park, MD 20742; *E-mail*: jeo@julia.umd.edu

STANLEY OSHER, Department of Mathematics, University of California, Los Angeles, CA 90024; *E-mail*: sjo@math.ucla.edu

CARL POMERANCE, Department of Mathematics, The University of Georgia, Athens, GA 30602; *E-mail*: carl@joe.math.uga.edu

RENÉ SCHOOF, Dipartimento di Matematica, Università degli Studi di Trento, I-38050 Povo (Trento), Italy; *E-mail*: schoof@itnvax.cineca.it

L. RIDGWAY SCOTT, Department of Mathematics, University of Houston, Houston, TX 77204-3476; *E-mail*: scott@casc.math.uh.edu

DANIEL SHANKS, Department of Mathematics, University of Maryland, College Park, MD 20742; *E-mail*: dns@gaby.umd.edu

CHI-WANG SHU, Applied Mathematics Division, Brown University, Providence, RI 02912-0001; *E-mail*: shu@cfm.brown.edu

FRANK STENGER, Department of Computer Science, University of Utah, Salt Lake City, UT 84112; *E-mail*: stenger@sinc.utah.edu

HANS J. STETTER, Institut für Numerische Mathematik, Technische Universität Wien, Wiedner Hauptstrasse 6-10, A-1040, Wien, Austria; *E-mail*: stetter@uranus.tuwien.ac.at

G. W. STEWART, Department of Computer Science, University of Maryland, College Park, MD 20742; *E-mail*: stewart@thales.cs.umd.edu

NICO M. TEMME, Stichting Mathematisch Centrum, Centrum voor Wiskunde en Informatica, Kruislaan 413, 1098 SJ Amsterdam, The Netherlands; *E-mail*: nicot@cwi.nl


VIDAR THOMÉE, Mathematics Department, Chalmers University of Technology, S-412 96 Göteborg, Sweden; *E-mail*: thomee@math.chalmers.se

HUGH C. WILLIAMS, Department of Computer Science, University of Manitoba, Winnipeg, Manitoba, Canada R3T 2N2; *E-mail*: Hugh.Williams@csmail.cs.umanitoba.ca

JOHN W. WRENCH, JR., 102 Mt. Olivet Boulevard, Frederick, MD 21701

FREE Videotape Catalog!

New!



Great Teaching Tools!

This broad collection of videotaped lectures helps to preserve a portrait of today's distinguished mathematicians while capturing the interest and enthusiasm of the speakers as they present material in their fields of expertise. The lectures are expository and are useful in courses, seminars, and general assemblies for students as well as researchers in the mathematical sciences community.



Order your FREE Catalog Today!

1-800-321-4AMS

American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248

(Continued from back cover)

Genet M. Edmondson, Jennifer Seberry, and Malcolm R. Anderson , On the existence of Turyn sequences of length less than 43	351
Greg Butler , An inductive schema for computing conjugacy classes in permutation groups	363
Miodrag Živković , A table of primitive binary polynomials	385
J. Buchmann, M. Pohst, and J. Graf v. Schmettow , On unit groups and class groups of quartic fields of signature (2, 1)	387
R. Ernvall and T. Metsänkylä , Computation of the zeros of p -adic L -functions. II	391
J. E. Cremona and E. Whitley , Periods of cusp forms and elliptic curves over imaginary quadratic fields	407
Reviews and Descriptions of Tables and Books	431
Lorentzen and Waadeland 1 , Brezinski 2 , Press, Teukolsky, Vetterling, and Flannery 3a,b , Atkinson 4 , Griewank and Corliss, Editors 5 , Cheney, Chui, and Schumaker, Editors 6 , Ames 7 , Bank, Editor 8 , Heiliö, Editor 9 , Rathbun 10 , Rathbun and Granlund 11 , Rathbun and Granlund 12	
Microfiche Supplements	
A. J. W. Duijvestijn, Simple perfect squared squares and 2×1 squared rectangles of order 25	
Miodrag Živković, A table of primitive binary polynomials	

MATHEMATICS OF COMPUTATION
CONTENTS

Vol. 62, No. 205

January 1994

Richard S. Falk and John E. Osborn , Remarks on mixed finite element methods for problems with rough coefficients	1
Guangyan Yin , Sinc-collocation method with orthogonalization for singular Poisson-like problems	21
Martti Hamina and Jukka Saranen , On the spline collocation method for the single-layer heat operator equation	41
A. Bendali and M. Souilah , Consistency estimates for a double-layer potential and application to the numerical analysis of the boundary-element approximation of acoustic scattering by a penetrable object	65
C. Palencia , On the stability of variable stepsize rational approximations of holomorphic semigroups	93
Jinn-Liang Liu , A finite difference method for symmetric positive differential equations	105
Brahim Khobalatte and Benoit Perthame , Maximum principle on the entropy and second-order kinetic schemes	119
Patrick J. Rabier and Werner C. Rheinboldt , On the computation of impasse points of quasi-linear differential-algebraic equations	133
Yves Tourigny and Michael Grinfeld , Deciphering singularities by discrete methods	155
Oliver Aberth , Computation of topological degree using interval arithmetic, and applications	171
Qiang Ye , A breakdown-free variation of the nonsymmetric Lanczos algorithms	179
Zhaojun Bai , Error analysis of the Lanczos algorithm for the nonsymmetric eigenvalue problem	209
Edward Neuman , A new formula for box splines on three-directional meshes	227
Ren-Cang Li , On perturbations of matrix pencils with real spectra	231
J. L. Lavoie, F. Grondin, A. K. Rathie, and K. Arora , Generalizations of Dixon's theorem on the sum of a ${}_3F_2$	267
J. Bartolomeo and Matthew He , On Faber polynomials generated by an m -star	277
Zvi Drezner , Computation of the trivariate normal integral	289
Sven Ehrich , Error bounds for Gauss-Kronrod quadrature formulae	295
Richard Crandall and Barry Fagin , Discrete weighted transforms and large-integer arithmetic	305
A. J. W. Duijvestijn , Simple perfect squared squares and 2×1 squared rectangles of order 25	325
Don Coppersmith , Solving homogeneous linear equations over $GF(2)$ via block Wiedemann algorithm	333

(Continued on inside back cover)

