Editorial Information

As of September 30, 1999, the backlog for this journal was approximately 4 issues. This estimate is the result of dividing the number of manuscripts for this journal in the Providence office that have not yet gone to the printer on the above date by the average number of articles per issue over the previous twelve months, reduced by the number of issues published in six months (the time necessary for editing and composing a typical issue). In an effort to make articles available as quickly as possible, articles are posted to to e-MATH individually soon after proof is returned from authors and before appearing in an issue.

A Consent to Publish and Copyright Agreement is required before a paper will be published in this journal. After a paper is accepted for publication, the Providence office will send out a Consent to Publish and Copyright Agreement to all authors of the paper. By submitting a paper to this journal, authors certify that the results have not been submitted to nor are they under consideration for publication by another journal, conference proceedings, or similar publication.

Information for Authors

Initial submission. An author should submit three paper copies of the manuscript. Initial submission by e-mail is not allowed. The author may suggest an appropriate editor for his paper. All contributions intended for publication and all books for review should be addressed to Lars B. Wahlbin, Managing Editor, Mathematics of Computation, Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853-3801. The date received, which is published with the final version of an accepted paper, is the date received in the office of the Managing Editor, and it is the responsibility of the author to submit manuscripts directly to this office.

The first page must consist of a *descriptive title*, followed by an *abstract* that summarizes the article in language suitable for workers in the general field (algebra, analysis, etc.). The *descriptive title* should be short, but informative; useless or vague phrases such as "some remarks about" or "concerning" should be avoided. The *abstract* must be brief and reasonably self-contained. Included with the footnotes to the paper should be the 2000 *Mathematics Subject Classification* representing the primary and secondary subjects of the article. The classifications are accessible from http://www.amg.org/msc. The list of classifications will also be available in print starting with the 1999 annual index of *Mathematical Reviews*. The Mathematics Subject Classification footnote may be followed by a list of *key words and phrases* describing the subject matter of the article and taken from it. Journal abbreviations used in bibliographies are listed in the latest *Mathematical Reviews* annual index. The series abbreviations are also accessible from http://www.ams.org/publications. When the manuscript is submitted, authors should supply the editor with electronic addresses if available. These will be printed after the postal address at the end of each article.

Electronically prepared manuscripts. For the final submission of accepted papers, the AMS encourages use of electronically prepared manuscripts, with a strong preference for \mathcal{AMS} -IATEX. To this end, the Society has prepared \mathcal{AMS} -IATEX author packages for each AMS publication. Author packages include instructions for preparing electronic manuscripts, the AMS Author Handbook, samples, and a style file that generates the particular design specifications of that publication series. Articles properly prepared using the \mathcal{AMS} -IATEX style file automatically provide hypertext linking to the bibliography and other elements of the article for searching electronically on the World Wide Web. Because linking must often be added manually to electronically prepared manuscripts in other forms of TEX, using \mathcal{AMS} -IATEX also reduces the amount of technical intervention once the files are received by the AMS. This results in fewer errors in processing and saves the author proofreading time. \mathcal{AMS} -IATEX papers also move more efficiently through the production stream, helping to minimize publishing costs.

 \mathcal{A}_{MS} -ETEX is the highly preferred format of TEX, but author packages are also available in \mathcal{A}_{MS} -TEX. Those authors who make use of these style files from the beginning of the writing process will further reduce their own efforts. Manuscripts prepared electronically in IATEX or plain TEX are normally not acceptable due to the high amount of technical time required to insure that the file will run properly through the AMS in-house production system. IATEX users will find that \mathcal{A}_{MS} -IATEX is the same as IATEX with additional commands to simplify the typesetting of mathematics, and users of plain TEX should have the foundation for learning \mathcal{A}_{MS} -IATEX.

Authors may retrieve an author package from e-MATH via the World Wide Web through the URL http://www.ams.org/tex/ or via FTP to ftp.ams.org (login as anonymous and enter username as password). The author package can also be obtained free of charge by sending e-mail to pub@ams.org (Internet) or from the Publication Division, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When requesting an author package, please specify A_{MS} -IATEX or A_{MS} -TEX, Macintosh or IBM (3.5) format, and the publication in which your paper will appear. Please be sure to include your complete mailing address.

The final version of the electronic manuscript should be sent to the Providence office immediately after the paper has been accepted for publication. The author should also send the final version of the paper manuscript to the Managing Editor, who will forward a copy to the Providence office. Editors will require authors to send their electronically prepared manuscripts to the Providence office in a timely fashion. Electronically prepared manuscripts can be sent via e-mail to pub-submit@ams.org (Internet) or on diskette to the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When sending a manuscript electronically, please be sure to include a message indicating in which publication the paper has been accepted. No corrections will be accepted electronically. Authors must mark their changes on their proof copies and return them to the Providence office. Complete instructions on how to send files are included in the author package.

Electronic graphics. Figures may be sent to the AMS in an electronic format. The AMS recommends that graphics created electronically be saved in Encapsulated PostScript (EPS) format. This includes graphics originated via a graphics application as well as scanned photographs or other computer-generated images.

If the graphics package used does not support EPS output, the graphics file should be saved in one of the standard graphics formats—such as TIFF, PICT, GIF, etc.—rather than in an application-dependent format. Graphics files sent in an application-dependent format are not likely to be used. No matter what method was used to produce the graphic, it is necessary to provide a paper copy to the AMS.

Authors using graphics packages for the creation of electronic art should also avoid the use of any lines thinner than 0.5 points in width. Many graphics packages allow the user to specify a "hairline" for a very thin line. Hairlines often look acceptable when proofed on a typical laser printer. However, when produced on a high-resolution laser imagesetter, hairlines become nearly invisible and will be lost entirely in the final printing process.

Screens should be set to values between 15% and 85%. Screens which fall outside of this range are too light or too dark to print correctly.

T_EX files available. Beginning with the January 1992 issue of the *Bulletin* and the January 1996 issues of *Transactions, Proceedings, Mathematics of Computation*, and the Journal of the AMS, T_EX files can be downloaded from e-MATH, starting from URL http://www.ams.org/journals/. Authors without Web access may request their files at the address given below after the article has been published. For *Bulletin* papers published in 1987 through 1991 and for *Transactions, Proceedings, Mathematics of Computation*, and the Journal of the AMS papers published in 1987 through 1991 and for *Transactions, Proceedings, Mathematics of Computation*, and the Journal of the AMS papers published in 1987 through 1995, T_EX files are available upon request for authors without Web access by sending e-mail to file-request@ams.org or by contacting the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. The request should include the title of the paper, the name(s) of the author(s), the name of the publication in which the paper has or will appear, and the volume and issue numbers if known. The T_EX file will be sent to the author making the request after the article goes to the printer. If the requestor

can receive Internet e-mail, please include the e-mail address to which the file should be sent. Otherwise please indicate a diskette format and postal address to which a disk should be mailed. **Note:** Because T_EX production at the AMS sometimes requires extra fonts and macros that are not yet publicly available, T_EX files cannot be guaranteed to run through the author's version of T_EX without errors. The AMS regrets that it cannot provide support to eliminate such errors in the author's T_EX environment.

Any inquiries concerning a paper that has been accepted for publication should be sent directly to the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248.

Editorial Committee

STANLEY OSHER, Department of Mathematics, University of California, Los Angeles, CA 90024-1555; *E-mail*: sjo@math.ucla.edu

RENÉ SCHOOF, Dipartimento di Matematica, 2a Università di Roma "Tor Vergata", I-00133 Roma, Italy; *E-mail*: schoof@wins.uva.nl

LARS B. WAHLBIN, Chairman. Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853-3801; *E-mail*: awahlbin@cam.cornell.edu

JOSEPH D. WARD, Department of Mathematics, Texas A&M University, College Station, TX 77843-3368; *E-mail*: jward@math.tamu.edu

Board of Associate Editors

DAVID W. BOYD, Department of Mathematics, University of British Columbia, Vancouver, BC Canada V6T 1Z2; *E-mail*: boyd@math.ubc.ca

JAMES H. BRAMBLE, Department of Mathematics, Texas A & M University, College Station, TX 77843-3368; *E-mail*: bramble@math.tamu.edu

SUSANNE C. BRENNER, Department of Mathematics, University of South Carolina, Columbia, SC 29208; *E-mail*: brenner@math.sc.edu

RICHARD P. BRENT, Oxford University Computing Laboratory, Wolfson Building, Parks Road, Oxford OX1 3QD, England; *E-mail*: Richard.Brent@comlab.ox.ac.uk

JOE P. BUHLER, Department of Mathematics, Reed College, 3203 SE Woodstock Boulevard, Portland, OR 97202-8199; *E-mail*: jpb@reed.edu

CARSTEN CARSTENSEN, Mathematisches Seminar, Christian-Albrechts-Universität zu Kiel, Ludewig-Meyn-Straße 4, D-24098 Kiel, Germany; *E-mail*: cc@numerik.unikiel.de

ARJEH M. COHEN, Faculteit Wiskunde en Informatica, TU Eindhoven, Postbus 513, 5600 MB Eindhoven, The Netherlands; *E-mail*: amc@win.tue.nl

HOWARD ELMAN, Department of Computer Science, University of Maryland, College Park, MD 20742-0001; *E-mail*: elman@cs.umd.edu

RICHARD S. FALK, Department of Mathematics, Rutgers University, New Brunswick, NJ 08903-2101; *E-mail*: falk@math.rutgers.edu

ANDREW J. GRANVILLE, Department of Mathematics, University of Georgia, Athens, GA 30602-7403; *E-mail*: andrew@math.uga.edu

DANIEL W. LOZIER, Applied and Computational Mathematics Division, National Institute of Standards and Technology, Gaithersburg, MD 20899-0001; *E-mail*: dlozier@ nist.gov

JAMES N. LYNESS, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439; *E-mail*: lyness@mcs.anl.gov

ROSWITHA MÄRZ, Institut für Mathematik, Humboldt-Universität zu Berlin, D-10099 Berlin, Germany; *E-mail*: maerz@mathematik.hu-berlin.de

HARALD NIEDERREITER, Director, Institute of Discrete Mathematics, Austrian Academy of Sciences, Sonnenfelsgaße 19, A-1010 Vienna, Austria; *E-mail*: niederreiter@ oeaw.ac.at RICARDO HORACIO NOCHETTO, Department of Mathematics, University of Maryland, Mathematics Building 084, College Park, MD 20742-0001; *E-mail*: rhn@math.umd.edu

HAESUN PARK, Department of Computer Science, University of Minnesota, 4-192 EE/CS, 200 Union Street, Minneapolis, MN 55455; *E-mail*: hpark@cs.umn.edu

JOSEPH E. PASCIAK, Department of Mathematics, Texas A&M University, 507B Blocker Hall, MS 3368, College Station, TX 77843; *E-mail*: pasciak@math.tamu.edu

LOTHAR REICHEL, Department of Mathematics & Computer Science, Kent State University, Kent, OH 44242; *E-mail*: reichel@mcs.kent.edu

CHI-WANG SHU, Applied Mathematics Division, Brown University, P.O. Box F, 182 George St., Providence, RI 02912-0001; *E-mail*: shu@cfm.brown.edu

FRANK STENGER, Department of Computer Science, University of Utah, Salt Lake City, UT 84112-1102; *E-mail*: stenger@cs.utah.edu

NICO M. TEMME, Centrum voor Wiskunde en Informatica, P.O. Box 94079, 1090-GB Amsterdam, The Netherlands; *E-mail*: nicot@cwi.nl

VIDAR C. THOMÉE, Department of Mathematics, Chalmers University of Technology, 41296 Göteborg, Sweden; *E-mail*: thomee@math.chalmers.se

HUGH C. WILLIAMS, Department of Computer Science, University of Manitoba, Winnipeg, Manitoba R3T 2N2 Canada; *E-mail*: Hugh_Williams@csmail.cs.umanitoba.ca

STEPHEN J. WRIGHT, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439; *E-mail*: wright@mcs.anl.gov



What's New on e-MATH

Members only privileges on e-MATH. For more information go to www.ams.org/membership/.

What's New in Mathematics, the AMS site that's targeted to the general public and updated regularly. This site was cited in The New York Times, "Math Emerges Blinking Into the Glare of Popular Culture" (Paul Lewis, The New York Times, March 13, 1999). See www.ams.org/new-in-math/ to read about this and other articles that have appeared in the press on mathematics.

AMERICAN MATHEMATICAL SOCIETY

AMERICAN MATHEMATICAL SOCIETY

www.ams.org/mathscinet/

Now includes full-text reviews from 1940 to present!



MathSciNet has an especially powerful system of internal links between reviews and provides direct links to the papers themselves if they are available on line. The reviews are classified by subject and are searchable in multiple ways. Thus, it provides an unparalleled method of browsing the literature for serious content (along with accurate bibliographic data).

> Journal of Electronic Publishing, University of Michigan Press

MathSciNet—available on the Web by subscription—provides searching of over 58 years of *Mathematical Reviews* and *Current Mathematical Publications*. New features and enhancements include:

Over 500,000 reviews added to the Mathematical Reviews electronic database

The AMS has completed its two-year project of adding full-text reviews from the early archives of *Mathematical Reviews* (MR) to the MathSci database. During that project, all reviews from 1940–1979 were input over 80,000 pages of MR! The entire collection contains, for the first time online, searchable reviews of a definitive part of mathematical development over the past 60 years.

Links from reviews to original journal articles

MathSciNet reviews currently link to abstracts and original articles in 59 mathematics journals.

Online mathematical symbols

plus hypertext linking

You can now view mathematical symbols online and retain hypertext functionality within a review. Marked records can also be displayed in PDF format.

"Retrieve All" records option

From a search result set of 50 or fewer items, you can use the Retrieve All button to display or download all reviews without marking records. If the result set is greater than 50, you can display or download the first 50 items of the result set with the Retrieve First 50 button.

Quick Starts available online

Users can now get additional or updated versions of the MathSciNet Quick Start cards online. Users are welcome to download and print any number that they need.

Search page indicates current site

The top of the left-hand column of the search page indicates which site you are using.

Limit searches to current CMP issue

Select the option, "Current CMP issue through today", on the Review Search page to limit searches to *Current Mathematical Publications* (CMP) entries. Items from the most current complete issue of CMP in the database plus entries added up to the day of the search will be included. CMP entries are added daily.

PDF version of the Abbreviations of Serials and the 1991 Mathematics Subject Classification

In addition to searching and browsing the journals database, you can display or download the entire *Abbreviations of Serials*. You can also search and browse the 1991 *Mathematics Subject Classification* and display or download the entire publication.

Links to all AMS Bookstore items, including the AMS Chelsea Publishing series

All items in MathSciNet are available through the AMS Bookstore, including the AMS Chelsea Publishing series, and have links from the item directly to its order form to place your order.

Current search capabilities include ...

Combining Author-ID results with other search criteria; Searching by preselected date ranges; Linking from Journal ID results to journal URLs; Searching by ISSN or CODEN; Searching or browsing Mathematics Subject Classifications using the "Classification ID" option.

Mirror sites:

A new mirror site in Brazil, plus mirror sites in Germany, France, and the U.S., enable alternative, more direct access. All mirror sites are available from pulldown menus on the MathSciNet home page and all MathSciNet search pages. Additional mirror sites are under consideration.

Consortia pricing is available: please contact Lori Sprague, Publications Administrator, by telephone at 1-401-455-4064 or by email at las@ams.org.

AMERICAN MATHEMATICAL SOCIETY

* Free trial available for institutions and corporations. For more information, contact the American Mathematical Society, Membership and Customer Services Department at: 1-800-321-4267 or 1-401-455-4000, worldwide; fax 1-401-455-4046; e-mail:cust-serv@ams.org.

(Continued from back cover)

R. Lercier and F. Morain, Computing isogenies between elliptic curves	
over F_{p^n} using Couveignes's algorithm	351
Stéphane Louboutin, Computation of relative class numbers of CM-fields	
by using Hecke L-functions	371
Guillaume Hanrot, Solving Thue equations without the full unit	
group	395
William Butske, Lynda M. Jaje, and Daniel R. Mayernik, On	
the equation $\sum_{n \mid N} \frac{1}{n} + \frac{1}{N} = 1$, pseudoperfect numbers, and perfectly	
weighted graphs	407
Jean-Marc Deshouillers, François Hennecart, Bernard Lan-	
dreau, with an appendix by I. Gusti Putu Purnaba,	
7373170279850	421
Reviews and Descriptions of Tables and Books	441
Adhemar Bultheel, Pablo Gonzáles-Vera, Erik Hendriksen, and Olav	
Njåstad 1	

No microfiche supplement in this issue

MATHEMATICS OF COMPUTATION

CONTENTS

Vol. 69, No. 229

January 2000

R. H. Nochetto, A. Schmidt, and C. Verdi, A posteriori error estimation	
and adaptivity for degenerate parabolic problems	1
Dietmar Kröner and Mario Ohlberger, A posteriori error estimates for	
upwind finite volume schemes for nonlinear conservation laws in multi	
dimensions	25
Bruno Franchi and Maria Carla Tesi, A finite element approximation	
for a class of degenerate elliptic equations	41
Einar Haug and Ragnar Winther, A domain embedding preconditioner	
for the Lagrange multiplier system	65
Matthias Wiedmer, Finite element approximation for equations of	
magnetohydrodynamics	83
So-Hsiang Chou and Qian Li, Error estimates in L^2 , H^1 and L^{∞}	
in covolume methods for elliptic and parabolic problems: A unified	
approach	103
Daniele Boffi, Franco Brezzi, and Lucia Gastaldi, On the problem of	
spurious eigenvalues in the approximation of linear elliptic problems in	
mixed form	121
Zhimin Zhang, Ultraconvergence of the patch recovery technique II	141
Qun Lin and Ningning Yan, Global superconvergence for Maxwell's	
equations	159
Dongwoo Sheen, Ian H. Sloan, and Vidar Thomée, A parallel method	
for time-discretization of parabolic problems based on contour integral	
representation and quadrature	177
Z. Wiener and Y. Yomdin, From formal numerical solutions of elliptic	
PDE's to the true ones	197
G. N. Milstein and M. V. Tretyakov, Numerical algorithms for semilinear	
parabolic equations with small parameter based on approximation of	
stochastic equations	237
David Hunter and Geno Nikolov, On the error term of symmetric Gauss-	
Lobatto quadrature formulae for analytic functions	269
Liqun Qi and Defeng Sun, Improving the convergence of non-interior point	
algorithms for nonlinear complementarity problems	283
Avram Sidi, Extrapolation methods and derivatives of limits of	205
sequences	305
Svein Mossige, The Postage Stamp Problem: An algorithm to determine	
the <i>n</i> -range on the <i>n</i> -range formula on the extremal basis problem for L_{-1}	205
$\kappa = 4 \qquad \qquad$	325
Steran Jonansson, On rundamental domains of arithmetic Fuchsian	220
groups	339 `
(Continued on inside back co	ver)

