

## Editorial Information

As of October 31, 1995, the backlog for this journal was approximately 2 issues. This estimate is the result of dividing the number of manuscripts for this journal in the Providence office that have not yet gone to the printer on the above date by the average number of articles per issue over the previous twelve months, reduced by the number of issues published in six months (the time necessary for editing and composing a typical issue).

A Copyright Transfer Agreement is required before a paper will be published in this journal. By submitting a paper to this journal, authors certify that the manuscript has not been submitted to nor is it under consideration for publication by another journal, conference proceedings, or similar publication.

## Information for Authors and Editors

The first page must consist of a *descriptive title*, followed by an *abstract* that summarizes the article in language suitable for workers in the general field (algebra, analysis, etc.). The *descriptive title* should be short, but informative; useless or vague phrases such as “some remarks about” or “concerning” should be avoided. The *abstract* must be brief and reasonably self-contained. Included with the footnotes to the paper, there should be the 1991 *Mathematics Subject Classification* representing the primary and secondary subjects of the article. This may be followed by a list of *key words and phrases* describing the subject matter of the article and taken from it. A list of the numbers may be found in the annual index of *Mathematical Reviews*, published with the December issue starting in 1990, as well as from the electronic service e-MATH [telnet e-MATH.ams.com (or telnet 130.44.1.100). Login and password are e-math]. For journal abbreviations used in bibliographies, see the list of serials in the latest *Mathematical Reviews* annual index. When the manuscript is submitted, authors should supply the editor with electronic addresses if available. These will be printed after the postal address at the end of each article.

**TeX files available upon request.** Authors may request a copy of the TeX files of their papers by sending e-mail to [file-request@ams.org](mailto:file-request@ams.org) or by contacting the Editorial Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. The request should include the title of the paper, the name(s) of the author(s), the name of the publication in which the paper has or will appear, and the volume and issue numbers if known. The TeX file will be sent to the author making the request after the article goes to the printer. If the requestor can receive Internet e-mail, please include the e-mail address to which the file should be sent. Otherwise please indicate a diskette format and postal address to which a disk should be mailed. **Note:** Because TeX production at the AMS sometimes requires extra fonts and macros that are not yet publicly available, TeX files cannot be guaranteed to run through the author’s version of TeX without errors. The AMS regrets that it cannot provide support to eliminate such errors in the author’s TeX environment.

**Electronically Prepared Manuscripts.** The AMS encourages submission of electronically prepared manuscripts in  $\mathcal{A}\mathcal{M}\mathcal{S}$ -TeX or  $\mathcal{A}\mathcal{M}\mathcal{S}$ -L<sup>A</sup>TeX because properly prepared electronic manuscripts save the author proofreading time and move more quickly through the production process. To this end, the Society has prepared author packages for each AMS publication. Author packages include instructions for preparing electronic manuscripts, the *AMS Author Handbook*, samples, and a style file that generates the particular design specifications of that publication series for both  $\mathcal{A}\mathcal{M}\mathcal{S}$ -TeX and  $\mathcal{A}\mathcal{M}\mathcal{S}$ -L<sup>A</sup>TeX.

Those authors who make use of these style files from the beginning of the writing process will further reduce their own efforts. Electronically submitted manuscripts prepared in plain TeX or L<sup>A</sup>TeX are normally not acceptable due to the high amount of technical time required to insure that the file will run properly through the AMS in-house production system. Users of plain TeX should have little difficulty learning  $\mathcal{A}\mathcal{M}\mathcal{S}$ -TeX, and L<sup>A</sup>TeX users will find that  $\mathcal{A}\mathcal{M}\mathcal{S}$ -L<sup>A</sup>TeX is the same as L<sup>A</sup>TeX with additional commands to simplify the typesetting of mathematics.

Authors with FTP access may retrieve an author package from the Society's Internet node `e-MATH.ams.org` (130.44.1.100). For those without FTP access, the author package can be obtained free of charge by sending e-mail to `pub@ams.org` (Internet) or from the Publication Division, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When requesting an author package, please specify  $\mathcal{A}\mathcal{M}\mathcal{S}\text{-T}\mathcal{E}\mathcal{X}$  or  $\mathcal{A}\mathcal{M}\mathcal{S}\text{-L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ , Macintosh or IBM (3.5) format, and the publication in which your paper will appear. Please be sure to include your complete mailing address.

At the time of submission, authors should indicate if the paper has been prepared using  $\mathcal{A}\mathcal{M}\mathcal{S}\text{-T}\mathcal{E}\mathcal{X}$  or  $\mathcal{A}\mathcal{M}\mathcal{S}\text{-L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$  and provide the Editor with a paper manuscript that matches the electronic manuscript. The final version of the electronic manuscript should be sent to the Providence office immediately after the paper has been accepted for publication. The author should also send the final version of the paper manuscript to the Editor, who will forward a copy to the Providence office. Editors will require authors to send their electronically prepared manuscripts to the Providence office in a timely fashion. Electronically prepared manuscripts can be sent via e-mail to `pub-submit@ams.org` (Internet) or on diskette to the Editorial Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When submitting an electronic manuscript, please be sure to include a message indicating in which publication the paper has been accepted. No corrections will be accepted electronically. Authors must mark their changes on their proof copies and return them to the Providence office. Complete instructions on how to submit files are included in the author package.

**Electronic graphics.** Figures may be submitted to the AMS in an electronic format. The AMS recommends that graphics created electronically be saved in Encapsulated PostScript (EPS) format. This includes graphics originated via a graphics application as well as scanned photographs or other computer-generated images.

If the graphics package used does not support EPS output, the graphics file should be saved in one of the standard graphics formats—such as TIFF, PICT, GIF, etc.—rather than in an application-dependent format. Graphics files submitted in an application-dependent format are not likely to be used. No matter what method was used to produce the graphic, it is necessary to provide a paper copy to the AMS.

Authors using graphics packages for the creation of electronic art should also avoid the use of any lines thinner than 0.5 points in width. Many graphics packages allow the user to specify a “hairline” for a very thin line. Hairlines often look acceptable when proofed on a typical laser printer. However, when produced on a high-resolution laser imagesetter, hairlines become nearly invisible and will be lost entirely in the final printing process.

Screens should be set to values between 15% and 85%. Screens which fall outside of this range are too light or too dark to print correctly.

An author should submit the original and two copies of the manuscript and retain one copy. The author may suggest an appropriate editor for his paper. All contributions intended for publication and all books for review should be addressed to Lars B. Wahlbin, Chairman, Editorial Committee, Mathematics of Computation, Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853. The date received, which is published with the final version of an accepted paper, is the date received in the office of the Chairman of the Editorial Committee, and it is the responsibility of the author to submit manuscripts directly to this office.

Any inquiries concerning a paper that has been accepted for publication should be sent directly to the Editorial Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248.

### Editorial Committee

ANDREW M. ODLYZKO, AT&T Bell Laboratories, 600 Mountain Avenue, Murray Hill, NJ 07974; *E-mail*: [amo@research.att.com](mailto:amo@research.att.com)

STANLEY OSHER, Department of Mathematics, University of California, Los Angeles, CA 90024; *E-mail*: [sjo@math.ucla.edu](mailto:sjo@math.ucla.edu)

G. W. STEWART, Department of Computer Science, University of Maryland, College Park, MD 20742; *E-mail*: [stewart@thales.cs.umd.edu](mailto:stewart@thales.cs.umd.edu)

LARS B. WAHLBIN, Chairman. Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853; *E-mail*: [wahlbin@math.cornell.edu](mailto:wahlbin@math.cornell.edu)

### Board of Associate Editors

JAMES H. BRAMBLE, Department of Mathematics, Cornell University, Ithaca, NY 14853; *E-mail*: [bramble@math.cornell.edu](mailto:bramble@math.cornell.edu)

SUSANNE C. BRENNER, Department of Mathematics, University of South Carolina, Columbia, SC 29208; *E-mail*: [brenner@math.sc.edu](mailto:brenner@math.sc.edu)

HOWARD ELMAN, Department of Computer Science, University of Maryland, College Park, MD 20742; *E-mail*: [elman@cs.umd.edu](mailto:elman@cs.umd.edu)

RICHARD S. FALK, Department of Mathematics, Rutgers University, New Brunswick, NJ 08903-2101; *E-mail*: [falk@math.rutgers.edu](mailto:falk@math.rutgers.edu)

WALTER GAUTSCHI, Department of Computer Sciences, Purdue University, West Lafayette, IN 47907; *E-mail*: [wxc@cs.purdue.edu](mailto:wxc@cs.purdue.edu)

DANIEL W. LOZIER, Applied and Computational Mathematics Division, National Institute of Standards and Technology, Gaithersburg, MD 20899-0001; *E-mail*: [dlozier@nist.gov](mailto:dlozier@nist.gov)

JAMES N. LYNESS, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439; *E-mail*: [lyness@mcs.anl.gov](mailto:lyness@mcs.anl.gov)

HARALD NIEDERREITER, Institute for Information Processing, Austrian Academy of Sciences, Sonnenfelsgasse 19, A-1010 Vienna, Austria; *E-mail*: [nied@qiinfo.oeaw.ac.at](mailto:nied@qiinfo.oeaw.ac.at)

SYVERT P. NØRSETT, Division of Numerical Mathematics, The University of Trondheim and The Norwegian Institute of Technology, Alfred Getz vei 1, N-7034 Trondheim-NTH, Norway; *E-mail*: [norsett@imf.unit.no](mailto:norsett@imf.unit.no)

JOHN E. OSBORN, Department of Mathematics, University of Maryland, College Park, MD 20742; *E-mail*: [jeo@julia.umd.edu](mailto:jeo@julia.umd.edu)

CARL POMERANCE, Department of Mathematics, The University of Georgia, Athens, GA 30602; *E-mail*: [carl@math.uga.edu](mailto:carl@math.uga.edu)

RENÉ SCHOOF, Dipartimento di Matematica, 2<sup>a</sup> Università di Roma "Tor Vergata", I-00133 Roma, Italy; *E-mail*: [schoof@volterra.science.unitn.it](mailto:schoof@volterra.science.unitn.it); and [schoof@fwi.uva.nl](mailto:schoof@fwi.uva.nl)

L. RIDGWAY SCOTT, Department of Mathematics, University of Houston, Houston, TX 77204-3476; *E-mail*: [scott@casc.math.uh.edu](mailto:scott@casc.math.uh.edu)

DANIEL SHANKS, Department of Mathematics, University of Maryland, College Park, MD 20742; *E-mail*: [dns@gaby.umd.edu](mailto:dns@gaby.umd.edu)

CHI-WANG SHU, Applied Mathematics Division, Brown University, Providence, RI 02912-0001; *E-mail*: [shu@cfm.brown.edu](mailto:shu@cfm.brown.edu)

FRANK STENGER, Department of Computer Science, University of Utah, Salt Lake City, UT 84112; *E-mail*: [stenger@cs.utah.edu](mailto:stenger@cs.utah.edu)

HANS J. STETTER, Institut für Numerische Mathematik, Technische Universität Wien, Wiedner Hauptstrasse 6-10, A-1040, Wien, Austria; *E-mail*: [stetter@uranus.tuwien.ac.at](mailto:stetter@uranus.tuwien.ac.at)

NICO M. TEMME, Stichting Mathematisch Centrum, Centrum voor Wiskunde en Informatica, Kruislaan 413, 1098 SJ Amsterdam, The Netherlands; *E-mail*: [nicot@cwii.nl](mailto:nicot@cwii.nl)

VIDAR THOMÉE, Mathematics Department, Chalmers University of Technology, S-412 96 Göteborg, Sweden; *E-mail*: [thomee@math.chalmers.se](mailto:thomee@math.chalmers.se)

JOSEPH D. WARD, Department of Mathematics, Texas A & M University, College Station, TX 77843-3368; *E-mail*: [jward@math.tamu.edu](mailto:jward@math.tamu.edu)

HUGH C. WILLIAMS, Department of Computer Science, University of Manitoba, Winnipeg, Manitoba, Canada R3T 2N2; *E-mail*: [Hugh\\_Williams@csmail.cs.umanitoba.ca](mailto:Hugh_Williams@csmail.cs.umanitoba.ca) ■

JOHN W. WRENCH, JR., 102 Mt. Olivet Boulevard, Frederick, MD 21701

STEPHEN J. WRIGHT, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439; *E-mail*: [wright@mcs.anl.gov](mailto:wright@mcs.anl.gov)

(Continued from back cover)

<b>Gregory S. Call and Joseph H. Silverman</b> , Computing the canonical height on K3 surfaces .....	259
<b>Kimberly Pearson</b> , Integral cohomology and detection of $w$ -basic 2-groups	291
<b>V. Flammang</b> , Two new points in the spectrum of the absolute Mahler measure of totally positive algebraic integers .....	307
<b>T. Fukuda and K. Komatsu</b> , A capitulation problem and Greenberg's conjecture on real quadratic fields .....	313
<b>M. Daberkow and M. Pohst</b> , On integral bases in relative quadratic extensions .....	319
<b>Wen Bao Han</b> , The coefficients of primitive polynomials over finite fields	331
<b>Maurice Mignotte, Attila Pethö, and Ralf Roth</b> , Complete solutions of a family of quartic Thue and index form equations .....	341
<b>W. S. Anglin</b> , Simultaneous Pell equations .....	355
<b>R. F. Lukes, C. D. Patterson, and H. C. Williams</b> , Some results on pseudosquares .....	361
<b>Ronald Joseph Burthe, Jr.</b> , Further investigations with the strong probable prime test .....	373
<b>Samuel S. Wagstaff, Jr.</b> , Aurifeuillian factorizations and the period of the Bell numbers modulo a prime .....	383
<b>Harvey Dubner</b> , Large Sophie Germain primes .....	393
<b>Olivier Ramaré and Robert Rumely</b> , Primes in arithmetic progressions	397
<b>Karl-Heinz Indlekofer and Antal Járαι</b> , Largest known twin primes ..	427
<b>Reviews and Descriptions of Tables and Books</b> .....	429
Ciarlet and Lions, Editors <b>1</b> , Lions and Baiocchi, Editors <b>2</b> , Banks, Editor <b>3</b> , Cox <b>4</b> , Dikshit and Micchelli, Editors <b>5</b> , Brown, Chu, Ellison, and Plemmons, Editors <b>6</b> , Laurent, le Méhauté, and Schumaker, Editors <b>7</b> , Wickenhauser <b>8</b> , Fouvoula-Georgiou and Kumar, Editors <b>9</b> , Milovanović, Mitrinović, and Rassias <b>10</b> , Rubio <b>11</b> , Bailey, Bjørstad, Gilbert, Mascagni, Schreiber, Simon, Torczon, and Watson, Editors <b>12</b> , Cohen <b>13</b>	
<b>Corrigendum</b> .....	445
Beyer, Roof, and Williamson	
<b>Supplement to</b> "On wavewise entropy inequalities for high-resolution schemes. I: The semidiscrete case" by <b>Huanan Yang</b> .....	S1
<b>Supplement to</b> "Calculation of Manin's invariant for Del Pezzo surfaces" by <b>Tohsuke Urabe</b> .....	S15
<b>Supplement to</b> "Some results on pseudosquares" by <b>R. F. Lukes, C. D. Patterson, and H. C. Williams</b> .....	S25

No microfiche supplement in this issue

MATHEMATICS OF COMPUTATION  
CONTENTS

Vol. 65, No. 213

January 1996

<b>Ch. Lubich, I. H. Sloan, and V. Thomée</b> , Nonsmooth data error estimates for approximations of an evolution equation with a positive-type memory term .....	1
<b>Alfred H. Schatz and Junping Wang</b> , Some new error estimates for Ritz–Galerkin methods with minimal regularity assumptions .....	19
<b>R. A. Nicolaides and X. Wu</b> , Analysis and convergence of the MAC scheme. II. Navier-Stokes equations .....	29
<b>Huanan Yang</b> , On wavewise entropy inequalities for high-resolution schemes. I: The semidiscrete case .....	45
<b>Carsten Carstensen</b> , Efficiency of a posteriori BEM–error estimates for first-kind integral equations on quasi–uniform meshes .....	69
<b>Charles K. Chui and Dong Hong</b> , Construction of local $C^1$ quartic spline elements for optimal-order approximation .....	85
<b>Charles K. Chui and Johan M. De Villiers</b> , Applications of optimally local interpolation to interpolatory approximants and compactly supported wavelets .....	99
<b>Urs von Matt and G. W. Stewart</b> , Rounding errors in solving block Hessenberg systems .....	115
<b>V. V. Strela and E. E. Tyrtshnikov</b> , Which circulant preconditioner is better? .....	137
<b>Arno B. J. Kuijlaars</b> , The zeros of Faber polynomials generated by an $m$ -star .....	151
<b>David M. Smith</b> , A multiple-precision division algorithm .....	157
<b>J. N. Lyness and S. Joe</b> , Triangular canonical forms for lattice rules of prime-power order .....	165
<b>Christian Lécot</b> , Error bounds for quasi-Monte Carlo integration with nets .....	179
<b>Raymond Couture and Pierre L’Ecuyer</b> , Orbits and lattices for linear random number generators with composite moduli .....	189
<b>Pierre L’Ecuyer</b> , Maximally equidistributed combined Tausworthe generators .....	203
<b>Jürgen Eichenauer-Herrmann and Frank Emmerich</b> , Compound inversive congruential pseudorandom numbers: an average-case analysis .....	215
<b>Takashi Kato, Li-Ming Wu, and Niro Yanagihara</b> , On a nonlinear congruential pseudorandom number generator .....	227
<b>M. Deleglise and J. Rivat</b> , Computing $\pi(x)$ : the Meissel, Lehmer, Lagarias, Miller, Odlyzko method .....	235
<b>Tohsuke Urabe</b> , Calculation of Manin’s invariant for Del Pezzo surfaces .	247

*(Continued on inside back cover)*



0025-5718(199601)65:213;1-M