

Editorial Information

As of September 30, 1996, the backlog for this journal was approximately 1 issue. This estimate is the result of dividing the number of manuscripts for this journal in the Providence office that have not yet gone to the printer on the above date by the average number of articles per issue over the previous twelve months, reduced by the number of issues published in six months (the time necessary for editing and composing a typical issue).

A Consent to Publish and Copyright Agreement is required before a paper will be published in this journal. By submitting a paper to this journal, authors certify that the results have not been submitted to nor are they under consideration for publication by another journal, conference proceedings, or similar publication.

Information for Authors

Initial submission. An author should submit three paper copies of the manuscript. Initial submission by e-mail is not allowed. The author may suggest an appropriate editor for his paper. All contributions intended for publication and all books for review should be addressed to Lars B. Wahlbin, Managing Editor, Mathematics of Computation, Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853-3801. The date received, which is published with the final version of an accepted paper, is the date received in the office of the Managing Editor, and it is the responsibility of the author to submit manuscripts directly to this office.

The first page must consist of a *descriptive title*, followed by an *abstract* that summarizes the article in language suitable for workers in the general field (algebra, analysis, etc.). The *descriptive title* should be short, but informative; useless or vague phrases such as “some remarks about” or “concerning” should be avoided. The *abstract* must be brief and reasonably self-contained. Included with the footnotes to the paper, there should be the 1991 *Mathematics Subject Classification* representing the primary and secondary subjects of the article. This may be followed by a list of *key words and phrases* describing the subject matter of the article and taken from it. A list of classifications may be found in the annual index of *Mathematical Reviews*, published with the December issue starting in 1990. Journal abbreviations used in bibliographies are also listed in the latest *Mathematical Reviews* annual index. The classifications and the journal abbreviations are accessible from e-MATH via the World Wide Web through the URL <http://www.ams.org/committee/publications/mr-info.html> or via FTP to e-math.ams.org (login as `anonymous` and enter username as password). The classifications are available as a browsable list and the journal abbreviations are available through a search tool. When the manuscript is submitted, authors should supply the editor with electronic addresses if available. These will be printed after the postal address at the end of each article.

Electronically prepared manuscripts. For the final submission of accepted papers, the AMS encourages use of electronically prepared manuscripts, with a strong preference for $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ submissions. To this end, the Society has prepared $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ author packages for each AMS publication. Author packages include instructions for preparing electronic manuscripts, the *AMS Author Handbook*, samples, and a style file that generates the particular design specifications of that publication series. Articles properly prepared using the $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ style file automatically provide hypertext linking to the bibliography and other elements of the article for searching electronically on the World Wide Web. Because linking must often be added manually to submissions in other forms of $\mathcal{T}\mathcal{E}\mathcal{X}$, using $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ also reduces the amount of technical intervention once the files are received by the AMS. This results in fewer errors in processing and saves the author proofreading time. $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ papers also move more efficiently through the production stream, helping to minimize publishing costs.

$\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ is the highly preferred format of $\mathcal{T}\mathcal{E}\mathcal{X}$, but author packages are also available in $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$. Those authors who make use of these style files from the beginning of the writing process will further reduce their own efforts. Electronically submitted manuscripts

prepared in \LaTeX or plain \TeX are normally not acceptable due to the high amount of technical time required to insure that the file will run properly through the AMS in-house production system. \LaTeX users will find that $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\LaTeX$ is the same as \LaTeX with additional commands to simplify the typesetting of mathematics, and users of plain \TeX should have little difficulty learning $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\LaTeX$.

Authors may retrieve an author package from e-MATH via the World Wide Web through the URL <http://www.ams.org/tex/> or via FTP to [e-math.ams.org](ftp://e-math.ams.org) (login as `anonymous` and enter username as password). The author package can also be obtained free of charge by sending e-mail to pub@ams.org (Internet) or from the Publication Division, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When requesting an author package, please specify $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\LaTeX$ or $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\TeX$, Macintosh or IBM (3.5) format, and the publication in which your paper will appear. Please be sure to include your complete mailing address.

The final version of the electronic manuscript should be sent to the Providence office immediately after the paper has been accepted for publication. The author should also send the final version of the paper manuscript to the Managing Editor, who will forward a copy to the Providence office. Editors will require authors to send their electronically prepared manuscripts to the Providence office in a timely fashion. Electronically prepared manuscripts can be sent via e-mail to pub-submit@ams.org (Internet) or on diskette to the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When submitting an electronic manuscript, please be sure to include a message indicating in which publication the paper has been accepted. No corrections will be accepted electronically. Authors must mark their changes on their proof copies and return them to the Providence office. Complete instructions on how to submit files are included in the author package.

Electronic graphics. Figures may be submitted to the AMS in an electronic format. The AMS recommends that graphics created electronically be saved in Encapsulated PostScript (EPS) format. This includes graphics originated via a graphics application as well as scanned photographs or other computer-generated images.

If the graphics package used does not support EPS output, the graphics file should be saved in one of the standard graphics formats—such as TIFF, PICT, GIF, etc.—rather than in an application-dependent format. Graphics files submitted in an application-dependent format are not likely to be used. No matter what method was used to produce the graphic, it is necessary to provide a paper copy to the AMS.

Authors using graphics packages for the creation of electronic art should also avoid the use of any lines thinner than 0.5 points in width. Many graphics packages allow the user to specify a “hairline” for a very thin line. Hairlines often look acceptable when proofed on a typical laser printer. However, when produced on a high-resolution laser imagesetter, hairlines become nearly invisible and will be lost entirely in the final printing process.

Screens should be set to values between 15% and 85%. Screens which fall outside of this range are too light or too dark to print correctly.

\TeX files available. Beginning with the January 1992 issue of the *Bulletin* and the January 1996 issues of *Transactions*, *Proceedings*, *Mathematics of Computation*, and the *Journal of the AMS*, \TeX files can be downloaded from e-MATH, starting from URL <http://www.ams.org/journals/>. Authors without Web access may request their files at the address given below after the article has been published. For *Bulletin* papers published in 1987 through 1991 and for *Transactions*, *Proceedings*, *Mathematics of Computation*, and the *Journal of the AMS* papers published in 1987 through 1995, \TeX files are available upon request for authors without Web access by sending e-mail to file-request@ams.org or by contacting the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. The request should include the title of the paper, the name(s) of the author(s), the name of the publication in which the paper has or will appear, and the volume and issue numbers if known. The \TeX file will be sent to the author making the request after the article goes to the printer. If the requestor can receive Internet e-mail, please include the e-mail address to which the file should

be sent. Otherwise please indicate a diskette format and postal address to which a disk should be mailed. **Note:** Because \TeX production at the AMS sometimes requires extra fonts and macros that are not yet publicly available, \TeX files cannot be guaranteed to run through the author's version of \TeX without errors. The AMS regrets that it cannot provide support to eliminate such errors in the author's \TeX environment.

Any inquiries concerning a paper that has been accepted for publication should be sent directly to the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248.

Editorial Committee

ANDREW M. ODLYZKO, AT&T Bell Laboratories, 600 Mountain Avenue, Murray Hill, NJ 07974; *E-mail:* amo@research.att.com

STANLEY OSHER, Department of Mathematics, University of California, Los Angeles, CA 90024; *E-mail:* sjo@math.ucla.edu

G. W. STEWART, Department of Computer Science, University of Maryland, College Park, MD 20742; *E-mail:* stewart@thales.cs.umd.edu

LARS B. WAHLBIN, Chairman. Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853-3801; *E-mail:* awahlbin@cam.cornell.edu

Board of Associate Editors

JAMES H. BRAMBLE, Department of Mathematics, Texas A & M University, College Station, TX 77843-3368; *E-mail:* bramble@math.tamu.edu

SUSANNE C. BRENNER, Department of Mathematics, University of South Carolina, Columbia, SC 29208; *E-mail:* brenner@math.sc.edu

HOWARD ELMAN, Department of Computer Science, University of Maryland, College Park, MD 20742; *E-mail:* elman@cs.umd.edu

RICHARD S. FALK, Department of Mathematics, Rutgers University, New Brunswick, NJ 08903-2101; *E-mail:* falk@math.rutgers.edu

WALTER GAUTSCHI, Department of Computer Sciences, Purdue University, West Lafayette, IN 47907; *E-mail:* wvg@cs.purdue.edu

DANIEL W. LOZIER, Applied and Computational Mathematics Division, National Institute of Standards and Technology, Gaithersburg, MD 20899-0001; *E-mail:* dlozier@nist.gov

JAMES N. LYNESS, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439; *E-mail:* lyness@mcs.anl.gov

HARALD NIEDERREITER, Institute for Information Processing, Austrian Academy of Sciences, Sonnenfelsgasse 19, A-1010 Vienna, Austria; *E-mail:* nied@qiinfo.oew.ac.at

SYVERT P. NØRSETT, Division of Numerical Mathematics, The University of Trondheim and The Norwegian Institute of Technology, Alfred Getz vei 1, N-7034 Trondheim-NTH, Norway; *E-mail:* norsett@imf.unit.no

JOHN E. OSBORN, Department of Mathematics, University of Maryland, College Park, MD 20742; *E-mail:* jeo@julia.umd.edu

CARL POMERANCE, Department of Mathematics, The University of Georgia, Athens, GA 30602; *E-mail:* carl@math.uga.edu

RENÉ SCHOOF, Dipartimento di Matematica, 2^a Università di Roma "Tor Vergata", I-00133 Roma, Italy; *E-mail:* schoof@fwi.uva.nl

L. RIDGWAY SCOTT, Department of Mathematics, University of Houston, Houston, TX 77204-3476; *E-mail:* scott@casc.math.uh.edu

DANIEL SHANKS, Department of Mathematics, University of Maryland, College Park, MD 20742; *E-mail:* dns@gaby.umd.edu

CHI-WANG SHU, Applied Mathematics Division, Brown University, Providence, RI 02912-0001; *E-mail:* shu@cfm.brown.edu

FRANK STENGER, Department of Computer Science, University of Utah, Salt Lake City, UT 84112; *E-mail*: stenger@cs.utah.edu

HANS J. STETTER, Institut für Numerische Mathematik, Technische Universität Wien, Wiedner Hauptstrasse 6-10, A-1040, Wien, Austria; *E-mail*: stetter@uranus.tuwien.ac.at

NICO M. TEMME, Stichting Mathematisch Centrum, Centrum voor Wiskunde en Informatica, Kruislaan 413, 1098 SJ Amsterdam, The Netherlands; *E-mail*: nicot@cw.nl

VIDAR THOMÉE, Mathematics Department, Chalmers University of Technology, S-412 96 Göteborg, Sweden; *E-mail*: thomee@math.chalmers.se

JOSEPH D. WARD, Department of Mathematics, Texas A & M University, College Station, TX 77843-3368; *E-mail*: jward@math.tamu.edu

HUGH C. WILLIAMS, Department of Computer Science, University of Manitoba, Winnipeg, Manitoba, Canada R3T 2N2; *E-mail*: Hugh.Williams@csmail.cs.umanitoba.ca

JOHN W. WRENCH, JR., 102 Mt. Olivet Boulevard, Frederick, MD 21701

STEPHEN J. WRIGHT, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439; *E-mail*: wright@mcs.anl.gov

(Continued from back cover)

Qiang Du, Ming Jin, T.Y. Li, and Z. Zeng , The quasi-Laguerre iteration	345
Jürgen Eichenauer–Herrmann and Gerhard Larcher , Average equidistribution properties of compound nonlinear congruential pseudorandom numbers	363
Horst Alzer , On some inequalities for the gamma and psi functions	373
A. Bérczes and L. Hajdu , Computational experiences on the distances of polynomials to irreducible polynomials	391
C. Fieker, A. Jurk, and M. Pohst , On solving relative norm equations in algebraic number fields	399
Koh-ichi Nagao , Construction of high-rank elliptic curves with a nontrivial torsion point	411
David H. Bailey, Jonathan M. Borwein, and Richard E. Crandall , On the Khintchine constant	417
Richard Crandall, Karl Dilcher, and Carl Pomerance , A search for Wieferich and Wilson primes	433
Tony Forbes , A large pair of twin primes	451
Reviews and Descriptions of Tables and Books	457
Wahlbin 1 , Engl and Rundell, Editors 2 , Sloan and Joe 3 , Debnath 4	
Table Errata	463
Gradshteyn and Ryzhik 628	
Supplement to “A globally convergent Lagrangian barrier algorithm for optimization with general inequality constraints and simple bounds” by A. R. Conn, Nick Gould, and Ph. L. Toint	S1

No microfiche supplement in this issue

MATHEMATICS OF COMPUTATION
CONTENTS

Vol. 66, No. 217

January 1997

Douglas N. Arnold and Franco Brezzi , Locking-free finite element methods for shells	1
Manil Suri , A reduced constraint <i>hp</i> finite element method for shell problems	15
Guohui Zhou , How accurate is the streamline diffusion finite element method?	31
Maurizio Paolini , A quasi-optimal error estimate for a discrete singularly perturbed approximation to the prescribed curvature problem	45
Hailiang Liu and Jinghua Wang , Decay rate for perturbations of stationary discrete shocks for convex scalar conservation laws	69
S. H. Chou , Analysis and convergence of a covolume method for the generalized Stokes problem	85
Wen Guo and Martin Stynes , An analysis of a cell-vertex finite volume method for a parabolic convection-diffusion problem	105
Jinchao Xu and Sheng Zhang , Preconditioning the Poincaré-Steklov operator by using Green's function	125
Carsten Carstensen , An a posteriori error estimate for a first-kind integral equation	139
Mireille Bossy and Denis Talay , A stochastic particle method for the McKean-Vlasov and the Burgers equation	157
M. Thamban Nair, Markus Hegland, and Robert S. Anderssen , The trade-off between regularity and stability in Tikhonov regularization .	193
M. K. El-Daou and H. G. Khajah , Iterated solutions of linear operator equations with the Tau method	207
Timothy S. Carlson, Jack Dockery, and John Lund , A sinc-collocation method for initial value problems	215
Knut Mørken and Karl Scherer , A general framework for high-accuracy parametric interpolation	237
A. R. Conn, Nick Gould, and Ph. L. Toint , A globally convergent Lagrangian barrier algorithm for optimization with general inequality constraints and simple bounds	261
Riadh Ben Ghanem and Clément Frappier , Spherical Bessel functions and explicit quadrature formula	289
Thomas Schira , The remainder term for analytic functions of symmetric Gaussian quadratures	297
Sven Ehrich and Giuseppe Mastroianni , Stieltjes polynomials and Lagrange interpolation	311
A. Melman , A unifying convergence analysis of second-order methods for secular equations	333

(Continued on inside back cover)



0025-5718(199701)66:217;1-E