

Editorial Information

As of May 31, 1999, the backlog for this journal was approximately 3 issues. This estimate is the result of dividing the number of manuscripts for this journal in the Providence office that have not yet gone to the printer on the above date by the average number of articles per issue over the previous twelve months, reduced by the number of issues published in six months (the time necessary for editing and composing a typical issue).

A Consent to Publish and Copyright Agreement is required before a paper will be published in this journal. After a paper is accepted for publication, the Providence office will send out a Consent to Publish and Copyright Agreement to all authors of the paper. By submitting a paper to this journal, authors certify that the results have not been submitted to nor are they under consideration for publication by another journal, conference proceedings, or similar publication.

Information for Authors

Initial submission. An author should submit three paper copies of the manuscript. Initial submission by e-mail is not allowed. The author may suggest an appropriate editor for his paper. All contributions intended for publication and all books for review should be addressed to Lars B. Wahlbin, Managing Editor, Mathematics of Computation, Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853-3801. The date received, which is published with the final version of an accepted paper, is the date received in the office of the Managing Editor, and it is the responsibility of the author to submit manuscripts directly to this office.

The first page must consist of a *descriptive title*, followed by an *abstract* that summarizes the article in language suitable for workers in the general field (algebra, analysis, etc.). The *descriptive title* should be short, but informative; useless or vague phrases such as “some remarks about” or “concerning” should be avoided. The *abstract* must be brief and reasonably self-contained. Included with the footnotes to the paper should be the 2000 *Mathematics Subject Classification* representing the primary and secondary subjects of the article. The classifications are accessible from <http://www.amg.org/msc>. The list of classifications will also be available in print starting with the 1999 annual index of *Mathematical Reviews*. The Mathematics Subject Classification footnote may be followed by a list of *key words and phrases* describing the subject matter of the article and taken from it. Journal abbreviations used in bibliographies are listed in the latest *Mathematical Reviews* annual index. The series abbreviations are also accessible from <http://www.ams.org/publications>. When the manuscript is submitted, authors should supply the editor with electronic addresses if available. These will be printed after the postal address at the end of each article.

Electronically prepared manuscripts. For the final submission of accepted papers, the AMS encourages use of electronically prepared manuscripts, with a strong preference for $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$. To this end, the Society has prepared $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ author packages for each AMS publication. Author packages include instructions for preparing electronic manuscripts, the *AMS Author Handbook*, samples, and a style file that generates the particular design specifications of that publication series. Articles properly prepared using the $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ style file automatically provide hypertext linking to the bibliography and other elements of the article for searching electronically on the World Wide Web. Because linking must often be added manually to electronically prepared manuscripts in other forms of $\mathcal{T}\mathcal{E}\mathcal{X}$, using $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ also reduces the amount of technical intervention once the files are received by the AMS. This results in fewer errors in processing and saves the author proofreading time. $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ papers also move more efficiently through the production stream, helping to minimize publishing costs.

$\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ is the highly preferred format of $\mathcal{T}\mathcal{E}\mathcal{X}$, but author packages are also available in $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$. Those authors who make use of these style files from the beginning of the writing process will further reduce their own efforts. Manuscripts prepared electronically in $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ or plain $\mathcal{T}\mathcal{E}\mathcal{X}$ are normally not acceptable due to the high amount of technical time required to insure that the file will run properly through the AMS in-house production

system. \LaTeX users will find that \AMS-L\LaTeX is the same as \LaTeX with additional commands to simplify the typesetting of mathematics, and users of plain \TeX should have the foundation for learning \AMS-L\TeX .

Authors may retrieve an author package from e-MATH via the World Wide Web through the URL <http://www.ams.org/tex/> or via FTP to <ftp.ams.org> (login as `anonymous` and enter username as password). The author package can also be obtained free of charge by sending e-mail to pub@ams.org (Internet) or from the Publication Division, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When requesting an author package, please specify \AMS-L\TeX or \AMS-TeX , Macintosh or IBM (3.5) format, and the publication in which your paper will appear. Please be sure to include your complete mailing address.

The final version of the electronic manuscript should be sent to the Providence office immediately after the paper has been accepted for publication. The author should also send the final version of the paper manuscript to the Managing Editor, who will forward a copy to the Providence office. Editors will require authors to send their electronically prepared manuscripts to the Providence office in a timely fashion. Electronically prepared manuscripts can be sent via e-mail to pub-submit@ams.org (Internet) or on diskette to the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When sending a manuscript electronically, please be sure to include a message indicating in which publication the paper has been accepted. No corrections will be accepted electronically. Authors must mark their changes on their proof copies and return them to the Providence office. Complete instructions on how to send files are included in the author package.

Electronic graphics. Figures may be sent to the AMS in an electronic format. The AMS recommends that graphics created electronically be saved in Encapsulated PostScript (EPS) format. This includes graphics originated via a graphics application as well as scanned photographs or other computer-generated images.

If the graphics package used does not support EPS output, the graphics file should be saved in one of the standard graphics formats—such as TIFF, PICT, GIF, etc.—rather than in an application-dependent format. Graphics files sent in an application-dependent format are not likely to be used. No matter what method was used to produce the graphic, it is necessary to provide a paper copy to the AMS.

Authors using graphics packages for the creation of electronic art should also avoid the use of any lines thinner than 0.5 points in width. Many graphics packages allow the user to specify a “hairline” for a very thin line. Hairlines often look acceptable when proofed on a typical laser printer. However, when produced on a high-resolution laser imagesetter, hairlines become nearly invisible and will be lost entirely in the final printing process.

Screens should be set to values between 15% and 85%. Screens which fall outside of this range are too light or too dark to print correctly.

\TeX files available. Beginning with the January 1992 issue of the *Bulletin* and the January 1996 issues of *Transactions*, *Proceedings*, *Mathematics of Computation*, and the *Journal of the AMS*, \TeX files can be downloaded from e-MATH, starting from URL <http://www.ams.org/journals/>. Authors without Web access may request their files at the address given below after the article has been published. For *Bulletin* papers published in 1987 through 1991 and for *Transactions*, *Proceedings*, *Mathematics of Computation*, and the *Journal of the AMS* papers published in 1987 through 1995, \TeX files are available upon request for authors without Web access by sending e-mail to file-request@ams.org or by contacting the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. The request should include the title of the paper, the name(s) of the author(s), the name of the publication in which the paper has or will appear, and the volume and issue numbers if known. The \TeX file will be sent to the author making the request after the article goes to the printer. If the requestor can receive Internet e-mail, please include the e-mail address to which the file should be sent. Otherwise please indicate a diskette format and postal address to which a disk should be mailed. **Note:** Because \TeX production at the AMS sometimes requires extra

fonts and macros that are not yet publicly available, \TeX files cannot be guaranteed to run through the author's version of \TeX without errors. The AMS regrets that it cannot provide support to eliminate such errors in the author's \TeX environment.

Any inquiries concerning a paper that has been accepted for publication should be sent directly to the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248.

Editorial Committee

STANLEY OSHER, Department of Mathematics, University of California, Los Angeles, CA 90024-1555; *E-mail*: sjo@math.ucla.edu

RENÉ SCHOOF, Dipartimento di Matematica, 2a Università di Roma "Tor Vergata", I-00133 Roma, Italy; *E-mail*: schoof@wins.uva.nl

LARS B. WAHLBIN, Chairman. Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853-3801; *E-mail*: awahlbin@cam.cornell.edu

JOSEPH D. WARD, Department of Mathematics, Texas A&M University, College Station, TX 77843-3368; *E-mail*: jward@math.tamu.edu

Board of Associate Editors

DAVID W. BOYD, Department of Mathematics, University of British Columbia, Vancouver, BC Canada V6T 1Z2; *E-mail*: boyd@math.ubc.ca

JAMES H. BRAMBLE, Department of Mathematics, Texas A & M University, College Station, TX 77843-3368; *E-mail*: bramble@math.tamu.edu

SUSANNE C. BRENNER, Department of Mathematics, University of South Carolina, Columbia, SC 29208; *E-mail*: brenner@math.sc.edu

RICHARD P. BRENT, Oxford University Computing Laboratory, Wolfson Building, Parks Road, Oxford OX1 3QD, England; *E-mail*: Richard.Brent@comlab.ox.ac.uk

JOE P. BUHLER, Department of Mathematics, Reed College, 3203 SE Woodstock Boulevard, Portland, OR 97202-8199; *E-mail*: jpb@reed.edu

CARSTEN CARSTENSEN, Mathematisches Seminar, Christian-Albrechts-Universität zu Kiel, Ludewig-Meyn-Straße 4, D-24098 Kiel, Germany; *E-mail*: cc@numerik.uni-kiel.de

ARJEH M. COHEN, Faculteit Wiskunde en Informatica, TU Eindhoven, Postbus 513, 5600 MB Eindhoven, The Netherlands; *E-mail*: amc@win.tue.nl

HOWARD ELMAN, Department of Computer Science, University of Maryland, College Park, MD 20742-0001; *E-mail*: elman@cs.umd.edu

RICHARD S. FALK, Department of Mathematics, Rutgers University, New Brunswick, NJ 08903-2101; *E-mail*: falk@math.rutgers.edu

ANDREW J. GRANVILLE, Department of Mathematics, University of Georgia, Athens, GA 30602-7403; *E-mail*: andrew@math.uga.edu

DANIEL W. LOZIER, Applied and Computational Mathematics Division, National Institute of Standards and Technology, Gaithersburg, MD 20899-0001; *E-mail*: dlozier@nist.gov

JAMES N. LYNESS, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439; *E-mail*: lyness@mcs.anl.gov

ROSWITHA MÄRZ, Institut für Mathematik, Humboldt-Universität zu Berlin, D-10099 Berlin, Germany; *E-mail*: maerz@mathematik.hu-berlin.de

HARALD NIEDERREITER, Director, Institute of Discrete Mathematics, Austrian Academy of Sciences, Sonnenfelsgasse 19, A-1010 Vienna, Austria; *E-mail*: niederreiter@oeaw.ac.at

RICARDO HORACIO NOCHETTO, Department of Mathematics, University of Maryland, Mathematics Building 084, College Park, MD 20742-0001; *E-mail*: rhn@math.umd.edu

HAESUN PARK, Department of Computer Science, University of Minnesota, 4-192 EE/CS, 200 Union Street, Minneapolis, MN 55455; *E-mail*: hpark@cs.umn.edu

JOSEPH E. PASCIAK, Department of Mathematics, Texas A&M University, 507B Blocker Hall, MS 3368, College Station, TX 77843; *E-mail*: pasciak@math.tamu.edu

LOTHAR REICHEL, Department of Mathematics & Computer Science, Kent State University, Kent, OH 44242; *E-mail*: reichel@mcs.kent.edu

CHI-WANG SHU, Applied Mathematics Division, Brown University, P.O. Box F, 182 George St., Providence, RI 02912-0001; *E-mail*: shu@cfm.brown.edu

FRANK STENGER, Department of Computer Science, University of Utah, Salt Lake City, UT 84112-1102; *E-mail*: stenger@cs.utah.edu

NICO M. TEMME, Centrum voor Wiskunde en Informatica, P.O. Box 94079, 1090-GB Amsterdam, The Netherlands; *E-mail*: nicot@cwi.nl

VIDAR C. THOMÉE, Department of Mathematics, Chalmers University of Technology, 41296 Göteborg, Sweden; *E-mail*: thomee@math.chalmers.se

HUGH C. WILLIAMS, Department of Computer Science, University of Manitoba, Winnipeg, Manitoba R3T 2N2 Canada; *E-mail*: Hugh.Williams@csmail.cs.umanitoba.ca

STEPHEN J. WRIGHT, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439; *E-mail*: wright@mcs.anl.gov

(Continued from back cover)

N. P. Smart , Determining the small solutions to S -unit equations	1687
H. Cohen, F. Diaz y Diaz, and M. Olivier , Tables of octic fields with a quartic subfield	1701
M. A. Shokrollahi , Relative class number of imaginary Abelian fields of prime conductor below 10000	1717
James McKee , Speeding Fermat's factoring method	1729
Tony Forbes , Prime clusters and Cunningham chains	1739
Douglas E. Iannucci , The second largest prime divisor of an odd perfect number exceeds ten thousand	1749

No microfiche supplement in this issue

MATHEMATICS OF COMPUTATION

CONTENTS

Vol. 68, No. 228

October 1999

R. Hiptmair , Canonical construction of finite elements	1325
Barbara I. Wohlmuth and Ronald H. W. Hoppe , A comparison of a posteriori error estimators for mixed finite element discretizations by Raviart-Thomas elements	1347
Philippe Destuynder and Brigitte Métivet , Explicit error bounds in a conforming finite element method	1379
Georg Dolzmann , Optimal convergence for the finite element method in Campanato spaces	1397
Jinchao Xu and Ludmil Zikatanov , A monotone finite element scheme for convection-diffusion equations	1429
R. G. Durán, L. Hervella-Nieto, E. Liberman, R. Rodríguez, J. Solomin , Approximation of the vibration modes of a plate by Reissner-Mindlin equations	1447
Russel E. Caflisch, Thomas Y. Hou, and John Lowengrub , Almost optimal convergence of the point vortex method for vortex sheets using numerical filtering	1465
F. Ben Belgacem and C. Bernardi , Spectral element discretization of the Maxwell equations	1497
Holger Wendland , Meshless Galerkin methods using radial basis functions	1521
Wolfgang Dahmen and Reinhold Schneider , Composite wavelet bases for operator equations	1533
Zhongying Chen, Charles A. Micchelli, and Yuesheng Xu , A construction of interpolating wavelets on invariant sets	1569
Chun-Hua Guo and Peter Lancaster , Iterative solution of two matrix equations	1589
Benedetta Morini , Convergence behaviour of inexact Newton meth- ods	1605
H. G. Khajah , Tau method approximation of a generalized Epstein-Hubbell elliptic-type integral	1615
Djurdje Cvijović and Jacek Klinowski , Values of the Legendre chi and Hurwitz zeta functions at rational arguments	1623
Dimitri Leemans , An atlas of regular thin geometries for small groups ..	1631
Ki-ichiro Hashimoto and Hiroshi Tsunogai , On the Sato-Tate conjecture for QM-curves of genus two	1649
Paul van Wamelen , Proving that a genus 2 curve has complex multiplication	1663
Masanari Kida , Reduction of elliptic curves over certain real quadratic number fields	1679

(Continued on inside back cover)



0025-5718(199910)68:228*;1-0