Editorial Information

As of January 31, 2001, the backlog for this journal was approximately 4 issues. This estimate is the result of dividing the number of manuscripts for this journal in the Providence office that have not yet gone to the printer on the above date by the average number of articles per issue over the previous twelve months, reduced by the number of issues published in six months (the time necessary for editing and composing a typical issue). In an effort to make articles available as quickly as possible, articles are posted to to e-MATH individually soon after proof is returned from authors and before appearing in an issue.

A Consent to Publish and Copyright Agreement is required before a paper will be published in this journal. After a paper is accepted for publication, the Providence office will send out a Consent to Publish and Copyright Agreement to all authors of the paper. By submitting a paper to this journal, authors certify that the results have not been submitted to nor are they under consideration for publication by another journal, conference proceedings, or similar publication.

Information for Authors

Initial submission. An author should submit three paper copies of the manuscript. Initial submission by email is not allowed. The author may suggest an appropriate editor for his paper. All contributions intended for publication and all books for review should be addressed to Lars B. Wahlbin, Managing Editor, Mathematics of Computation, Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853-3801. The date received, which is published with the final version of an accepted paper, is the date received in the office of the Managing Editor, and it is the responsibility of the author to submit manuscripts directly to this office.

The first page must consist of a descriptive title, followed by an abstract that summarizes the article in language suitable for workers in the general field (algebra, analysis, etc.). The descriptive title should be short, but informative; useless or vague phrases such as "some remarks about" or "concerning" should be avoided. The abstract must be brief and reasonably self-contained. Included with the footnotes to the paper should be the 2000 Mathematics Subject Classification representing the primary and secondary subjects of the article. The classifications are accessible from www.ams.org/msc/. The list of classifications is also available in print starting with the 1999 annual index of Mathematical Reviews. The Mathematics Subject Classification footnote may be followed by a list of key words and phrases describing the subject matter of the article and taken from it. Journal abbreviations used in bibliographies are listed in the latest Mathematical Reviews annual index. The series abbreviations are also accessible from www.ams.org/publications/. To help in preparing and verifying references, the AMS offers MR Lookup, a Reference Tool for Linking, at www.ams.org/mrlookup/. When the manuscript is submitted, authors should supply the editor with electronic addresses if available. These will be printed after the postal address at the end of each article.

Electronically prepared manuscripts. For the final submission of accepted papers, the AMS encourages use of electronically prepared manuscripts, with a strong preference for AMS-IATEX. To this end, the Society has prepared AMS-IATEX author packages for each AMS publication. Author packages include instructions for preparing electronic manuscripts, the AMS Author Handbook, samples, and a style file that generates the particular design specifications of that publication series. Articles properly prepared using the AMS-IATEX style file and the \label and \ref commands automatically enable extensive intra-document linking to the bibliography and other elements of the article for searching electronically on the Web. Because linking must often be added manually to electronically prepared manuscripts in other forms of TEX, using AMS-IATEX also reduces the amount of technical intervention once the files are received by the AMS. This results in fewer errors in processing and saves the author proofreading time. AMS-IATEX papers also move more efficiently through the production stream, helping to minimize publishing costs.

 $\mathcal{A}_{\mathcal{M}}S$ -IATEX is the highly preferred format of TEX, but author packages are also available in $\mathcal{A}_{\mathcal{M}}S$ -TEX. Those authors who make use of these style files from the beginning of the

writing process will further reduce their own efforts. Manuscripts prepared electronically in LATEX or plain TEX are normally not acceptable due to the high amount of technical time required to insure that the file will run properly through the AMS in-house production system. LATEX users will find that $\mathcal{A}_{M}\mathcal{S}$ -LATEX is the same as LATEX with additional commands to simplify the typesetting of mathematics, and users of plain TEX should have the foundation for learning $\mathcal{A}_{M}\mathcal{S}$ -LATEX.

Authors may retrieve an author package from e-MATH starting from www.ams.org/tex/or via FTP to ftp.ams.org (login as anonymous, enter username as password, and type cd pub/author-info). The AMS Author Handbook and the Instruction Manual are available in PDF format following the author packages link from www.ams.org/tex/. The author package can also be obtained free of charge by sending email to pub@ams.org (Internet) or from the Publication Division, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When requesting an author package, please specify AMS-IATEX or AMS-TEX, Macintosh or IBM (3.5) format, and the publication in which your paper will appear. Please be sure to include your complete mailing address.

The final version of the electronic manuscript should be sent to the Providence office immediately after the paper has been accepted for publication. The author should also send the final version of the paper manuscript to the Managing Editor, who will forward a copy to the Providence office. Editors will require authors to send their electronically prepared manuscripts to the Providence office in a timely fashion. Electronically prepared manuscripts can be sent via email to pub-submit@ams.org (Internet) or on diskette to the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When sending a manuscript electronically, please be sure to include a message indicating in which publication the paper has been accepted. No corrections will be accepted electronically. Authors must mark their changes on their proof copies and return them to the Providence office. Complete instructions on how to send files are included in the author package.

Electronic graphics. Comprehensive instructions on preparing graphics are available at www.ams.org/jourhtml/graphics.html. A few of the major requirements are given here

Submit files for graphics as EPS (Encapsulated PostScript) files. This includes graphics originated via a graphic application as well as scanned photographs or other computer-generated images. If this is not possible, TIFF files are acceptable as long as they can be opened in Adobe Photoshop or Illustrator. No matter what method was used to produce the graphic, it is necessary to provide a paper copy to the AMS.

Authors using graphics packages for the creation of electronic art should also avoid the use of any lines thinner than 0.5 points in width. Many graphics packages allow the user to specify a "hairline" for a very thin line. Hairlines often look acceptable when proofed on a typical laser printer. However, when produced on a high-resolution laser imagesetter, hairlines become nearly invisible and will be lost entirely in the final printing process.

Screens should be set to values between 15% and 85%. Screens which fall outside of this range are too light or too dark to print correctly. Variations of screens within a graphic should be no less than 10%.

AMS policy on making changes to articles after posting. Articles are posted to e-MATH individually after proof is returned from authors and before appearing in an issue. To preserve the integrity of electronically published articles, once an article is individually posted to e-MATH but not yet in an issue, changes cannot be made in place in the paper. However, an "Added after posting" section may be added to the paper right before the References when there is a critical error in the content of the paper. The "Added after posting" section gives the author an opportunity to correct this type of critical error before the article is put into an issue for printing and before it is then reposted with the issue. The "Added after posting" section remains a permanent part of the paper. The AMS does not keep author-related information, such as affiliation, current address, and email address, up to date after a paper is initially posted.

Once the article is assigned to an issue, even if the issue has not yet been posted to e-MATH, corrections may be made to the paper by submitting a traditional errata article to the Editor. The errata article will appear in a future print issue and will link back and forth on the web to the original article online.

Secure manuscript tracking on the Web and via email. Authors can track their manuscripts through the AMS journal production process using the personal AMS ID and Article ID printed in the upper right-hand corner of the Consent to Publish form sent to each author who publishes in AMS journals. Access to the tracking system is available from www.ams.org/mstrack/ or via email sent to mstrack-query@ams.org. To access by email, on the subject line of the message simply enter the AMS ID and Article ID. To track more than one manuscript by email, choose one of the Article IDs and enter the AMS ID and the Article ID followed by the word all on the subject line. An explanation of each production step is provided on the web through links from the manuscript tracking screen. Questions can be sent to mcom-query@ams.org.

TeX files available. Beginning with the January 1992 issue of the Bulletin and the January 1996 issues of Transactions, Proceedings, Mathematics of Computation, and the Journal of the AMS, TEX files can be downloaded from e-MATH, starting from www.ams.org/journals/. Authors without Web access may request their files at the address given below after the article has been published. For Bulletin papers published in 1987 through 1991 and for Transactions, Proceedings, Mathematics of Computation, and the Journal of the AMS papers published in 1987 through 1995, TeX files are available upon request for authors without Web access by sending email to file-request@ams.org or by contacting the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. The request should include the title of the paper, the name(s) of the author(s), the name of the publication in which the paper has or will appear, and the volume and issue numbers if known. The TFX file will be sent to the author making the request after the article goes to the printer. If the requestor can receive Internet email, please include the email address to which the file should be sent. Otherwise please indicate a diskette format and postal address to which a disk should be mailed. Note: Because T_FX production at the AMS sometimes requires extra fonts and macros that are not yet publicly available, TEX files cannot be guaranteed to run through the author's version of TEX without errors. The AMS regrets that it cannot provide support to eliminate such errors in the author's TEX environment.

Inquiries. Any inquiries concerning a paper that has been accepted for publication that cannot be answered via the manuscript tracking system mentioned above should be sent to mcom-query@ams.org or directly to the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248.

Editorial Committee

STANLEY OSHER, Department of Mathematics, University of California, P. O. Box 951555, Los Angeles, CA 90095-1555; *E-mail*: sjo@math.ucla.edu

RENÉ SCHOOF, Dipartimento di Matematica, 2a Università di Roma "Tor Vergata", I-00133 Roma, Italy; E-mail: schoof@wins.uva.nl

LARS B. WAHLBIN, Chairman. Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853-3801; *E-mail*: awahlbin@cam.cornell.edu

JOSEPH D. WARD, Department of Mathematics, Texas A&M University, College Station, TX 77843-3368; *E-mail*: jward@math.tamu.edu

Board of Associate Editors

RANDOLPH E. BANK, Department of Mathematics, University of California San Diego, C-012, La Jolla, CA 92093-0001; *E-mail*: reb@sdna2.ucsd.edu

DAVID W. BOYD, Department of Mathematics, University of British Columbia, Vancouver, BC Canada V6T 1Z2; *E-mail*: boyd@math.ubc.ca

SUSANNE C. BRENNER, Department of Mathematics, University of South Carolina, Columbia, SC 29208; *E-mail*: brenner@math.sc.edu

RICHARD P. BRENT, Oxford University Computing Laboratory, Wolfson Building, Parks Road, Oxford OX1 3QD, England; *E-mail*: Richard.Brent@comlab.ox.ac.uk

JOE P. BUHLER, Mathematical Sciences, Research Institute, 1000 Centennial Drive, Berkeley, CA 94720-5070; *E-mail*: jpb@msri.org

CARSTEN CARSTENSEN, Mathematisches Seminar, Christian-Albrechts-Universität zu Kiel, Ludewig-Meyn-Straße 4, D-24098 Kiel, Germany; *E-mail*: cc@numerik.uni-kiel.de

ARJEH M. COHEN, Faculteit Wiskunde en Informatica, TU Eindhoven, Postbus 513, 5600 MB Eindhoven, Netherlands; *E-mail*: amc@win.tue.nl

RONALD F. A. COOLS, Department of Computer Science, Katholieke Universiteit Leuven, Celestijnenlaan 200A, B-3001 Heverlee, Belgium; *E-mail*: ronald.cools@cs.kuleuven.ac.be

HOWARD ELMAN, Department of Computer Science, University of Maryland, College Park, MD 20742-0001; E-mail: elman@cs.umd.edu

RICHARD S. FALK, Department of Mathematics, Rutgers University, Hill Center, 110 Frelinghuysen Road, Piscataway, NJ 08854-8019; E-mail: falk@math.rutgers.edu

ANDREW J. GRANVILLE, Department of Mathematics, University of Georgia, Athens, GA 30602-7403; E-mail: andrew@math.uga.edu

DANIEL W. LOZIER, National Institute of Standards and Technology, 100 Bureau Drive, Mail Stop 8910, Gaithersburg, MD 20899-8910; *E-mail*: dlozier@nist.gov

ZHI-QUAN LUO, Department of Electrical and Computer Engineering, McMaster University, Room CRL/225, Hamilton, ON Canada L8S 4K1; *E-mail*: luozq@mcmail.cis.mcmaster.ca

ROSWITHA MÄRZ, Institut für Mathematik, Humboldt-Universität zu Berlin, Unter den Linden 6, D-10099 Berlin, Germany; E-mail: maerz@mathematik.hu-berlin.de

HARALD NIEDERREITER, Department of Mathematics, National University of Singapore, 2 Science Drive 2, Singapore 117543, Republic of Singapore; *E-mail*: nied@math.nus.edu.sg

RICARDO HORACIO NOCHETTO, Department of Mathematics, University of Maryland, Mathematics Building 084, College Park, MD 20742-0001; E-mail: rhn@math.umd adu

HAESUN PARK, Department of Computer Science, University of Minnesota, 4-192 EE/CS, 200 Union Street, Minneapolis, MN 55455; *E-mail*: hpark@cs.umn.edu

JOSEPH E. PASCIAK, Department of Mathematics, Texas A&M University, 507B Blocker Hall, MS 3368, College Station, TX 77843; E-mail: pasciak@math.tamu.edu

LOTHAR REICHEL, Department of Mathematics & Computer Science, Kent State University, P.O. Box 5190, Kent, OH 44242-0001; *E-mail*: reichel@mcs.kent.edu

CHI-WANG SHU, Applied Mathematics Division, Brown University, P.O. Box F, 182 George St., Providence, RI 02912-0001; E-mail: shu@cfm.brown.edu

FRANK STENGER, School of Computing, University of Utah, Salt Lake City, UT 84112-1102; *E-mail*: stenger@cs.utah.edu

DENIS TALAY, INRIA, 2004 Route des Lucioles, BP 93, 06902 Sophia Antipolis Cedex, France; E-mail: talay@sophia.inria.fr

NICO M. TEMME, Centrum voor Wiskunde en Informatica, P.O. Box 94079, 1090-GB Amsterdam, Netherlands; *E-mail*: nicot@cwi.nl

HUGH C. WILLIAMS, Department of Computer Science, University of Manitoba, Winnipeg, Manitoba R3T 2N2 Canada; *E-mail*: Hugh_Williams@csmail.cs.umanitoba.ca

JINCHAO XU, Department of Mathematics, Pennsylvania State University, McAllister Building, University Park, PA 16802-6401; E-mail: xu@math.psu.edu

(Continued from back cover)

Igor E. Shparlinski, On the uniformity of distribution of the RSA	
pairs	801
Edlyn Teske, On random walks for Pollard's rho method	809
Antoine Joux and Reynald Lercier, "Chinese & Match", an alternative	
to Atkin's "Match and Sort" method used in the SEA algorithm	827
Schehrazad Selmane, Quadratic extensions of totally real quintic	
fields	837
Schehrazad Selmane, Tenth degree number fields with quintic fields having one real place	845
C. Charnes and U. Dempwolff, The eight dimensional ovoids over	-
GF(5)	853
Zhenxiang Zhang, Finding strong pseudoprimes to several bases	863
Jon Grantham, Frobenius pseudoprimes	873
Florian Luca, On a conjecture of Erdős and Stewart	893

No microfiche supplement in this issue

MATHEMATICS OF COMPUTATION CONTENTS

Vol. 70, No. 234 April 2	001
James H. Bramble and Xuejun Zhang, Uniform convergence of the multigrid V-cycle for an anisotropic problem	453
Pat Ryan, Eigenvalue and eigenfunction error estimates for finite element formulations of linear hydroelasticity	47 1
Trygve K. Nilssen, Xue-Cheng Tai, and Ragnar Winther, A robust nonconforming H^2 -element	489
P. Monk and L. Demkowicz, Discrete compactness and the approximation of Maxwell's equations in \mathbb{R}^3	507
Javier de Frutos and Rafael Muñoz-Sola, On error estimates for Galerkin spectral discretizations of parabolic problems with nonsmooth initial	FOF
data Theodoros Katsaounis and Charalambos Makridakis, Finite volume	525
relaxation schemes for multidimensional conservation laws Laurent Gosse and Athanasios E. Tzavaras, Convergence of relaxation	533
schemes to the equations of elastodynamics	555
formulation for incompressible flows	579
Jian-Guo Liu and Zhouping Xin, Convergence of the point vortex method for 2-D vortex sheet	595
Pascal Laubin, Optimal order collocation for the mixed boundary value problem on polygons	607
method for approximating eigenspaces	637
A. Melman, Extreme eigenvalues of real symmetric Toeplitz matricesBorislav D. Bojanov and Dimitar K. Dimitrov, Gaussian extended	649
cubature formulae for polyharmonic functions	671
stochastic integration	685
natural splines in arbitrary dimensions	699
and the Bernstein-Schnabl operator	705
interpolation	719
Karsten Urban, Wavelet bases in $\mathbf{H}(\operatorname{div})$ and $\mathbf{H}(\operatorname{curl})$ Tiejun Li and Fengshan Bai, Minimizing multi-homogeneous Bézout	739
numbers by a local search method	767 789
(Continued on inside back of	cover)

0025-5718(200104)70:234;1-L