

CONTENTS

Manganese Superoxide Dismutase Gene Polymorphism (V16A) Is Associated With Stages of Albuminuria in Korean Type 2 Diabetic Patients <i>Seong Jin Lee, Moon Gi Choi, Dong-Sun Kim, and Tae Wha Kim</i>	1
Leptin-Mediated Inhibition of the Insulin-Stimulated Increase in Fatty Acid Uptake in Differentiated 3T3-L1 Adipocytes <i>Michael Ho, Susan Foxall, Michael Higginbottom, David M. Donofrio, Jinfang Liao, Peter J. Richardson, and Yannick P. Maneuf</i>	8
Adiponectin and Stress Hormone Responses to Maximal Sculling After Volume-Extended Training Season in Elite Rowers <i>Jaak Jürimäe, Priit Purge, and Toivo Jürimäe</i>	13
Impact of Rosiglitazone on Beta-Cell Function, Insulin Resistance, and Adiponectin Concentrations: Results From a Double-Blind Oral Combination Study With Glimepiride <i>Andreas Pfützner, Thomas Schöndorf, Daniela Seidel, Karl Winkler, Stephan Matthaei, Andreas Hamann, and Thomas Forst</i>	20
Combining β -Adrenergic and Peroxisome Proliferator-Activated Receptor γ Stimulation Improves Lipoprotein Composition in Healthy Moderately Obese Subjects <i>Thomas A. Hughes, Frankie Stentz, Thomas Gettys, and Steven R. Smith</i>	26
Dexamethasone Suppresses Phospholipase C Activation and Insulin Secretion From Isolated Rat Islets <i>Walter S. Zawalich, Gregory J. Tesz, Hanae Yamazaki, Kathleen C. Zawalich, and William Philbrick</i>	35
Energy Restriction Prevents the Development of Type 2 Diabetes in Zucker Diabetic Fatty Rats: Coordinated Patterns of Gene Expression for Energy Metabolism in Insulin-Sensitive Tissues and Pancreatic Islets Determined by Oligonucleotide Microarray Analysis <i>Michele Colombo, Mogens Kruhoeffer, Soeren Gregersen, Andreas Agger, Per Bendix Jeppesen, Torben Oerntoft, and Kjeld Hermansen</i>	43
Factors Responsible for Deteriorating Glucose Tolerance in Newly Diagnosed Type 2 Diabetes in Japanese Men <i>Rie Mitsui, Mitsuo Fukushima, Yuichi Nishi, Naoya Ueda, Haruhiko Suzuki, Ataru Taniguchi, Yoshikatsu Nakai, Toshiko Kawakita, Takeshi Kurose, Yuichiro Yamada, Nobuya Inagaki, and Yutaka Seino</i>	53
The SNP276G>T Polymorphism in the Adiponectin (ACDC) Gene Is More Strongly Associated With Insulin Resistance and Cardiovascular Disease Risk Than SNP45T>G in Nonobese/Nondiabetic Korean Men Independent of Abdominal Adiposity and Circulating Plasma Adiponectin <i>Yangsoo Jang, Jong Ho Lee, Oh Yoen Kim, Soo Jeong Koh, Jey Sook Chae, Jin Hee Woo, Hongkeun Cho, Jong Eun Lee, and Jose M. Ordovas</i>	59
Atorvastatin Lowers Plasma Low-Density Lipoprotein Cholesterol and C-Reactive Protein in Japanese Type 2 Diabetic Patients <i>Satoru Yamada, Tatsuo Yanagawa, Kazuo Sasamoto, Atsushi Araki, Mariko Miyao, and Toshikazu Yamanouchi</i>	67
Hyperhomocysteinemia Correlates With Insulin Resistance and Low-Grade Systemic Inflammation in Obese Prepubertal Children <i>Rosario Martos, Miguel Valle, Rosario Morales, Ramón Cañete, M. Inmaculada Gavilan, and Víctor Sánchez-Margalet</i>	72
Effects of Glimepiride and Glyburide on Glucose Counterregulation and Recovery From Hypoglycemia <i>Ervin Szoke, Niyaz R. Gosmanov, Jeremy C. Sinkin, Amit Nihalani, Anne B. Fender, Philip E. Cryer, Christian Meyer, and John E. Gerich</i>	78

(Contents continued)

Increased Glyceroneogenesis in Adipose Tissue From Rats Adapted to a High-Protein, Carbohydrate-Free Diet: Role of Dietary Fatty Acids <i>Salete Cipriano Brito, William Lara Festuccia, Nair Honda Kawashita, Maria Ferreira Moura, Analúcia Rampazzo Xavier, Maria Antonieta Garófalo, Isis Carmo Kettelhut, and Renato Hélios Migliorini</i>	84
HIV Infection and High-Density Lipoprotein: The Effect of the Disease vs the Effect of Treatment <i>Honor Rose, Ian Woolley, Jennifer Hoy, Anthony Dart, Bronwen Bryant, Anne Mijch, and Dmitri Sviridov</i>	90
Lipoprotein Subclass and Particle Size Differences in Afro-Caribbeans, African Americans, and White Americans: Associations With Hepatic Lipase Gene Variation <i>Iva Miljkovic-Gacic, Clareann H. Bunker, Robert E. Ferrell, Candace M. Kammerer, Rhobert W. Evans, Alan L. Patrick, and Lewis H. Kuller</i>	96
Plasma Concentrations and Urinary Excretion of Purine Bases (Uric Acid, Hypoxanthine, and Xanthine) and Oxypurinol After Rigorous Exercise <i>Mitsuharu Kaya, Yuji Moriwaki, Tuneyoshi Ka, Taku Inokuchi, Asako Yamamoto, Sumio Takahashi, Zenta Tsutsumi, Junzou Tsuzita, Yoshitaka Oku, and Tetsuya Yamamoto</i>	103
Cockcroft-Gault Formula Is Biased by Body Weight in Diabetic Patients With Renal Impairment <i>Vincent Rigalleau, Catherine Lasseur, Caroline Perlemoine, Nicole Barthe, Christelle Raffaitin, Philippe Chauveau, Christian Combe, and Henri Gin</i>	108
Intima Media Thickness in Childhood Obesity: Relations to Inflammatory Marker, Glucose Metabolism, and Blood Pressure <i>Thomas Reinehr, Wieland Kiess, Gideon de Sousa, Birgit Stoffel-Wagner, and Ranier Wunsch</i>	113
Skeletal Muscle and Liver Oxysterols During Fasting and Alcohol Exposure <i>Junko Adachi, Risa Kudo, Migiwa Asano, Yasuhiro Ueno, Ross Hunter, Rajkumar Rajendram, Colin Martin, and Victor R. Preedy</i>	119
Cardiovascular/Non-Insulin-Dependent Diabetes Mellitus Risk Factors and Intramyocellular Lipid in Healthy Subjects: A Sex Comparison <i>Lesley J. White, Michael A. Ferguson, Sean C. McCoy, Hee-Won Kim, and Vanessa Castellano</i>	128
Insulin Secretory Defect Plays a Major Role in the Development of Diabetes in Patients With Distal Pancreatectomy <i>Byung-Wan Lee, Hahn-Wook Kang, Jin-Seok Heo, Seong-Ho Choi, Sang-Yong Kim, Yong-Ki Min, Jae-Hoon Chung, Moon-Kyu Lee, Myung-Shik Lee, and Kwang-Won Kim</i>	135