

Characterization of mycorrhizal fungi isolated from the threatened *Cypripedium macranthos* in a northern island of Japan: two phylogenetically distinct fungi associated with the orchid

Hanako Shimura · Mai Sadamoto · Mayumi Matsuura · Takayuki Kawahara · Shigeo Naito · Yasunori Koda

Published online: 11 August 2009
© Springer-Verlag 2009

Erratum to: Mycorrhiza
DOI 10.1007/s00572-009-0251-4

The original version of this article unfortunately contained a mistake. The ESM was incorrect. The correct version of the ESM is shown at doi:[10.1007/s00572-009-0269-7](https://doi.org/10.1007/s00572-009-0269-7).

Electronic supplementary material The online version of this article (doi:[10.1007/s00572-009-0269-7](https://doi.org/10.1007/s00572-009-0269-7)) contains supplementary material, which is available to authorized users.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00572-009-0251-4>

H. Shimura (✉) · M. Matsuura · Y. Koda
Laboratory of Crop Physiology, Graduate School of Agriculture,
Hokkaido University,
Kita-ku, Kita 9, Nishi 9,
Sapporo 060-8589, Japan
e-mail: hana@res.agr.hokudai.ac.jp

Y. Koda
e-mail: yasunori@res.agr.hokudai.ac.jp

M. Sadamoto · S. Naito
Laboratory of Plant Pathology, Graduate School of Agriculture,
Hokkaido University,
Sapporo 060-8589, Japan

S. Naito
e-mail: rhizo-nai1204s@coast.ocn.ne.jp

T. Kawahara
Forest Dynamics and Diversity Group, Hokkaido Research
Center, Forestry and Forest Products Research Institute,
Sapporo 062-8516, Japan
e-mail: kaba@ffpri.affrc.go.jp