

## Cumulative Index 2005

*Note:* Page numbers of article titles are in **boldface** type.

### A

Abciximab, for endovascular procedures, 234, 523–525, 528  
carotid angioplasty, 271  
coil embolization, 335  
for stroke, 436–437, 465, 533–534  
stent placement, 529–530  
with thromboembolic complications, 532–533

Abscess, brain, diffusion MRI in, 117

ACAS (Asymptomatic Carotid Atherosclerosis Study), 257–260, 263–264

Acceleration of Connective Tissue Formation in Endovascular Aneurysm Repair study, 332

Accreditation Council for Graduate Medical Education (ACGME), 445–447

Acculink for the Revascularization of Carotids in High Risk Patients (ARCHeR), 261, 267–268, 270–272

Acculink stent, for carotid angioplasty, 274

Adenomas, pituitary, transsphenoidal surgery for. *See* Transsphenoidal pituitary surgery.

Adhesives, cyanoacrylate. *See* Cyanoacrylates.

Adjacent segment degeneration  
after anterior cervical spine fusion. *See* Cervical disc arthroplasty, for adjacent segment degeneration after fusion.  
after lumbar fusion, 599

Age factors  
in adjacent disc degeneration after fusion, 579  
in carotid endarterectomy, 264

Aggregometry, optical, in antiplatelet activity measurement, 525

Alcohol, for embolization, before tumor resection, 414–415

Alignment stem, in stereotactic brain biopsy, 167–168

Alteplase, for stroke, 434

Alteplase Thrombolysis for Acute Noninterventional Therapy in Ischemic Stroke Study, 434

American Association of Neurological Surgeons, on endovascular surgery training, 445–446, 448

American Society of Interventional and Therapeutic Neuroradiology, on endovascular surgery training, 445–447

Amobarbital, for provocative testing, in embolization, 356

Amplatz Goose Neck Snare, for embolectomy, 467

Amplatz Goose-Neck Microsnare, for thrombolysis, 437, 440

Analgesia, cervical epidural microcatheterization technique for, 565–566

Ancrod, for stroke, 434–435

Anesthesia  
for endovascular surgery, 233–234, 324  
for transsphenoidal pituitary surgery, with intraoperative MRI, 159

Aneurysm(s), intracranial, **487–499**  
angiography in, 243–244  
carotid cavernous sinus fistulas in, 283  
clipping versus coiling for, **475–485**  
coils for. *See* Coil embolization, of aneurysms.  
configuration of, treatment decisions and, 478–479  
endovascular surgery for, **317–353**  
advantages of, 318  
anatomic considerations in, 318–320  
angiography in, 245  
balloon occlusion for, 249–256  
balloon remodeling technique for, 325  
clinical considerations in, 318  
clipping for, 317–319, 333–334

Aneurysm(s) (*continued*)

- coil embolization for. *See* Coil embolization, of aneurysms.
  - detachable balloons for, 320–321
  - devices for, 320–330
  - dome-to-neck ratio and, 320, 332
  - evolution of, 223–226
  - fusiform, 320
  - hydrocephalus after, 337, 341
  - indications for, **313–316**
  - infections after, 337
  - ischemic complications of, 334–335
  - liquid embolic agents for, 327–330
  - location and, 318–320
  - newer techniques for, 314–315
  - outcomes of, 330–333
  - patient selection for, 317–320
  - permanent occlusion for, 321–322
  - rupture during, 335–337
  - stents with, 314, 325–327
  - suite preparation for, 237
  - vasospasm in, 337, 341
  - fusiform, treatment of, 320
  - in arteriovenous malformations, 369
  - location of, treatment decisions and, 479–480
  - natural history of, after rupture, 482–483
  - partially treated, 543
  - pathogenesis of, 488–489
  - recanalization after, 489–491
  - recurrence of, after coil embolization, 331–332
  - repair mechanisms in, 488–489
  - risk factors for, 488
  - rupture of, during embolization, 335–337
  - size of, treatment decisions and, 478
  - subarachnoid hemorrhage in. *See* Subarachnoid hemorrhage, aneurysmal.
  - unruptured, epidemiology of, **309–312**
- Aneurysmal bone cyst, preoperative embolization of, 427
- Angiofibroma, juvenile nasopharyngeal, preoperative embolization of, 427
- Angiography
- carotid
    - before angioplasty, 273
    - in carotid cavernous sinus fistulas, 286
  - cerebral
    - after aneurysm embolization, 331–332
    - contraindications to, 242
    - evolution of, 223
    - in aneurysms, 243–244, 318
    - in arteriovenous fistulas, 244
    - in arteriovenous malformations, 244
    - in atherosclerosis, 242–243
    - in brain death assessment, 245–246
    - in carotid cavernous sinus fistulas, 286
    - in coil embolization, 324
    - in dural arteriovenous fistulas, 386
    - in embolization, before tumor resection, 418
    - in stroke, 439
    - in trauma, 246
    - in vasculitis, 244
    - in vasospasm, 341
    - indications for, **241–248**
    - intraoperative, 244–245
    - spinal axis, in arteriovenous malformations, 396–397
- Angiojet rheolytic system, for embolectomy, 468
- AngioJet thrombectomy catheter, 438
- Angioplasty
- carotid. *See* Carotid artery(ies), angioplasty of.
  - intracranial
    - for cerebral vasospasm, 501–507
    - for stroke, 437–438, 440, 468–469
    - for vasospasm, 342–344, 346
    - with stenting, 300–305
- Anterior fossa, meningioma of, preoperative embolization of, 417
- Antibiotics, for aneurysm embolization, 337
- Anticoagulants
- for carotid angioplasty, 271
  - for endovascular surgery, 234
- Anticonvulsants, for intracranial aneurysm, 541–542
- Antifibrinolytic therapy, for intracranial aneurysm, 543
- Antiplatelet therapy, for neuroendovascular techniques, **517–540**
- activity measurement in, 525–526
  - acute stroke intervention, 533–534
  - clinical trials of, 526–529
  - for intracranial aneurysm, 542
  - pharmacology of, 520–525
  - platelet aggregation mechanisms and, 518–520
  - stent placement, 529–530
  - stroke prevention, 534–536
  - with intraoperative thromboembolism complications, 530–533
- Anti-Thrombotic Trialists Collaboration, 526
- Arachnoid cyst, diffusion MRI in, 117

- ARCHeR (Acculink for the Revascularization of Carotids in High Risk Patients), 261, 267–268, 270–272
- Archicerebellum, anatomy of, 77–78, 80
- Archus Orthopedics Total Facet Arthroplasty System, 601, 667–668
- Arteriovenous malformations, **367–380**. *See also*
- Carotid cavernous sinus fistulas.
  - aneurysms in, 369
  - angiography in, 244–245
  - classification of, 367–368
  - dural, **381–393**
  - endovascular surgery for, **367–380**
    - angiography in, 245
    - balloon arterial occlusion for, 249–256
    - complications of, 376
    - curative, 371
    - cure rates of, 377
    - dural, 389–391
    - evolution of, 226–227
    - indications for, 369–370
    - liquid embolic agents for. *See* Liquid embolic agents.
    - microsurgery with, 370–371
    - outcome of, 370–372, 376–377
    - palliative, 372
    - radiosurgery with, 371
    - spinal axis, **395–410**
    - suite preparation for, 237
    - techniques for, 373–376
    - Thomas Jefferson University Hospital experience with, 376–377
    - versus surgical treatment, **365–366**, 372–373
  - grading scale for, 369
  - natural history of, 368–369
  - pathophysiology of, 367
  - spinal axis, **381–393**
  - treatment of
    - curative, 371
    - endovascular. *See* Arteriovenous malformations, endovascular surgery for.
    - indications for, 369–372
    - microsurgery in, 370–371
    - palliative, 372
    - radiosurgery in, 371
    - surgical, **365–366**, 372–373
- Arthroplasty. *See* Cervical disc arthroplasty; Lumbar disc arthroplasty.
- Artificial discs, 585
- Bryan Cervical Disc System, 591–593, 605–606, 612, **629–636**
- Cervicore, 591, 612
- Charité, 600, **637–650**
- complications of, 606
  - designs of, 604
  - indications for, 604–605
  - outcomes of, 605–606
- Porous Coated Motion, 591–592, 612
- Prestige cervical disc, 606, 612, **621–628**
- ProDisc
  - cervical, 605–606, **609–619**
  - lumbar, 600, **651–656**
  - rationale for, 603–604
- Aspirin
  - for carotid angioplasty, 271–272
  - for coil embolization, 324, 334–335
  - for endovascular procedures, 520–521, 525–526, 528
    - stent placement, 530
    - with thromboembolic complications, 531, 533
  - for intracranial aneurysm, 542
  - for intracranial atherosclerosis, 298–300
  - for stroke prevention, 535
- Aspirin and clopidogrel compared with clopidogrel alone after recent ischemic stroke or transient ischemic attack in high-risk patients (MATCH), 528
- Astrocytoma, pilocytic, MRI in, at 0.12 T, 150–151
- Asymptomatic Carotid Atherosclerosis Study (ACAS), 257–260, 263–264
- Atherosclerosis
  - carotid, revascularization for. *See* Carotid artery(ies), endarterectomy of; Carotid artery(ies), revascularization of.
  - intracranial, **297–308**
    - angiography in, 242–243
    - angioplasty and stenting for, 300–305
    - epidemiology of, 297–298
    - medical treatment of, 298–300
- AxiaLIF System, for lumbar disc arthroplasty, 666–667
- Axis of rotation, in lumbar disc arthroplasty, 596–597
- ## B
- 
- B1 field, in MRI, creation of, 6–7
- B1 vector, in MRI, creation of, 7–8

- Balloon catheters
  - for aneurysms, 223–226, 314, 325
  - for angioplasty
    - for stroke, 468–469
    - for vasospasm, 342–344, 346, 501–507
    - of carotid arteries. *See* Carotid artery(ies), angioplasty of.
  - for embolization, 315, 327–330, 359, 412
  - for stroke, 227, 468–469
- Balloon occlusion, of carotid and cerebral arteries, **249–256**
  - for aneurysms, 320–322
  - for carotid cavernous fistulas, 288–289
  - for distal embolic protection, in carotid angioplasty with stenting, 273–274
  - indications for, 249–250
  - permanent, 253–255
  - preoperative testing for, 249–250
  - results of, 250–251
  - revascularization after, 250
  - techniques for, 251–255
  - test, 251–253
- Balloon occlusion tolerance test, before neoplasm surgery, 547–549
- Balloon remodeling technique, for aneurysms, 325
- Barrow classification, of carotid cavernous sinus fistulas, 282–283
- Basilar artery, aneurysms of
  - balloon occlusion of, 321
  - treatment decisions and, 479
  - treatment of, 318–319
- BEACH (Boston Scientific EPI: A Carotid Stenting Trial for High-Risk Surgical Patients), 261, 270, 272
- Beads, cellulose, for embolization, before tumor resection, 414
- Benign tumors, endovascular surgery for, 547–549
- Bioactive coils, for intracranial aneurysm healing, 314–315, 323, 332–333, **487–499**
  - cytokine coated, 491–492
  - extracellular matrix protein-coated, 491
  - growth factor-coated, 491–492
  - history of, 487
  - hydrocoils, 493–494
  - Matrix
    - animal studies of, 492–493
    - clinical studies of, 494–497
- Biomechanics
  - of cervical disc arthroplasty, **589–594**
    - adjacent segments and, 578–579
    - design goals of, 589–590
    - literature review on, 590–593
  - of lumbar disc arthroplasty, 578, **595–602**
    - adjacent segments and, 599
    - axis of rotation in, 596–597
    - coupling in, 598–599
    - devices for, 599–601. *See also* Artificial discs.
    - range of motion in, 595
    - zone of laxity in, 597–598
- Biopsy, brain. *See* Brain, biopsy of.
- Bivalirudin, for endovascular surgery, 234
- Bleeding time, in antiplatelet activity measurement, 525
- Blindness, in embolization, of meningioma, 420
- Blood flow, cerebral, regulation of, in endovascular surgery, 233–234
- Blood-brain barrier, opening of, to targeted therapy, 209
- Boltzmann equation, 4
- Bone
  - brightness of, in MRI, 10
  - disc prosthesis fixation to, 612
- Bone cysts, aneurysmal, preoperative embolization of, 427
- Bone filter device, for kyphoplasty, 563
- Bone graft, for disc degeneration after fusion, 583
- Bone morphogenetic proteins, in disc regeneration, 657–658
- Borden classification, of dural arteriovenous fistulas, 386
- Boston Scientific EPI: A Carotid Stenting Trial for High-Risk Surgical Patients (BEACH), 261, 270, 272
- Brachytherapy, carotid blow-out syndrome after, 550–553
- Bradycardia, in carotid angioplasty, 271–272
- Brain
  - abscess of, diffusion MRI in, 117
  - access to, percutaneous intraspinal navigation in, 566
  - aneurysms of. *See* Aneurysm(s), intracranial.
  - arachnoid cyst of, diffusion MRI in, 117

- biopsy of, MRI in, **165–172**
    - historical view of, 165–166
    - in burr hole procedures, 191–192
    - prospective stereotaxy in, 167–168
    - results of, 168–171
    - technical advances in, 171
    - technique for, 166–170
    - versus MR spectroscopy, 168–170
  - epidermoid tumors of, diffusion MRI in, 117
  - ischemia of
    - in aneurysm embolization, 334–335
    - in arteriovenous malformation embolization, 376
  - trauma to, angiography in, 246
  - tumors of. *See* Brain tumors.
  - vasospasm of. *See* Vasospasm, cerebral.
  - Brain death, assessment of, angiography in, 245–246
  - Brain shift phenomenon, MRI in, 65–75, 136, 205–206
  - Brain tumors
    - cellularity of, 118, 120
    - diffusion MRI in, 116–120
    - diffusion tensor MRI in, 121–131
      - for grading, 122–123
      - for presurgical planning, 123–125
      - functional MRI with, 125–127
      - intraoperative utility of, 128–130
      - limitations of, 131
      - therapeutic, 130–131
    - embolization of, **411–432**
      - agents for, 413–415
      - anatomic considerations in, 412
      - complications of, 415
      - hemangioblastoma, 421–423
      - hemangiopericytoma, 423
      - juvenile nasopharyngeal angiofibroma, 427
      - meningioma, 416–421
      - monitoring after, 413
      - paraganglioma, 423–427
      - preparation for, 411
      - principles of, 411–413
      - procedure for, 411–413
      - radiographic effects of, 413
      - timing of, 413
    - endovascular surgery for, 547–550
    - grading of, diffusion MRI in, 122–123
    - MR spectroscopy in, **101–114**
      - accuracy of, 101
      - applications of, 103–104
      - case study of, 105–106
      - coregistration of metabolic and anatomic MRI in, 104–105
      - data processing in, 104, 108, 110
      - principles of, 101–103
      - procedure for, 104–105
      - results of, 105–107, 110–111
      - three-dimensional (at 3T), 107–111
    - MRI in
      - at 0.12 T, 147–151
      - grid computing in, 65–75
      - staging of, diffusion MRI in, 118
      - treatment of, diffusion tensor MRI in, 130–131
  - Brigham and Women's Hospital Magnetic Resonance Therapy Unit, glioma experience of, 137–138
  - Bryan Cervical Disc System, 605–606, 612, **629–636**
    - biomechanics of, 591–593
    - clinical studies of, 631–633
    - description of, 629
    - implantation technique for, 634–636
    - Investigational Device Exemption Study of, 633–636
    - pre-clinical studies of, 629–631
  - Burr hole procedures, MRI in, 191–192
  - N-Butyl cyanoacrylate, for embolization
    - before tumor resection, 414
    - of arteriovenous malformations, 356–358, 374–375
    - dural, 390–391
    - spinal axis, 400–401
    - of carotid cavernous sinus fistulas, 292
    - of hemangioblastoma, 422
- 
- C**
- CABERNET (Carotid Artery Revascularization Using Boston Scientific EPT FilterWire and EndoTex Stent), 272
  - Cancer
    - balloon arterial occlusion in, 249–256
    - carotid blow-out syndrome in, 550–553
    - endovascular surgery for, 549–550
  - Capillary telangiectasias, 367
  - CAPRIE (Clopidogrel Versus Aspirin in Individuals at Risk of Ischemic Events) study, 526–527, 535
  - CARESS (Carotid Revascularization Using Endarterectomy or Stent Systems), 269, 272

- Carotid and Vertebral Artery Transluminal Angioplasty Study (CAVATAS), 269, 275
- Carotid artery(ies)
- angiography of, 242–243, 273
  - angioplasty of
    - for stroke, 227–228
    - with stenting, 268–276
      - angiography in, 273
      - distal embolic protection in, 269, 273–274
      - intracranial, **297–308**
      - limitations of, 275–276
      - medical management in, 271–272
      - postoperative monitoring in, 275
      - preparation for, 272–273
      - procedure for, 273–275
      - results of, 268–270
      - training curriculum on, 447
      - vascular access for, 273
  - balloon occlusion of, 249–256
  - bifurcation of, aneurysms of, treatment of, 319
  - compression therapy of, for dural arteriovenous fistulas, 388–389
  - contralateral occlusion of, endarterectomy complications with, 266–267
  - embolization of, before tumor resection, 412
  - endarterectomy of
    - complications of, 264–268
    - indications for
      - from endovascular perspective, **259–261**
      - from surgical perspective, **257–258**
    - restenosis after, 267–268
    - results of, 268–270
    - trials of, 263–264
  - external, anatomy of, 281
  - injury of
    - angiography in, 246
    - endovascular surgery for, 553–554
  - internal
    - anatomy of, 280–281
    - aneurysms of, 319
    - occlusion of, for carotid cavernous sinus fistula, 291–292
  - intracranial, angioplasty of, with stenting, **297–308**
  - ipsilateral intraluminal thrombus of, endarterectomy complications with, 266
  - perioperative compromise of, endovascular surgery for, 555–558
  - radiation-induced stenosis of, endarterectomy complications in, 268
  - restenosis of
    - after angioplasty and stent placement, 275–276
    - after endarterectomy, 267–268
  - revascularization of
    - angioplasty with stenting for, **263–278**
    - indications for
      - from endovascular perspective, **259–261**
      - from surgical perspective, **257–258**
    - tandem lesions in, endarterectomy complications with, 265–266
- Carotid Artery Revascularization Using Boston Scientific EPT FilterWire and EndoTex Stent (CABERNET), 272
- Carotid Artery Stenosis Asymptomatic Narrowing Operation Versus Aspirin Study, 257
- Carotid blow-out syndrome, endovascular surgery for, 550–553
- Carotid body tumors, preoperative embolization of, 424–425
- Carotid cavernous fistula, traumatic, endovascular surgery for, 554–555
- Carotid cavernous sinus aneurysms, balloon occlusion of, 322
- Carotid cavernous sinus fistulas, **279–295**
- anatomic considerations in, 279–282
  - causes of, 279
    - direct, 283
    - indirect, 285
  - classification of, 279, 282–283
  - clinical features of
    - direct, 283–284
    - indirect, 285–286
  - definition of, 279
  - direct
    - causes of, 283
    - clinical features of, 283–284
    - pathology of, 283
    - radiography in, 284–285
    - treatment of, 288–292
  - endovascular surgery for, 288–292, 554–555
  - iatrogenic, in embolization, 421
  - indirect
    - causes of, 285
    - clinical features of, 285–286
    - pathology of, 285
    - radiography in, 286–287
    - treatment of, 292
  - pathology of
    - direct, 283

- indirect, 285
- radiography in
  - direct, 284–285
  - indirect, 286–287
- spontaneous, 283
- spontaneous resolution of, 285–286
- treatment of, 319
  - endovascular, 288–292
  - indications for, 287
  - surgical, 287–288
- Carotid Revascularization Endarterectomy versus Stent Trial (CREST), 261, 270, 272
- Carotid Revascularization Using Endarterectomy or Stent Systems (CARESS), 269, 272
- Carotid Revascularization with ev3 Arterial Technology Evolution (CREATE), 272
- Carr-Purcell-Meiboom-Gill pulse sequence, in MRI, 19, 24, 26–27
- Catheter(s). *See also* Neuroendovascular surgery.
  - platelet interaction with, 518–519
- CAVATAS (Carotid and Vertebral Artery Transluminal Angioplasty Study), 269, 275
- Cavernous angiomas, 367
- Cavernous sinus
  - carotid fistulas with. *See* Carotid cavernous sinus fistulas.
  - dural arteriovenous malformations of, 382
- Cavitation, for blood-brain barrier opening, to targeted therapy, 209
- Cellulose beads, for embolization, before tumor resection, 414
- Cement, in vertebroplasty, 561–565
- Cerebellar artery(ies), aneurysms of, treatment of, 319
- Cerebellum, functional MRI of, **77–99**
  - active versus passive movement in, 84, 88
  - anatomic considerations in, 77–78, 80
  - clinical perspective in, 95–98
  - cognitive processing in, 92, 94–95, 97
  - cortical topography in, 84, 86
  - executed versus imagined movement in, 84, 87
  - historical view of, 77, 79, 81, 83
  - in topography, 81–84, 86
  - individual variations in, 83–85
  - language processing in, 92, 94–95, 97
  - neurologic circuits and, 77
  - projections in, 83
  - somatosensory cancellation in, 92
  - somatotropic map of, 81–84, 86
  - spatial normalization in, 83–85
  - voluntary movement frequency in, 87, 89–90
  - voluntary movement timing in, 89, 91, 93
- Cerebral Aneurysm Multicenter European Onyx trial, 328, 330
- Cerebral angiography. *See* Angiography, cerebral.
- Cerebral artery(ies)
  - aneurysms of, treatment decisions and, 479
  - balloon occlusion of, 249–256
  - balloon occlusion tolerance test of, before neoplasm surgery, 547–549
  - middle, aneurysms of, treatment of, 320
- Cerebral blood flow, regulation of, in endovascular surgery, 233–234
- Cerebral perfusion pressure, regulation of, in endovascular surgery, 233–234
- Cerebrospinal fluid
  - drainage of, for vasospasm, 344
  - leakage of, after vertebroplasty, 564
  - MRI of, 16
- Cerecyte coil, for aneurysm embolization, 323
- Cervical disc arthroplasty, **603–607**
  - biomechanics of, 578–579, **589–594**
    - design goals of, 589–590
    - literature review on, 590–593
  - Bryan Cervical Disc for, 591–593, 605–606, 612, **629–636**
  - disc regeneration in, **657–663**
  - for adjacent segment degeneration after fusion, **575–587**
    - biomechanics of, 578–579
    - clinical evidence of, 576–578
    - diagnosis of, 580
    - incidence of, 575–578
    - pathophysiology of, 578–579
    - predisposing factors in, 579–580
    - prevention of, 583–585
    - radiologic evidence of, 575–576
    - reducing rate of progression, 603
    - single-level versus multi-level, 578–579
    - treatment of, 580–583
  - goals of, 609
  - Prestige disc for, 591, 606, 612, **621–628**
  - ProDisc-C for, 591, 605–606, **609–619**
  - rationale for, 603–604
  - versus lumbar disc arthroplasty, 613
- Cervical epidural microcatheterization, for analgesia, 565–566

- Cervical spine fusion, anterior, adjacent segment degeneration after. *See* Cervical disc arthroplasty, for adjacent segment degeneration after fusion.
- Cervicore disc, 591, 612
- Charité Artificial Disc, 600, **637–650**  
 biomechanics of, 600  
 complications of, 638–639  
 design of, 637  
 implantation of  
   patient positioning for, 640  
   preoperative planning for, 639–640  
   surgical approach to, 640–642  
   technique for, 642–650  
 indications for, 638
- Chemical selective saturation, in MRI, 34–36
- Chemical thrombolysis, ultrasonography with, 469
- Chemosis, in carotid cavernous sinus fistulas, 284
- Chondrocytes, for tissue engineering, in disc regeneration, 657–658
- Chondrosarcoma, preoperative embolization of, 427
- Climbing fibers, cerebellum input from, 77
- Clipping, of aneurysms, 317–319, 333–334, **475–485**  
 aneurysm factors in, 478–480  
 dissecting, 483  
 efficacy of, 476–477  
 giant calcified, 483  
 large, 483  
 operator experience in, 480  
 patient factors in, 477–478  
 ruptured, 482–483  
 safety of, 475–476  
 unruptured, 480–482
- Clopidogrel  
 for carotid angioplasty, 271–272  
 for coil embolization, 334–335  
 for endovascular procedures, 234, 521–523, 526–528  
   stent placement, 529–530  
   with thromboembolic complications, 531  
 for intracranial aneurysm, 542  
 for intracranial atherosclerosis, 298  
 for stroke prevention, 535–536
- Clopidogrel for the Reduction of Events during Observation study, 527
- Clopidogrel in Unstable Angina to Prevent Recurrent Events study, 527, 535
- Clopidogrel Versus Aspirin in Individuals at Risk of Ischemic Events study, 526–527, 535
- Coated coils, for embolization, of aneurysms, 314–315
- Cognitive processing, in cerebellum, functional MRI of, 92, 94–95, 97
- Coil embolization  
 of aneurysms, 225–226, 314–315, **475–485**, 487–488  
   anesthesia for, 324  
   aneurysm factors in, 478–480  
   animal models of, 491–494  
   balloon remodeling with, 325  
   bioactive. *See* Bioactive coils.  
   clinical experience with, 494–497  
   coil removal after, 335  
   complications of, 335, 337  
   devices for, 322–323  
   dissecting, 483  
   efficacy of, 476–477  
   giant calcified, 483  
   herniation of, 335  
   historical review of, 322  
   large, 483  
   operator experience in, 480  
   outcomes of, 330–333  
   patient factors in, 477–478  
   platelet interaction with, 518–519  
   preprocedural medications for, 324  
   rupture during, 335–337  
   ruptured, 482–483  
   safety of, 475–476  
   stents with, 325–327  
   technique for, 324–325  
   technology of, 322–323  
   unruptured, 480–482  
   versus clipping, 333–334  
 of arteriovenous malformations  
   dural, 390–391  
   spinal axis, extradural, 398–399  
 of carotid cavernous sinus fistulas, 289–292  
 of tumors, before resection, 415
- Collagen  
 for tissue engineering, in disc regeneration, 658–659  
 in bioactive coils, for aneurysm healing, 491  
 microfibrillar, for embolization, before tumor resection, 415



Communicating artery(ies), aneurysms of, treatment of, 319, 479–480

Compression therapy, for dural arteriovenous fistulas, 388–389

Computed tomography  
   in aneurysms, 318  
   in carotid cavernous sinus fistulas, 284–285  
   in dural arteriovenous fistulas, 386  
   in stroke, 438–439, 471  
   intraoperative  
     in epilepsy, 174  
     versus intraoperative MRI, 152

Computed tomography angiography  
   in aneurysms, 243–244  
   in atherosclerosis, 242  
   in brain death assessment, 246  
   in dural arteriovenous fistulas, 386  
   in trauma, 246

Computed tomography myelography, in disc degeneration after fusion, 580

Concentric Thrombus Retriever System, for stroke, 437–438

Congestive heart failure, carotid endarterectomy complications in, 265

Connective tissue growth factor, in aneurysm healing, 491

Conus medullaris, arteriovenous malformations of, 407–408

Coronary artery bypass graft surgery, carotid endarterectomy and, 265

Coronary artery disease, carotid endarterectomy complications in, 265

Corpectomy, cervical, disc degeneration after. *See* Cervical disc arthroplasty, for adjacent segment degeneration after fusion.

Corticosteroids, for disc degeneration after fusion, 580–581

Coupling, in lumbar disc arthroplasty, 598–599

Cranial nerve injury, in embolization  
   before tumor resection, 415–416  
   of meningioma, 420  
   of paragangliomas, 425–427

Craniopharyngioma, MRI in, at 0.12 T, 147–149

CREATE (Carotid Revascularization with ev3 Arterial Technology Evolution), 272

CREDO (Clopidogrel for the Reduction of Events during Observation) study, 527

CREST (Carotid Revascularization Endarterectomy versus Stent Trial), 261, 270, 272

CURE (Clopidogrel in Unstable Angina to Prevent Recurrent Events) study, 527, 535

Cyanoacrylates, for embolization  
   before tumor resection, 414  
   of arteriovenous malformations, 356–358, 373–377  
     dural, 390–391  
     spinal axis, 400–401  
   of carotid cavernous sinus fistula, 292  
   of hemangioblastoma, 422

Cyst, arachnoid, diffusion MRI in, 117

Cytokines  
   in bioactive coils, for aneurysm healing, 491–492  
   in intracranial aneurysm formation, 488

## D

Death, brain, assessment of, angiography in, 245–246

Detachable silicone balloon occlusion, for carotid cavernous fistulas, 288–289

Diamagnetic materials, in MRI, 5

Diffusion MRI, **115–134**  
   in brain tumors, 116–120  
     tensor, 121–131  
   physical basis of, 115–116

Diffusion tensor MRI  
   in brain tumors, 121–131  
     for grading, 122–123  
     for presurgical planning, 123–125  
     functional MRI with, 125–127  
     intraoperative utility of, 128–130  
     limitations of, 131  
     therapeutic, 130–131  
   physical basis of, 120–121

Digital subtraction angiography  
   in aneurysms, 243–245  
   in arteriovenous malformations and fistulas, 244  
   in atherosclerosis, 242–243  
   in brain death assessment, 245–246  
   in endovascular surgery, 244–245  
   in trauma, 246

Digital subtraction angiography (*continued*)  
 in vasculitis, 244  
 intraoperative, 245

Dimethyl sulfoxide, in Onyx embolization system,  
 for aneurysms, 315, 327–330, 358–360

Diplopia, in carotid cavernous sinus fistulas,  
 284–285

Dipoles  
 energy transition of, 4  
 large single magnetic dipole formed from, 7–8  
 net vector of, 5–6  
 phase coherence of, 4–5  
 precession of, 2

Dipyridamole  
 for endovascular procedures, 523  
 for intracranial atherosclerosis, 298–299  
 for stroke prevention, 535

Disc arthroplasty. *See* Cervical disc arthroplasty;  
 Lumbar disc arthroplasty.

Disc regeneration, **657–663**

Discectomy  
 cervical, disc degeneration after. *See* Cervical  
 disc arthroplasty, for adjacent segment  
 degeneration after fusion.  
 lumbar, for Charité Artificial Disc  
 implantation, 642–643

Discography, in disc degeneration after fusion,  
 577

Distal embolic protection, in carotid angioplasty  
 with stenting, 269, 273–274

Diuretics, for endovascular surgery, 234

Djindjian classification, of dural arteriovenous  
 fistulas, 386

Dome-to-neck ratio, of aneurysms, endovascular  
 surgery and, 320, 332

“Double doughnut” system, for intraoperative  
 MRI, 202

Dural arteriovenous malformations and fistulas,  
**381–393**  
 classification of, 386  
 clinical presentation of, 381–386  
 definition of, 381  
 endovascular surgery for, 389–391, 399–405  
 etiology of, 381  
 pathogenesis of, 381  
 radiography in, 386  
 spinal axis, 399–405

treatment of, 386, 388–391

Dynesys Spinal System, for lumbar disc  
 arthroplasty, 600–601, 668

## E

Echo time, in MRI, 45

ECST (European Carotid Surgery Trial), 257–258

Education, on endovascular neurosurgery,  
**445–449**

EKOS MicroLysUS infusion catheter, for  
 embolectomy, 469

EKOS Ultrasound Thrombolytic Infusion  
 Catheter, 438

Electroencephalography, in balloon occlusion,  
 252–253

Embolectomy  
 mechanical. *See* Mechanical embolectomy.  
 surgical, 465

Emboli, protection against, in carotid angioplasty  
 with stenting, 269, 273–274

Embolization  
 coil. *See* Coil embolization.  
 endovascular  
   for carotid blow-out syndrome, 550–553  
   of neoplasms, 548–550  
   of vascular injury, 553–555  
 indications for, 232  
 liquid agents for. *See* Liquid embolic agents.  
 of aneurysms  
   angiography after, 244  
   coil. *See* Coil embolization, of aneurysms.  
   historical perspective of, 223–226  
   liquid agents for, 327–330  
 of arteriovenous malformations  
   dural, 390–391  
   historical perspective of, 226–227  
   liquid agents for, **355–363**  
   spinal axis, 397–408  
 of carotid cavernous sinus fistulas, 289–292  
 of tumors, **411–432**  
   agents for, 413–415  
   complications of, 415  
   hemangioblastoma, 421–423  
   hemangiopericytoma, 423  
   juvenile nasopharyngeal angiofibroma, 427  
   meningioma, 416–421  
   paraganglioma, 423–427  
   principles of, 411–413

- Emergency Management of Stroke Bridging Trial, 436
- Endarterectomy, carotid. *See* Carotid artery(ies), endarterectomy of.
- Endothelium, denudation of, in aneurysm formation, 489
- Endovascular Photo Acoustic Recanalization laser system, 467–468
- Endovascular Photo Acoustic Recanalization (EPAR) system, 438
- Endovascular surgery. *See* Neuroendovascular surgery.
- Enthalpy, in T1 relaxation, 11
- EPAR (Endovascular Photo Acoustic Recanalization) system, 438
- EPIC study, antiplatelet agents in, 528
- Epidermoid tumors, brain, diffusion MRI in, 117
- Epidural microcatheterization, cervical, for analgesia, 565–566
- Epilepsy, **173–183**  
 definition of, 173  
 surgery for  
   efficacy of, 173–174  
   history of, 174  
   MRI in, **173–183**, 193  
     advantages of, 180  
     current status of, 178–180  
     patient selection for, 176  
     results of, 176–178  
     technology of, 174–175  
     University of Calgary experience in, 180–182  
 treatment of, 173
- Epistaxis, endovascular surgery for, 558
- EPISTENT study, antiplatelet agents in, 528
- Eptifibatide  
 for carotid angioplasty, 271  
 for endovascular procedures, 523–525
- ESPRIT study, 535
- Estrogen, for embolization, of meningioma, 418
- Ethmoidal sinus, dural arteriovenous malformations of, 382
- Ethylene vinyl alcohol copolymer (Onyx liquid embolic system)  
 for aneurysms, 315, 327–330  
 for arteriovenous malformations, 358–360
- European Carotid Surgery Trial (ECST), 257–258
- European Cooperative Acute Stroke Study (ECASS), 434
- Evaluation of the Medtronic AVE Self-Expanding Carotid Stent System with Distal Protection in the Treatment of Carotid Stenosis (MAVERIC), 272
- Exponential decay components, in MRI, 18
- Extracellular matrix proteins, in aneurysm healing, 491
- Eye, carotid cavernous sinus fistula manifestations in, 284, 382
- 
- ## F
- Facets  
 hypertrophy of, in adjacent disc degeneration after fusion, 575  
 replacement of, 601, 667–668
- Facial nerve, injury of, in embolization, 426–427
- Fast spin echo technique, in MRI, 54–60  
 clinical applications of, 59–60  
 disadvantages of, 58–59  
 image contrast in, 56–57  
 J coupling in, 60  
 T1-weighted, 57–58  
 T2-weighted, 58
- Fat molecules, in MRI  
 brightness of, 10, 14  
 chemical saturation of, 36  
 J coupling of, 60  
 precession of, 13–14
- Fentanyl, for endovascular surgery, 234
- Ferromagnetic materials, in MRI, 5, 15
- Fibrin glue, for embolization, before tumor resection, 415
- Fibrinogen, in bioactive coils, for aneurysm healing, 491
- Fibrinolysis, in coil embolization, of aneurysms, 335
- Fibroblast(s), in bioactive coils, for aneurysm healing, 492
- Fibroblast growth factor, in bioactive coils, for aneurysm healing, 492

Fibronectin, in bioactive coils, for aneurysm healing, 491

Filters, for distal embolic protection, in carotid angioplasty with stenting, 273–274

Fistulas, arteriovenous. *See also* Carotid cavernous sinus fistulas.  
angiography in, 244  
dural. *See* Dural arteriovenous malformations and fistulas.

Fixation, spinal, percutaneous, 566–567

FLAIR (fluid-attenuated inversion recovery) pulse sequence, in MRI, 24, 33–34

Flow reversal technique, for distal embolic protection, in carotid angioplasty with stenting, 273–274

Fluid-attenuated inversion recovery (FLAIR) pulse sequence, in MRI, 24, 33–34

Fluoroscopy  
in Charité Artificial Disc implantation, 644  
in endovascular surgery, 234–235

Foam, gelatin, for embolization, before tumor resection, 415

Focused ultrasound surgery, MRI-guided, 208–209

Foraminotomy, for disc degeneration after fusion, 583–585

Fourier transform, in image reconstruction, in MRI, 46, 52, 54

Free induction decay, in MRI, 7–8, 19, 44

Frequency encoding, in MRI, 45–46

FSE (fast spin echo) technique, in MRI, 54–60

Functional MRI. *See* Magnetic resonance imaging, functional.

Furosemide, for endovascular surgery, 234

Fusiform aneurysms, treatment of, 320

## G

---

Gelatin foam, for embolization, before tumor resection, 415

GEMSS (grid-enabled medical simulation services) project, MRI with grid computing, 65–75

Genetic factors, in intracranial aneurysms, 488

Glioma surgery

diffusion tensor MRI in, 124–125

MR spectroscopy in, 104–107

MRI in, **135–141**, 189, 192–193  
advantages of, 135–137  
clinical experience of, 137–138  
complications of, 138  
cortical identification in, 136–137  
safety of, 138  
tumor resection extent and, 138  
versus other modalities, 138–140

Gliomatosis cerebri, diffusion tensor MRI in, 124–125

Glomus jugulare lesions, preoperative embolization of, 423–424

Glue, cyanoacrylate. *See* Cyanoacrylates.

Glycoprotein IIb/IIIa inhibitors, for endovascular procedures, 523–525, 528–529  
stent placement, 529–530  
with thromboembolic complications, 532–534

Gold valve balloon occlusion, for carotid cavernous fistulas, 288

Goose Neck Snare, for embolectomy, 467

Gradient echo, in MRI, 49–51

Gradient-recalled acquisition in the steady state (GRASS) pulse sequence, in MRI, 19, 24, 37–38

Grid computing, in MRI, **65–75**  
chain execution in, 72–73  
description of, 66–68  
image processing chain in, 68–72  
need for, 65–66  
performance of, 73–74  
quality of service from, 73

Grid-enabled medical simulation services (GEMSS) project, MRI with grid computing, 65–75

Growth factors  
in bioactive coils, for aneurysm healing, 491–492  
in disc regeneration, 657–658

Guglielmi, Guido, endovascular aneurysm procedure of, 225–226, 322

Guided tissue engineering, for disc regeneration, **657–663**

## H

---

Hahn echo, in MRI, 23

Half-Fourier single-shot turbo spin echo (HASTE) sequences  
 in brain biopsy, 166  
 in transsphenoidal surgery, 188–189

HASTE (half-Fourier single-shot turbo spin echo) sequence, in transsphenoidal surgery, 188–189

Healing, of intracranial aneurysms, bioactive coils for, **487–499**

Heart failure, congestive, carotid endarterectomy complications in, 265

Hemangioblastoma, preoperative embolization of, 421–423

Hemangioendothelioma, preoperative embolization of, 427–428

Hemangiopericytoma, preoperative embolization of, 423

Hemicraniectomy, for stroke, 544

Hemorrhage  
 in arteriovenous malformations, 368–369, 376, 382, 384  
 in carotid blow-out syndrome, 550–553  
 in carotid cavernous sinus fistulas, 284  
 in embolization  
   before tumor resection, 415–416, 421  
   of meningioma, 420  
 intracerebral, burr hole procedures for, MRI in, 191–192  
 reperfusion, in mechanical embolectomy, 472  
 subarachnoid. *See* Subarachnoid hemorrhage.  
 traumatic, endovascular surgery for, 553–555

Heparin  
 for carotid angioplasty, 271–273  
 for coil embolization, 324, 334  
 for endovascular procedures, 234, 531  
 for stroke, 435–436

Hereditary hemorrhagic telangiectasia, epistaxis in, 558

Hitachi AIRIS II MRI unit, in transsphenoidal pituitary surgery, 158–159

Hydrocephalus, in aneurysm embolization, 337, 341

Hydrocoils, for aneurysm healing, 493–494

Hydrogel-coated coils, for embolization, of aneurysms, 315, 323, 333

Hydrogen  
 precession of, 2  
 spin density of, 17–18

Hydroxyapatite microparticles, for embolization, before tumor resection, 415

Hypermobility, of cervical spine, in adjacent disc degeneration after fusion, 575–576

Hypertension, intracranial aneurysm risk in, 488–489

Hypophysectomy, trans-sphenoidal, vascular compromise in, 556

## I

Image processing chain, in MRI, with grid computing, 68–72  
 data transfer and conversion in, 69  
 deformation field in, 72  
 executing over grid, 72–73  
 intensity adjustment in, 71  
 intensity nonuniformity correction in, 69–71  
 linear registration n, 71  
 nonlinear registration in, 71  
 overlay of data in, 72  
 requirements for, 68  
 security of, 68  
 steps of, 68  
 transfer to presentation device in, 72

Image reconstruction, in MRI, 46–47

IMPACT II study, antiplatelet agents in, 528

Implantation, of artificial discs. *See* Cervical disc arthroplasty; Lumbar disc arthroplasty.

Infections, in coil embolization, of aneurysms, 337

Integrilin, for endovascular surgery, 234

Intensive care, in neuroendovascular surgery, **541–545**

Interferon- $\gamma$ , in aneurysm healing, 491

International Subarachnoid Aneurysm Trial (ISAT), 313–314, 333–334, 541

Interventional suite, for endovascular surgery, **231–239**  
 design of, 235  
 for aneurysms, 232, 237  
 for arteriovenous malformations, 232, 237  
 for stroke, 232, 236–237  
 for vasospasm, 232, 237–238  
 imaging equipment in, 235–236  
 pharmacologic agents used in, 233–235  
 physiologic considerations in, 233, 235  
 planning for, 232–233  
 preoperative considerations and, 231–232

Interventional suite (*continued*)  
 team member roles in, 236

Intervertebral disk arthroplasty. *See* Cervical disc arthroplasty; Lumbar disc arthroplasty.

In-Time retrieval device, for thrombolysis, 437

Intracranial pressure, regulation of, in  
 endovascular surgery, 233–234

Intraoperative MRI. *See* Magnetic resonance imaging, intraoperative.

Inversion recovery (IR) pulse sequence, in MRI,  
 19, 24, 28–34  
 conventional, 28–30  
 fluid-attenuated (FLAIR), 24, 33–34  
 short time (STIR), 19, 24, 32–33  
 with short repetition time, 31–32

Iophendylate oil, in cyanoacrylate embolization,  
 of arteriovenous malformations, 356–357

ISAT (International Subarachnoid Aneurysm  
 Trial), 313–314, 333–334, 541

Ischemia, cerebral  
 in aneurysm embolization, 334–335  
 in arteriovenous malformation embolization,  
 376  
 intraoperative detection of, MRI in, 130

Isoflurane, for endovascular surgery, 233

## J

---

J coupling, in MRI, 60

Joubert syndrome, cerebellar vermis  
 underdevelopment in, functional MRI in,  
 96–98

Juvenile nasopharyngeal angiofibroma,  
 preoperative embolization of, 427

## K

---

Kinematics, of ProDisc-C, 611–612

Kyphoplasty, percutaneous, 561–565

## L

---

Laminectomy, for disc degeneration after fusion,  
 581–584

Laminin, in bioactive coils, for aneurysm healing,  
 491

Laminoforaminotomy, for disc degeneration after  
 fusion, 581

Laminoplasty, for disc degeneration after fusion,  
 582–584

Language processing, in cerebellum, functional  
 MRI of, 92, 94–95, 97

Larmour frequency, in MRI, 2, 9–10

Larsell classification, of cerebellar anatomic  
 assignments, 79–81

Laser thrombolysis, 467–468

Lateral transposas approach, to lumbar disc  
 arthroplasty, 665–666

LaTIS laser device  
 for embolectomy, 468  
 for stroke, 438

Lax zone, in lumbar disc arthroplasty, 597–598

Leukocytes, in intracranial aneurysm formation,  
 488

Leussenhop, Alfred J., endovascular aneurysm  
 procedure of, 224

Lidocaine, for provocative testing, in  
 arteriovenous malformation embolization, 356

Limited flip angle imaging, in MRI, 38, 40

Liquid embolic agents. *See also specific agents.*  
 for aneurysms, 315, 327–330  
 for arteriovenous malformations, 315,  
**355–363**, 373–377  
 N-butyl cyanoacrylate, 356–358, 374–375,  
 390–391, 400–401  
 historical review of, 355–356  
 Onyx system, 358–360  
 provocative testing for, 356  
 spinal axis, 400–401  
 for carotid cavernous sinus fistulas, 292  
 for hemangioblastoma, 422

Lumbar disc arthroplasty  
 biomechanics of, 578, **595–602**  
 adjacent segment, 599  
 axis of rotation in, 596–597  
 coupling in, 598–599  
 devices for, 599–601. *See also* Artificial  
 discs.  
 range of motion in, 595  
 zone of laxity in, 597–598  
 Charité Artificial Disc for, 600, **637–650**  
 disc regeneration in, **657–663**

dynamic neutralization with artificial posterior tension band, 668  
 emerging directions in, **665–669**  
 facet replacement in, 601, 667–668  
 for adjacent segment degeneration, 599  
 lateral transpoas approach, 665–666  
 oblique approach to, 667  
 posterior presacral access to, 666–667  
 ProDisc for, 600, **651–656**  
 versus cervical disc arthroplasty, 613

Lymphoma, brain, diffusion MRI in, 118, 120, 125

## M

Macrophages, in intracranial aneurysm formation, 488

Magnesium sulfate, for vasospasm, 344

Magnetic fields, in T2 relaxation, 12–14

Magnetic resonance angiography  
 in aneurysms, 243–244  
 in arteriovenous malformations and fistulas, 244  
   dural, 386  
   spinal axis, 403  
 in atherosclerosis, 242  
 in trauma, 246  
 in vasculitis, 244

Magnetic resonance imaging

functional  
   diffusion tensor MRI with, in brain tumors, 125–127  
   in neuronavigation, 195–196  
   of cerebellum, **77–99**  
 in arteriovenous malformations and fistulas  
   dural arteriovenous, 386  
   spinal axis, 403  
 in carotid cavernous sinus fistulas, 284–285  
 in disc degeneration after fusion, 576, 580  
 in stroke, 439, 471  
 in tumor necrosis, 413  
 intraoperative, **185–200**  
   benefits of, 204–207  
   clinical experience with, 189–194  
   development of, 185–186  
   diffusion. *See* Diffusion MRI; Diffusion tensor MRI.  
   “double doughnut” system for, 202  
   equipment for, 186–189  
   future of, **201–213**  
   grid computing in, **65–75**  
   head holder for, 188

in brain biopsy, **165–172**  
 in brain tumors, **101–114**  
 in burr hole procedure, 191–192  
 in epilepsy, **173–183**, 193  
 in glioma surgery, **135–141**, 192–193  
 in neuronavigation. *See* Neuronavigation, MRI in.  
 in therapy delivery systems, 209–210  
 in thermal ablation, 208–209  
 in transsphenoidal pituitary surgery, **155–164**, 190–191  
 of cerebellum, functional, **77–99**  
 operating room setup for, 186–189  
 paradigms of, 202–204  
 PoleStar 0.12T unit for, **143–154**  
 types of, 202  
 unresolved issues in, 207–208  
 versus intraoperative computed tomography, 152  
 principles of, **1–63**  
   basic pulse sequences, 19–24  
   Carr-Purcell-Meiboom-Gill sequence, 19, 24, 26–27  
   chemical selective saturation, 34–36  
   coherence of fast tissues, 16–17  
   echo time, 45  
   fast spin echo technique, 54–60  
   frequency encoding, 45–46  
   gradient echo, 19, 24, 37–38, 49–51  
   hydrogen availability, 17–19  
   image reconstruction, 46–47  
   inversion recovery, 28–34  
   limited flip angle imaging, 38, 40  
   multislice acquisition, 47–48  
   net vector, 5–6  
   phase coherence, 4–5  
   phase encoding, 41–45  
   precession, 2  
   prescanning, 43–44  
   proton density weighting, 23  
   pulse preparation, 36–37  
   selective excitation, 41–43  
   signal formation, 6–8  
   single-slice mode, 48  
   spatial encoding, 41  
   spin echo, single-slice, two-dimensional data acquisition, 41  
   spin echo pulse. *See* Spin echo (SE) pulse sequence.  
   T1 relaxation. *See* T1 relaxation.  
   T2 relaxation. *See* T2 relaxation.  
   T1 weighting, 25, 57–58  
   T2 weighting, 25–26, 58

- Magnetic resonance imaging (*continued*)  
     thermal motion, 3–4  
     three-dimensional data acquisition, 51–54
- Magnetic resonance spectroscopy, intraoperative  
     in brain biopsy  
         historical view of, 165–166  
         procedure for, 168  
         results of, 168–170  
         versus MRI-guided brain biopsy, 168–170  
     in brain tumors, **101–114**
- Magnetization vector, recovery of, to ground state. *See* T1 relaxation.
- Magnetoencephalography, functional MRI with, in brain tumors, 106–107
- Malformations, arteriovenous. *See* Arteriovenous malformations.
- Malignant neoplasms, endovascular surgery for, 549–550
- Mannitol, for endovascular surgery, 234
- MATCH trial, antiplatelet agents in, 528
- Matrix bioactive coils, for intracranial aneurysm healing  
     animal studies of, 492–493  
     clinical studies of, 494–497
- Matrix coils, for aneurysm embolization, 323, 332
- Matrix metalloproteinases, in intracranial aneurysm formation, 488–489
- MAVERIC (Evaluation of the Medtronic AVE Self-Expanding Carotid Stent System with Distal Protection in the Treatment of Carotid Stenosis), 272
- Mayo Asymptomatic Carotid Endarterectomy study, 257
- Mechanical embolectomy, **463–474**  
     clinical trials of, 463–465  
     devices and techniques for, 465–469, 472  
     historical precedent of, 465  
     indications for, 469, 471–472  
     risks of, 472
- Mechanical Embolus Removal in Cerebral Ischemia trial, 438
- Mechanical thrombolysis, for stroke, 437–438, 440
- Meningioma  
     MRI in, diffusion, 120  
     preoperative embolization of, 416–421
- Merci Retriever, for embolectomy, 465–467
- Mesenchymal stem cells, for tissue engineering, in disc regeneration, 658
- Metastasis  
     to brain, diffusion MRI in, 125  
     to spine, percutaneous vertebroplasty for, 561–565
- Methohexital, for provocative testing, in arteriovenous malformation embolization, 356
- Microfibrillar collagen, for embolization, before tumor resection, 415
- Microspheres, for embolization, before tumor resection, 414
- Midazolam, for endovascular surgery, 234
- Middle fossa, meningioma of, preoperative embolization of, 417
- Minimally invasive procedures, for lumbar disc arthroplasty, 665–668
- Moniz, Antonio Egas, as angiography pioneer, 223
- Monocytes, in intracranial aneurysm formation, 488
- Mossy fibers, cerebellum input from, 77
- Motion artifacts, in spinal angiography, 396–397
- Movement, cerebellar control of, functional MRI of  
     active versus passive, 84, 88  
     executed versus imagined, 84, 87  
     frequency of, 87, 89–90  
     somatosensory cancellation in, 92  
     timing of, 89, 91–93
- MRI. *See* Magnetic resonance imaging.
- Mullan, Sean F., endovascular aneurysm procedure of, 224
- Multislice acquisition, in MRI, 47–48
- Myelography, in disc degeneration after fusion, 580
- Myeloma, percutaneous vertebroplasty for, 561–565
- Myelopathy  
     cervical disc arthroplasty for, 604  
     in disc degeneration after fusion, 577, 580, 585



**N**

NASCET (North American Symptomatic Carotid Endarterectomy Trial), 257–259, 263–267, 269

Nasopharyngeal angiofibroma, juvenile, preoperative embolization of, 427

Navigation. *See* Neuronavigation.

Navigus trajectory guide, for brain biopsy, 166

Neocerebellum, anatomy of, 77–79

Neoplastic disease, endovascular surgery for, 547–550

Nerve root compression, after vertebroplasty, 564

Net vector, in MRI, 5–6

Neuroendovascular surgery  
 angiography, **241–248**. *See also* Angiography.  
 antiplatelet therapy in, **517–540**, 542  
 bioactive coils in, **487–499**  
 clipping versus coiling decisions in, **475–485**  
 evolution of, **223–229**  
 for aneurysms  
   after subarachnoid hemorrhage, **317–353**  
   evidence base for, **313–316**  
   evolution of, 223–226  
   unruptured, **309–312**  
 for arteriovenous malformations. *See* Arteriovenous malformations.  
 for atherosclerosis, **297–308**  
 for carotid cavernous fistulas, **279–295**  
 for cerebral artery occlusion, **249–256**  
 for cerebrovasospasm, **501–516**  
 for cervical artery occlusion, **249–256**  
 for cervical carotid revascularization angioplasty, **263–278**  
   indications for, **257–258**, **259–261**  
 for dural arteriovenous fistulas, 389–391  
 for head and neck vascular lesions, **547–560**  
 for preoperative tumor embolization, **411–432**  
 for stroke, 227–228, **433–444**  
 intensive care in, **541–545**  
 mechanical embolectomy, **463–474**  
 suite for, **231–239**  
 training standards for, **445–449**

Neuroform stent, for aneurysms, 326–327

Neuronavigation

  intraspinal, 566

  MRI in, 189

    equipment for, 189

    for anatomic guidance, 194–195

    for brain biopsy, 165–172

    for brain tumors, 106–107

    for epilepsy surgery, 181

    functional, 195–196

    in PoleStar system, 143, 146

Neuronet Endovascular Snare

  for embolectomy, 467

  for stroke, 438

Neutral zone, in lumbar disc arthroplasty, 597–598

Nicardipine, for vasospasm, 513

Nimodipine, for vasospasm, 344, 543

Normalization, of cerebellar individual differences, 83–85

North American Symptomatic Carotid Endarterectomy Trial (NASCET), 257–259, 263–267, 269

Nosebleed, endovascular surgery for, 558

Nucleoplasty, 599

Number of excitations, in MRI, 23

**O**

Occipital artery, compression therapy of, for dural arteriovenous fistulas, 388–389

Oligoastrocytoma, MR spectroscopy in, 106

Oligodendroglioma, MRI in, at 0.12 T, 147–149

Onyx liquid embolic system

  for aneurysms, 315, 327–330

  for arteriovenous malformations, 358–360

Ophthalmic artery

  aneurysms of, balloon occlusion of, 321

  embolization of, before tumor resection, 412

Optic nerve, meningioma of, preoperative embolization of, 420

Optical aggregometry, in antiplatelet activity measurement, 525

Osteogenic protein-1, in disc regeneration, 657

Osteophytes, in adjacent disc degeneration after fusion, 575–576

Osteoplasty, spinal, percutaneous, 561–565

Osteoporosis, vertebroplasty for, 561–565

**P**

Pain, neck and back, discogenic

  economic impact of, 613–614

  in disc degeneration after fusion, 577, 580

- Pain (*continued*)  
     mechanisms of, 659  
     percutaneous spinal fixation for, 566–567
- Palate, necrosis of, after nasopharyngeal angiofibroma embolization, 427
- Paleocerebellum, anatomy of, 77–80
- Papaverine, for vasospasm, 345–346, 507–513
- Paraganglioma, preoperative embolization of, 423–427
- Pedicle screws, percutaneous insertion of, 566–567
- Pentobarbital, for endovascular surgery, 234
- Percutaneous balloon angioplasty  
     for cerebral vasospasm, 501–507  
     for stroke, 468–469
- Perfusion pressure, cerebral, regulation of, in endovascular surgery, 233–234
- Pericallosal artery, aneurysms of, treatment of, 319
- Petroclival meningioma, preoperative embolization of, 418
- Petrosal sinus, superior, dural arteriovenous malformations of, 384
- Phase angle, in MRI, 45
- Phase coherence, in MRI, 4–5  
     establishment of, 6–8  
     loss of. *See* T2 relaxation.
- Phase encoding, in MRI, 44–45
- Phenytoin  
     for embolization, before tumor resection, 415  
     for intracranial aneurysm, 541–542
- Physical therapy, for disc degeneration after fusion, 581
- Pilocytic astrocytoma, MRI in, at 0.12 T, 150–151
- Pineal region, meningioma of, preoperative embolization of, 419–420
- Pituitary tumors  
     excision of, vascular compromise in, 556  
     transsphenoidal surgery for. *See* Transsphenoidal pituitary surgery.
- Pivot point, in stereotactic brain biopsy, 167
- Pixels, in MRI  
     in three-dimensional data acquisition, 52–54  
     versus voxels, 41
- Platelet(s), aggregation of  
     mechanisms of, 518–520  
     prevention of. *See* Antiplatelet therapy.
- Platelet-derived growth factor, in bioactive coils, for aneurysm healing, 492
- Plating, in cervical disc arthroplasty, adjacent disc degeneration after, 579–580
- PoleStar intraoperative MRI (0.12 T), **143–154**  
     case illustrations of, 147–151  
     necessity of, 150, 152–153  
     specifications of, 143–145  
     stereotactic accuracy of, 145  
     technique for, 145–147
- Polyglycolic acid, in bioactive coils, for aneurysm healing, 493
- Polyglycolic/poly-L-lactic acid copolymer, in bioactive coils, for aneurysm healing, 493
- Polymers, cyanoacrylate. *See* Cyanoacrylates.
- Polymethylmethacrylate vertebroplasty, 561–565
- Polyvinyl alcohol, for embolization  
     before tumor resection, 413–414  
     of arteriovenous malformations, 355–356, 374, 390  
     of carotid cavernous sinus fistulas, 292  
     of hemangioblastoma, 422  
     of meningioma, 418
- Porous Coated Motion disc, 591–592, 612
- Posterior fossa, meningioma of, preoperative embolization of, 418
- Posterior presacral access, to lumbar disc arthroplasty, 666–667
- Posterior tension band, artificial, in dynamic neutralization, for lumbar spine, 668
- Posterior vermal split syndrome, in cerebellum, functional MRI in, 96
- Precession, in MRI, 2
- Precise stent, for carotid angioplasty, 274
- Prescanning, in MRI, 43–44
- Prestige cervical disc, 591, 606, 612, **621–628**  
     biomechanics of, 591  
     complications of, 625, 627  
     history of, 621  
     indications for, 621  
     model I, 621–622  
     model II, 622–623  
     model LP, 621, 625–626

- model ST, 623–625
  - Prevention Regimen for Effectively Avoiding Secondary Strokes study, 535
  - PROACT (Prolyse in Acute Cerebral Thromboembolism), 433, 435–436, 438, 440
  - ProDisc
    - cervical (ProDisc-C), 605–606, **609–619**
      - after fusion surgery, 613
      - at cervicothoracic junction, 613
      - awaiting FDA approval, 610, 615–616
      - biomechanics of, 591
      - clinical trials of, 614
      - complications of, 612–613
      - contraindications for, 610–611
      - design of, 611–612, 614–615
      - economic impact of, 613–614
      - fatigue of, 613
      - fixation to bone, 612
      - indications for, 610
      - kinematics of, 611–612, 615
      - limitations of, 612–613
      - multi-level use of, 610
      - postoperative care in, 618
      - surgical technique for, 616–618
    - lumbar, **651–656**
      - anterior midline approach for, 653
      - at L4/L5 level, 654
      - at L2/L3/L4 levels, 654–655
      - at L5/S1 level, 653–654
      - biomechanics of, 600
      - components of, 651
      - surgical technique for, 652–655
  - PRoFESS (Prevention Regimen for Effectively Avoiding Secondary Strokes) study, 535
  - Prolyse in Acute Cerebral Thromboembolism (PROACT), 433, 435–436, 438, 440
  - Propofol, for endovascular surgery, 234
  - Proptosis, in carotid cavernous sinus fistulas, 284–285
  - Prospective stereotaxy, in MRI, in brain biopsy, 167–168, 171
  - Prostheses, disc. *See* Artificial discs.
  - Prosthetic Disc Nucleus, 599
  - Protamine, for heparin reversal, in aneurysm rupture, 337
  - Proteins, in MRI, brightness of, 10
  - Proton(s)
    - energy transition of, 4–5
    - precession of, 2
    - relaxation of. *See* T1 relaxation; T2 relaxation.
  - Proton density weighting, in MRI, 23
  - Prourokinase, for stroke, 433, 435–436, 438
  - Pseudoaneurysm, traumatic, endovascular surgery for, 553
  - Pulse sequences, in MRI, 19–24
    - acronyms for, 20–23
    - phases of, 19
    - preparation of, 36–37
- ## R
- 
- Radiation therapy, carotid stenosis after, endarterectomy complications with, 268
  - Radiculopathy
    - cervical disc arthroplasty for, 604
    - in disc degeneration after fusion, 580–581, 584–585
  - Radiofrequency energy
    - B1 field created by, 6–7
    - description of, 5–6
    - net vector and, 4
  - Radiography
    - in carotid cavernous sinus fistulas, 284–287
    - in disc degeneration after fusion, 580
    - in stroke, 438–439
    - in tumor necrosis, 413
  - Radiosurgery, for arteriovenous malformations
    - dural, 391
    - endovascular surgery with, 371
  - Randomized Efficacy Study of Tirofiban for Outcomes and Restenosis (RESTORE), 528
  - Randomized Study with the Sirolimus-Eluting Bx Velocity Balloon-Expandable Stent (RAVEL), 304–305
  - Range of motion, in lumbar disc arthroplasty, 595
  - Rapid platelet function assay, 526
  - RAVEL (Randomized Study with the Sirolimus-Eluting Bx Velocity Balloon-Expandable Stent), 304–305
  - Regeneration, disc, **657–663**
  - Registration, in grid computing, for MRI, 71
  - Relaxation, in MRI. *See* T1 relaxation; T2 relaxation.

Repetition times (TR), in MRI, 11  
 alteration of, 25  
 fast spin echo, 54  
 in T1 relaxation, 11  
 short, 47–48  
 total imaging time and, 31

RESTORE (Randomized Efficacy Study of Tirofiban for Outcomes and Restenosis), 528

Resynchronization (spin locking), in MRI, 7–8

Reteplase, for stroke, 434, 437

Revascularization. *See also* Carotid artery(ies), revascularization of.  
 after balloon occlusion, 250

Rods, inflatable, in percutaneous spinal fixation, 567

## S

Sagittal sinus, superior, dural arteriovenous malformations of, 382

SAPPHIRE (Stenting and Angioplasty with Protection in Patients at High Risk for Endarterectomy), 260–261, 269–270

Saruplase, for stroke, 433

Scalp, necrosis of, in embolization, 421

Screw fixation  
 of disc prosthesis, 612  
 of spine, percutaneous, 566–567

SECURITY study, 261, 272

Seizures, in epilepsy. *See* Epilepsy.

Selective excitation, in MRI, 41–43

Serbinenko, Fedor A., endovascular aneurysm procedure of, 224–225

Short time inversion recovery (STIR) pulse sequence, in MRI, 19, 24, 32–33

Sigmoid sinus, dural arteriovenous malformations of, 382

Signal generation, in MRI, 6–8  
 net vector in, 5–6

Signal intensity, in MRI, 18

Single-slice mode, in MRI, 48

Single-voxel MR spectroscopy, in brain biopsy, 168

Sinus thrombosis, dural arteriovenous malformations in, 381–385

Skull base, meningioma of, preoperative embolization of, 418–419, 421

Smith-Robinson approach, to cervical ProDisc implantation, 617

Smoking, intracranial aneurysm risk in, 488–489

Somatosensory cancellation, cerebellar function in, functional MRI of, 92

Somatotropy, of cerebellum, functional MRI of, 81–84, 86

Spectroscopy, magnetic resonance. *See* Magnetic resonance spectroscopy.

Speech production, in cerebellum, functional MRI of, 92

Spetzler-Martin grading scale, for arteriovenous malformations, 369

SPGR (spoiled grass) pulse sequence, in MRI, 24

Spin echo (SE) pulse sequence, in MRI, 19, 23  
 fast, 54–60  
 prescanning in, 43–44  
 with single-slice, two-dimensional data acquisition, 41

Spin lattice relaxation time, in MRI. *See* T1 relaxation.

Spin locking, in MRI, 7–8

Spinal axis  
 arteriovenous malformations of, **395–410**  
 anatomy of, 395–396  
 classification of, 397–398  
 conus medullaris, 407–408  
 endovascular surgery for, techniques for, 396–397  
 extradural (epidural), 398–399  
 extradural-intradural (metameric), 402, 404–405  
 intradural dorsal, 399–401  
 intradural ventral, 401–402  
 intramedullary (classical, glomus), 404, 406–407  
 hemangiopericytoma of, preoperative embolization of, 423

Spinal cord  
 compression of, after vertebroplasty, 564  
 decompression of, for disc degeneration after fusion, 582–584  
 hemangioblastoma of, preoperative embolization of, 423

Spine

- disc degeneration in, after cervical fusion. *See* Cervical disc arthroplasty, for adjacent segment degeneration after fusion.
- percutaneous interventions for, **561–568**
- epidural microcatheterization, 565–566
  - fixation, 566–567
  - intraspinal navigation, 566
  - osteoplasty, 561–565
- stenosis of, in adjacent disc degeneration after fusion, 575–576
- Spin-spin dephasing, in MRI. *See* T2 relaxation.
- Spoiled grass (SPGR) pulse sequence, in MRI, 24
- Spondylotic bridging, in cervical disc arthroplasty, 613
- SSFP (steady-state free precession) pulse sequence, in MRI, 19
- SSYLVA (Stenting of Symptomatic Atherosclerotic Lesions in the Vertebral or Intracranial Arteries), 303–304
- Static magnetic fields, in T2 relaxation, 12–13
- Steady-state free precession (SSFP) pulse sequence, in MRI, 19
- Stem cells, for tissue engineering, in disc regeneration, 658
- Stenosis, carotid, revascularization in. *See* Carotid artery(ies), revascularization of.
- Stent(s)
- antiplatelet therapy with, 529–530
  - for aneurysms, 314, 325–327
  - for carotid artery injury, 554
  - for carotid blow-out syndrome, 552–553
  - for stroke, 227–228, 440–441, 468–469
  - platelet interaction with, 518–519
  - with carotid angioplasty. *See* Carotid artery(ies), angioplasty of, with stenting.
- Stenting and Angioplasty with Protection in Patients at High Risk for Endarterectomy (SAPPHIRE), 260–261, 269–270
- Stenting of Symptomatic Atherosclerotic Lesions in the Vertebral or Intracranial Arteries (SSYLVA), 303–304
- Stereotactic radiosurgery, for arteriovenous malformations
- dural, 391
  - endovascular surgery with, 371
- Stereotaxy, in MRI, 145
- prospective, in brain biopsy, 167–168, 171
- STIR (short time inversion recovery) pulse sequence, in MRI, 19, 24, 32–33
- Streptokinase, for stroke, 433
- Stroke
- endovascular thrombolysis for, **433–444**
    - agents for, 433–434
    - combination intravenous and intra-arterial, 436–437
    - evolution of, 227–228
    - intra-arterial, 435–436, 439–440
    - intravenous, 434–435
    - mechanical, 437–438, 440
    - patient selection for, 438
    - radiography for, 438–439
    - rationale for, 435
    - suite preparation for, 236–237
    - technique for, 439–441
  - in embolization, 416, 420
  - ischemic
    - intensive care for, 543–544
    - mechanical embolectomy for, 463–474
    - percutaneous interventions for, antiplatelet therapy with, 533–534
    - prevention of, antiplatelet therapy for, 534–536
    - prevention of, carotid revascularization for. *See* Carotid artery(ies), revascularization of.
- Stroke Treatment with Ancrod Trial, 434–435
- Study to Evaluate the NeuroShield Bare Wire Cerebral Protection System and Xact Stent in Patients at High Risk for Carotid Endarterectomy, 261, 272
- Subarachnoid hemorrhage
- aneurysmal
    - intensive care for, 541–543
    - life expectancy estimation with, 478
    - management of, 482–483
    - mortality in, 475
    - prevention of, 480–482
    - recurrent, 482–483
  - angiography in, 243–244
  - endovascular surgery for
    - balloon arterial occlusion, 249–256
    - in aneurysm rupture, 317–337, 341
    - in vasospasm, 341–346
  - in embolization, before tumor resection, 421
  - risks of, in unruptured aneurysm, 309–312
- Subarachnoid space, spinal, cerebral access through, 566

Succinylcholine, for endovascular surgery, 234

## T

---

T1 relaxation, in MRI, 8–11, 15

equation for, 18

for selected tissues, 12–14

versus T2 relaxation, 14–15

T2 relaxation, in MRI, 12–14

equation for, 18

for selected tissues, 12–14

static magnetic fields and, 12–13

time-varying magnetic fields and, 13–14

versus T1 relaxation, 14–15

T1 weighting, in MRI, 25

fast spin echo, 57–58

T2 weighting, in MRI, 25–26

fast spin echo, 58

Talairach space, in cerebellum, normalization of, in function MRI, 83–85

Tantalum powder, in cyanoacrylate embolization, 357–358

Target point, in stereotactic brain biopsy, 167

Tenecteplase, for stroke, 434

Thermal ablation, MRI-guided, 208–209

Thermal motion, in MRI, 3–4

3D Slicer, for intraoperative MRI, 202–203

Three-dimensional data acquisition

in MR spectroscopy, 107–111

in MRI, 51–54

Thrombectomy in Middle Cerebral Artery Embolism trial, 438

Thromboembolism

dural arteriovenous malformations in, 381  
in embolization

before tumor resection, 415–416

of aneurysms, 334–335

in endovascular procedures, antiplatelet therapy for, 530–533

Thrombolysis in Myocardial Infarction study, 533

Thrombolytic agents

for endovascular surgery, 234, 335

for stroke, 227–228, 434–444

Thrombo-occlusive disease, endovascular surgery for, suite preparation for, 236–237

Thrombospondin-1, in aneurysm healing, 491

Thrombus, mechanical removal of. *See* Mechanical embolectomy.

Ticlopidine

for endovascular procedures, 521–523

for intracranial atherosclerosis, 298

for stroke prevention, 535

Time of repetition (TR), in MRI, 11, 19

Time-varying magnetic fields, in T2 relaxation, 13–14

TIMI (Thrombolysis in Myocardial Infarction) study, 533

Tinnitus, in dural arteriovenous fistulas, 382

Tirofiban

for endovascular procedures, 523–525, 528, 534

for stroke, 436

Tissue adhesives, cyanoacrylate. *See* Cyanoacrylates.

Tissue engineering, for disc regeneration, **657–663**

Tissue necrosis factor- $\alpha$ , in aneurysm healing, 491

Tissue plasminogen activator

for endovascular procedures, with

thromboembolic complications, 532, 534

for endovascular surgery, 234, 335

for stroke, 227–228, 433–436, 469, 543–544

versus mechanical embolectomy, 463, 465

intraventricular, for intracranial aneurysm, 542

Total disc arthroplasty. *See* Artificial discs.

TR. *See* Repetition times (TR).

Training, for endovascular surgery, **445–449**

American Association of Neurological

Surgeons Endovascular Task Force report on, 448

curriculum for, 446–447

equipment for, 447

facilities for, 447

in-residency experience in, 448

prerequisites for, 446

program director for, 447–448

Transforming growth factor-

in aneurysm healing, 491–492

in disc regeneration, 657–658

Transsphenoidal pituitary surgery, MRI in, **155–164**, 190–191

anesthesia for, 159

drawbacks of, 161–162

- half-Fourier single-shot turbo spin echo (HASTE), 188–189  
 literature review on, 156  
 low-field Hitachi magnet in, 158–159  
 microsurgical technique in, 159–160  
 operating room setup for, 157–158  
 positioning for, 159  
 results of, 160–162  
 technologies for, 156–157  
 twin operating theater concept in, 157–158
- Transverse sinus, dural arteriovenous malformations of, 382
- Trauma  
 angiography in, 246  
 carotid cavernous sinus fistulas in, 283  
 dural arteriovenous malformations in, 381  
 vascular, endovascular surgery for, 553–555
- Tumor(s)  
 brain. *See* Brain tumors; *specific tumors*.  
 pituitary, transsphenoidal surgery for. *See* Transsphenoidal pituitary surgery.
- Turbo spectroscopic MRI, in brain biopsy, 168
- 
- ## U
- 
- Ultrasonography, in embolectomy, 469
- Ultrasound waves, focused, for brain surgery, MRI-guided, 208–209
- Uncoforaminotomy, for disc degeneration after fusion, 583–585
- University of Calgary, epilepsy surgery in, with intraoperative MRI, 180–182
- University of Cincinnati, intraoperative MRI experience at, 157–162
- Urokinase  
 for endovascular procedures, with thromboembolic complications, 532  
 for stroke, 433–437, 440
- 
- ## V
- 
- VAAST (Veterans Administration Asymptomatic Stenosis Trial), 257
- Vascular compromise, perioperative, endovascular surgery for, 555–558
- Vascular endothelial growth factor, in bioactive coils, for aneurysm healing, 492
- Vascular malformations. *See* Arteriovenous malformations.
- Vascular protection, intraoperative MRI for, 205
- Vasculitis, angiography in, 244
- Vasospasm, cerebral, 341–346  
 clinical features of, 341  
 definition of, 341  
 endovascular treatment of, **501–516**, 543  
   nicardipine in, 513  
   papaverine in, 507–513  
   suite preparation for, 237–238  
   transluminal balloon angioplasty in, 342–344, 346, 501–507  
 in aneurysm embolization, 337, 341  
 in intracranial aneurysm, 543  
 lumbar drainage for, 344  
 magnesium sulfate for, 344  
 papaverine for, 345–346  
 risk factors for, 341, 344
- Vectors, in MRI, net, 5–6
- Vecuronium, for endovascular surgery, 234
- Venous angiomas, 367
- Ventricles  
 drainage of, for intracranial aneurysm, 542  
 tissue plasminogen activator administration to, for intracranial aneurysm, 542
- Vertebral-jugular fistula, endovascular surgery for, 553
- Verify Now system, for antiplatelet activity, 526
- Vertebral artery(ies)  
 balloon occlusion of, 249–256, 321  
 balloon occlusion tolerance test of, before neoplasm surgery, 547–549  
 injury of, endovascular surgery for, 553
- Vertebroplasty, percutaneous, 561–565
- Veterans Administration Asymptomatic Stenosis Trial (VAAST), 257
- Vitronectin, in bioactive coils, for aneurysm healing, 491
- Voxels, in MRI  
 in three-dimensional data acquisition, 52–54  
 versus pixels, 41
- 
- ## W
- 
- Wallstent, for carotid angioplasty, 274
- Wallstent Carotid Trial, 260
- Warfarin, for intracranial atherosclerosis, 299–300

WASID (Warfarin-Aspirin Symptomatic  
Intracranial Disease), 299–300

Water molecules, in MRI  
  brightness of, 9–10, 13–14  
  diffusion tensor, 120–121  
  precession of, 13–14

White matter  
  diffusion tensor MRI of, 123–124  
  MR spectroscopy of, 110

---

**X**

---

X STOP Interspinous Process Decompression, for  
  lumbar disc arthroplasty, 600–601

X-sizer Catheter system, for embolectomy, 468

---

**Z**

---

Zone of laxity, in lumbar disc arthroplasty,  
  597–598