



Neurosurg Clin N Am 19 (2008) 393-399

Index

Note: Page numbers of article titles are in boldface type.

Abdominal fat graft harvesting of, hematoma in, 232 in transotic approach, 271 surgical approach selection for, 231 Abducens nerve (VI) anatomy of in cerebellopontine angle, 162–163 in translabyrinthine approach, 155–156 intraoperative monitoring of, 301	selection of, 217–238 transcochlear, 155–157 translabyrinthine. See Translabyrinthine approach. transotic, 265–278 treatment choices for, 379–392 Age considerations, in surgical planning, 214–215, 230–231 Air embolism, in retrosigmoid approach, 246
Accessory nerve (XI) anatomy of, 146 in cerebellopontine angle, 162–163 on brain stem side, 164–167, 173 intraoperative monitoring of, 297, 301	American Society of Neurophysiologic Monitoring, 291 Anesthesia for translabyrinthine approach, 252 intraoperative nerve monitoring and, 291
Acoustic meatus, 145–161 Acoustic neuromas conservative management of, 207–216, 331–332, 347–348, 388 growth of, 207–216, 347–348 historical view of, 331–332, 367–368 imaging of. See Imaging. implants after, 317–329 incidental, 215 intraoperative monitoring of, 245–247, 289–315 natural history of, 207–216, 332, 347–348 operative mortality in, 207 postoperative complications of, 338–342 radiosurgery and radiotherapy or, 345–365 shape of, 178–179 stereotactic radiation techniques for, 367–377 surgical anatomy of, 145–174 surgical approaches to, 331–343 anatomic considerations in, 145–174 brain stem relationships and, 161, 165–173 middle fossa. See Middle fossa approach. nervus intermedius, 160–164 posterior fossa, 158	Aneurysms, 199–200 Antoni type A and B patterns, 177 Arachnoid cysts, 196 Artifacts in auditory brain stem response monitoring, 304 in electromyography, 300 Astrocytomas, cerebellar, 198 Audiology, for cochlear implantation, 322 Auditory brain stem implants, 325–327 Auditory brain stem response monitoring, of cochlear nerve, 302–311 electrodes for, 293 findings in, 307–309 in retrosigmoid approach, 245 instrumentation for, 291–292, 303–304 interpretation cautions in, 306–307 outcome impact of, 309–311 recording of, 305–306 stimuli in, 304–305 technical considerations in, 292–293

Basilar artery, 155–156	versus surgical approach, 232, 339–340, 387–388
Bell's palsy, 187–189	Cholesteatomas, 200
Bilateral acoustic neuromas, 183	Cholesterol cyst, 200
Bill's bar, 145, 150 in middle fossa approach, 282–283 in retrosigmoid approach, 158 in translabyrinthine approach, 257	Choroid plexus anatomy of, 167, 171 papillomas of, 200 Cochlear aqueduct, identification of, 256–257
Blood-brain barrier, 177	Cochlear implants, 317–325
Bone algorithm, for imaging, 175 Brain stem. <i>See also</i> Auditory brain stem response monitoring. anatomic relationships with choroid plexus, 167 flocculus, 167	complications of, 324 device for, 317–321 patient selection for, 321–323 rehabilitation with, 324 results of, 324–325 surgical technique for, 323
foramen of Luschka, 167 neural, 161–167 implants in, 325–327	Cochlear nerve (VIII) anatomy of, 145 in cerebellopontine angle, 162–163 in middle fossa approach, 147–148, 150
Brain stem facial evoked response, in intraoperative monitoring, 295	in nervus intermedius, 162 in retrosigmoid approach, 172–173
Bridging veins, 173	in translabyrinthine approach, 155–156, 170–171
C	aplasia of, cochlear implant for, 322
Calcifications, 177–178	dissection of, 282, 286 intraoperative monitoring of, 302–311
Carotid artery, 149–150	findings in, 307–309
Cerebellar arteries, anatomy of, 146, 166–167 in retrosigmoid approach, 157, 172–173 in translabyrinthine approach, 155–156, 170–173	historical review of, 290 instrumentation for, 303–304 interpretation cautions in, 306–307 outcome impact of, 309–311 recent developments in, 289–290
Cerebellopontine angle anatomy of, 162 hematoma of, 263 imaging of, 181–182 transotic approach to, 265–278	recording of, 305–306 stimuli in, 304–305 technical issues in, 290–293 techniques for, 302–303 metastasis to, 196, 200
Cerebellopontine fissure, 167	preservation of, 245
Cerebellum, astrocytomas of, 198	Complications, 338–342 of auditory brain stem implantation, 327
Cerebral arteries, 162-163	of cochlear implantation, 324
Cerebromedullary fissure, 167	of middle fossa approach, 287, 338–342, 386–388
Cerebrospinal fluid leakage control of, 263 in auditory brain stem implantation, 327 in cochlear implantation, 324 in retrosigmoid approach, 248 in translabyrinthine approach, 263 in transotic approach, 272, 278	of radiosurgery and radiotherapy, 350–355, 363–364, 380–386 of retrosigmoid approach, 248–249, 338–342, 386–388 of translabyrinthine approach, 338–342, 386–388 types of, 338–342 versus surgical approach, 231–232

Compound nerve action potentials, in intraoperative monitoring, 295, 305–310	Electromyography, for facial nerve monitoring artifacts in, 300
Computed tomography. See Imaging.	current type for, 296-297
Conservative management, of acoustic neuromas, 207–216 , 331–332, 347–348, 388	electrical stimulation methods for, 293–300 electrodes for, 293, 295–296 instrumentation for, 291–292
Continuous interleaved sampling speech-coding strategy, in cochlear implants, 320	modalities for, 293–295 nerve identification and mapping in, 297–300
Contrast agents, for nontumor tissue, 186–191	outcome impact of, 301–302 phasic, 300–301 spontaneous evoked activity measurement in, 300–301 technical considerations in, 292–293 tonic, 300–301
Counseling, on treatment choices, 379–392 conservative, 388 microsurgery, 386–388	
stereotactic radiation therapy, 380–386	Embolism, air, in retrosigmoid approach, 246
Crossed auricular reflex, in intraoperative monitoring, 295 Cyst(s)	Epidermoids imaging of, 193, 195–196 surgical approach for, 229–230
arachnoid, 196 cholesterol, 200	Epidural hematomas, versus surgical approach, 232
Cysticercosis, 196	Epilepsy, surgical approach selection for, 231
	Equilibrium disturbances, 339
<u>D</u>	Extracanalicular tumors, 181–185
Debulking, in retrosigmoid approach, 243, 245	
,	<u>F</u>
Depth, of tumors, surgical approach based on, 220, 222–223	Facial nerve (VII) anatomy of, 145–146, 259–260
Dexamethasone, in middle fossa approach, 280	in cerebellopontine angle, 162–163
Differential diagnosis	in middle fossa approach, 147–150, 168–169
imaging in, 186–201	in nervus intermedius, 160–162 in pontomedullary sulcus, 161, 165
surgical approached based on, 229–230	in retrosigmoid approach, 159, 172–173
Drilling interference, in auditory brain stem response monitoring, 304	in translabyrinthine approach, 154–156, 170–171
Dura	on brain stem side, 166–167, 173
incision of, in translabyrinthine approach,	dissection of in middle fossa approach, 282, 286
257–258	in translabyrinthine approach, 260–262
reconstruction of, in transotic approach, 271	in transotic approach, 266, 268–270 dysfunction of
E	Bell's palsy in, 187–189
Earphones, for auditory brain stem response	in cochlear implantation, 324
monitoring, 303	in radiosurgery and radiotherapy, 350–351, 363, 381–385
Electrodes for auditory brain stem implantation,	versus surgical approach, 340–341 exposure of, surgical approach for, 225–227
325–327	intraoperative monitoring of, 300–301
for auditory brain stem response monitoring,	electrical stimulation methods in, 293-300
293, 305–306 for each lear implants, 217, 210	historical review of, 290
for cochlear implants, 317–319 for facial nerve monitoring, 293, 295–296	in cochlear implantation, 323 outcome impact of, 301–302
<i>S</i> ,,	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7

Facial (continued)	Hearing preservation
recent developments in, 289–290 spontaneous evoked activity measurement in, 300–301	in middle fossa approach, 287 in radiosurgery and radiotherapy, 353–355, 358, 363, 370, 373–374, 381–384
technical issues in, 290–293	in retrosigmoid approach, 243–245, 247
metastasis to, 196–197, 200	in translabyrinthine approach, 225, 251–252
monitoring of, 246–247	intraoperative monitoring impact on, 301–302
preservation of, 225–227	309–311 versus surgical approach, 341, 386–387
in middle fossa approach, 287 in radiosurgery and radiotherapy, 359–360, 370, 373–374	Hearing status, surgical approach based on, 223, 225
in retrosigmoid approach, 245, 247-248	
in translabyrinthine approach, 251	Hemangiomas, 195
in transotic approach, 271–272, 277	Hematomas
sheath of, tumors of, 191–192 Falciform crest, 145	in abdominal fat graft harvesting, 232 of cerebellopontine angle, 263
Far-field technique, for auditory brain stem	Hemorrhage, 187, 189-190
response monitoring, 302 Fixed Place speech-coding strategy, in cochlear	Hemostasis, in translabyrinthine approach, 257–258, 262
implants, 321	HiRes 90k cochlear implant, 318–321
Flocculus, 167, 171	House, William, 145
Foramen of Luschka	House-Urban retractor, 281-283, 337
anatomy of, 167, 171 neuroma in, 182	Hydrocephalus, in radiosurgery and radiotherapy 351–352, 354, 371, 385
G	Hypofractionation, in radiotherapy, 370
Gamma knife surgery. <i>See</i> Radiosurgery and radiotherapy.	Hypoglossal nerve (XII) anatomy of
Gasserian ganglion, 150	in cerebellopontine angle, 162–163
Geniculate ganglion, 148-150	on brain stem side, 164–165 intraoperative monitoring of, 301
Glossopharyngeal nerve (IX)	
anatomy of, 146	I
in cerebellopontine angle, 162–163	Imaging, 349
in retrosigmoid approach, 172–173 in translabyrinthine approach, 155–156,	after radiotherapy, 371, 373
170–171	in cochlear implantation, 323
on brain stem side, 164–167, 173	of acoustic neuromas, 175–205
identification of, 258	anatomy and, 175–176
intraoperative monitoring of, 301	bilateral, 183
Growth, of acoustic neuromas, 207–216, 347–348	extracanalicular, 181–185 factors influencing, 177–179
Growth, or acoustic ficuroffias, 207–210, 347–348	for tumor growth monitoring, 207–216
н	in differential diagnosis of, 186–201
Headache	in labyrinth, 183, 186
in translabyrinthine approach, 263	in rule out, 200, 202
versus surgical approach, 231, 341–342, 388	in tumor size measurement, 349
Hearing loss	intracanalicular, 179–181
in radiosurgery and radiotherapy, 350, 352	intraoperative, 223 postoperative, 203
versus surgical approach, 386–387	recurrent, 338–339

Implants, 317–329	Metastasis, to cranial nerves, 196-198, 200
auditory brain stem, 325–327 cochlear, 317–325	Microsurgery, counseling on, 386-388
Incidental acoustic neuromas, 215	Middle fossa approach, 279–288 , 333 advantages of, 279, 333 anatomy of, 145, 147–151, 168–170, 280–281
Infections, in cochlear implantation, 324	
Internal auditory canal, dissection of, 255-257	complications of, 287, 338–342
Intracanalicular tumors imaging of, 179–181 surgical approach for, 232–234	disadvantages of, 333 indications for, 279 perioperative management in, 279–280 postoperative care in, 282 results of, 287
<u>J</u>	selection of, 220, 224, 232, 386–388 technique for, 281–286, 337–338
Jugular bulb, anatomic variations of, 228-229	-
Jugular vein, thrombophlebitis of, 231 L	Monitoring intraoperative, 289–290, 289–315 anesthetic considerations in, 291 auditory brain stem responses in, 304–31
Labyrinth, neuroma in, 183, 186	electrical stimulation method for, 293–300
Labyrinthectomy, in translabyrinthine approach, 151–157, 170–171, 254–255, 336	historical review of, 290 in retrosigmoid approach, 245–247 instrumentation for, 291–293
Labyrinthitis, 187	of cochlear nerve function, 302–311
Linear accelerator (LINAC) stereotactic radiosurgery. <i>See</i> Radiosurgery and radiotherapy.	of motor nerve function, 293–302 outcome impact of, 301–302 personnel for, 290–291 recent developments in, 289–290 spontaneous evoked activity measurement in, 300–301 technical issues in, 290–293 of tumor growth, in conservative treatment,
Lipomas, 195–196	
M	
Magnetic resonance imaging. See Imaging.	207–216, 331–332, 347–348, 388
Malignant transformation, in radiosurgery and radiotherapy, 371–372, 385	Mortality, 207 in translabyrinthine approach, 251
Mastoidectomy	versus surgical approach, 339
in cochlear implantation, 323 in translabyrinthine approach, 151–157,	N
170–171, 253–254, 335–336 Meatus, 145–161	Natural history, of acoustic neuromas, 207–216, 332, 347–348
Medical conditions, in surgical approach selection, 231	Near-field technique, for auditory brain stem response monitoring, 302
Medullary veins, 173	Nervus intermedius, 160-162
Meningiomas imaging of, 193–195 surgical approach for, 229–230	Neurofibromatosis type 2 auditory brain stem implants for, 325–327 radiotherapy in, 371
Meningitis cochlear implant after, 322 in cochlear implantation, 324	Neuromas, acoustic/vestibular. See Acoustic neuromas. Nontumor tissue
in translabyrinthine approach, 263 versus surgical approach, 340, 388	contrast agents for, 186–191 surgical approaches to, 229–230

398 II	NDEX	
Nucleus Freedom cochlear implant, 318, 320	facial nerve preservation in, 359-360, 363-36	
Nucleus multichannel auditory brain stem implant, 325–327 O	goals of, 380 hearing preservation in, 358, 363 in tumor control, 355–357, 361, 363 literature review of, 349–364 outcomes of, 380–386	
Obesity, surgical approach selection for, 231	selection of, 380–386	
Oculomotor nerve (III) anatomy of, 162–163 intraoperative monitoring of, 301	stereotactic, 353–355, 367–377 complications of, 371–372 dosage for, 369–370 follow-up after, 371–372 for large tumors, 370	
Operating time, for surgical approaches, 230		
Otic capsule, removal of, 266, 268	goals of, 368 hypofractionation in, 370	
Otitis media, cochlear implantation and, 324	in neurofibromatosis type 2, 371	
Otologic considerations, in surgical approach, 230	physicist's perspective of, 375–376 results of, 372–375	
Otorhinorrhea, versus surgical approach, 232, 339–340	St. Thomas experience with, 372–375 trigeminal nerve preservation in, 361–362	
Oval window, 152–153	Recurrent acoustic neuromas, 230, 338-339	
P	Retrosigmoid approach, 157, 159–160, 173, 239–250 , 332–333 advantages of, 246–248, 333	
Papillomas, choroid plexus, 200	complications of, 248–249, 338–342,	
Paragangliomas, 200–201	386–388	
Pediatric patients, cochlear implants for, 317–325	disadvantages of, 246–248, 333 historical view of, 239–241 position for, 246	
Petrosal nerves, 147–149, 282–283	results of, 248–249	
Petrosal veins, 173	selection of, 386–388 team approach to, 241–242	
Petrosectomy, subtotal, in transotic approach, 265–268	technique for, 242-246, 333-335	
Pontomedullary sulcus	Retrosigmoid-transmeatal operation, 241	
anatomy of, 161, 165 vein of, 173	Rhinorrhea, versus surgical approach, 232, 339–340	
Porus acusticus, removal of, 257	Round window, 152–153	
Postoperative period complications of. <i>See</i> Complications. imaging evaluation in, 203 in middle fossa approach, 282, 287	Rule out acoustic neuromas, 200, 202 S	
in translabyrinthine approach, 263	Sarcoidosis, 190–191	
Prelingual deafness, cochlear implants for, 322	Scalp recording, in auditory brain stem response monitoring, 302	
PULSAR cochlear implant, 319	Schwannomas. See Acoustic neuromas.	
D	Seizures, in middle fossa approach, 287	
Radiosurgery and radiotherapy, 332, 345–365	Semicircular canals, 152-153, 158	
biology of, 345–347 complications of, 380–386 counseling on, 380–386	Sigmoid sinus anatomic variations of, 227–228 injury to, versus surgical approach, 232	

Sinodural angle, 154	Transotic approach, to cerebellopontine angle,
Size, of tumors measurement of, 349 radiotherapy and, 370 surgical approach based on, 217–220, 234–237	265–278 advantages of, 271–277 technique for, 265–271, 273–274 Transverse crest, 145–146
Soft tissue algorithm, for imaging, 175–177	Transverse sinus, anatomic variations of,
SONATA TI1100 cochlear implant, 319	227–228
SPEAKL speech-coding strategy, in cochlear implants, 320	Trautman's triangle, 154–157 Trigeminal nerve (V) anatomy of
Speech-coding strategies, in cochlear implants, 319–321	in translabyrinthine approach, 170–171 on brain stem side, 164–165
Spinal accessory nerve. See Accessory nerve (XI).	dysfunction of, in radiosurgery and
Stereotactic radiosurgery. See Radiosurgery and radiotherapy. Stimuli for cochlear nerve monitoring, 304–305 for facial nerve monitoring, 293–300	radiotherapy, 350, 353, 361–364, 381–383, 385 intraoperative monitoring of, 298 preservation of, 373–374 Trismus, 232
Subarcuate artery, 157	Trochlear nerve (IV)
Suboccipital approach historical view of, 239–241 selection of, 217–218, 221–222, 228, 230–232	anatomy of in cerebellopontine angle, 162–163 on brain stem side, 164–165 intraoperative monitoring of, 301
Surgical approaches. See under Acoustic neuromas.	V
Syphilis, 191 T	Vagus nerve (X) anatomy of, 146 in cerebellopontine angle, 162–163
Teflon pieces, versus acoustic neuromas, 200	in retrosigmoid approach, 172-173
Telemetry, for cochlear implants, 321	in translabyrinthine approach, 155–156, 170–171
Thrombophlebitis, jugular vein, 231	on brain stem side, 164–167, 173 intraoperative monitoring of, 301
Time, operating, for surgical approaches, 230	Veins, on brain stem side, 173
Tinnitus, 339, 355, 371 Translabyrinthine approach, 251–264 , 332–333 advantages of, 251 anatomy of, 151–157, 170–171	Vertebral artery anatomy of, 164–165 aneurysms of, 199–200
auditory brain stem implantation and, 326 complications of, 263, 338–342, 386–388	Vertigo, 339, 371
contraindications for, 251 for poor hearing status, 247 indications for, 251 limitations of, 252	Vestibular nerve (VIII), anatomy of, 145–146 in cerebellopontine angle, 162–163 in middle fossa approach, 147–148, 150, 168–169
modified, for possible hearing preservation, 225 results of, 263–264 selection of, 217–219, 225–227, 229–232, 235, 386–388	in nervus intermedius, 162 in retrosigmoid approach, 158, 172–173 in translabyrinthine approach, 155–156, 170–171 on brain stem side, 166–167
technique for, 252–263, 335–336	Vestibular schwannomas. See Acoustic neuromas.