neurosurgery.theclinics.com

Index

Note: Page numbers of article titles are in **boldface** type.

A	dendritic cell vaccines for. See Dendritic cell
A Complimentary Trial of an Immunotherapy Vaccine Against Tumor-specific EGFRvIII (ACTIVATE), 90-91	vaccines. epidermal growth factor variant III peptide vaccine for, 70, 87–93
Active immunotherapy, 5–8, 96. See also Vaccine(s). chemotherapy with, 188–189 clinical trials of, 208–209 for glioma cancer stem cells, 162–163	glioma recurrence after, 181–186 glioma stem cell research for, 159–166 heat shock proteins for, 111–123 , 205 immunoresistance mechanisms in, 17–29
Adenovirus therapy, 168	immunostimulants for, 53–65
Adoptive immunotherapy, 5–6	interferon-gamma for, 77–86 microglia and, 43–51
chemotherapy with, 190	monitoring after, 195–199
clinical trials of, 208–209	passive. See Passive immunotherapy.
Akt protein, heat shock protein interactions with, 113–114	peptide-based vaccine for. See Peptide-based vaccines.
Alemtuzumab, 100	systemic immunosuppression related to, 31-42
All-trans retinoic acid, 161	Tregs and. See Tregs (regulatory T cells).
17-Allyl-17-dimethoxygeldanamycin, 114 Alzheimer's disease, vaccines for, 103	virally mediated, 167-179
Amyloid-β protein, vaccines for, 103	
Angiogenesis	_
heat shock proteins in, 114	С
inhibitors of, 70–71, 80	Cancer stem cells
Antibodies. See also Monoclonal antibodies.	discovery of, 159-160
blood brain barrier penetration by, 98	glioma
Antigen(s) presentation of	active immunotherapy for, 162–163
heat shock proteins in, 116	migration of, 161
microglia in, 45	passive immunotherapy for, 161–162 resistant to treatment, 160–161
recognition of, in immunoresistance, 18–19	targeting signaling pathways in, 161
tumor-associated and tumor-related, vaccines	Carboplatin, immunotherapy with, 189
for, 100-102	CD44, as cancer stem cell marker, 162
Apoptosis, interferon-γγ effects on, 77–78	CD133, as cancer stem cell marker, 160-161
	Cetuximab, 68-70, 88
В	Chemoattraction, microglia in, 46
D7 1' 1 1 10 04 05	Chemokines, microglia interactions with, 45
B7 costimulatory molecules, 19, 34–35 BCNU, immunotherapy with, 190	Chemotherapy immunosuppressive effects of, 3, 20, 187
4-Benzyl-2-methyl-1,2,4-thiadiazolidine-3,5-dione,	immunotherapy with, 187–194
161	animal studies of, 188–189
Bevacizumab, 71, 100	clinical studies of, 189–190
Blood brain barrier, penetration of, 97–98	mechanisms of action of, 188
Bone morphogenic protein, as immunotherapy	passive, 162
target, 161	resistance to, 160—161
Brain tumor immunotherapy	targeted delivery of, 5
active. See Active immunotherapy. approaches to, 95–96	Chromium release assay, for vaccine response monitoring, 196–197
biologic principles of, 1–16	Cisplatin, immunotherapy with, 189
chemotherapy with. See Chemotherapy.	Clinical trials
clinical trials of. See Clinical trials.	of dendritic cell vaccines, 142–151

Neurosurg Clin N Am 21 (2010) 215–219 doi:10.1016/51042-3680(09)00131-4

1042-3680/09/\$ – see front matter © 2010 Elsevier Inc. All rights reserved.

Clinical (continued)	Epidermal growth factor receptor
of epidermal growth factor variant III peptide	antibodies to, 4-5, 68-70
vaccine, 90-91, 101-104	mutations of, heat shock protein interactions with,
of immunotherapy, 201-214	113
active, 208-209	Epidermal growth factor receptor variant III,
current status of, 202	antibodies to, 70, 88, 203-204
for immunomodulation, 205-208	Epidermal growth factor variant III peptide vaccine,
for target identification, 203-205	70, 87–93
with chemotherapy, 189-190	clinical trials of, 90-91, 101-104
of interferon-γ, 81	description of, 88-89
of monoclonal antibodies, 99-100	preclinical trials of, 89-90
Combined immunotherapy, interferon-γ in, 80-81	Erlotinib, 88
Corticosteroids, immunosuppressive effects of, 3, 20	Extracellular matrix proteins, serotherapy against,
Costimulatory molecules, 19	71–72
Cyclophosphamide	
as Treg inhibitor, 128, 130	F
immunotherapy with, 188–190	r
viral therapy with, 173	Fas ligand and receptor
Cytokines	activation of, 23
anti-inflammatory, 47	immunosuppressive effects of, 34–35
clinical trials of, 205–206	in gliomas, 2
for cancer stem cells, 162	Fludarabine, immunotherapy with, 190
for gliomas, 3–4	Foxp3 ⁺ Tregs, 125–128
in viral therapy, 170	10,00 11090, 120 120
inhibitors of, 2	_
microglia interactions with, 45	G
Cytomegalovirus therapy, 176	Galectin
Cytotoxic T cells, 6	immunosuppression induced by, 23–24
Cytotoxic T lymphocyte antigen-4, in Treg function,	in gliomas, 3
126, 130–131	Gefitinib, 88
120, 130–131	Geldanamycin, 114
_	Gemcitabine, immunotherapy with, 189
D	Gemtuzumab, 100, 189
Decoy oligonucleotides, clinical trials of, 207–208	Gene therapy, interferon- γ in, 79–80
Dendritic cell vaccines, 7, 139–157	Glioblastoma cell-derived T-cell suppressor factor, 2
administration of, 152–153	Glioblastoma multiforme
animal models of, 142	immunosuppression induced by, 1–3, 31–42, 99
clinical trials of, 142–151, 204–205	immunotherapy for
definition of, 139–142	active. See Active immunotherapy.
development of, 152–153	adoptive, 5–6, 190, 208–209
for cancer stem cells, 162–163	
outcomes of, 145, 152	biologic principles of, 1–16
patient selection for, 153–154	chemotherapy with. See Chemotherapy. clinical trials of. See Clinical trials.
safety of, 145	
synergy with other therapies, 154	cytokine. See Cytokines.
viral therapy with, 176	dendritic cell vaccines for, 7, 139–157 , 176
Dobesilate, clinical trials of, 208	epidermal growth factor variant III peptide
Doxorubicin, immunotherapy with, 188–189	vaccine for, 87–93
Doxordbiolit, illimunotherapy with, 166–169	glioma recurrence after, 181–186
	glioma stem cell research for, 159–166
E	heat shock proteins vaccines, 111-123, 205
	immunoresistance mechanisms in, 17–29
Effector T cells, clinical trials of, 208–209	immunostimulants for, 53–65
ELISPOT assay, for vaccine response monitoring,	interferon-gamma for, 3–4, 58, 77–86
196	microglia and, 43–51
EMD55900 antibody, 4–5	monitoring after, 195–199
Enzyme-linked immunosorbent assay, for vaccine	multimodality, 8
response monitoring, 196	passive. See Passive immunotherapy.

passive antibody-mediated, 67–76 peptide-based vaccine for, 95–109 Tregs and. See Tregs (regulatory T cells). virally mediated, 167–179 pseudoprogression of, 182–184 systemic immunosuppression mechanisms of, 1–3, 31–42, 99 Granulocyte-macrophage colony-stimulating factor, 44–45, 56 in viral therapy, 170 interferon-γ with, 81	Interferon(s) clinical trials of, 206 in viral therapy, 170 Interferon-α, for gliomas, 3–4, 57 Interferon-β, for gliomas, 4, 57–58 Interferon-γ, for gliomas, 3–4, 58, 77–86 angiogenesis inhibition and, 80 cell cycle and, 77–78 clinical trials of, 81 gene therapy using, 79–80 in major histocompatibility complex regulation, 78–79
Н	signaling of, 78 Interleukin(s)
H10 epidermal growth factor receptor vIII variant, antibodies to, 70 Heat shock proteins, in glioblastomas, 111–123 discovery of, 111–112 pathophysiology of, 112–115 vaccines using, 115–118, 205 Hedgehog pathway, as immunotherapy target, 161 Herpes simplex virus therapy, 168–170, 173–175 Hiltonol (polyinosinic-polycytidylic acid), 59 –60 Human leukocyte antigens, defects of, in gliomas, 1–2, 18–19, 34–35	clinical trials of, 206 immunosuppressive effects of, 21–22 in viral therapy, 170 Interleukin-2 for gliomas, 3–4, 55, 206 inhibitors of, 131 Interleukin-3 receptor, clinical trials of, 204 Interleukin-4, for gliomas, 3–4, 55–56 Interleukin-6, clinical trials of, 207 Interleukin-12, for gliomas, 3–4, 56 Interleukin-13 receptor α2, clinical trials of, 204 Interleukin-21, for gliomas, 57 Interleukin-23, for gliomas, 4
I	lodine-125, monoclonal bodies labeled with, 70 Irinotecan, 71
Ibritumomab, 100 Immunoresistance, 17–29 abnormal antigen recognition in, 18–19 cell-mediated immunity deregulation in, 19–20 costimulatory molecules in, 19 immune cell activation in, 18–19 immunosuppressive factors in, 21–22 immunosuppressive pathways in, 22–24 Immunostimulants, 53–65 cytokines, 54–58 oligodeoxynucleotides, 59	J JAK-STAT pathway, in interferon-γ signaling, 78 L Lentivirus therapy, 168 Listeria monocytogenes vaccines, 7–8
pathogen-associated molecular pattern adjuvants for, 58	Lymphocytes, in gliomas, 2 Lymphokine-activated killer cells, 5, 208
polyinosinic-polyctodylic acid, 59 –60 Immunosuppression, systemic, glioblastoma- derived, 31–42 , 99	м
cellular immunity, 33–34 monocyte abnormalities, 36 prior work evaluation caveats in, 32–33 secreted factors, 35–36 surface markers, 34–35 Tregs in, 36–38	Magnetic resonance imaging, post-treatment, 181–184 Magnetic resonance spectroscopy, post-treatment, 183 Major histocompatibility complex molecules in immunoresistance, 18–19
Immunotherapy, for brain tumors. See Brain tumor immunotherapy. Indolamine-pyrrole 2,3-dioxygenase	in interferon-γ regulation of, 78–79 Malignant glioma. See Glioblastoma multiforme. Melanoma, vaccines for, 102
immunosuppressive effects of, 22 in immunoresistance, 20 Inflammation, mediation of, microglia in, 45–46	Metastasis, vaccines for, 102 Methotrexate, immunotherapy with, 189 MG-132 proteasome inhibitor, 161
mammadon, modiadon or, miorogia in, 40-40	ma 102 protodoomo inilibitor, 101

Microglia, 43–51 antigen presentation inhibition in, 2	Positron emission tomography, post-treatment, 183–184
classification of, 44	Prednisone, chemotherapy with, 189
in gliomas, 46–48	Prominin-1 (CD133), as cancer stem cell marker,
in inflammation mediation, 45-46	160–161
origin of, 44	Prostaglandins
surveillance function of, 44-45	immunosuppressive effects of, 22, 35–36
therapeutic potential of, 47-48	in gliomas, 2
tumor progression due to, 46-47	Pseudomonas exotoxin, 4, 131
Monoclonal antibodies, 67–76	
blood brain barrier penetration by, 98	R
chemotherapy with, 188-189	•
clinical trials of, 99–100	Radiotherapy
for serotherapy, 4-5	necrosis due to, versus recurrent glioblastoma,
for Treg inhibition, 130–131	181–186
Monocytes, dysfunction of, 36	resistance to, 160—161
Multimodality immunotherapy, 8	Rapamycin, 161
Myeloid-derived suppressor cells, dysfunction of, 36	Recurrent glioblastoma, versus treatment effect,
	imaging for, 181–186
	Regulatory T cells. See Tregs (regulatory T cells).
N	Resistance, to immunotherapy. See
Natural killer cells	Immunoresistance.
heat shock protein interactions with, 114	Retinoic acid, 161
immunosuppressive effects of, 37–38	Retinoids, interferon- γ with, 81
Necrosis, treatment-effect, versus recurrent	Retrovirus therapy, 168
glioblastoma, 181–186	Ricin toxin, 131
Newcastle disease virus therapy, 176	Rituximab, 100
Nimotuzumab, 69–70	
Nitric oxide inhibitors, interferon-γ with, 81	S
	_
Notch pathway, as immunotherapy target, 161	
Notch pathway, as immunotherapy target, 161 transforming growth factor-β2, clinical trials of, 206	S31-201, clinical trials of, 207-208
Notch pathway, as immunotherapy target, 161 transforming growth factor-β2, clinical trials of, 206	S31-201, clinical trials of, 207–208 Serotherapy, 4–5, 71–72
	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3
	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3)
transforming growth factor- $\beta 2$, clinical trials of, 206	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23
transforming growth factor- $\beta 2$, clinical trials of, 206 ${f O}$ Oligodeoxynucleotides, 59	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208
transforming growth factor- $\beta 2$, clinical trials of, 206	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23
transforming growth factor- $\beta 2$, clinical trials of, 206 ${f O}$ Oligodeoxynucleotides, 59	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161
transforming growth factor- $\beta 2$, clinical trials of, 206 ${f O}$ Oligodeoxynucleotides, 59	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy.	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See Immunostimulants.
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58 Pattern-recognition receptors, in viral therapy, 170	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See Immunostimulants. T T cells
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58 Pattern-recognition receptors, in viral therapy, 170 Peptide-based vaccines, 7, 95–109 antigen targets of, 100–102 central nervous system privilege and, 97–99	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See Immunostimulants. T T cells depletion of, for gliomas, 206–207
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58 Pattern-recognition receptors, in viral therapy, 170 Peptide-based vaccines, 7, 95–109 antigen targets of, 100–102	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See Immunostimulants. T T cells
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58 Pattern-recognition receptors, in viral therapy, 170 Peptide-based vaccines, 7, 95–109 antigen targets of, 100–102 central nervous system privilege and, 97–99 clinical trials of, 102–104 epidemiology of, 103–104	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See Immunostimulants. T T cells depletion of, for gliomas, 206–207
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58 Pattern-recognition receptors, in viral therapy, 170 Peptide-based vaccines, 7, 95–109 antigen targets of, 100–102 central nervous system privilege and, 97–99 clinical trials of, 102–104	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See Immunostimulants. T T cells depletion of, for gliomas, 206–207 dysfunction of, 2 immunoresistance and, 20 in glioma, 33–34
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58 Pattern-recognition receptors, in viral therapy, 170 Peptide-based vaccines, 7, 95–109 antigen targets of, 100–102 central nervous system privilege and, 97–99 clinical trials of, 102–104 epidemiology of, 103–104	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See Immunostimulants. T T cells depletion of, for gliomas, 206–207 dysfunction of, 2 immunoresistance and, 20
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58 Pattern-recognition receptors, in viral therapy, 170 Peptide-based vaccines, 7, 95–109 antigen targets of, 100–102 central nervous system privilege and, 97–99 clinical trials of, 102–104 epidemiology of, 103–104 epidermal growth factor variant III, 70, 87–93	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See Immunostimulants. T T cells depletion of, for gliomas, 206–207 dysfunction of, 2 immunoresistance and, 20 in glioma, 33–34
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58 Pattern-recognition receptors, in viral therapy, 170 Peptide-based vaccines, 7, 95–109 antigen targets of, 100–102 central nervous system privilege and, 97–99 clinical trials of, 102–104 epidemiology of, 103–104 epidermal growth factor variant III, 70, 87–93 immune system components and, 97	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See Immunostimulants. T T cells depletion of, for gliomas, 206–207 dysfunction of, 2 immunoresistance and, 20 in glioma, 33–34 effector, clinical trials of, 208–209
transforming growth factor-β2, clinical trials of, 206 O Oligodeoxynucleotides, 59 Oncolytic virus therapy. See Viral therapy. P Panitumumab, 88, 100 Passive immunotherapy, 96 for glioma cancer stem cells, 161–162 for gliomas, 4–5, 67–76 Pathogen-associated molecular patterns, 58 Pattern-recognition receptors, in viral therapy, 170 Peptide-based vaccines, 7, 95–109 antigen targets of, 100–102 central nervous system privilege and, 97–99 clinical trials of, 102–104 epidemiology of, 103–104 epidermal growth factor variant III, 70, 87–93 immune system components and, 97 tumor-related immune suppression and, 99	Serotherapy, 4–5, 71–72 Signal transducer and activator of transcription-3 (STAT3) activation of, 22–23 inhibitors of, 207–208 Signaling pathways, as targets, in glioma cancer stem cells, 161 STAT3 activation of, 22–23 inhibitors of, clinical trials of, 207–208 Stem cells, cancer, in gliomas, 159–166 Stimulants, of immune system. See Immunostimulants. T T cells depletion of, for gliomas, 206–207 dysfunction of, 2 immunoresistance and, 20 in glioma, 33–34 effector, clinical trials of, 208–209 regulatory. See Tregs (regulatory T cells).

Tenascin, 4–5, 71–72	heat shock protein, 111-123, 205
Tetramer analysis, for vaccine response monitoring,	peptide-based. See Peptide-based vaccines.
196	response monitoring after, 195-199
Toll-like receptor(s), in viral therapy, 170	chromium release assay for, 196-197
Toll-like receptor agonists, 58, 131	correlation with clinical outcome, 197
Topotecan, immunotherapy with, 188	ELISPOT assay for, 196
Tositumomab, 100	enzyme-linked immunosorbent assay for, 196
Toxins, for gliomas, 4	reliability of assays in, 197
Transcription factor decoy oligonucleotides, clinical	standardization of, 197-198
trials of, 207-208	T-cell function assays for, 195-196
Transforming growth factor-β2	tetramer analysis for, 196
immunosuppressive effects of, 21, 35	Vaccine for Intra-Cranial Tumors, 90
in gliomas, 2	Vascular endothelial growth factor
Trastuzumab, 100	as immunotherapy target, 161
Tregs (regulatory T cells), 125-137	immunosuppressive effects of, 22
function of, 125–127	Vector-producing cells, for viral therapy, 168
identification of, 36–38	Vesicular stomatitis virus therapy, for gliomas, 170,
immunoresistance and, 20	173
in gliomas, 2	Vincristine, immunotherapy with, 188-189
biologic role of, 127	Viral therapy, for gliomas, 167-179
clinical trials of, 206–207	challenges in, 168
modulating responses of, 128, 130-131	enhancement of, 173-176
prognostic significance of, 127-129	genes inserted for, 167-168
subtypes of, 126–127	immune compartments and, 169–170
Tumor necrosis factor-α, 56–57	mechanisms of action in, 167-172
Tumor-infiltrating lymphocytes, 5–6, 20	targeting in, 176
3 y p 2 3 y 2 3 y 2	types of, 167–169
V	•
Vaccine(s), 6-8	W
chemotherapy with, 189-190	VV
dendritic cell. See Dendritic cell vaccines.	WP1066
epidermal growth factor variant III peptide, 70,	clinical trials of, 208
87–93 , 101–104	for immunotherapy, 47