

Erratum

Erratum to: “Transient capacitance measurements of the transport and trap states distributions in a conjugated polymer” [Organic Electronics 1 (2000) 21–26] [☆]

A.J. Campbell ^{a,*}, D.D.C. Bradley ^{a,1}, E. Werner ^{b,2}, W. Brütting ^b

^a Department of Physics and Astronomy, Centre for Molecular Materials, University of Sheffield, Hicks Building, Hounsfield Road, Sheffield, S3 7RH, UK

^b Lehrstuhl für Experimentalphysik II, Universität Bayreuth, 95440 Bayreuth, Germany

Unfortunately a wrong version of Fig. 2 has been printed. Please find herewith the correct Fig. 2.




Fig. 2. Log-lin plot of transient capacitance, C , against time, t , of a 200 nm thick ITO/PPV/Al device. Insert shows model of depletion region assumed in analysis.

[☆] PII of original article: S1566-1199(00)00004-5.

* Corresponding author. Tel.: +44-114-222-3502; fax: +44-114-272-8079.

E-mail address: alasdair.campbell@ic.ak.uk (A.J. Campbell).

¹ Present address: The Blackett Laboratory, Imperial College, London, SW7 2BZ, UK.

² Present Address: Institut für Angewandte Physik, Friedrich-Schiller Universität Jena, Max-Wien-Platz 1, 07743 Jena, Germany.