

This article was downloaded by:

On: 27 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



## Organic Preparations and Procedures International

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t902189982>

### ADDENDUM. A SIMPLE, EFFICIENT PREPARATION OF 1,1-bis(TRIMETHYLSILOXY)-1,3-BUTADIENE

**To cite this Article** (1994) 'ADDENDUM. A SIMPLE, EFFICIENT PREPARATION OF 1,1-bis(TRIMETHYLSILOXY)-1,3-BUTADIENE', *Organic Preparations and Procedures International*, 26: 4, 498

**To link to this Article:** DOI: 10.1080/00304949409458048

**URL:** <http://dx.doi.org/10.1080/00304949409458048>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

***A SIMPLE, EFFICIENT PREPARATION OF  
1,1-bis(TRIMETHYLSILOXY)-1,3-BUTADIENE***

*G. S. Wellmaker* has requested that an Addendum be added to the above titled paper [*Org. Prep. Proced. Int.*, **25**, 595 (1993)]:

Regrettably, my paper fails to mention that the preparation of 1,1-bis(trimethylsiloxy)-1,3-butadiene had been reported by *Bellassoued and coworkers* [reference 6b] and I thank Professor Bellassoued for pointing out his oversight. In our experience, the *in situ* silylation procedure reported in *Org. Prep. Proced. Int.*, **25**, 595 (1993) has some advantages over the sequential *deprotection-silylation* procedure reported previously.