Acknowledgment. Support of this research from the following is gratefully acknowledged: R. A. Welch Foundation, Dow Corning (R.T.C.), and the Tulane U. Committee on Research (M.J.F.). We also thank Dr. T. D. Marriott of Rice University for obtaining high-resolution mass spectra. The flash photolysis experiments and data

analysis were carried out at the Center for Fast Kinetics Research (CFKR). The CFKR is supported jointly by the Biotechnology branch of the Division of Research Resources of NIH (RR00886) and the University of Texas at Austin. The help and expertise of the staff at CFKR are greatly appreciated.

Supplementary Material Available: Spectroscopic data (¹³C NMR, ¹H NMR, and mass spectra) and low-temperature and time-resolved UV-difference spectra (3 pages). Ordering information is given on any current masthead page.

Additions and Corrections

Judith C. Gallucci, Bernard Gautheron,* Melinda Gugelchuk, Philippe Meunier, and Leo A. Paquette*: Bis-(isodicyclopentadienyl) Complexes of the Group 4 Transition Metals. Stereoselective Synthesis and Crystal Structures of the Titanocene and Zirconocene Dichloride Derivatives. 1987, 6, 15.

The names given to compounds 4, 5, and 6 in the Experimental Section are incorrectly reported as η^5 -tricyclo[5.2.1.0^{2,6}]deca-2,5,8-trien-6-yl systems. As indicated correctly in the formulas and elsewhere in the text, these complexes are of the η^5 -tricyclo[5.2.1.0^{2,6}]deca-2,5-dienyl type.

William J. Evans* and Donald K. Drummond: Reactivity of Isocyanides with $(C_5Me_5)_2Sm(THF)_2$: Synthesis and Structure of Trimeric $[(C_5Me_5)_2Sm(CNC_6H_{11})(\mu\text{-CN})]_3$. 1988, 7, 797–802.

In Table II, the y coordinates for C(19), C(31), and C(34) should be 0.0797 (19), -0.1397 (17), and -0.1795 (9), respectively.

⁽¹⁴⁾ Matrices alter the mechanism of 1-methylsilene trapping reactions. Arrington, C. A.; West, R.; Michl, J. J. Am. Chem. Soc. 1983, 105, 6176.