

## Erratum to: Nanobubble Ultrasound Contrast Agents for Enhanced Delivery of Thermal Sensitizer to Tumors Undergoing Radiofrequency Ablation

Reshani H. Perera · Luis Solorio · Hanping Wu · Mihika Gangolli · Eric Silverman · Christopher Hernandez · Pubudu M. Peiris · Ann-Marie Broome · Agata A. Exner

Published online: 12 February 2014  
© Springer Science+Business Media New York 2014

**Erratum to: Pharm Res**  
**DOI 10.1007/s11095-013-1100-x**

In the **Materials and Methods** section under the heading **Ultrasound-Mediated Delivery of Pluronic *In Vitro*, there is an error at the end of the third sentence. The parenthetical statement should read “(1:2 in PBS)”.**

---

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11095-013-1100-x>.

R. H. Perera · L. Solorio · H. Wu · C. Hernandez · P. M. Peiris ·  
A. A. Exner (✉)  
Case Center for Imaging Research, Department of Radiology  
Case Western Reserve University, 11100 Euclid Ave, Cleveland  
Ohio 44106-5056, USA  
e-mail: agata.exner@case.edu

M. Gangolli · E. Silverman · P. M. Peiris  
Department of Biomedical Engineering, Case Western Reserve  
University, 11100 Euclid Ave, Cleveland, Ohio 44106, USA

A.-M. Broome  
Department of Radiology and Radiological Sciences, Center for  
Biomedical Imaging, Charleston, South Carolina 29425, USA