

Erratum to: Fluorescent Dye Labeled Iron Oxide/Silica Core/Shell Nanoparticle as a Multimodal Imaging Probe

Eue Soon Jang • Seung Yong Lee • Eui-Joon Cha • In-Cheol Sun • Ick Chan Kwon • Dukjoon Kim • Young Il Kim • Kwangmeyung Kim • Cheol-Hee Ahn

Published online: 2 December 2014
© Springer Science+Business Media New York 2014

Erratum to: Pharm Res
DOI 10.1007/s11095-014-1426-z

The affiliations for two authors are incorrect in the published article. I. C. Kwon should be listed in the third affiliation rather than the fourth affiliation. D. Kim should be listed in the fourth affiliation rather than the fifth affiliation. The correct affiliations are shown in this erratum.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11095-014-1426-z>.

E. S. Jang
Advanced Materials Educational Institute, Kumoh National Institute of Technology, Sanho-ro 77, Yangho, Gumi 730-701, South Korea

S. Y. Lee • E.-J. Cha • C.-H. Ahn
Research Institute of Advanced Materials (RIAM), Department of Materials Science and Engineering, Seoul National University San 56-1, SillimGwanak, Seoul 151-744, South Korea

I.-C. Sun • I. C. Kwon • K. Kim
Biomedical Research Center, Korea Institute of Science and Technology (KIST), 39-1, HawolgokSeongbuk, Seoul 136-791, South Korea

D. Kim
Department of Chemical Engineering, Theranostic Macromolecule Research Center, Sungkyunkwan University, Suwon, Kyunggi 440-746, South Korea

Y. I. Kim
Department of Radiology, Seoul National University Hospital 28, Yeongeongjongno, Seoul 110-744, South Korea

C.-H. Ahn (✉)
Materials Science and Engineering, Seoul National University, Seoul 151-744, South Korea
e-mail: chahn@snu.ac.kr

K. Kim (✉)
Biomedical Research Center, Korea Institute of Science and Technology, Seoul 136-791, South Korea
e-mail: kim@kist.re.kr

Y. I. Kim (✉)
Radiology, Seoul National University Hospital, Seoul 110-744, South Korea
e-mail: kyimd@snu.ac.kr