

Subject Index to Volume 4 (1987)

- absorption, 271
oral, 120
acyclovir, 200
adsorptiochromism, 398
adsorption of inorganic ions, 244
adsorption of organic ions, 244
aging, accumulation of modified proteins, 278
alimentary tract, lipoidal permeability barriers, 271
amide hydrolysis, 42
amiodarone, 251
analgesic agents, physical properties, 255
analgesics, 321
analysis of peptides, 5
analysis of plasma, 28
analysis of proteins, 5
analysis, automated segmented continuous flow, 54
analysis, system, 86
analysis, thermogravimetric, 133
angiotensin-converting enzyme inhibition, 364
angiotensin-converting enzyme inhibitor degradation, 392
epimerization, 392
formation, 392
hydrolysis, 392
antagonists, opioid, 147
anti-ulcer agents, 171
antibiotic degradation, 214
antibiotics, 137
anticonvulsants, 321
antifungal agents, 321
antifungal oxoaporphine alkaloids, 495
antihypertensives, 364
antiinflammatory agents, physical properties, 255
antimalarial artemisinin, 258
antimalarial, Chineses medicinal herbes, 258
antimitotic agents, 162
antineoplastic agents, 509
antipyrine pharmacokinetics, 251
antipyrine pharmacokinetics, effects of hydralazine, 515
antispasmodic activity, 166
antiviral activity, 200
antiviral agents, 120
aqueous stability, 42
Arrhenius expressions for hydrolysis reactions, 342
Artemisia annua, 258
artemisinin, 258
aspirin, 255
assay, stability indicating, 38, 54
assays, receptor binding, 154
atomic absorption spectrophotometry, graphite furnace, 332
automated analysis, segmented continuous flow, 54
automated sample preparation, 54
azone, elimination, 519
in vitro studies in humans, 519
percutaneous absorption, 519

BW755C, inhibitor of arachidonate metabolism, 527
Bacillus stearothermophilus, 154
bacteriocidal action of neutrophils, 278
basic amine drugs, 142
basic drugs, subcellular distribution, 50
benzocaine solubility, 220, 231
benzyl alcohol, 38
bile and systemic drug availability, 195
binding sites for basic drugs, 142
bioadhesion, 457
bioavailability, 150, 536
between-lot/within-lot, 499
equation for systemic drug, 195
of ibuprofen, 486
percutaneous, 265
variability, 536
biodegradable drug delivery systems, 465
bioequivalence, 150
percutaneous, 265
biotechnology, perspective of PMA, 361
biotin, assay in multivitamin-multimineral, 261
bis(helenalinyl)malonate, 509
body temperature, 113
brain, 16
brush border, lipid composition, 271
bumetanide, acute tolerance, 379
pharmacodynamics, 379
pharmacokinetics, 379

calcium channel antagonist, gallopamil, 327
verapamil, 327
calcium channel blockers, 166
cancer immunotherapy, 181
cancer treatment, 181
candidiasis, disseminated, 495
captopril disulfide, 98
captopril oxidation, 98
captopril stability, 98
catecholamines, 16
cefizime, 33
cellulose acetate phthalate, 70
central nervous system, 130
cephalosporin, 33
aminolysis, 214
zinc mediated degradation, 214
ceramides, 271
Chinese herbal medications, 126
Chinese medicinal herbs, antimalarial, 258
chiral mobile-phase additives, 285
chiral separations, 285
chiral stationary phases, 285
cholesterol, 21, 472
Chufong toukuwan, 126
ciliary movement, 445
ciliostimulants, 445
ciliotoxicity, 445
cimetidine, quantitative determination, 133
clastic binding hypotheses, 450
clozapine, multiple dose pharmacokinetics, 402
combination diuretic products, 348
computer simulation, 385
computer-designed formulation, 311
concomitant drug administration, 433
conflict of interest, 83
congestive heart failure, treatment, 364
content uniformity, 54
contraceptive steroids, depressant activity of ethanol, 240
controlled-release dosage forms, 75
controlled-release pellet formulation, 480
controlled-release theophylline, 416
controlled-release oral formulations, 86
coronary thrombosis, 375
cosolvency, 200, 231
crypt cells, intestinal epithelial, 425
crystal changes, 231
crystalline solids, 104
cyclic imides, 21

- cytidine, high dose, 113
cytotoxic agents, bis(helenalinyl)malonate, 509
 helenalin, 509
- DHPG, 9-[(1,3-dihydroxy-2-propoxy)-methyl]guanine, 120
decarboxylation, solid state, 137
degradation of microcapsules, 62
deliquescence, 104
5'-deoxy-5'-fluorouridine, phosphorylase inhibitor, 425
dermal allergens, iontophoretic electrode material, 438
dermal delivery, 317
desethylaminodarone, 251
dexamethasone, therapeutic agent for T-2 toxicosis, 527
diastereomeric derivatization, 285
diazepam solubility, 220, 231
differential scanning calorimetry, 429
diffusion cell, flow through, validation, 337
 transdermal research, 337
diffusion cells, 317
dihydrouracil, 113
diketopiperazine, 392
dimethylsulfoxide, as penetration enhancer, 436
diseases, premature aging, 278
disintegration time, effect of stable isotope incorporation, 524
dissolution, 150
 in vitro statistical analysis, 416
dithiazoles, antifungal activity, 321
 insecticidal activity, 321
 synthesis, 321
dithiobiurets, analgesic activity, 321
 anticonvulsant activity, 321
 antifungal activity, 321
 insecticidal activity, 321
 synthesis, 321
diuretics, antikaliuretic response, 66
 natrietic response, 66
 pharmacodynamics, 66
 site of action, 66
dopamine, 16
dosage form design, computer aided, 385
 prolonged action, 311
droplet interactions, 301
drug absorption, 248
 gastrointestinal, 481
drug administration, concomitant, 433
drug binding to lung mitochondria, 142
drug delivery, 3
drug delivery systems, 181, 311
drug delivery systems, sustained release, 385
drug delivery, biodegradable system, 465
 targeted, 3, 181
drug disposition, nonlinear, moment analysis, 59
drug impurity limit testing, 177
drug interactions, 240, 251, 433
drug metabolism, 433, 515
drug potency, 177
drug release from tableted microcapsules, 70
 from tablets, 70
 in vitro, 70
 numerical deconvolution, 480
drug shelf life, 177
drug stability testing methods, 177
 reaction, mechanisms, 177
drug-receptor interactions, 450
drugs, basic, 50
 basic amine, 142
Dyazide, absorption, 348
- elastomers, analysis of, 237
electron and charge transfer, 450
emulsions, water soluble, 162
emulsion sizing, 301
enantiomeric resolution, 285
endorphins, 147
enteric-coated granules, 70
- enterohepatic recirculation, 195
enzyme inhibitors, 364
epinephrine, 158
ethanolamines, pharmacology, 166
 synthesis, 166
ethinyl estradiol, 54, 240
2-ethyl-1,3-hexanediol, as penetration enhancer, 436
etintidine, 133
 plasma determination, 133
etretinate, dose proportionality, 420
 pharmacokinetics, 420
expression vector system, 92
fast atom bombardment, 5
fentanyl metabolism, 46
fiber-optic Doppler anemometry, emulsion sizing, 301
first pass metabolism and systemic drug availability equation, 195
fluocinolone acetonide degradation in topical cream, 342
 pH dependence, 342
 temperature dependence, 342
fluocinolone acetonide stability, 342
5-fluorouracil, phosphorylase inhibitor, 425
food-drug interactions, 348
food-formulation interactions, 348
formaldehyde, model for aldehydes in foods, 158
formulating flexibility, maximum, 311
formulation, computer designed, 311
 controlled release pellets, 480
 multidose injection, 38
formulations, long-acting, 311
foscarnet, 200
fosfomycin, 255
fractionation, subcellular, 50
Franz cell, performance comparison to flow through cell, 337
furosemide adsorption, 171
furosemide bioavailability, 150, 171
furosemide bioequivalence, 150
furosemide diuretic effect, 171
- gallbladder emptying and systemic drug availability equation, 189
gallopamil, calcium channel antagonist, 327
gastric emptying, 78
gastric retention time, 457
gastrointestinal drug absorption, 480
gastrointestinal transit, 78
 ibuprofen, 486
gastrointestinal transit time, 480
Gliocladium roseum, 353
glycolipids, 271
gold, 332
gold sodium thiomalate, bioavailability, 332
 intramuscular, 332
 intravenous, 332
 pharmacokinetics, 332
graphite furnace atomic absorption spectrophotometry, 332
- HPLC, automated stability indicating, 54
 enantiomeric resolution, 285
 microassay for etintidine, 133
morphine metabolites, 46
of human plasma, 327
progabide metabolites, 28
reversed phase, 28
stability indicating assay, 38
 with fluorescence for gallopamil, 327
 with fluorescence for norgallopamil, 327
hallucinogen receptors, 450
haptens, properties, 207
 synthesis, 207
helenalin, 509
hepatic drug metabolism, 251
hepatic extraction and systemic drug availability equation, 195
herbal medications, adulterated with prescription drugs, 126
herpes encephalitis, experimental, 200
herpes simplex virus type 2, 200
high density lipoprotein cholesterol, 472

- high dose cytidine, 113
 high dose uridine, 113
 human serum, assay for opiate narcotics in, 46
 hydralazine, concomitant absorption with metoprolol, 515
 concomitant absorption with propranolol, 515
 hydralazine, oral bioavailability, 515
 hydrochlorothiazide, absorption, 348
 in Chinese herbal medicine, 126
 hydrogels, poly(acrylic acid), 457
 hydrogen bonding, cosolvents, 220
 hydrolytic degradation, poly(L-lactide)microcapsules, 62
 hydroxyphenethylamines, 158
 hydroxyurea, quantitative NMR, 412
 hygroscopicity, salts of analgesic/antiinflammatory agents, 255
 hypnotics, 321
 hypolipidemic agents, *in vivo* synthesis and activity, 21
 phthalimide derivatives, 472
 hypothermia, effect on drug absorption, 248
- ibuprofen, bioavailability, 486
 gastrointestinal transit, 486
 ileum, drug effects, 147
 3-imino-1-oxoisindoline synthesis, 21
 imipramine, binding in lung mitochondria, 50
 immunoconjugates, targeted drug delivery, 181
 immunotherapy, cancer, 181
in vivo pharmacology, application of kinetic effect models to, 86
 indomethacin, in Chinese herbal medicines, 126
 industrial-university partnerships, 83
 infectious disease, prophylaxis, 92
 infrared spectroscopy, oxonicotinic acid, 429
 injection, determination of TRH in multidose, 38
 insectidal activity of thiobiurets and thiazoles, 321
 insulin, mouse bioassay for, 189
 insulin formulation, radioreceptor assay, 189
 intersubject variability, furosemide, 150, 536
 intestinal elimination, and systemic drug availability equation, 189
 intestinal epithelial crypt cells, 425
 intestinal phosphorylases, inhibition, 425
 intramuscular injectables, tissue tolerance, 486
 intravenous lipid emulsion, 301
 intrinsic dissolution, rate of THAM salt, 255
 5-iodo-2'-deoxyuridine, 317
 iontophoresis, electrode material as dermal allergens, 438
 ischemia, and PGB_x therapy, 130
 isothiobiurets, antifungal activity, 321
 insecticidal activity, 321
 synthesis, 321
 isosorbide-5-nitrate, absorption rate, 480
 isothiodiurets, analgesic activity, 321
 anticonvulsant activity, 321
- KB carcinoma cells, 509
 kinetic-effect model (KEM) applications, 86
 kinetics of oxidation of ACE inhibitors, 98
 kyotorphin synthesis, 154
- l-norgestrel-ethynodiol tablets, 54
 lidocaine degradation kinetics, 42
 lipid solubility, subcellular binding of basic drugs, 142
 subcellular distribution of basic drugs, 50
 lipids, permeability barriers in skin and alimentary tract, 271
 lipoproteins, effects of oxoisindolines, 21
 liposomes, 181
 liquid-solid extraction, etintidine, 133
 liriiodenine, 495
 liriiodenine methiodide, 495
 log-linear solubility equation, 220
 deviations, 231
 lung, 50
 lung mitochondria, drug binding, 142
- mass spectrometry, 5, 126
 mean residence time, 59
 membrane lipids, 271
- mesoridazine, 207
 metaproterenol, 158
 metaraminol, 158
 metoclopramide, 50
 Michaelis-Menten elimination, 59
 microencapsulation, 70
 microsphere surface layer structure, drug release, 465
 microspheres, poly(dl-lactide), 465
 mitochondria, 50, 142
 mitomycin C-dextran conjugate, antitumor activity, 293
 physicochemical properties, 293
 polymeric prodrug, 293
 tissue distribution, 293
 mixed-function oxidase (MFO) systems, 278
 modeling, pharmacokinetic-pharmacodynamic, 86
 models, kinetic-effect, 86
 one-compartment, 59
 Moduretic, absorption, 348
 molecular mechanics calculations, 137
 moment analysis, nonlinear drug disposition, 59
 monoamine oxidase inhibitors, 16
 monoclonal antibodies, 181
 morphine metabolism, 46
 mouse bioassay, insulin, 189
 moxalactam, decarboxylation, 137
 mucoadhesion, hydrogen binding, 457
 multidose injection, 38
 multiple dose pharmacokinetics, 402
 mycotoxins, T-2, 527
- N-(2-cyanoethyl)tranylcypromine, 16
 N-Mannich-base prodrugs, 317
 N-alkyl-1,2-diphenylethanolamines pharmacology, 166
 synthesis, 166
 N-desmethyltamoxifen, 353
 naloxone, 147
 naloxone estrone azine, 147
 naltrexone, narcotic antagonist, 305
 narcotic antagonists, 305
 nasal drug delivery, 445
 natriuresis, potassium induced, 531
 neurological dysfunction, 130
 neuropeptides, 92
 neurotransmitter amines, 16
 neurotransmitters, 16
 neutron activation, barium 138, 524
 erbium, 170, 524
 radiolabeling, 486
 radiolabeling of intact tablets, 524
 samarium 152, 524
 neutrophils, bacteriocidal action, 278
 nitrofurantoin macrocrystals, bioavailability, 499
 drug absorption, 499
 urinary excretion, 499
 nitroglycerin, penetration enhancers, 436
 transdermal delivery, 436
 nonsteroidal antiestrogens, 353
 noradrenaline, 16
 norethindrone, 240
 nuclear magnetic resonance spectroscopy, 412
 nucleic acid inhibition, 509
 numerical deconvolution, 480
- o-(N-phthalimide)acetophenone, hypolipemic action, 472
 oleic acid, as penetration enhancer, 436
 oligopeptides, radioisotope-labeled assays, 154
 one-compartment model, 59
 opiate narcotics, 46
 opiate receptors, 450
 opioid antagonists, 147
 opioid receptors, 147
 optical isomers, separation, 285
 oral absorption, 120
 oral cephalosporin, 33
 oral contraceptive tablets, 54

- oral controlled-release formulations, 86
oxidation, cupric ion catalyzed, 98
oxidation kinetics, 98
oxoaporphine alkaloids, 495
oxoglaucine methiodide, 495
oxonicotinic acid, phase transition, 429
 polymorphic quantitation, 429
 polymorphism, 429
- PHPG polymeric backbone, 305
PMA perspective on biotechnology, 361
paralysis, 130
pellet density, 78
penetration enhancer, azone, 519
penetration enhancers, 436
pentobarbital, 248
pentobarbitone, hypnotic effect, 321
pentoxifylline, common metabolic pathway with theophylline, 433
 pharmacokinetics, 433
- pentylenetetrazole convulsion inhibition, 406
- peptide analysis, 5
- peptide drugs, 364
- peptide synthesis, 154
- percutaneous absorption of azone, 519
- percutaneous penetration studies, 265
- pharmacodynamics, 66
- pharmacokinetic-pharmacodynamic modeling, 86
- pharmacokinetics, 3, 59
- dose-dependent, 33
 - gold sodium thiomalate, 332
 - multiple dose, 402
 - systemic drug availability equation, 195
 - theophylline, 385
- pharmacology, *in vivo*, 86
- phenethylamines, pharmacology, 166
- phenethylamines, synthesis, 166
- phenolic antioxidants, 237
- phenolic cyclization, pharmaceutical implications, 158
 rates, 158
- phenylephrine, 158
- phenytoin solubility, 220, 231
- plasma analysis, 28
- plasma enzyme activities, 487
- plasma proteins as degradation catalysts, 62
- plasminogen activators, 375
- poly(L-lactide) microcapsules, degradation properties, 62
- poly(L-lactide) solubility, 62
- poly(α -amino acid) backbones, biodegradable, 305
- poly(acrylic acid) hydrogels, 457
- poly(dl-lactide) microspheres, water soluble drug entrapment, 465
- polycarbophil adsorption of ions, 244
- polymeric backbones, 305
- potassium chloride, bioavailability, 409
 pharmacokinetics, 409
 sustained release tablets, 409
- potassium induced natriuresis, 531
- potassium pharmacokinetics, 531
- potassium retaining drugs, 66
- premature aging diseases, 278
- prodrug, 16
- prodrug derivatives, 120
- progabide, 28
- prophylaxis of infectious disease, 92
- prostaglandin, increased by mycotoxins, 527
- prostaglandin D₂, 406
- prostaglandin F_{2 α} , 255
- prostaglandins, 130
- protein analysis, 5
- protein binding, concentration dependent, 33
- protein degradation, 278
- protein oxidation, mechanisms, 278
- protein processing, 92
- proteins, plasma, 62
- pteridine derivatives as potassium retaining drugs, 66
- pyrimidine nucleoside phosphorylases, inhibition, 425
- pyrimidine nucleosides as thermoregulators, 113
- quantitative NMR for urea, 412
- quinine, 50
- rabbit model, pharmacokinetic, 332
- radioimmunoassay (RIA), 46
- mesoridazine, 207
 - sulfuridazine, 207
 - thiordiazine, 207
- radiolabeling, intact by neutron activation, 486
 neutron activation, 524
- radioreceptor assay (RRA), 46
- insulin, 189
- rat liver membranes, 189
- receptor binding assays, 154
- receptors, opioid, 147
- recombinant vaccines, 92
- renin inhibitors, 364
- renin-angiotensin system, 364
- salt selection, 255
- scintigraphy, gamma, 480, 486
- serotonin-mediated convulsion inhibition, 406
- silica surface polarity, 398
- skin, diffusion cell experiments, 317
- skin, lipoidal permeability barriers, 271
- sodium chloride, 104
- sodium salicylate, 104
- solid dosage forms, intestinal transit, 78
- solid extraction, 137
- solid-state decarboxylation, 137
- solubility equation, log-linear, 220
- solubility estimation, 220
- solubility, lipids, 50, 142
- solvatochromism, 398
- solvent evaporation method, 465
- solvent mixtures, 231
- solvent polarity, 220
- spectrophotometry, graphite furnace atomic absorption, 332
- spinal cord injury, ischemic, 130
- spiropyrans, 398
- stability assay, decomposition products, 177
- stability indicating assay, 38, 54, 177
- stability tests, initial-rate method, 177
- stability, aqueous, 42
- steroid formulation, 342
- steroids, 147
- stochastic control, 86
- stratum corneum, lipid composition, 271
- subcellular fractionation, 50
- subcutaneous sarcoma 180, 293
- sucralfate, absorption of administered drugs, 171
- sulfamethoxazole, 70
- sulfuridazine, 207
- surface dissolution, 104
- suspension spectra, 398
- sustained release, 70, 385
- sustained release dosage formulation, 244
- sustained release tablet, intact radiolabeling, 486
- system analysis, 86
- tablet excipients, particle size determination, 504
- tablet hardness, effect of stable isotope incorporations, 524
- tablets, whole vs. half, 416
- tamoxifen *Gliocladium roseum*, 353
- microbial metabolism, 353
 - resistance to biotransformation, 353
- tamoxifen metabolites, antiestrogenic properties, 353
- estrogenic properties, 353
- tamoxifen N-oxide, 353
- targeted drug delivery, 181
- taxol, formulation, 162
- terbutaline, 158
- tetrahydroisoquinolines, 158

- theophylline, common metabolic pathway with pentoxyfylline, 433
pharmacokinetics, 433
theophylline delivery systems, computer simulations, 311
steady-state plasma concentration, 311
theophylline pharmacokinetics, 385
thermal microscopy, 429
thermogravimetric analysis, 137
thermoregulation, 113
thiazoles, 321
thin-layer chromatography, 237
thiobiurets, 321
thiol, 98
thioridazine, 207
thrombolytic therapy, 375
thymidine, phosphorylase inhibitor, 425
thyrotropin releasing hormone (TRH), 38
tissue plasminogen activator, recombinant, 375
tissue tolerance of intramuscular injectables, 486
topical delivery enhancers, 317
toxicity of triacetin, 162
toxol-triacetin emulsion, 162
transdermal delivery, penetration enhancers, 436
transdermal diffusion cells, 337
transit time, gastrointestinal, 480
tranylcypromine, 16
triacetin toxicity, 162
triامترین derivatives, 66
trichothecene, 527
triglycerides, 21
triglycerides, de novo synthesis, 472
trimterene, absorption, 348
tris(hydroxymethyl)aminomethane (THAM) salts, 255
tumor localization, 293
tumor therapy, 181
tyrosyl-tRNA synthetase, 154
ulcer treatment, 171
university-industrial partnerships, 83
uracil, phosphorylase inhibitor, 425
urea, 62
quantitative NMR, 412
uridine, high dose, 113
phosphorylase inhibitor, 425
uridine catabolites, 113
uridine pharmacokinetics, 113
vaccines, recombinant, 92
vaccinia virus, 92
VaraU, 200
variability 75/75 rule, 536
vas deferens, drug effects, 147
verapamil, calcium channel antagonist, 327
video recording, particle size determination, 504
5-vinyl-1-β-D-arabinofuranosyluracil (VaraU), 200
Water soluble drugs in microspheres, 465
water structure, 231
water vapor sorption, 104
x-ray crystallography, 133
x-ray diffraction, 429
zero-order delivery, 385
zinc ion mediated degradation, 214
zomepirac, 255