

Subject Index to Volume 7 (1990)

- 1-(beta-D-glucopyranosyl)phenobarbital, 402
1-dodecylazacycloheptan-2-one, penetration enhancer, 64
1-farnesylazacycloheptan-2-one, penetration enhancer, 64
1-geranylazacycloheptan-2-one, penetration enhancer, 64
1-vinyl-2-pyrrlidinone, hydrogels, 816
2-arylpionic acids, chiral HPLC assay, 1262
2D-NMR techniques, metabolism arteether, 199
3-aryl methyl 5-isopropyl 1,4-dihydro-2,6-dimethyl-4-(pyridinedi-carboxylates), 919
3 alpha-hydroxydeoxyarteether, 199
3 alpha-hydroxydeoxydihydroartemisinin, 199
3H-SCH 23390, 280
3H-spiroperone, 280
4-biphenyl acetic acid, antiinflammatory ointment, 1152
4-cyanophenol, skin penetration, 835
4-hydroxy-2,6-xylidine, quantification of, 504
5-fluorouracil, prodrugs, cytotoxicity L1210 cells, 1294
7-[3-(4-[2,3-dimethylphenyl]piperazine-10-propoxyl-2(1H)-quinolone, 280
9-amino-1,2,3,4-tetrahydroacridine, brain targeted delivery, 658
10 alpha-hydroxymorphine, 1205
1,3-dioxolanes, 746
1,4-dihydropyridine derivatives, 919
16 alpha-hydroxy-(\pm)kauranoic acid, 376
17 beta-estradiol, nasal absorption, 500
3,4-dihydroxyphenylacetic acid (DOPAC), amantadine, 670
- absorption enhancement, insulin rectal, 180
absorption enhancer, human growth hormone, 547
absorption enhancer, nasal, 808
absorption enhancer, nasal, growth hormone, 772
absorption kinetics, 59
absorption promoters of peptides, 127
absorption rate constant, apparent zero order, 76
absorption rate, 677
absorption, remoxipride, 54
absorption, cyclodextrins, 1248
ACC-9653, 1172
acetaminophen in plasma, 204
acetylcholine, muscarinic, QSAR, 746
acetylcholinesterases, gene amplification, 1
acrylate methacrylate coacervates, 1208
ACTH, deamidation, 593
activation energies, aspirin, 730
activity assay, human renin, inhibitory peptides, 407
acyclovir, intestinal uptake mechanism, *in vitro*, 299
acyclovir, percutaneous absorption, 64
acyl glucuronide, tolmetin, 21
acyl migration, tolmetin, 21
adenocarcinoma, Caco-2 cell transport, 902
adenocarcinoma, metastatic, chimeric antibody, 587
adenosine deaminase inhibitor, pentostatin, 452
adenosine triphosphate, liposomes, 553
adjuvants, aluminum compounds, 1282
adrenergic receptors, 1213
adrenocorticotrophic hormone, deamidation, 593
aerosol, fluorescein, 8
aerosols, 1228
aerosols, leuprolide, 565
aerosols, liposomes dispersions, 1127
aerosols, lung absorption, rat, 990
agiotensin 1, serum, 407
AIDS therapy, AZT and probenecid combination, 411
albumin, iontophoresis, 218
- albumin, irreversible binding to tolmetin, 21
albumin, human serum, controlled release, 1190
albumin-cross-linked hydrogels, 816
aldose reductase inhibitor, 1198
aldose reductase inhibitor, imirestat, 192
aliphatic acids, transepithelial transport, 325
alkyl para-aminobenzoates, heat capacities, 1157
alpha-2 adrenergic receptor, 208
alpha-adrenoceptor agonists, 508
alpha-lactose monohydrase, compaction, 113
alpha-methyldopa-phe absorption, 308
aluminum compounds, adjuvants vaccines, 1282
aluminum hydroxide, vaccine adjuvant, 1282
aluminum hydroxyphosphate, vaccine adjuvant, 1282
Alzheimer's disease, 9-amino-1,2,3,4-tetrahydroacridine, 658
amantadine, effect on dopaminergic neurons, 670
amastatin, peptidase inhibitors, 1099
amino acid carrier, L-alpha-methyldopa, 1313
amobarbital N-glucosides, diastereomers, 794
amobarbital N-glucosides, stereochemical characterization, 794
amorphous polymer, PVP, 654
amorphous sucrose, 1278
amorphous-crystalline transformation of sucrose, 1278
amoxicillin, pharmacokinetics middle ear, 1242
anesthesia, gentamicin pharmacokinetics, rat, 41
angiotensin converting enzyme inhibitor, moexipril, 379
annona bullata, diterpene, 376
anterior pituitary, growth hormone release, 1011
antibody, chimeric, pharmacokinetics, 587
antiendotoxin, lipid A, 260
antiendotoxin, lipid X, 260
antifungal agents, reduction potentials, 283
antihepatotoxin, effect against microcystin-LR toxicity, 256
antiflammatory ointment, 1152
antiinflammatory, ethyl 4-biphenyl acetate in ointment, 1152
antimalarial arteether, metabolism, 923
antimalarial drug, arteether, 199
antiprotozoal agent GGP-291 metabolism, 742
antipyrene metabolism, 204
antiulcer agent, cimetidine, 665
apomorphine, pharmacodynamics, pharmacokinetics, 318
area function analysis, 76
arecoline, skin permeation, 1201
Arrhenius equation, heat sterilization, 1273
arteether metabolism, 923
arteether microbial metabolism, 199
artemisinin derivatives, 199
asialofetuin, liposome targeting, 542
asialofetuin-labeled liposomes, 542
asparaginyl deamidation, 703
asparaginyl residues, deamidation, 787
asparaginyl, 787
aspartyl stability, 703
aspartyl, 787
aspirin hydrolysis, 730
aspirin, effect on sulfate homeostasis, 719
association, chlorpromazine, 856
atom index, 801
autoradiography, quantitative whole body, 935
azidothymidine (AZT), 948
azidothymidine, iontophoresis, 34
azone metabolism, species differences, 496
azone, penetration enhancer, 64
azone, penetration enhancer, 496
azone, skin penetration, 1042

- Beauvaria bassiana*, model of mammalian metabolism, 742
benoxaprofen, chiral HPLC assay, 1262
benzene-*p*-diphosphonate, 600
benzene-*p*-disulfonate, test binding to insulin, 600
benzocaine diffusion, 523
benzocaine solubility, 523
benzocaine, percutaneous absorption, 1147
benzodiazepines, binding to casein, 633
benzoic acid, percutaneous absorption, 352
benzoic acid, percutaneous absorption, 1147
benzoic acid, percutaneous absorption, human skin, 230
beta-blocker nadolol, 953
beta-blocker prodrugs, 723
beta-blocker, pafenolol, 1222
beta-cyclodextrin derivatives antiinflammatory ointment, 1152
beta-cyclodextrin, pharmacokinetics, 1248
beta-cyclodextrin/steroid complexation, 869
bile salt, permeation enhancer, 468
bile salts, ciliostasis, 144
biliary elimination, ibuprofen, 87
biliary excretion profile, bismuth, 237
biliary excretion, methylergometrine, 14
binding of drugs in milk, 537
binding site, lung, monoamine oxidase, 398
bioactivation, sequential enzymatic, 723
bioadhesion hydroxypropylmethacrylate, nanoparticles, 49
bioadhesion mucin-biopolymer, 491
bioavailability human growth hormone, 547
bioavailability, hydralazine, 274
bioavailability, ibuprofen, 304
bioavailability, L-dopa, L-dopa esters, 384
bioavailability, lithium carbonate, 359
bioavailability, mycophenolic acid, 161
bioavailability, nasal albumin, 69
bioavailability, triamcinolone diacetate, 558
bioavailability, triamcinolone tablets, 558
bioindicator, heat sterilization, 1273
bismuth binding, serum albumin, plasma, 188
bismuth excretion profile, rat, 237
bismuth, pharmacokinetics, rat, 237
bismuth, rat, 188
blister fluid, fleroxacin, 422
blood-brain barrier (BBB), DGAVP, 293
blood-brain barrier, 1061
blood-brain barrier, estradiol prodrug, 1107
blood-brain barrier, estradiol, 879
boehmite, vaccine adjuvant, 1282
boiling point, 942
brain enhanced drug delivery, estradiol, 879
brain targeting chemical delivery system, 658
brush border membrane, absorption alpha-methyldopa-phe, 308
butyrylcholinesterases, gene amplification, 1
Caco-2 cell monolayeres, L-alpha-methyldopa transport, 1313
Caco-2 cell, 902
calcium salt, tablet filler, 80
calcium-channel antagonists, 919
calorimetry, differential scanning, 1157
calorimetry, insulin, 606
calorimetry, misoprostol films, 1181
captopril, chirality, 1082
captopril, circular dichroism, 1082
captopril, diastereomers, 1082
captopril, uv absorption, 1082
carbamazepine dihydrate, 184
carbamazepine, anhydrous, 184
carbamazepine, disposition in rats, 513
carbamazepine-10,11-epoxide, disposition in rats, 513
carboxy inulin, iontophoresis, 218
carboxyfluorescein, liposomes, 1127
carboxyinulin blood clearance, rat, 41
carboxylic ester hydrolase activity, 251
carboxymethyltransferase, 593
carboxyprimaquine, 91
caries, local drug release, 313
carrier mediated transport, cefpiramide, 1038
casein, role in milk protein binding, 633
cefaclor dihydrate ^{13}C solid state NMR, 147
cefaclor dihydrate, crystal structure, 147
cefpiramide, hepatic uptake, 1038
cell cultures, endothelial, epithelial, 435
cellulose, hydroxypropyl methyl, film, 1181
cerebrospinal fluid distribution, zidovudine, 332
charcoal, effect on phenobarbital hypnosis, 242
charcoal, effect on theophylline neurotoxicity, 242
chemical delivery system, 9-amino-1,2,3,4-tetrahydroacridine, 658
chemical delivery system, estradiol, 1061
chemical delivery system, estradiol, growth hormone, 1011
chemical stability, pentostatin, 452
chemometric assay validation, 154
chimeric mouse/human monoclonal antibody, C-17-1A, 587
chiral derivatization, 1262
chirality, captopril, 1082
chitosan-methotrexate (CMTX) macromolecular conjugate, 418
chlorhexidine phosphonilate creams, 995
chlorhexidine, sustained release, 313
chlorhexidine-phosphonilate, skin permeation, 995
chlorpromazine, partition coefficients, 856
cholinergic receptors, developments, 562
cholinesterases, 1
ciliotoxicity, 144
ciprofloxacin, HPLC, 1177
circular dichroism, captopril, 1082
circular hole matrix release, 1195
clearance of carbamazepine-10,11-epoxide, 513
clinical pharmacokinetics, 681
clozapine, pharmacokinetics, 347
clozapine, psychiatric patients, 347
coating hot melt, 1119
colon model, rabbit, 616
column-switching HPLC, hydrochlorothiazide, 1257
compatibility, binary powder systems, 113
compensation temperature, 730
complexation, steroid-beta-cyclodextrin, 869
conductivity, 893
conjugates lidocaine, 504
container compatibility, 967
container-solute interaction, 967
content uniformity, tablets, 962
controlled release, diltiazem, dog, 874
controlled release, matrix tablet, 1092
controlled release, nanoparticles, 49
controlled release, remoxipride, 54
controlled release, theophylline, 1134
convective flow, transdermal, 34
cortisone, beta-cyclodextrin complex, 869
cosolvent, benzocaine solubility, 523
cotton seed oil, hot melt coating, 1119
creep compliance technique, 648
crystal structure, cefaclor dihydrate, 147
crystalline sucrose, 1278
crystallography, 683
cunninghamella blakesleeana, retinoic acid metabolism, 270
cunninghamella echinulata, retinoic acid metabolism, 270
current voltage characteristics, fresh, frozen skin, 1141
current-voltage characteristics, human skin, 136
cutaneous first pass, 638
cutaneous metabolism, 638
cyanoacrylate, nanoparticles, 736
cyclic imide, deamidation Asn residues, 787
cyclic imide, peptide degradation, 703
cyclodextrin, dimethyl-beta-, nasal absorption, 500
cyclodextrine derivatives, indomethacin stability, 484
cyclodextrines, indomethacin stability, 484
cyclodextrins derivatives, 612
cyclosporine clearance, dietary fat, 46
cytochrome P450, cutaneous metabolism, 638
cytochrome P450, metabolic conversion, 638

- cytoplasmic delivery, 824
cytotoxic agent, pentostatin, 452
cytotoxicity, fluoropyrimidines, 1294
cytotoxicity, primaquine, 91
cytotoxicity assay, B lymphoblastoid cells, 852
- deamidation asparaginyl residue, 703
deamidation peptides, 530
deamidation, aspartyl, asparaginyl, ACTH, 593
deamidation, peptides, 787
decomposition, monoclonal antibodies, 1234
degradation, thyrotropin releasing hormone, 751
desglycinamide-arginine vasopressin (DGA VP, AVP1-8),
 pharmacokinetics, 293
desglycinamide-arginine vasopressin, 293
desipramine, tissue distribution, 1019
deuterium isotope effect primaquine, 91
dextran sulfate, effect on renal gentamicin accumulation, 644
diastereomers captorpil, 1082
diastereomers phenobarbital N-beta-D-glucose conjugate, 402
diastereomers, 683
diclofenac sodium absorption, 1026
dictionary of drug names, 780
dietary fat, carrier, cyclosporine, 46
dietary fat, cyclosporine clearance, 46
diffusion cells, topical drug delivery, 1048
diffusion controlled matrix, 1195
diffusion, drug dissolution, 425
diffusion, porous materials, 893
difloxacin, HPLC, 1177
dihydropyridine-pyridinium salt, prodrug, 879
dihydroreynosin glucoside, 1269
dihydrotamaulipin A glucoside, 1269
diltiazem for mulations, 874
diltiazem, controlled release, 874
dimethyl-beta-cyclodextrin, nasal absorption, 500
dimyristoyl-phosphatidylcholine, liposomes, solubilization, 957
dipeptide, intestinal absorption, 308
diphtheria toxin A chain (DTA) liposomes, 824
disperse systems, 561
dissolution boundary, 1195
dissolution modeling, 425
dissolution rates, tablet filler, 80
dissolution USP standards, 983
dissolution, theophylline, in vitro, 1134
distribution coefficient, snake skin, 1302
distribution of nonionized drug, in tissue, 691
diterpene, *annona bullata*, 376
dithioerythritol, antihepatotoxin, 256
diuretic effect, hydrochlorothiazide-furosemide combination, 697
diuretics, therapeutic index, 697
diurnal variation, pharmacokinetics, 677
DNA amplification in vivo, 1
dog animal model, hydralazine, 274
dopamine receptors, pre- and post-synaptic, 280
dopaminergic neurons, effect of amantadine, 670
dosage forms, 562
dose dependent pharmacokinetics of carbamazepine, 513
dose regimen, single vs multiple, clozapine, 347
dosing frequency, 677
drug absorption, gastrointestinal, 518
drug delivery, chitosan-methotrexate, 418
drug delivery, pH sensitive liposomes, 824
drug design, computer aided, 784
drug protein binding determination, 1077
drug release, USP standards, 983
drug solubilizations, skin permeation, 712
drug targeting, adenosine triphosphate, 553
drug therapy, simple techniques, 681
duodenal pH, in young adults, 756
DuP 923, 4-hydroxy-N-phenyl-3,5-bis(1-pyrrolidine
 methyl)benzamide dihydrochloride, 1325
DuP 923, antiarrhythmic agent, 1325
- DuP 923, ionization, 1325
DuP 923, solubility, 1325
- E-Δ²-valproic acid, binding to rat plasma, 461
Elaphe Obsoleta, black rat snake, 1302
elaphe obsoleta, shed snake skin, 1042
electrochemistry, antifungal agents, 282
electrolytes, 719
electroosmosis, mouseshin, 213, 222
electroosmotic flow, 118
electrotopological state, 801
emulsion polymerization, vidarabine, 736
enantiomers methylphenidate, 726
enantiomeric crystals, 683
enantioselectivity, amobarbital, 794
endothelial cell culture, 435
endotoxin, 260
enhancer fatty acid, skin permeation, 712
enkephalin metabolism, skin, 1099
enteric coating, 648
enteric-coated tablet, radiotelemetric technique, 1026
enterohepatic cycling, ibuprofen, 87
enterohepatic recirculation, methylergometrine rat, 14
enzymatic degradation TRH, stability plasma, 751
enzymatic hydrolysis, TRH, 885
enzyme inhibitors, hydrolase inhibitors, 249
enzyme-digestible hydrogels, 816
epicardial drug administration, lidocaine, 28
epidermal differentiation, fetal skin, 1201
epidermal growth factor (EGF), receptors, 665
epidermal growth factor, wound healing, 1289
epimerization, moxalactam, 364
episodic hormone secretion, pituitary, 1011
epithelial cell culture, 435
epithelial tissue culture, transport, 902
erbium-171, 263
erosion mechanisms, 431
error correction technique, chemometric approach, 154
erythrocytes, pyrimethamine, 1055
erythromycin beads, 264
erythromycin dissolution, 264
ester derivatization, mycophenolic acid, 161
ester prodrugs, zidovudine skin permeation, 948
estradiol absorption, human skin, 170
estradiol delivery system, brain, 1107
estradiol, chemical delivery system, 1011, 1061
estradiol, delivery to brain, 879
ethanol, estradiol absorption, skin, 170
ethyl 4-biphenyl acetate, antiinflammatory ointment, 1152
europium, chiral, nmr shift reagent, 726
everted sac technique, intestinal transport, 767
excipient incompatibility, moxipril, 379
experimental drugs, 988
extreme vertices, 1092
- fasted state pH, in young adults, 756
fatty acids unsaturated nasal absorption enhancer, 127
FDA, IND, 988
fed state pH, in young adults, 756
fentanyl, transdermal delivery, 842
film, hydroxypropyl methylcellulose, 1181
first-pass metabolism, 59
fleroxacin, tissue concentrations, 422
flunoxaprofen, chiral HPLC assay, 1262
fluorescein absorption, rat lung, 8
fluorescein, aerosol, 8
fluorescent chiral amines, 1262
fluorescent probes, liposomes, 824
fluoride, sustained-release, 313
fluorine-18, 1198
fluoropyrimidines, cytotoxicity, 1294
food effect ibuprofen absorption, 304
food effect, theophylline, 1134
food effects on gastrointestinal pH, 756

- food-drug interaction, hydralazine, 274
 Fourier transform, i.r., 762
 freeze-drying, ribonuclease A stability, 1086
 front synchronization, 431
 frozen plasma, urine, moxalactam 364
 florasfur, 1294
 fungicides, 283
 furosemide, pharmacodynamics, 697
 fusidic acid, 468
- G protein coupled receptors, 1213
 gabexate mesilate, wound healing, 1289
 gamma scintigraphy, g.i. transit, 54
 gamma scintigraphy, eribum-171, 264
 ganciclovir HPLC, plasma, urine, rabbit, 1113
 gastric mucosa, EGF receptor, 665
 gastric pH in young adults, 756
 gastrointestinal absorption, gastrointestinal fluids, 518
 gastrointestinal absorption, pafenolol, 1222
 gastrointestinal fluids, volume/flow ratio, 518
 gastrointestinal irritation by drugs, 616
 gastrointestinal therapeutic system (GITS), 616
 gastrointestinal transit ^{111}In -marked spheres, 54
 gastrointestinal transit, ibuprofen, 304
 gastrointestinal transit, nondisintegrating, 1163
 gastrointestinal transit, sustained release ibuprofen, 304
 gel integrity, 816
 gelatin, wound healing, 1289
 gender effects, gastric pH, 756
 gene amplification, cholinesterases, 1
 gentamicin pharmacokinetics, rat anesthetized, 41
 gentamicin, renal accumulation, 644
 gestation, fetal skin, 1201
 GGP-291 metabolism, 742
 glass transition temperature, PVP, 654
 glaucoma, drug delivery, 723
 glucose, iontophoresis, 222
 glucuronide, tolmetin, 21
 glycine, iontophoresis, 222
 glycyld-2,6-xylidine, quantification of, 504
 gonadorelin, stability, 1253
 gonatropins, E2-CDS effect on, 1107
 granulation acrylate, 1208
 growth hormone (hGH), intranasal, 772
 growth hormone, estradiol chemical delivery system, 1011
- hairless guinea pig, percutaneous absorption, 1147
 heart rate, apomorphine, 318
 heat capacity, alkyl para-aminobenzoates, 1157
 heat sterilization, thermodynamic data, 1273
 Heidelberg capsule, in pigs, 1163
 hepatic uptake, cefpiramide, 1038
 hepatic uptake, macromolecules, 339
 hepatocytes, interferon-gamma uptake, 542
 hepatocytes, rat, 256
 hepatocytes, transport of cefpiramide, 1038
 hepatotoxin, 256
 histidyl-proline amide, stability plasma, 751
 HMG-CoA, reductase inhibitors, 289
 homovanillic acid (HVA), amantidine, 670
 hormone receptors, 1213
 HPLC ganciclovir, 1113
 HPLC lipophilicity screen, 577
 HPLC phenylpropanolamine, urine, blood, 96
 HPLC pyrimethamine, 1055
 HPLC, ciprofloxacin, 1177
 HPLC, column switching, hydrochlorothiazide, 1257
 HPLC, difloxacin, 1177
 HPLC, hydroxypropyl-beta-cyclodextrin, 1248
 HPLC, nadolol, 953
 HPLC, norfloxacin, 1177
 HPLC, sarafloxacin, 1177
 HPLC, temafloxacin, 1177
- HPLC-MS, peptide RS-26306, 530
 HPMA nanoparticles, mucoadhesion, 49
 human growth hormone, nasal administration, 547
 hydralazine pharmacokinetics, dog, 274
 hydrochlorothiazide determination, HPLC, 1257
 hydrochlorothiazide, pharmacodynamics, 697
 hydrocortisone, beta-cyclodextrin complex, 869
 hydrogel enzyme digestible, 816
 hydrolase carboxylic ester, 251
 hydrophilic permeants, 621
 hydrophobic effect, chlorpromazine, 856
 hydrophobic interactions, muscarinic receptors, 746
 hydroxypropyl methyl cellulose (HPMC), 1186
 hydroxypropyl methylcellulose phthalate, dissolution, 648
 hydroxypropyl methylcellulose, miscibility with misoprostol, 1181
 hydroxypropyl-beta-cyclodextrin, pharmacokinetics, 1248
 hydroxypropylcyclodextrin, 612
 hydroxypropylmethacrylate mucoadhesion, in vitro, 49
 hypoglycemic effect, nasal insulin, 370
- i.r. analysis, 762
 ibuprofen biliary elimination, rats, 87
 ibuprofen enterohepatic circulation, rats, 87
 ibuprofen metabolites, 87
 ibuprofen sustained release, 304
 icebergs, hydrophobic group associated, 730
 iminium, antifungal agents, 283
 imipramine, tissue distribution, 1019
 imirestat ^{18}F , scintigraphy, 1198
 imirestat pharmacokinetics, rats, dogs, 192
 immunization, sulfanilic acid conjugate, 767
 immunosuppressant agent, pentostatin, 452
 in vitro-in vivo correlation, theophylline, 1167
 in vitro-in vivo correlations, rolipram transdermal, 1302
 incompatibility screen, moexipril excipient, 379
 IND, 988
 indometacin stability, 484
 inertial testing methods, 1228
 infrared spectroscopy, skin penetration, 835
 infrared spectroscopy, skin permeation, 762
 inhalation, aerosols, 1228
 inhibitors, proteinases, 430
 insulin binding to phenols, 606
 insulin hexamer-stabilizing ligands, 600, 606
 insulin, nasal absorption, 370
 insulin, rectal absorption enhancement, 180
 interferon-gamma, hepatocyte uptake, 542
 interferon-gamma, liposome encapsulation, 542
 intestinal absorption, 852
 intestinal absorption, acyclovir, 299
 intestinal absorption, effect of taurocholate, 392
 intestinal drug transport, in vitro model, 902
 intestinal loop, hydrophilic/lipophilic drugs, 392
 intestinal mucosa, drug transport, 902
 intestinal transport mechanism, L-alpha-methyldopa, 1313
 intranasal delivery, human, 69
 ion pairing, chlorpromazine, 856
 ion pairing, skin permeation, 712
 iontophoresis, 213, 222
 iontophoresis, azidothymidine, rat skin, 34
 iontophoresis, fresh human skin, 1141
 iontophoresis, human skin, 134
 iontophoresis, mechanisms, 222
 iontophoresis, molecular weight dependence, 222
 iontophoresis, transdermal, 118
 irreversible binding, tolmetin to albumin, 21
 isoaspartyl formation, ACTH, 593
 isoaspartyl stability, 703
 isoaspartyl, 787
 isopropyl myristate, penetration enhancer, 1302
 isopropylmyristate (IPM), zidovudine prodrug, 948
 isosorbide dinitrate, cutaneous pharmacodynamics, 1298
 isothermal method, vitamin A, 388

- jejunum acyclovir absorption, 299
kytorphin, nasal absorption, 127
L-alpha methyldopa, intestinal transport, 1313
L-dopa esters, oral, rectal administration, 384
L1210 cells, cytotoxicity 5-fluorouracil, 1294
lactose, tablet filler, 80
laser doppler velocimetry, isosorbide dinitrate, 1298
latex particles, g.i. absorption, 848
laureth-9, ciliostasis, 144
laurocapram, 496
leuprolide acetate absorption, 565
LHRH agonist, 565
lidocaine metabolites analysis, 504
lidocaine pharmacodynamics, 28
lidocaine, epicardial controlled release, 28
lidocaine, percutaneous absorption, 1033
lipid A analogues, antiendotoxin activity, 260
lipid A antiendotoxin, 260
lipid phase-separation model, 621
lipid X, antiendotoxin, 260
lipophilicity basic drugs, 691
lipophilicity screen, HPLC, 577
lipophilicity, TRH, 885
liposome, asialofetuin labeled, 542
liposome, model membrane, partitioning, 508
liposomes, adenosine triphosphate, 553
liposomes, pH sensitive, cytoplasmic delivery, 824
liposomes, solubilization, 957
lithium carbonate sustained release in vitro, 359
Loo-Riegelman method, 76
lovastatin, stability testing, 289
lung isolated preparation, rat, 990
lung mitochondria, binding sites for basic drugs, 398
lung, isolated perfused, 398
lung, isolated preparation, rat, 8
luteinizing hormone-releasing hormone (LH-RH) antagonist stability, 530
lymphatic absorption, polar compounds, 169
lyophilization protein stability, 1086
lyophilized sucrose spheres, 1278
lysophosphatidylcholine, nasal, growth hormone, 772
- M cells, particle absorption, 848
macromolecular compounds, tumor bearing mice, 339
Madin Darby canine kidney (MDCK) cell monolayer, 325
magnoliaceae, cytotoxic activity, 1269
malaria, primaquine, 91
malnutrition, pharmacokinetics and pharmacodynamics, apomorphine, 318
matrix release, 893
matrix tablet release, 1092
mean metabolic interconversion time, methylprednisone, 1003
mean residence time (MRT), metabolite kinetics, 59
mean residence time, functions of infusion rate, 628
mean residence time, methylprednisone, 1003
mean residence times (MRT), reversible metabolism, 103
mean transit time, methylprednisone, 1003
medicare, 108
melanin binding, ocular, 935
melting point, 942
melting points, 683
mephobarbital, optical isomers, 402
metabolic profiling, azone, 496
metabolism studies, 435
metabolism, benzoic acid, 1147
metabolite kinetics after oral drug administration, 59
metal complexes, antifungal agents, 283
metered dose inhaler, 1228
metered dose inhaler, terbutaline, 1068
metered dose inhalers, 8
method validation, chemometric, 154
methotrexate-chitosan, conjugates, 418
- methylergometrine enterohepatic recirculation, 14
methylergometrine, pharmacokinetics, rat, 14
methylergometrine, protein binding, 14
methylphenidate, threo, optical purity, 726
methylprednisolone, reversible metabolism, 1003
metronidazole, sustained release, 313
Michaelis-Menten kinetics, hydralazine, 274
michelia floribunda, cytotoxic activity, 1269
microbial assay, in vitro, 995
microbial metabolism, arteether, 199, 923
microcalorimetry, insulin, 600, 606
microcystin-LR, hepatotoxicity, 256
microdialysis sampling, 1077
microencapsulation, 928, 1119
microspheres, biodegradable, 1190
microspheres, drug release, 928
migrants in polyethylene terephthalate, 176
milk, binding of drugs, 633
milk, drug binding, solubility, 537
milk, fat content, 537
milk, protein binding, 633
misoprostol, miscibility with HPMC, 1181
misoprostol, stability, 1186
mitochondria, lung, drug binding, 398
mixed micelles, bile salts, 127
mixed micelles, nasal absorption enhancer, 370
model cellular transport barrier, 325
moexipril, stability, solid state, 379
molecular dissymmetry, 683
molecular modeling, drug tissue distribution, 935
molecular weight cutoff, absorption, 863
molecular weight dependent absorption, polyethylene glycols, 863
molecular weight, lymphatic absorption, 167
molecular weight, transdermal permeability, 1302
moment analysis, 76
moment analysis, reversible metabolism, 103
monoamine oxidase (MAO), 398
monoclonal antibodies, fluorescence polarization, 1234
monoclonal antibodies, fluorescence quenching, 1234
monoclonal antibody, pharmacokinetics, 587
morphine, hydroxylated, 1205
morphine, hydroxylated, activity in pig ileum, 1205
morphine, impurity, 1205
moxalactam, epimerization kinetics, 364
mucin-polymer bioadhesive, 491
mucoadhesion nanoparticles, 49
multiparticulate formulations, diltiazem, 874
multiple linear regression approach, drug tissue distribution, 935
multiple unit capsule, remoxipride, 54
muscarinic cholinergic receptors, 1213
muscarinic receptor, QSAR, 746
mycophenolic acid, bioavailability, 161
mydriatic tolerance, 476
myocardial infarction, liposomal ATP injection, 553
- N*-decylmethyl sulfoxide, permeation enhancer, 34
N-decylmethylsulfoxide, penetration enhancer, 1099
N-ethylglycyl-2,6-xylidide, quantifications of, 504
N-glucoside, amobarbital, 794
nadolol, beta blocker, 953
nadolol, HPLC, 953
nadolol, pharmacokinetics, 953
nafamostat mesilate, wound healing, 1289
nanoparticle, vidarabine, 736
nanoparticles mucoadhesion, 49
naproxen, chiral HPLC assay, 1262
narcotics, transdermal delivery, 842
nasal absorption enhancers, 127
nasal absorption enhancers, 808
nasal absorption enhancers, toxicity, 144
nasal absorption, 17beta-estradiol, 500
nasal absorption, 69
nasal absorption, growth hormone, 772
nasal absorption, kytorphin, 127

- nasal absorption, mixed micelles, 370
 nasal absorption, polyethylene glycols, 863
 nasal delivery, human growth hormone, 547
 nasal mucosa, surface morphology, 468
 nassal absorption, dimethyl-beta-cyclodextrin, 500
 nebulizers, liposomes, 1127
 neocarcinostatin, protein conjugate, 852
 nephrotoxicity, gentamicin, 644
 nephrotoxicity, *in vivo*, *in vitro*, 884
 neurotransmitter receptors, 1213
 neutron activated erbium-171, 264
 neutron activation ^{171}Er , 304
 neutrophil, 260
 niridazole, metabolism, 742
 Nitro-Dur, transdermal flux, 673
 nitroglycerin (TNG) flux across skin, Yucatan pig, mouse, human, 673
 NMR ^{13}C solid State, cefaclor dihydrate, 147
 NMR solid state, carbamazepine, 184
 NMR, 2D, arteether, 199
 NMR, insulin, 600
 nondisintegrating oral dosage forms, in pigs, 1163
 nonerodible oral dosage forms, 1163
 nonisothermal method, vitamin A, 388
 nonlinear regression, absorption rate, 76
 nonsteroidal antirheumatic drugs, chiral HPLC assay, 1262
 norfloxacin, HPLC, 1177
 NSAID, ibuprofen, 88
 NSAID, tolmetin, 21
 NSAID, toxicity, 21
 nucleoside, pentostatin stability, 452
- o*-naphthoquinone 5-lipoxygenase, 1071
o-quinone analogues, 1171
 obstructive jaundice, biliary clearance cefpiramide, rats, 1038
 ocular disposition, 1198
 ocular drug delivery, prodrugs, 723
 ocular pharmacodynamics, phenylephrine, 476
 ocular pharmacokinetics, 476
 oily formulation, neocarcinostatin, protein conjugate, 852
 oleic acid, transdermal enhancer, 621, 835
 opioid receptor binding, morphine impurity, 1205
 optical purity, nmr, methylphenidate, 726
 optical purity, threo-methylphenidate, 726
 oral absorption remoxipride, 54
 oral administration, L-dopa, L-dopa esters, 384
 oral dosage form, controlled release, 975
 organophosphorous poisoning, 1
 osmotic formulations, diltiazem, 874
 otitis media, antimicrobial drug penetration, 1242
 ouabain-induced ventricular tachycardia, 28
 oxidative stress, antifungal agents, 283
 oxime hydrolase, prodrug activation, 723
 oxygen polarography, 289
- PABA, percutaneous absorption, 1147
 packaging materials migrants, 176
 pafenolol, pharmacokinetics, 1222
 palmitoleic ester metabolite, 638
 parenteral products, container/solution compatibility, 911
 particle absorption, Peyer's patches, 848
 particle quantitation, 848
 particle size analysis, pressurized inhalers, 1228
 particle size, tablets, 962
 partition coefficient, steroids, 1320
 partition coefficients, chlorpromazine, 856
 partition coefficients, HPLC retention, 577
 partitioning, liposomes, 508
 partitioning, skin permeation, 712
 penetration enhancement, 762
 penetration enhancer, *n*-decylmethyl sulfoxide, 1099
 penetration enhancers, percutaneous, 64
 pentostatin, chemical stability, 452
 pepsin, albumin cross-linked hydrogels, 816
- peptidase inhibitors, enkephalin, 1099
 peptide degeneration, 530
 peptide degradation, chemical pathways, 593, 703, 787
 peptide delivery, pulmonary, 565
 peptide drug absorption, 308
 peptide prodrugs, 885
 percolation theory, 113, 893
 percolation threshold, 893
 percutaneous absorption, acyclovir, 64
 percutaneous absorption, benzoic acid, 1147
 percutaneous absorption, 673
 percutaneous absorption, antiinflammatory ointment, 1152
 percutaneous absorption, benzoic acid, 230
 percutaneous absorption, benzoic acid, 352
 percutaneous absorption, estradiol, 170
 percutaneous absorption, lidocaine, 1033
 percutaneous absorption, mathematical model, 230
 percutaneous absorption, p-aminobenzoic acid, 1147
 percutaneous absorption, salicylate, 762
 percutaneous absorption, solvent vehicle effect, 64
 percutaneous absorption, steroids, 1320
 percutaneous drug delivery, acyclovir, 64
 percutaneous penetration, shed snake skin, *in vitro*, 1042
 periodontal disease, sustained release drug delivery, 313
 permeability, percutaneous, 1302
 permeation enhancer, N-decylmethylsulfoxide, 34
 permeation enhancer, nasal mucosa, 468
 Peyer's patches, particle absorption, 848
 pH rate profile, gonadorelin stability, 1253
 pH-sensitive liposomes, cytoplasmic delivery, 824
 pharmacodynamics, estradiol, 1107
 pharmacodynamics, phenylpropanolamine, urine pH, 96
 pharmacodynamics, apomorphine, 318
 pharmacodynamics, estradiol prodrug, 1011
 pharmacodynamics, percutaneous lidocaine, 1033
 pharmacokinetic models, human nasal cavity, 69
 pharmacokinetic profile, 677
 pharmacokinetic screening *o*-quinone analogues, 1071
 pharmacokinetics acetaminophen, 204
 pharmacokinetics antipyrine, 204
 pharmacokinetics beta-cyclodextrin, 1248
 pharmacokinetics carbamazepine, 513
 pharmacokinetics DGA VP, vasopressin analog, 293
 pharmacokinetics ganciclovir, 1113
 pharmacokinetics gentamicin, anesthetized rat, 41
 pharmacokinetics gentamicin, conscious rat, 41
 pharmacokinetics imirestat, ocular, 192
 pharmacokinetics methylergometrine, rat, 14
 pharmacokinetics phenylpropanolamine, urine pH, 97
 pharmacokinetics, antimicrobial drugs in otitis media, 1242
 pharmacokinetics, apomorphine, 318
 pharmacokinetics, bismuth, 237
 pharmacokinetics, chimeric monoclonal antibody (C-17-1A), 587
 pharmacokinetics, clozapine, 347
 pharmacokinetics, diazepam, phenytoin, ACC-9653, interaction, 1172
- pharmacokinetics, diltiazem, 874
 pharmacokinetics, estradiol, 879
 pharmacokinetics fleroxacin, 422
 pharmacokinetics, hydralazine, 274
 pharmacokinetics, hydroxy-beta-cyclodextrin, 1248
 pharmacokinetics, linear reversible metabolic systems, 628
 pharmacokinetics, lithium carbonate, 359
 pharmacokinetics, MRT, 103
 pharmacokinetics, nadolol, 953
 pharmacokinetics, pafenolol, 1222
 pharmacokinetics, zidovudine, 411
 pharmacokinetics, zidovudine, rabbit, 332
 phase diagrams, 683
 phenobarbital *N*-beta-D-glucoside, absolute configuration, 402
 phenobarbital, kinetics of effect in renal failure, 242
 phenol derivatives, insulin binding, 600
 phenyl acetic acid, derivative anticholinergic, 746
 phenylephrine, ocular pharmacokinetics, 476

- phenylpropanolamine, pharmacodynamics, pharmacokinetics, 96
 phenylpropanolamine, HPLC, 96
 phenytoin, prodrug, 1172
 phosphatidylserine binding to imipramine, 1019
 phosphatidylserine binding to propranolol, 1019
 phosphatidylserine binding to quinidine, 1019
 phthalate dialkyl esters, parenteral product, 911
 phthalates source in packaging materials, 178
 physical aging, hydroxypropyl methylcellulose phthalate, 648
 plasma protein binding of drugs, microdialysis, 1077
 plasma-catalyzed hydrolysis, TRH, 751
 polarography, oxygen, stability testing, 289
 poly(DL-lactic acid-co-glycolic acid), phase separation, 928
 poly(lactide-co-glycolide), 1190
 poly(vinylpyrrolidone) (PVP), 654
 poly-(2-hydroxyethyl)-aspartamides, aerosols, rat, 990
 polydimethylsiloxane membranes, 523
 polyelectrolytes, 491
 polyelectrolytes, physical aging, 648
 polyethylene glycol, compactibility, 113
 polyethylene glycol, gastrointestinal absorption, 863
 polyethylene glycol, nasal absorption enhancer, 808
 polyethylene glycol, nasal absorption, 863
 polyethylene terephthalate (PET) amber bottle, 176
 polymer bioadhesive strength, 491
 polymer drugs, 852
 polymer swelling, 523
 polymer-solvent affinity, 928
 polymers, pulmonary absorption, 990
 polyolefin/solute interactions, 911
 polyoxyethylene 9 lauryl ether, nasal absorption enhancer, 808
 polypeptides, lung absorption, 990
 porosity, polymer matrix, 893
 powder systems, binary, 113
 preformulation lipophilicity screen, 577
 preservatives, insulin, 600
 pressurized inhaler, particles size analysis, 1228
 primaquine metabolism, 91
 primaquine, deuterium isotope effect, 91
 probenecid, distribution enhancer, AZT, 332
 probenecid, effect on disposition, AZT, 411
 prodrug phenylephrine oxazolidine, 476
 prodrug, estradiol, 1061
 prodrug, phenytoin, 1172
 prodrug, zidovudine, 948
 prodrugs, TRH, 885
 products inhibition hydrolase, 251
 progesterone release, 1195
 progesterone, beta-cyclodextrin complex, 869
 propranolol, liposomes, 957
 propranolol, tissue distribution, 1019
 propylene glycol water mixture, heat sterilization, 1273
 propylene glycol, heat sterilization, 1273
 protease inhibitor, wound healing, 1289
 protein aggregation, lyophilization, 1086
 protein binding, bismuth, 188
 protein binding, methylergometrine, 14
 protein binding, milk, 633
 protein binding, moxalactam, 364
 protein binding, pyrimethamine, 1055
 protein binding, valproic acid, 461
 protein conjugation, neocarcinostatin, 852
 protein release, 1190
 protein stability, 1190
 protein-hapten conjugate, 767
 proteinases, inhibitors, 430
 pulmonary absorption, polymers, 990
 pulmonary barrier, aerosol absorption, 8
 pulmonary bioavailability, terbutaline, 1068
 pulmonary delivery, peptide, 565
 purines, intestinal absorption, 299
 puromycin, peptidase inhibitors, 1099
 pyrimethamine, HPLC, 1055
 pyrimethamine, plasma protein binding, 1055
 QSAR anticholinergic, 746
 quantitative structure-activity relationship (QSAR) index, 801
 quantitative structure-activity relationships (QSAR), liposomes, 508
 quasi-equilibrium, drug dissolution, 425
 quinidine, tissue distribution, 1019
 quinones, antifungal agents, 283
 racemic mixtures, 683
 radiotelemetric technique, enteric coated formulation, 1026
 receptors, alpha-2 adrenergic, 208
 receptors, cholinergic, 563
 rectal absorption, insulin, 180
 rectal administration, L-dopa, L-dopa esters, 384
 rectum, insulin, 180
 red blood cell, bismuth, 188
 redox drug delivery, estradiol, 879
 reductase enzyme, prodrug activation, 723
 reduction potentials, antifungal agents, 282
 reimbursement for drug, 108
 release profile, theophylline, 1167
 remoxipride, ^{111}In marked spheres, 54
 remoxipride, extended release, 54
 remoxipride, oral absorption, 54
 renal clearance, phenylpropanolamine, 96
 renal clearance, sulfate, 719
 renal failure, kinetics of drug action, 242
 renal secretion, ganciclovir, 1113
 renin inhibitory peptide, activity assay, 407
 renin inhibitory peptides, human, 407
 resistance, electrical, skin, 213, 222
 respirable fraction, leuprolide, 565
 retarded release, methacrylate-salicylic acid, 1208
 reversible metabolism, 628, 1003
 reversible metabolism, mean residence time, 103
 rheological method, mucin-biopolymer bioadhesion, 491
 ribonuclease A, freeze dried, stability, 1086
 rolipram, percutaneous absorption, 1302
 rotating dialysis cell, theophylline, 1134
 rotating disk method, 80
 RS-26306, luteinizing hormone-releasing hormone antagonist, 530
 salicylate, skin permeation, 762
 salicylic acid, retarded release, 1208
 saraflaxacin, HPLC, 1177
 scaling laws, 893
 scanning electron micrography, 264
 scanning electron microscopy, misoprostol films, 1181
 scanning electron microscopy, nasal mucosa, 468
 scintigraphy, ^{18}F -imirestat, 1181
 scintigraphy, ibuprofen, 304
 second messengers, 1213
 sesquiterpene lactones, *michelia floribunda*, 1269
 shed snake skin, skin penetration, 1042
 shelf life, vitamin A, 388
 shelf-life prediction, aspirin, 730
 silymarin, antihepatotoxins, 256
 simvastatin stability testing, 289
 site and stereospecific drug delivery, 723
 skin absorption, iontophoresis, 118
 skin absorption, rolipram, 1302
 skin absorption, salicylate, 762
 skin blood flow, isosorbide dinitrate, 1298
 skin human, estradiol absorption, 170
 skin human, iontophoresis, 134
 skin penetration, 1302
 skin penetration, total reflectance IR, 835
 skin permeation technique, *in vitro*, 995
 skin permeation, azidothymidine, 34
 skin permeation, fatty acids, 712
 skin permeation, isosorbide dinitrate, 1298
 skin permeation, zidovudine, 948
 skin sandwich flap, human, 352
 skin sandwich flap, *in vivo*, 352

- skin, hairless mouse, 118, 213, 222
 skin, human allograft, 1141
 skin, human, percutaneous absorption, 230
 skin, metabolism, 1099
 skin, partition coefficient, 230
 skin, permeation enhancing, 621
 skin fetal, pig, 1201
 slow release tablet diclofenac, 1026
 smancs, oral administration, 852
 snake skin, model membrane, 1302
 sodium glycolate, nasal absorption enhancer, 127, 370, 808
 sodium ion transport, human skin, 134, 1141
 sodium lauryl sulfate, nasal absorption enhancer, 808
 sodium tauro-24-, 25-dihydrofusidate, insulin rectal absorption enhancer, 180
 sodium taurodihydrofusidate (STDHF), nasal absorption enhancer, 144
 sodium taurodihydrofusidate (STDHF), permeation enhancer, 547
 solid-state nuclear magnetic resonance (NMR), carbamazepine, 184
 solubility benzocaine, 523
 solubility of drugs in milk, 537
 solubility, 942
 solubilization, liposomes, 957
 solubilizers, cyclodextrins, 612
 solute migration, polymers, 967
 solutions ideal, 1157
 solvent drag, skin permeation, 712
 solvent, permeation skin, 712
 spermatogenesis, 1
 stability gonadorelin, aqueous solution, 1253
 stability indomethacin, 484
 stability prediction, vitamin A preparation, 388
 stability testing, simvastatin, 289
 stability testing, lovastatin, 289
 stability triptorelin, aqueous solution, 1253
 stability, ACTH, 593
 stability, asparaginyl peptides, 703
 stability, insulin, 600
 stability, LH-RH antagonist, 530
 stability, methotrexate, *in vitro*, 418
 stability, monoclonal antibody, 1234
 stability, pentostatin, 452
 stability, solid state misoprostol, 1186
 stability, vidarabine in nanocapsules, 736
 steady state drug concentration, 677
 stereochemistry amobarbital N-glucosides, 794
 stereospecific reduction, beta-adrenergic prodrug, 723
 sterilization heat, thermodynamic data, 1273
 steroids, complexation/beta-cyclodextrin, 869
 steroids, percutaneous absorption, 1320
 stratum corneum, 762
 stratum corneum, fetal skin, 1201
 stratum corneum, permeability, 621
 stratum corneum, steroid penetration, 1320
 stratum corneum, total reflectance IR, 835
 stratum corneum, Yucatan pig, mouse, human, 673
 striatum, rat, dopamine receptor, 280
 subcutaneous administration, lymphatic absorption, 167
 sucrose, rubbery state, 1278
 sufentanyl, transdermal delivery, 842
 sulfamethoxazole, pharmacokinetics middle ear, 1242
 sulfanilic acid protein conjugate, 767
 sulfanilic acid, intestinal transport, 767
 sulfate homeostasis, 719
 sulfate, effect of chronic aspirin administration, humans, 719
 superoxide, 260
 surface response modeling, matrix tablet, 1092
 surfactant, fluorescein, rat lung absorption, 8
 surfactant, permeation enhancer, 468
 sustained release ibuprofen, 303
 sustained-release delivery system, dental diseases, 313
 sustained-release lithium carbonate, *in vitro*, *in vivo*, 359
 swelling controlled release, 431
 swelling ration, hydrogel, 816
 symmetry, molecular, 942
 tablet filler, dissolution rates, 80
 tablets, content uniformity, 962
 tablets particle size, 962
 tachycardia arrhythmia, lidocaine, 28
 tachycardia, ouabain induced, 28
 tauro-24,25-dihydrofusidate sodium, 547
 taurocholate, influence on intestinal absorption of drugs, 392
 temafloxacin, HPLC, 1177
 temperature sensitive icebergs, 730
 tenoxicam, binding to casein, 633
 terbutaline, pulmonary bioavailability, 1068
 terbutaline sulfate, metered dose inhaler, 1068
 tertiary basic drugs, effect on mitochondrial activity, 398
 testosterone, beta-cyclodextrin complex, 869
 tetracycline, sustained release, 313
 tetrahydroacridine, brain targeted derivative, 658
 theophylline, controlled release, 1134
 theophylline, *in vitro-in vivo*, 1167
 theophylline, kinetics of effect in renal failure, 242
 theophylline, sustained release, 1167
 therapeutic index, diuretics, 697
 thermodynamic data, heat sterilization, 1273
 thermodynamics activation parameters, aspirin, 730
 thermodynamics, chlorpromazine, 856
 thermodynamics, HPLC retention, 577
 thermodynamics, insulin ligand binding, 606
 thermospray liquid chromatography/mass spectroscopy, arteether, 923
 thin films, topical delivery, 1048
 third party programs, 108
 threo-methylphenidate, optical purity determination, 726
 thyrotropin-releasing hormone (TRH) stability in human plasma, 751
 thyrotropin-releasing hormone (TRH), bioreversible derivatization, 885
 tissue concentrations, fleroxacin, 422
 tissue distribution, basic drugs, rabbit, 691
 tissue distribution, estradiol, 1061
 tissue distribution, multiple drugs, 935
 tissue distribution, quinidine, propranolol, imipramine, 1019
 tolmetin, irreversible binding to albumin *in vitro*, 21
 topical anesthesia, lidocaine, 1033
 topical delivery, enhanced, 621
 topical delivery, thin films, 1048
 topical irritation, gastrointestinal tract, 616
 topological accessibility, 801
 toxicity, primaquine, 91
 toxoplasmosis, 1055
 Transderm-Nitro, Yucatan pig, 673
 transdermal absorption, TNG, 673
 transdermal delivery, enhancers, 621
 transdermal delivery, enkephalin, 1099
 transdermal delivery, narcotic analgesics, 842
 transdermal delivery, rolipram, 1302
 transdermal drug delivery, 111
 transdermal enhancement, 835
 transdermal enhancement, salicylate, 762
 transdermal permeation, 762
 transdermal permeation, fetal skin, 1201
 transdermal, chlorhexidine phosphonilate, 995
 transdermal, electroosmosis, 213, 222
 transdermal, shed snake skin, 1042
 transdermal, sodium ions, 1141
 transdermal, zidovudine, 948
 transepithelial transport, aliphatic carboxylic acids, 325
 transference number, 213, 222
 transmission infrared, misoprostol films, 1181
 transport cell culture, 435
 transport mechanism, iontophoresis, 118
 transport, Caco-2 cell monolayers, 902
 transport, L-alpha-methyldopa, 1313

- transport, permeability, 902
TRH, prodrugs, 885
triamcinolone diacetate, bioavailability, 558
triamcinolone, bioavailability, 558
trimethoprim, pharmacokinetics middle ear, 1242
triptorelin, stability, 1253
tropic acid, derivative cholinergic, 746
tumor targeting, macromolecules, 339
tumorigenesis, role of cholinesterases, 1
two-dimensional nuclear magnetic resonance (2D-NMR), arteether, 923
tyrosine hydroxylase (TH) activity, amantidine, 670
tyrosine, iotophoresis, 222

ultraviolet absorption, captopril, 1082
uniformity, tablets, 962
unit impulse response methodology, DGV AP, 292
urine alkalinization, 96
urogastrone, receptor, 665
USP dissolution standards, 983

vaccine, aluminum adjuvants, 1282
valproic acid, binding to rat plasma, 461
vasopressin analog, blood brain barrier, 292

vesicles, multilamellar, 1127
vidarabine-loaded nanoparticles, 736
viscosity mucin-biopolymer, 491
vitamin A palmitate, 388
volume of distribution, reversible metabolism, 628
volume/flow ratio of gastrointestinal fluids, 518

Wagner-Nelson method, 76
water of hydration, cefaclor, 147
water sorption isotherm, misoprostol, 1186
water vapor absorption, PVP, 654
wax coating, 1119
wound healing, gabexate mesilate, 1289
wound healing, gelatin, 1289
wound healing, nafamostat mesilate, 1289
wound healing, protease inhibitor, 1289

Yucatan Pig, Transderm-Nitro, 673

z-value, heat sterilization, 1273
zidovudine (AZT), uptake in cerebrospinal fluid, 332
zidovudine, renal clearance, 411
zidovudine, skin permeation, 948