

Subject Index to Volume 8 (1991)

- (-)-carbovir, bioavailability, 739
(HMG-CoA) reductase, 873
1-anilino-8-naphthalenesulfonate, fluorescence, 888
1-deamino-8-arginine vasopressin, 471
2-aminothiazole, 1424HPLC, enantiomers ephedrine, 1430
2-hydroxypropyl- β -cyclodextrin, 1044, 1495
2-hydroxypropyl- β -cyclodextrin, protein drugs, 792
2'3'-didehydro-3'-deoxythymidine (d4T), HPLC, 619
3-hydroxy-3-methylglutaryl-CoA reductase, 873
5-hydroxytryptamine₃ (5-HT₃) receptor antagonist, stability, 1215
5-iodo-2'-deoxyuridine, 5'-ester prodrugs, 771
5-oxazolidinones, stability, 313
8-aminoquinoline, antimalarial, 1505
1,3-dihydroimidazolone, 903
¹³C CP/MAS NMR, 1128
1,6-diphenyl-1,3,5-hexatriene (DPH), fluorescence polarization, 84
3,5-dichlorobenzoic acid, GC-MS, 821
¹¹³Cd NMR, 1384
[¹²⁵I]HSA, edema, 1270
 α -amylase, water adsorption isotherms, 191
 α -chymotrypsin inactivation, kinetics, 480
 α -chymotrypsin, prodrug, 1533
 α -tocopherol determination, vitamin E, 763
absorption enhancers, 84
absorption rate, bioequivalence, 25
absorptive clearance, carbamazepine, 1050
accuracy, analytical, 421
ACE angiotensin converting enzyme inhibitor, 370
acetaminophen dissolution, 412
acetaminophen, microdialysis sampling, 389
acetylcholinesterase inhibitors, THA, 200
acyclovir, 1087
acylcarnitines, drug absorption enhancers, 84
acylcarnitines, effect on rat intestinal brush border membrane, 84
adhesion strength, eudragit E films, 1137
adinazolam mesylate, bioavailability, 1482
adinazolam mesylate, first-pass elimination, 162
adinazolam, bioavailability, 156
adinazolam, pharmacokinetics, 162
adinazolam, unbound fraction, 162
adjuvant, aluminum hydroxide, 851
adsorption, charcoal, 228
adsorptive endocytosis, macromolecules, 437
aerosol propellant, drug solubility, 1206
aerosol, content uniformity, 658
aerosols, liposomes, 217
aggregation, human growth hormone, 1360
aggregation, IL-1 β , 485
aggregation, peptide, 1258
aging, physical, glasses, 698
alanine aminotransferase, microcystin-LR, 273
albumin microspheres, 185
albumin, fluorescence protein binding, 888
albumin, lactosaminated, 1253
albuterol metered dose inhaler, 658
aldose reductase inhibitor, zopolrestat, 1511
aldose reductase inhibitor, imirestat, 112
alginate/polylysine microcapsules, 341
alkaline phosphatase inhibitor, 1384
alkaline phosphatase, *escherichia coli*, 1384
allopurinol, HPLC, 653
alpha-chymotrypsin, insulin degradation, 925
alprenolol, CDS, 1389
alprenoxime, 1389
aluminum hydroxide, adjuvant, 851
aluminum phosphate, 851
Alzheimer's disease, THA, 200
amine pro-prodrugs, 323
amino acid delivery, transdermal, 1113
aminopeptidase activity, mouse keratinocytes, 70
aminopeptidase activity, mouse skin, 70
aminopeptidase, 93
amiodarone, phlebitis, 801
amoxicillin, oral drug absorption, 979
ampicillin polymer, ¹H-NMR spectrometry, 119
ampicillin polymer, circular dichroism (CD), 119
ampicillin polymer, fast atom bombardment (FAB), 119
analgesia, opioids, 196
analgesics, nonaddicting, 1
analysis cyclosporin emulsion, 40
anemic rats, polycythemic, 608
anesthesia, antipyrine metabolism, 544
anti-HIV nucleosides, pharmacokinetics, 247
antiarrhythmic compounds, Arrhenius kinetics, 123
antibiotic, *Saccharomyces boulardii*, 796
anticonvulsant activity, valproate esters, 750
anticonvulsants, prodrug, 690
antiepileptic drugs, therapeutic monitoring, 282
antigen-adjuvant, interactions, 851
antiglaucoma agents, alprenoxime, 1389
antihypertensive drug delivery system, 527
antiinflammatory drug, 1270
antimicrobial activity, drummondin C, 1372
antimitotic agents, combretastatins, 776
antipyrine clearance, liquid chromatography, 269
antipyrine determination, saliva, plasma, 269
antipyrine metabolism, 544
antipyrine, metabolites, pharmacokinetics, 1470
antipyrine, pharmacokinetics, 544, 1470
antiviral activity, aminohydroxyguanidine derivatives, 1006
antiviral, pyrimidine nucleosides, 43
aprotinin in nasal absorption, 1175
aqueous latexes, tablets, 355
aqueous resistance, 298
Arrhenius kinetics, antiarrhythmic compounds, 123
Arrhenius preformulation, 123
Arrhenius study, stability, 570
arteriovenous concentration gradient, 306
arthritic patients, sulfate metabolism, 242
aspirin stability, 661
atomization technique, 341
atropine HI-6, autoinjector, 1191
aucubin, pharmacokinetics, 1059
aucubin, preformulation study, 1059
autoinjector, wet/dry, 1191
autooxidation, IL-1 β , 485
azone, penetration enhancer, 933
aztrezonam, interaction with metronidazole, 1424

 β -adrenergic blocking agents, 1195
 β -cyclodextrin, 9
 β -estradiol, dermal metabolism, 865
 β -glucuronidase, water adsorption isotherms, 191
Bacillus Calmette Guérin (BCG) vaccine, microcapsules, 341
baclofen, bioavailability, 512
baclofen, blood-brain barrier transport, 259
baclofen, enantiomers, 259
baclofen, stereoselective transport, 259
batch release, dosage form, 1210
bead coating, 331

- benazeprilate, pharmacodynamics, 883
benazeprilate, pharmacokinetics, 883
benzylpenicillin, chemical delivery system, 1044
beta blockers, ophthalmic, 1166
beta-adrenergic blockers, 1389
bevantolol, HPLC, 758
bevantolol, stereoselective assay, 758
bilayer tablet, gamma scintigraphy, 1335
bile salt binding, cholestyramine, 238
bile salts, critical micelle concentration, 1203
bioanalytical methods, validation, 421
bioavailability subcutaneous, injected insulin, 60
bioavailability, (–)-carbovir, 739
bioavailability, adinazolam, 162
bioavailability, AUC, 512
bioavailability, cyclosporine, 518
bioavailability, flurbiprofen, 605
biodegradable microcapsules, 958
biodegradable microspheres, 713
biodegradable polymer, 1292
bioequivalence, 744
bioequivalence, role of metabolites, 25
bladder wall, mitomycin C, 168
blood brain barrier transport, dynorphin, 815
blood-brain barrier transport, baclofen, 259
blood-brain barrier, 683
blood-brain barrier, peptides, 1345
blood-cerebrospinal fluid (BCSF) barrier, dynorphin, 815
brain delivery, active anti-HIV compounds, 247
brain delivery, anti-HIV nucleosides, 247
brain microdialysis, dynorphin, 815
brain perfusion, 683
Brij 35, EGF, 557
bromelain, inactivation, kinetics, 480
brush border enzymes, enkephalin hydrolysis, 93
brush border membranes, 84
buccal administration, flurbiprofen, 605
buccal mucosa, permselective characteristics, 1199
- carboxyfluorescein, liposomes, 217
Caco-2 cell model, glucuronidation, 1441
Caco-2 cells, peptide transport, 1453
Caco-2, transepithelial transport, 210
Caco-2, transport, 222
calcium alginate coating, 576
calcium channel antagonist, nasal absorption, 134
calcium channel antagonist, RS 93522, 134
calcium entry blocker, nanocapsules, 734
calibration, analytical, 421
calorimetry, eudragit, 899
calorimetry, solids, 636
camostat mesilate in nasal absorption, 1175
capillary stability, 1489
carbamazepine tablets, stability, 974
carbamazepine, absorptive clearance, 1050
carbamazepine, intestinal permeability, 491
carbamazepine, partition coefficient, 491
carbamazepine, plasma, urine, 282
carbamazepine, tablets, 393
carbapenem antibiotic, imipenem metabolite, 33
carbaryl hydrolysis, cetyltrimethylammonium bromide, 1155
carbonic anhydrase inhibitor, 608
carbopol gel, 1401, 1408
carbopol, antibiotic absorption, 706
carboxypeptidase, 313
cardiopulmonary bypass, lidocaine, 127
cardiotonics, electroanalytical characteristics, 903
cardiovascular reactivity, isoproterenol, 754
cardiovascular reactivity, propranolol, 754
carrageenin edema, 1270
casein, drug binding, 550
CD4-IgG, pharmacokinetics, 1351
cefadroxil, HPLC, 1525
cefmenoxime, HPLC, 1525
cefprozil, diastereomers, HPLC, 992
cefprozil, pharmacokinetics, 992
cefsulodin, HPLC, 1525
cefuroxime azetil, isomeric mixture, 893
cellulose acetate propionate, theophylline microspheres, 1396
cellulose acetate, coating, 698
central nervous system (CNS)-targeted drug delivery, 1180
cetyltrimethylammonium bromide, carbaryl hydrolysis, 1155
charcoal activated, phenobarbital adsorption, 228
charcoal, lorazepam, 538
chemical delivery system, 690
chemical delivery system, benzylpenicillin, 1044
chiral inversion, ibuprofen, 1186
chloride ion analysis, 615
cholesterol effect of cyclodextrins, rat, 9
cholesterol lowering efficacy, simvastatin, 873
cholesterol-cyclodextrin complex, 9
cholestipol, lorazepam, 538
cholestyramine, bile salt binding, 238
cholestyramine, lorazepam, 538
chronopharmacology, 418
chymotrypsin, insulin degradation, 721
ciliary activity, 807
ciliary movement, nasal absorption, 588
circular dichroism, 1103
circular dichroism, ampicillin, 119
cisplatin, 1292
clarithromycin, 706
clarithromycin, cleaning validation, 989
clarithromycin, electrochemical detection, 989
clarithromycin, HPLC, EC, 989
clearance peptides, 1477
clearance, apparent systemic, 306
clindamycin phosphate, stability, 570
clinical pharmacokinetics, 962
clopenthixol *cis*(Z), *trans*(E), 462
coated spheres, 331
coating level effect, 331
coating osmotic tablets, 600
coating technique, self-correcting, 576
coating, controlled release, 698
cohesion parameter, solids, 636
colloidal polymer dispersions, 355
colon permeation, 1365
colon-specific drug delivery, dexamethasone, 445
combretastatins, antimetabolic, 776
Combretum caffrum, antimetabolic, 776
compatibility ditekiren, plasma, 80
compatibility, eudragit E films, 1137
competitive binding, cholestyramine, 238
complements C3 and C5 phagocytosis, 65
compressible diluents, 336
compression properties, 336
computer-aided dosage form design, 232
concentration-depth profiles, tissues, 168
conjunctival penetration, beta blockers, 1166
conjunctival penetration, timolol, 728
container materials, solutes, 782
content uniformity, metered dose inhaler, 658
controlled drug delivery system, 913
controlled drug release, potassium chloride, 355
controlled release, tablet coating, 576
corneal penetration, beta blockers, 1166
corneal penetration, timolol, 728
corneal permeability, pilocarpine, 1539
cosolvency, 502
cotinine, pharmacokinetics, 385
cream preparation, steroid stability, 547
creams, in vitro release, 55
creatinine clearance, 242
creatinine clearance, 1318
creep compliance, films, 1500

- critical micelle concentration, mefenamic acid, 1203
Croton sonderianus, 1243
cryopreservation, liposomes, 1021
crystal growth, aerosols, 1206
crystal growth, theophylline capsules, 643
crystal lattice interactions, taxol side-chain, 908
crystal structure, taxol side-chain, 908
cyclodextrin sulfates, 1151
cyclodextrin, drug binding, 380
cyclodextrins complex, 380
cyclodextrins, 1307
cyclodextrins, nasal, insulin, 588
cyclodextrins, *S*-nitrosothiol, 1329
cyclodextrins, solution calorimetry, 951
cyclosporin A, HPLC, 40
cyclosporine, analysis, 278
cyclosporine, blood concentration, 278
cyclosporine, tablet dosage form, 518
cyclosporine, pharmacokinetics, dogs, 518
cyclodextrin, stabilization, 1329
cytotoxicity, combretastatin, 776
- danazol, bioavailability, 512
darodipine, nanocapsules, 734
deamidation, IL-1 β , 485
degradation SC-36602, 123
delta opioid peptides, 1
denaturation, IL-1 β , 485
deoxycholate, epithelial transport, 498
desolvation energy, peptide absorption, 1477
detirelix, 1258
dexamethasone solubility, 502
dexamethasone, 2-hydroxypropyl- β -cyclodextrin, 1495
dexamethasone, colonic specific delivery, 445
dexamethasone- β -D-glucoside, prodrug, 445
dexamethasone solubility, 1495
dextran, polyaldehyde, 400
dextrose-based directly compressible diluents, 336
diabetes, zopolrestat, 1511
diabetic rats, 563
diadamantoate, stability, 1418
diastereomer hydrolysis kinetics, cefuroxime, 893
diastereomeric derivatives, bevantolol, 758
diazepam, BBB, 683
diazepam, phlebitis, 1341
diclofenac, tablets, 919
diclofenac, sodium, 919
differential scanning calorimetry, polymorphism, micropellets, 178
diffusion cell, 55
diffusion coefficient, 1489
diffusion enhancer, ethanol, 865
diffusion in permeability, 298
diffusional matrix, drug distribution, 156
diffusive permeability, 1365
diffusivity, 1461
digitonin, EGF binding, 557
diltiazem hydrochloride, solubility modulated osmotic pump, 88
dimethylisosorbide, steroid solubility, 502
dinorphine-like analgesic peptide E-2078, in vivo transport, 815
dipeptide analogues, transporter, 593
diphenyl-methyl derivatives, 951
diphenylmethyl derivatives, cyclodextrins, 1307
diphtheria toxoid, delivery, 958
diphtheria toxoid, microcapsules, 958
disease, kinetics of drug action, 415
dissolution rate, carbamazepine tablets, 974
dissolution rate, steroids, 1461
dissolution solids, 636
ditekiren, renin inhibitor, 80
ditekiren, in vitro evaluation, 475
ditekiren, intravascular precipitation, 80
ditekiren, plasma compatibility, 475
DL-lactide- ϵ -caprolactone copolymer, synthesis, 1292
dodecyl *N,N*-dimethylamino acetate, penetration enhancer, 933
dose-dependent pharmacokinetics imirestat, 112
dose-effect curve, methionine enkephalin, 930
drug delivery, nasal, 807
drug dissolution, 1489
drug targeting, anticonvulsants, 690
drug targeting, low molecular weight protein (LMWP), 1223
drug targeting, photodynamic, 1027
drug therapy, peptides, 1345
drummondin C, biological evaluation, 1372
drummondin C, synthesis, 1372
- electric charge, 437
electrochemical detection, allopurinol, 653
electrophoresis, 913
electrostatic potentials, thioxanthenes, 462
emulsion cyclosporin A, 40
enantiomer selection, 1444
enantiomeric separation, ephedrine, 1430
enantiomers, baclofen, 259
enantiomers, fluoxetine, 1528
encapsulation, theophylline microspheres, 1396
endogenous opioids, 1
endopeptidase, 93
enkephalins, 1
enoximone, electroanalytical, 903
ent-Beyer-15-en-18-oic acid, characterization, 1243
enteric coating, diclofenac, 919
enterohepatic recirculation, glucuronides, 538
enthalpy of mixing, solids, 636
enzymatic lability, timolol, 728
enzyme inactivation, kinetics, 480
enzyme inhibitors, 93
enzyme stability, 713
ephedrine, HPLC, 1430
ephedrine, interaction energy, 1128
epidermal growth factor receptor, 557
epidermis mouse, 70
epithelial transport, Caco-2 cell, 210
epitostanol, lymphatic partition rate, 1302
erbium-171, neutron activation, 1335
erythromycin acistrate, bioavailability, 1056
erythromycin, 706
esterase activity, prodrug, 370
esterase, prodrugs, 455
esteric prodrugs, valproate, 750
esterified hydroxy amide, 455
estradiol distribution, brain, 1180
estradiol, chemical delivery system, 1180
estradiol, skin transport, 938
estrogen receptors, binding of fluorotamoxifen, 174
ethanol, human skin transport, 938
ethyl cellulose coating, 600
ethylcellulose beads, 331
eudragit E films, mechanical properties, 1137
eudragit RS100 and RL100, quantification, 899
eudragit, calorimetry, 899
eudragit, controlled release, 899
euphorbiaceae, 1243
european community, pharmaceutical marketing, 804
- fast atom bombardment (FAB), ampicillin, 119
fatty acids, suppositories, 945
fecal recovery, saccharomyces, 796
fentanyl, 196
fibrolase, stability, 1103
filicinic acid, 1372
films, mechanical property, 1500
first-pass bioactivation, 370
first-pass metabolism, 306
flavonoid, hepato protection, 273
fluid bed coating, 156
fluorescence polarization, DPH, 84
fluorotamoxifen analogues, synthesis, 174
fluorotamoxifen, cytosol estrogen receptors, 174

- fluoxetine, enantiomers, 1528
 fluoxetine, HPLC, 1528
 flupenthixol *cis*(Z), *trans*(E), 462
 flurbiprofen, 380
 flurbiprofen, bioavailability, 605
 flux enhancement, 365
 footpad edema, 1270
 formulation, aerosol, 629
 formyl content determination, 400
 Fourier transform infrared spectroscopy (FT-IR), oleic acid, 350
 Fourier transform IR (FTIR), 663
 fourier transform-Raman spectroscopy, eudragit RS, 1323
 freeze-drying, hGH, 427
 freeze-drying, protein, 285
 freeze-thawing, protein, 285
- gabexate, ointment, 60
 gamma scintigraphy, 360
 gamma scintigraphy, tablets, 1335
 ganciclovir, chemical degradation, 1418
 ganciclovir, enzymatic degradation, 1414
 ganciclovir prodrugs, 1418
 gas chromatographic analysis, vitamin E, 763
 gastric and intestinal IMMC, 97
 gastric emptying, 97
 gastric emptying, nondisintegrating tablets, 1281
 gastric residence time, 97
 gastrointestinal kinetics, 796
 gastrointestinal transit, 360
 gel formulation, 1401
 gelatin coated tablets, 412
 gels Tetronic 1508, 345
 glomerular filtration rate (GFR), 1318
 glucuronide conjugation, p-nitrophenol, 1441
 glyceryl dinitrate, metabolism, rat, 877
 glyceryl dinitrates, percutaneous penetration, 1231
 glycine conjugate of 3,5-dichlorobenzoic acid, GC-MS, 821
 gonadotropin suppression, leuprolide, 584
 graduate study enrollment, 676
 graft rejection, renal, 278
 growth hormone, cyclodextrins, 792
 growth hormone, human, freeze-dried, 427
 growth hormone, pharmacokinetics, 1351
 growth kinetics, theophylline capsules, 643
 guaifenesin, controlled release, 576
- hairless mouse skin, 365, 865
 half tablets, adinazolam mesylate, 1482
 haloperidol reduced, synthesis, enantiomers, 1002
 heat of displacement, charcoal, 228
 Heidelberg capsule, 97
 Heidelberg capsule, theophylline, 1516
 hemodilution, lidocaine plasma protein binding, 127
 hepatic blood flow, thermal injury, 106
 hepatic clearance, 306
 hepatic clearance, insulin, 563
 hepatic disposition, macromolecules, 437
 hepatic extraction ratio, adinazolam, 162
 hepatitis, antipyrine clearance, 269
 hepatocyte uptake, 1253
 hepatocytes, primary culture, 656
 hepatotoxicity, PCMX, 656
 hepatotoxin, microcystin-LR, 273
 HI-6, atropine, 1191
 HIV-1, antivirals, 1006
 HIV-1, pyrimidine nucleosides antiviral activity, 43
 horseradish peroxidase, transport, 498
 HPLC, fluoxetine, 1528
 HPLC, 2'3'-didehydro-3'-deoxythymidine (d4T), 619
 HPLC, bevantolol, 758
 HPLC, cefprozil diastereomers, 992
 HPLC, cyclosporin emulsion, 40
 HPLC, derivatization, 1528
 HPLC, EC, clarithromycin, 989
- HPLC, erythromycin, 1056
 HPLC, imipenem metabolite, 33
 HPLC, lobenzarit, 523
 HPLC, reduced haloperidol, 1002
 HPLC, retinoids peroxides, 826
 HPLC, rifabutin, metabolite, 1434
 HPLC, sotalol, stereospecific, 1195
 HPLC, steroids, 547
 HPLC/EC, allopurinol, 653
 human growth hormone (hGH) freeze-dried, 427
 human growth hormone, freezing, 1360
 humidity, pancreatin, 412
 humidity, solid dosage forms, 292
 hyaluronate-Na, 471
 hybrid pharmacokinetic models, 247
 hydration, nitrofurantoin, 1066
 hydration, skin, 1064
 hydrocolloid, molecular motion, 505
 hydrocortisone 17-butyrate, HPLC, 547
 hydrocortisone 17-butyrate, stability, 547
 hydrocortisone 17-butyrate, topical cream, 547
 hydrocortisone in vitro release, creams, 55
 hydrophobic effect, 840
 hydrophobic interaction, 285
 hydrophobic LHRH, 1258
 hydroxy amide, prodrugs, 323
 hydroxyaminoguanidines, 1006
 hydroxylamine titration, 400
 hydroxypropyl methylcellulose phtalate, coating, 706
 hydroxypropyl- β -cyclodextrin, 9, 380
 hydroxypropylcyclodextrin, polydisperse mixtures, 1151
 HyperCard, receptor screening, 141
 hypertension, darodipine, 734
- ibuprofen enantiomers, 1186
 ibuprofen enantiomers, renal metabolism, 1520
 ibuprofen, microspheres, 1377
 ibutilide, shelf life, 1444
 ibutilide, stability, 1444
 icebergs, hydrophobic group associated, 661
 ICI-174,864 delta opioid antagonist, 196
 imipenem, metabolite, HPLC, 33
 imirestat, tissue binding, 112
 imirestat, pharmacokinetics, 112
 in situ perfusion, 1050
 inclusion complex, 951
 indicator dilution, brain perfusion, 683
 indigestible solid capsule, 97
 indocyanine green, hepatic blood flow, 106
 indomethacin, jejunal absorption, 101
 indomethacin nanocapsules, pharmacokinetics, 101
 indomethacin polymeric nanocapsules, 101
 INEPT NMR, valproates, 1094
 inflammatory bowel disease, 445
 infrared (IR) spectroscopy, FT, 663
 infrared spectroscopy, solid pharmaceuticals, 963
 inhalation aerosols 629, 1206
 insulin degradation, alpha-chymotrypsin, 925
 insulin dimer and hexamer, 925
 insulin pharmacokinetics, 563
 insulin receptor, up-regulation, 563
 insulin subcutaneous administration, 60
 insulin, cyclodextrin, 792
 insulin, nasal absorption, 1342
 insulin, nasal administration, 588
 insulin, peptidase degradation, 721
 interaction energy, ephedrine stereomers, 1128
 interfacial reaction, 576
 interleukin 1 β (IL-1 β), stability, 485
 interleukin-2, cyclodextrin, 792
 internal rate of return, graduate study, 676
 interspecies scaling, proteins, 1351
 intestinal absorption, single pass perfusion, 298
 intestinal microfloral mediated drug hydrolysis, 445

- intestinal peptide transporter, 593
intestinal permeability, Caco-2 transport, 222
intestinal permeability, carbamazepine, 491
intracellular infections, liposomes, 1079
intracellular infections, nanoparticles, 1079
intracellular targeting of antibiotics, 1079
intravascular precipitation, ditekiren, 80
intravenous infusion, 254
ion chromatography, Na^+ , Cl^- , 615
iontophoresis, amino acids, 1113
iontophoresis, pulsed current, 365
iontophoresis, tripeptides, 1121
iridoid glucoside, 1059
isodesmic, model, nicotinamide, 1144
isolated perfused kidney, ibuprofen metabolism, 1520
isomazole, metabolism, 1413
isomazole, pharmacokinetics, 1413
isoproterenol, cardiovascular reactivity, 754
- jejunal absorption, indomethacin, 101
- kallikrein, 480
keratinocytes mouse, 70
kinetics, enzyme inactivation, 480
KS1/4-DAVLB stability, 1264
- lactate dehydrogenase, microcystin-LR, 273
lactonization, prodrugs, 323, 455
lactosaminated bovine serum albumin, 1253
laminar tube flow, 298
Langmuir model, charcoal adsorption, 228
laser Doppler velocimetry, 204
latex coating, 600
lauroyl derivative TRH, 649
lecithin aerosol, 629
Leu-enkephalin metabolism mouse skin, 70
Leu-enkephalin metabolism, mouse keratinocytes, 70
Leu-enkephalin, peptides absorption, hydrolysis, 93
leukotriene D_4 receptor antagonist, 148
leuprolide acetate, microspheres, 584
leuprolide, once a month injectable microspheres, 787
leuprolide, pharmacokinetics, 787
lidocaine conformation, 1013
lidocaine, (IR), 1013
lidocaine, (NMR), 1013
lidocaine, plasma protein binding, 127
linear pharmacokinetics, 25
lipase compacts, 131
lipase, release from compacts, 131
lipase, water adsorption isotherms, 191
lipid micropellets, 47
lipid phase transport mechanism, 350
lipid-protein partitioning theory, 17
lipophilic peptide, 649
lipophilicity TRH, 649
lipophilicity, acyclovir prodrugs, 1087
lipophilicity, intestinal absorption, 1050
liposome dispersion, thermal behavior, 1021
liposome phagocytosis, 65
liposomes, cryopreservation, 1021
liposomes, nanoparticles, 1079
liposomes, nebulization, 217
lithium carbonate, X-ray diffractometry, 393
liver function, antipyrine clearance, 269
liver targeting, 1253
lobenzarit, 2-[-(carboxyphenyl)amino]-4-chlorobenzoic acid, 523
lobenzarit, HPLC, dog, 523
lorazepam glucuronide, binding to cholestyramine, 538
lotions, in vitro release, 55
luteinizing hormone releasing hormone, 1258
LY277359 maleate, photoreactivity, 1215
lymphatic partition rate, epitostanol, 1302
lymphatic partition rate, mepitiostane, 1302
lymphatic partition rate, oleic acid, 1302
lymphotropic drug carrier, 1286
- lyoprotectants, 427
lysosomes, 1223
lysosomes, targeting, 1079
- macrolides, 706
macromolecules charge, 437
macroscopic mass balance analysis, amoxicillin absorption, 979
macrospheres, mitomycin C, 185
Madin-Darby canine kidney (MDCK) cells, 498
malarial antigens, adsorptive behavior, 851
mannitol, liposomes, 1021
manometry recording, 97
manpower, pharmaceutical scientists, 676
mass spectra, ampicillin, 119
matrix sustained release, adinazolam mesylate, 1482
MD-805, 1292
MDL 72,222, GC-MS method, 821
MDL 72,222-N-oxide, 821
mean residence time, 254
mechanical properties, eudragit E films, 1137
mechanical relaxation, coating, 698
mefenamic acid, solubility, 1203
membrane coating, 576
membrane lipid order, 84
mepitiostane, lymphatic partition rate, 1302
mesomorphic phase, L660,711, 148
metabolism inhibitor, 865
metabolite, bioequivalence, 25
metalloprotein, fibrolase, 1103
metered dose inhaler, content uniformity, 658
metered-dose inhaler, 1206
methionine enkephalin, pharmacodynamics, 930
methylparaben, solubility, 840
metronidazole, interaction with 2-aminothiazole, 1424
micellar solubilization, aerosol, 629
micelle, cetyltrimethylammonium bromide, 1155
microcapsules BCG, 341
microcapsules, alginate-polylysine, 341
microcapsules, diclofenac, 919
microcapsules, diphteria toxoid, 958
microcystin-LR-induced hepatotoxicity, 273
microdialysis sampling, pharmacokinetics, 389
micropellets lipids, 47
microspheres leuprolide acetate, 787
microspheres, ibuprofen-wax, 1377
microspheres, leuprolide, 584
microspheres, mitomycin C, 185
microspheres, polymeric, 1323
microspheres, protein delivery, 713
microspheres, theophylline, 1396
mitomycin C, bladder wall, dog, 168
mitomycin C, in vitro release, 185
mitroglycerin, percutaneous penetration, 1231
mixed micelles, lymphotropics, 1286
mixing tank model, amoxicillin absorption, 979
MK-417, pharmacokinetics, 608
mobile order, 840
model macromolecule, 437
moisture content, 336
moisture effects, carbamazepine tablets, 974
moisture sensitive, drug, 292
moisture, lipase compacts, 131
molecular dynamics, thioxanthenes, 462
molecular mechanics, thioxanthenes, 462
molecular modeling, cyclodextrins, 1307
molecular motion, hydrocolloids, 505
moment analysis, BBB, 683
monoclonal antibody-drug conjugate, stability, 1264
monoglycerides, suppositories, 945
mucoadhesive gel, 1401
mucoadhesive sustained-release gels, 1408
mucoadhesive, polymer, 1039
mucociliary clearance, nasal drug delivery, 807
mydriasis, methionine enkephalin, 930

- N*- α -hydroxyalkylation, stability, 313
N-acetylation, sulfamethazine, 1069
N-acetylsulfamethazine, 1069
N-acyloxymethyl derivatives, hydrolysis kinetics, 1238
N-desmethyl-MDL 72,222, GC-MS, 821
N-desmethyladinazolam, pharmacokinetics, 162
N-isopropylacrylamide, 531, 624
 nafamostat, ointment, 60
 nafarelin, 1258
 naloxone, 196
 nanocapsules, indomethacin, 101
 nanocapsules, polymeric, 101
 naphthalocyanines nanocapsules, 1027
 naproxen cyclodextrin complex, 380
 naproxen, 1223
 naproxen, effect on sulfate metabolism, 242
 naproxen-lysozyme, conjugate, 1223
 nasal absorption, proteolytic enzyme, 1175
 nasal absorption, vasopressin, 471
 nasal administration, insulin, 588
 nasal delivery, calcium channel antagonist, 134
 nasal drug delivery, mucociliary clearance, 807
 nebulizers, 217
 neocel-to-flo-starch ratio, sodium diclofenac, 919
 nephrotoxicity, β -cyclodextrin, 9
 neural computing, 1248
 neurotoxicity theophylline, 415
 neutral solute flux, skin, 365
 neutron activation, samarium-153, 1335
 nicotinamide, self-association, 1144
 nicotinate esters absorption, ultrasound, 204
 nicotinate esters, hydrolysis, rat liver, brain fractions, 832
 nicotinate esters, structure metabolism relationships, 832
 nicotine, pharmacokinetics, 385
 nicotine, transdermal delivery, 385
 nitrofurantoin anhydrate, 1066
 nitrofurantoin, kinetic analysis, 1066
 nitrofurantoin, monohydrate, 1066
 nitroglycerin clearance, 877
 nitroglycerin, metabolites, 744
 nitroglycerin, transdermal delivery, 744
 NMR, ampicillin, 119
 NMR, lidocaine, 1013
 NMR, retinoids peroxides, 826
 nondisintegrating tablets, gastric emptying, 1281
 nonelectrolyte permeation, 1365
 nonisothermal kinetics, stability, 570
 nonoxynol-9, HPLC, 403, 409
 nonsteroidal antiinflammatory drugs, effect on sulfate, 242
 nuclear magnetic resonance, solid pharmaceuticals, 963
 nuclear Overhauser effect, vitamin E, 763
- ocular absorption, dexamethasone, 1495
 ocular drug delivery, 1039
 ocular retention, drug delivery, 1039
 ocular toxicology, 418
 oil, vegetable, vitamin E, 763
 ointments, in vitro release, 55
 oleic acid, lymphatic partition rate, 1302
 oleic acid, penetration enhancer, 350
 ophthalmic formulation, beta blockers, 1166
 opioid peptides, 93
 opioid peptides, BBB, 1345
 opioid peptides, delta selective, 1
 opioid receptors, respiratory depression, 196
 opsonin C3, C5, 65
 oral absorption of peptides, 93
 oral drug absorption, amoxicillin, 979
 oral mucosal drug absorption, 1297
 osmometry, nicotinamide, 1144
 osmotic pump, 88
 osmotic pump, latex coating, 600
 osmotic pump, simvastatin, 873
 oxazepam, bioavailability, 512
- oxypurinol, HPLC, 653
 oxytocin, intestinal passage, 1274
- P-450 activities, antipyrine clearance, 269
 p-chloro-m-xylene (PCMX), 656
 p-nitrophenol, glucuronide conjugation, 1441
 palytoxin, effect on trachea, 859
 palytoxin, guinea pig, 859
 palytoxin, smooth muscle contraction, 859
 pancreatin, effect on gelatin-coated tablets, 412
 paracellular pathway, colon, 1365
 paracellular transport, 210
 parenterals phlebitis, 76, 801
 partition coefficient, container material, 782
 pellet dosage form, 156
 penetration enhancement terpenes, 17
 peptidase, insulin degradation, 721
 peptidases metabolism, 70
 peptide absorption, 313
 peptide delivery, 649
 peptide delivery, transdermal, 1121
 peptide drugs, opioids, 1
 peptide stability, 1258
 peptide structure, transport, 1453
 peptide transport, 593, 1453
 peptides prodrugs, derivatives, 1533
 peptides delivery central nervous system, 1345
 peptides, intestinal absorption, 1477
 peptides, oral absorption, 93
 peptides, prodrugs, 313, 1238, 1533
 percutaneous absorption, nicotinate esters, 204
 percutaneous absorption, terpenes, 17
 percutaneous penetration absorption, workshop, 1071
 percutaneous penetration enhancement, 1113, 1121
 percutaneous penetration glyceryl dinitrates, 1231
 percutaneous penetration, glyceryl trinitrate, 1231
 percutaneous penetration, nitroglycerin, 1231
 percutaneous permeability, 933
 perfused liver, macromolecules, 437
 periodontal disease, flurbiprofen, 605
 permeability, films, 1500
 permeability, intestinal, 298
 permeability, oral mucosa, 1297
 permeability, peptides, Caco-2, 1453
 permeant enhancer flux relationship, 938
 permselectivity, buccal mucosa, 1199
 phagocytosis of liposomes, 65
 pharmaceutical dosage form, gastrointestinal transit, 360
 pharmaceutical marketing, european community, 804
 pharmaceutical product development, neural computing, 1248
 pharmaceutical scientists, manpower, 676
 pharmacodynamics, benazeprilate, 883
 pharmacodynamics, methionine enkephalin, 930
 pharmacodynamics, mydriasis, 930
 pharmacodynamics, prednisolone phosphate, 263
 pharmacokinetics d4T, 619
 pharmacokinetic models, anti-HIV nucleosides, 247
 pharmacokinetics, aucubin, 1059
 pharmacokinetic-pharmacodynamic model, 8-aminoquinoline, 1505
 pharmacokinetics, 389
 pharmacokinetics, anesthesia, 544
 pharmacokinetics, antimalarial (WR 238605), 1505
 pharmacokinetics, antipyrine, 1470
 pharmacokinetics, benazeprilate, 883
 pharmacokinetics, cefprozil, 992
 pharmacokinetics, cotinine, 385
 pharmacokinetics, cyclosporine, 518
 pharmacokinetics, isomazole, 1413
 pharmacokinetics, leuprolide, 787
 pharmacokinetics, metabolites, bioequivalence, 25
 pharmacokinetics, methylprednisolone phosphate, 263
 pharmacokinetics, MK-417, 608
 pharmacokinetics, nicotine, 385
 pharmacokinetics, phenytoin, 232

- pharmacokinetics, potassium chloride, 1313
pharmacokinetics, relaxin, 1032
pharmacokinetics, sotalol, stereoselective, 1195
pharmacokinetics, sulfamethazine, 1069
pharmacokinetics, theophylline, 1516
pharmacokinetics, valproate, 750
pharmacokinetics, zopolrestat, 1511
phase transition, theophylline capsules, 643
phase transitions, crystalline L-660,711, 148
phenobarbital adsorption, activated charcoal, 228
phenytoin, phlebitis, 1341
phenytoin, prolonged release dosage form, 232
phlebitis detection, thermography, 76
phlebitis, amiodarone, 801
phlebitis, diazepam, 1341
phonophoresis, 204
photodynamic therapy, 1027
photooxygenation, retinoic acid, 826
photoreactivity, LY277359 maleate, 1215
phthalocyanines, nanocapsules, 1027
physical aging, films, 1500
physical characterization, solid pharmaceuticals, 963
pilocarpine, corneal permeability, 1539
pilocarpine, drug delivery, 1039
piroximone, electroanalytical, 903
plasma binding, 1-anilino-8-naphthalenesulfonate, 888
plasma concentration-time curve (AUC), 512
plasticizers, eudragit E films, 1137
poly(lactic/glycolic acid), 713
poly-*N*⁵-(3-hydroxypropyl-L-glutamine), 527
poly92-hydroxyethyl methacrylate films, 913
polyacrylic acid, viscometric study, 1408
polycythemic, anemic rats, 608
polyethylene glycol, dimethyl isosorbide cosolvency, 502
polyethylene glycol, suppositories, 945
polymer gel rheology, 1408
polymer network, interpenetrating, 531
polymer networks, thermocontrolled, 624
polymer, prodrug, 527
polymeric container materials, 782
polymeric nanospheres, 1027
polymers mucoadhesive, ocular delivery, 1039
polymorphism and crystallization of fats, 178
polyolefin laminate polymer, containers, 782
polytetramethylene ether glycol, polymers, 624
polyvinylpyrrolidone, 403
pore pathway, colon, 1365
pore-forming agent, latex coating, 355
potassium chloride tablets, bioavailability, 1313
potassium chloride, pharmacokinetics, 1313
potentiometric titration, 888
powder X-ray diffraction, solid pharmaceuticals, 963
powder X-ray diffractometry, 393
prazosin, polymeric prodrug, 527
precision, analytical, 421
prednisolone phosphate, pharmacodynamics, 263
prednisolone phosphate, pharmacokinetics, 263
prednisolone solubility, 502
preformulation, Arrhenius, 123
pressure, lipase compacts, 131
pressurized inhalation aerosols, 629
pro-prodrugs, esterase sensitive, 455
probenecid sulfate, renal clearance, 376
probenecid, 1318
prodrug, erythromycin acistrate, 1056
prodrug, polymeric, 527
prodrugs, bispilocarpic acid ester, 1539
prodrugs, 5-iodo-2'-deoxyuridine, 771
prodrugs, acyclovir, 1087
prodrugs, amine, 455
prodrugs, peptides, 313, 1238
prodrugs, peptides, 1533
prodrugs, timolol, 728
prolonged release dosage form, phenytoin, 232
propranolol hydrochloride, electrophoresis, 913
propranolol, BBB, 683
propranolol, cardiovascular reactivity, 754
propylene glycol, dimethylisoborbide cosolvency, 502
protamine, lidocaine plasma protein binding, 127
protease inhibitor nafamostat, ointment, 60
protein binding, naproxen, 380
protein delivery system, 713
protein formulation, 427
protein purification, 962
protein solubilization, cyclodextrins, 792
protein stability, 285, 485
protein stability, cyclodextrins, 792
protein stability, fibrolase, 1103
protein, freeze-drying, 285
protein, freeze-thawing, 285
protein, relaxin, 1032
protein, release from compacts, 131
protein, water adsorption isotherms, 191
protein-solvent interaction, 285
proteins, pharmacokinetics, 1351
proteolytic degradation, alpha-chymotrypsin, 925
proteolytic enzyme, nasal absorption vasopressin, 1175
proteolytic enzymes, 313
pulmonary clearance, 306
pulsed iontophoresis, 365
pyrimidines nucleosides, HIV-1 antiviral, 43

QSAR pyrimidine nucleosides, 43
QSAR, combretastatin, 776
QSAR, cytotoxicities aminohydroguanidine derivatives, 1006
quality control, 421
quantitative biophysical model, 865

racemization, ibutilide, 1444
racial differences, isoproterenol effects, 754
radionucleosides, gastrointestinal transit, 360
radiotelemetry technique, 97
radiotelemetry, 1281
ranitidine, theophylline interaction, 1516
rCD4, pharmacokinetics, 1351
receptor down regulation, EGF, 557
receptor mediated endocytosis, 1253
receptor screening, new drugs, 141
receptor up-regulation, insulin, 563
receptor, EGF, 557
redox potential, prodrugs amines, 323
relaxin, mass spectrometry, 1032
relaxin, metabolism, 1032
relaxin, pharmacokinetics, 1032, 1351
release kinetics, 331
release limits, 1210
release mechanism, 331
release rate, lipase compacts, 131
renal clearance, probenecid, 376
renal clearance, sulfate, 242
renal drug targeting, low molecular weight protein, 1223
renal function, endogenous creatinine, 1318
renal graft rejection, acute, 278
renal metabolism, ibuprofen enantiomers, 1520
renal secretion, d4T, 619
renin inhibitor peptide, ditekirin, 475
renin inhibitor, ditekiren, 80
residue on surfaces, 989, 1525
resistance, electrical, skin, 365
respiration, opioid effect, 196
retinoids, triplet-sensitized photooxygenation, 826
rifabutin, metabolite, HPLC, 1434
rotational correlation, 505
RS-93522, nasal delivery, 134
RX-8008M delta opioid antagonist, 196

S(+) -1-(1-naphthyl)-ethyl isocyanate, precolumn derivatization, 1430
S-nitrosothiol, vasoactive, 1329

- Saccharomyces boulardii*, antibiotic, 796
Saccharomyces boulardii, g.i. kinetics, 796
 salicylic acid, permeability, oral mucosa, 1297
 samarium-153, neutron activation, 1335
 saturable binding, MK-417, 608
 SC-36602 stability, 123
 scanning electron microscopy, lipid micropellets, 47
 scanning electron microscopy, polymorphism, lipid micropellets, 178
 screening, receptor ligands, 141
 self-association, nicotinamide, 1144
 sequential simplex optimization, 570
 shelf life prediction, aspirin, 661
 silymarin, 273
 simvastatin, efficacy, 873
 site specific chemical delivery systems, 1389
 skin hydration, lipid organization, 1064
 skin penetration enhancer, terpenes, 17
 skin transport, estradiol, ethanol, 938
 skin, iontophoresis, 365
 sodium ion analysis, 615
 sodium taurocholate, steroid dissolution, 1451
 solid dosage forms, moisture uptake, 292
 solid pharmaceuticals, physical characterization, 963
 solid phase extraction, allopurinol, 653
 solid state, tobramycin, 1159
 solid-state transitions, crystalline L-660,711, 148
 solubility 5-iodo2'-deoxyuridine, 771
 solubility modulation, 88
 solubility, acyclovir prodrugs, 1087
 solubility, dexamethasone, 1495
 solubility, methylparaben, 840
 solubility, steroids, 1461
 solubilization, nonoxynol-9, 403
 solution calorimetry, cyclodextrins, 951
 solution conformation, lidocaine, 1013
 solution stability KS1/4-DAVLB, 1264
 solution thermodynamics, 840
 somatosensory-evoked potential (SEP), opioid effect, 196
 sotalol, stereospecific, HPLC, 1195
 soy protein, water adsorption isotherms, 191
 soybean trypsin inhibitor, nasal absorption, 1175
 spermatozoa, nonoxynol-9, 403
 spermicide nonoxynol-9, 403
 spin lattice relaxation, 763
 spin-labeled dexamethasone, 505
 Sprague-Dawley rats, 739
 spray-congealing, effect in polymorphism, crystallization, 178
 spray-congealing, lipid micropellets, 47
 spray-drying, effect on polymorphism, crystallization, 178
 spray-drying, lipid micropellets, 47
 stability constants, solubility, 840
 stability hydrocortisone 17-butyrate, 547
 stability of proteins, 427
 stability prediction, 570
 stability SC-36602, 123
 stability, cefuroxime, 893
 stability, ibutilide, 1444
 stability, IL-1 β , 485
 stability, nitrofurantoin, 1066
 stability, peptides, 1258
 stability, protein, cyclodextrins, 792
 stabilization, benzylpenicillin, 1044
 steroid carriers, micropellets, 47
 steroidogenesis inhibition, 584
 steroids, Caco-2 transport, 222
 stiripentol, prodrug, 690
 stratum corneum lipids, FT-IR, 350
 stratum corneum, drug absorption, 1297
 stratum corneum, lipid organization, 1064
 streptozotocin, diabetic rate, 563
 structure data base, 141
 structure metabolism relationships, ester hydrolysis, 832
 structure metabolism relationships, nicotinate esters, 832
 sucrose transport, 498
 sulfamethazine, *N*-acetylation, 1069
 sulfasalazine microspheres, 1323
 sulfate homeostasis, 242, 376
 sulfate probenecid, 376
 sulindac, effect on sulfate metabolism, 242
 suppositories, effect on rectum, 945
 surface activity, water, 148
 surface deswelling, 531
 surfactant aerosol, 629
 sustained drug release, copolymers, 1292
 sustained release dosage form, eudragit, 899
 sustained release tablets, potassium chloride, 1313
 sustained release, diffusional matrix, 156
 sustained-release, ibuprofen, 1377
 sustained release, phenytoin, 232
 systemic inversion, ibuprofen enantiomers, 1186

 tablet coating, 576, 600
 tablet coating, aqueous latex, 355
 tablets, adinazolam mesylate, 1482
 tamoxifen, fluorinated, 174
 taste coverage, antibiotics, 706
 taxol side-chain, 908
 teicoplanin lyophilized vials, 615
 terpenes, skin penetration enhancers, 17
 tetrahydroaminoacridine binding sites, rat brain, 200
 Tetricon 1508, rheologic properties, 345
 theophylline microspheres, 1396
 theophylline monohydrate, 643
 theophylline neurotoxicity, 415
 theophylline, pharmacokinetics, 1516
 theophylline, ranitidine interaction, 1516
 therapeutic cyclosporin monitoring, 278
 therapeutic drug monitoring, carbamazepine, 282
 thermal analysis, solid pharmaceuticals, 963
 thermal gelation, Tetricon 1508, 345
 thermal gelling polymers, 345
 thermal injury, hepatic blood flow, 106
 thermocontrol, on-off release, 624
 thermocouple, phlebitis, 801
 thermodynamic activity, carbamazepine, 491
 thermodynamics, mobile disorder, 840
 thermography, phlebitis detection, 76
 thermophlebitis, amiodarone, 801
 thermosensitivity, hydrogels, 531, 624
 thieamycin formamidine, 33
 thioxanthenes, *cis*(Z) *trans*(E)-isomers, 462
 thrombophlebitis detection, thermography, 76
 thromboxane, 101
 thyrotropin releasing hormone, (TRH), 649
 timolol ester prodrugs, 728
 tissue binding, imirestat, 112
 tissue concentration profile, mitomycin C, 168
 tissue plasminogen activator, pharmacokinetics, 1351
 tobramycin, polymorphism, 1159
 tobramycin, solid state, 1159
 transcellular transport, 210
 transdermal delivery, nicotine, 385
 transdermal drug delivery, amino acids, 1113
 transdermal drug delivery, nitroglycerin, 744
 transdermal drug delivery, tripeptides, 1121
 transepithelial impedance, colon, 1365
 transepithelial transport enhancement, 498
 transplantation, renal, 278
 transport index, 210
 transport peptides, 1345
 transport, baclofen, 259
 transport, carrier mediated, 298
 transporter, peptides, 593
 triglyceride, suppositories, 945
 trypsin, insulin degradation, 721

tubulin inhibitor, 776

ultrasound, absorption nicotinate esters, 204

unit spray, content uniformity, 658

unstirred water layer, Caco-2 transport, 222

urease, water adsorption isotherms, 191

uremic blood, 415

valepotriates, INEPT NMR, 1094

valerian, 1094

validation, analytical, 421

validation, bioanalytical methods, 421

valmane, structure elucidation, 1094

valproic ester, prodrugs, 750

vasodilator, SNAP, 1329

vasopressin, intestinal passage, 1274

vasopressin, nasal absorption, 471, 1175

vine alkaloid, conjugate, 1264

viscosity gels, 1401

viscosity, hydrocolloids, 505

viscosity, propranolol, 1408

vitamin E raw materials, 763

volume of distribution at steady state, 254

water activity, solid dosage forms, 292

water adsorption and desorption, biologically active protein, 191

water transport, cellulose acetate, 698

water vapor sorption, 148

waxes, ibuprofen, 1377

wetting, steroids, 1461

zofenopril calcium hydrolysis, 370

zofenopril calcium, gut, liver, 370

zofenopril, prodrug, 370

zopolrestat, pharmacokinetics, 1511