

**PHARMACOLOGY BIOCHEMISTRY
&
BEHAVIOR**

**Index to
VOLUME 22 1985**

CONTENTS

Fluprazine hydrochloride decreases copulation in male rats.
 FLANNELLY, K. J., H. L. LIM, M. DIAMOND, D. C. BLANCHARD and
 R. J. BLANCHARD 1

Studies into the dual effects of serotonergic pharmacological agents on female sexual behaviour in the rat: Preliminary evidence that endogenous 5HT is stimulatory.
 HUNTER, A. J., D. R. HOLE and C. A. WILSON 5

Sedation and the stimulus properties of antihistamines.
 WINTER, J. C. 15

Relationship between initial sensitivity to ethanol and the high alcohol intake in dependent rats.
 MARFAING-JALLAT, P. and J. LE MAGNEN 19

A microgram dose of diazepam produces specific inhibition of ambulation in the rat.
 COOPER, S. J. 25

Association of spontaneous and dopaminergic-induced yawning and penile erections in the rat.
 HOLMGREN, B., R. URBÁ-HOLMGREN, N. TRUCIOS, M. ZERMENÑO and
 J. R. EGUÍBAR 31

Effects of intracerebroventricular injection of naloxone on operant feeding and drinking in pigs.
 BALDWIN, B. A. and R. F. PARROTT 37

Effects of morphine and LSD on the classically conditioned nictitating membrane response.
 SCHINDLER, C. W., I. GORMEZANO and J. A. HARVEY 41

The inhibitory effect of diazepam on defensive burying: Anxiolytic vs. analgesic effects.
 TREIT, D. 47

Comparison of anticonvulsive properties of eboracin and phenytoin in mice.
 ALEXANDER, G. J., R. B. ALEXANDER, L. M. KOPELOFF and
 N. CHATTERJIE 53

Central and peripheral contributions to the enhancement of amphetamine anorexia by desmethylimipramine (DMI).
 TOWELL, A., P. WILLNER and D. A. BOOTH 57

Intravenous self-administration of nicotine: With and without schedule-induction.
 SLIFER, B. L. and R. L. BALSTER 61

Self-regulation of ICSS duration: Effects of anxiogenic substances, benzodiazepine antagonists and antidepressants.
 GERHARDT, S. and J. M. LIEBMAN 71

GABA mediation of the central effects of acute and chronic ethanol in mice. DAR, M. S. and W. R. WOOLLES	77
Determination of dopamine, norepinephrine, serotonin and their major metabolic products in rat brain by reverse-phase ion-pair high performance liquid chromatography with electrochemical detection. KOTAKE, C., T. HEFFNER, G. VOSMER and L. SEIDEN	85
Oral ethanol self-administration in the rat: Effect of naloxone. SAMSON, H. H. and T. F. DOYLE	91
Neuroleptics block the positive reinforcing effects of amphetamine but not of morphine as measured by place conditioning. MACKEY, W. B. and D. VAN DER KOOY	101
Low level lead effects on activity under varying stress conditions in the developing rat. BARRETT, J. and P. J. LIVESEY	107
Effects of chronic lithium, amitriptyline and mianserin on glucoregulation, corticosterone and energy balance in the rat. STORLEIN, L. H., F. M. HIGSON, R. M. GLEESON, G. A. SMYTHE and D. M. ATRENS	119
Alteration of the neurochemical effects of fenfluramine by previous treatment with <i>d</i>-amphetamine. HUNSINGER, R. N. and M. C. WILSON	127
<i>d</i>-Amphetamine induced changes in social interaction patterns. SMITH, E. O. and L. D. BYRD	135
Involvement of a GABAergic mechanism in the anticonvulsant effect of pentobarbital against maximal electroshock-induced seizures in rats. RASTOGI, S. K. and M. K. TICKU	141
Hippocampal muscarinic receptor loss following trimethyl tin administration. LOULLIS, C. C., R. L. DEAN, A. S. LIPPA, D. E. CLODY and J. COUPET	147
 <i>BRIEF COMMUNICATIONS</i>	
Enhancement of phenol-induced tremor caused by central monoamine depletion. SUZUKI, T. and K. KISARA	153
Morphine tolerance and sensitization in the hamster. SCHNUR, P.	157
Local application of β-phenylethylamine to the caudate nucleus of the rat elicits locomotor stimulation. DOURISH, C. T.	159
 <i>ANNOUNCEMENTS</i>	163

CONTENTS

Failure to establish a conditioned place preference with ethanol in rats. ASIN, K. E., D. WIRTSHAFTER and B. TABAKOFF	169
Chronic naltrexone treatment increases the heroin-produced facilitation of self-stimulation. SCHENK, S. and E. NAWIESNIAK	175
Apomorphine increases ethanol discrimination. SCHECHTER, M. D.	179
Effects of vasopressin on noradrenaline-induced cyclic AMP accumulation in rat brain slices. HAMBURGER-BAR, R. and M. E. NEWMAN	183
Motor hypoactivity induced by neurotensin and related peptides in mice. MEISENBERG, G. and W. H. SIMMONS	189
Methyl xanthines enhance taste: Evidence for modulation of taste by adenosine receptor. SCHIFFMAN, S. S., J. M. GILL and C. DIAZ	195
Isolation and striatal (³H) serotonin uptake: Role in the voluntary intake of ethanol by rats. DAOUST, M., P. CHRETIEN, N. MOORE, C. SALIGAUT, J. P. LHUINTE and F. BOISMARE	205
Behavioral response to apomorphine and its interaction with opiates in domestic pigeons. DEVICHE, P.	209
An examination of heroin conditioning in preferred and nonpreferred environments and in differentially housed mature and immature rats. SCHENK, S., F. ELLISON, T. HUNT and Z. AMIT	215
Serotonin turnover and supersensitivity after neonatal 5,7-dihydroxytryptamine. MUELLER, R. A., A. TOWLE and G. R. BREESE	221
Effects of prenatal exposure to morphine on the development of sexual behavior in rats. VATHY, I. U., A. M. ETGEN and R. J. BARFIELD	227
Alcohol effects on plasma luteinizing hormone levels in menopausal women. MENDELSON, J. H., N. K. MELLO, J. ELLINGBOE and S. BAVLI	233
Pharmacologic characterization of nicotine-induced conditioned place preference. FUDALA, P. J., K. W. TEOH and E. T. IWAMOTO	237
Injections of atropine into the caudate nucleus impair the acquisition and maintenance of passive avoidance. PRADO-ALCALÁ, R. A., M. FERNÁNDEZ-SAMBLANCAT and M. SOLODKIN-HERRERA	243
Differences of alteration in opioid systems induced by conditioned suppression and electric footshock in mice. KAMEYAMA, T., T. NABESHIMA and K. YAMADA	249

Receptor stereospecificity in opiate-ethanol interaction using the preexposure-conditioned taste aversion (CTA) paradigm.	
NG CHEONG TON, J. M. and Z. AMIT	255
The acute effects of antidepressant drugs on the performance of conditioned avoidance behavior in rats.	
LUCKI, I. and M. S. NOBLER	261
Is there a "serotonergic syndrome" in neonatal rat pups?	
RISTINE, L. A. and L. P. SPEAR	265
Evidence of place conditioning after chronic intrathecal morphine in rats.	
ADVOKAT, C.	271
Prevention of progesterone-induced lordosis behavior by alpha or beta adrenergic antagonists in ovariectomized estrogen-primed rats.	
FERNÁNDEZ-GUASTI, A., K. LARSSON and C. BEYER	279
Tolerance, cross-tolerance, and receptors after chronic nicotine or oxotremorine.	
MARKS, M. J. and A. C. COLLINS	283
Learned tolerance to ethanol in a spinal reflex separated from supraspinal control.	
JØRGENSEN, H. A., O.-G. BERGE and K. HOLE	293
Passive avoidance deficits in mice following ethylcholine aziridinium chloride treatment.	
POPE, C. N., L. F. ENGLERT and B. T. HO	297
Radial maze performance in young and aged mice: Neurochemical correlates.	
BERNSTEIN, D., D. S. OLTON, D. K. INGRAM, S. B. WALLER, M. A. REYNOLDS and E. D. LONDON	301
Dopaminergic agents including 3-PPP and its enantiomers on medial septal self-stimulation.	
GOWER, A. J. and C. L. E. BROEKKAMP	309
Effects of nicotine on β-endorphin, αMSH, and ACTH secretion by isolated perfused mouse brains and pituitary glands, <i>in vitro</i>.	
MARTY, M. A., V. G. ERWIN, K. CORNELL and J. M. ZGOMBICK	317
 BRIEF COMMUNICATIONS	
Intracortical 5,7-dihydroxytryptamine depletes brain serotonin concentrations without affecting spontaneous activity.	
BLACK, R. S. and R. G. ROBINSON	327
Lethality of opioid and antihistaminic combinations in mice.	
POLING, A., R. G. SEWELL, JR., J. A. GALLUS and N. I. NEARCHOU ...	333
Hyperthermia in the rat from handling stress blocked by naltrexone injected into the preoptic-anterior hypothalamus.	
PAE, Y.-S., H. LAI and A. HORITA	337
The D1 dopamine receptor antagonist, SCH 23390 reduces locomotor activity and rearing in rats.	
HOFFMAN, D. C. and R. J. BENINGER	341
Changes of HDL-lipid composition as related to Δ^9-THC action.	
KALOFOUTIS, A., A. DIONYSSIOU-ASTERIOU, C. MARAVELIAS and A. KOUTSELINIS	343
Efficacy of trazodone as an anti obsessional agent.	
PRASAD, A.	347

CONTENTS

Articles

- Modifications in adrenal hormones response to ethanol by prior ethanol dependence.**
GUAZA, C. and S. BORRELL 357
- Inhibition of mating by naloxone or morphine in recently castrated, but not intact male rats.**
LIEBLICH, I., M. J. BAUM, P. DIAMOND, N. GOLDBLUM, C. ISER and
C. G. PICK 361
- Involvement of the serotonergic system in the prolongation of pentobarbital sleeping time produced by prostaglandin D₂.**
HOLLINGSWORTH, E. B. and G. A. PATRICK 365
- The effects produced by prostaglandin D₂ on serotonin turnover and release and tryptophan uptake.**
HOLLINGSWORTH, E. B. and G. A. PATRICK 371
- Manipulations of 5-HT activity and memory in the rat.**
LALONDE, R. and V. VIKIS-FREIBERGS 377
- Evidence that tolerance develops to the anxiolytic effect of diazepam in rats.**
TREIT, D. 383
- Effects of phenytoin, phenobarbital, and valproic acid, alone and in selected combinations, on schedule-controlled behavior of rats.**
PICKER, M., J. THOMAS, C. KOCH and A. POLING 389
- Potentiation of morphine analgesia by subanesthetic doses of pentobarbital.**
PONTANI, R. B., N. L. VADLAMANI and A. L. MISRA 395
- Naltrexone fails to suppress spontaneous locomotor activity in hamsters.**
LOWY, M. T., S. SANGIAH and G. K. W. YIM 399
- Increased investigative activity after presynaptic dopaminergic stimulation measured by a fixed-interval recording procedure.**
HÖGLUND, A. U. and B. J. MEYERSON 403
- Alloxan-induced glucoprivic feeding deficits are blocked by D-glucose and amygdalin.**
MURNANE, J. M. and S. RITTER 407
- Suppression of male copulatory behavior by Δ^9 -THC is not dependent on changes in plasma testosterone or hypothalamic dopamine or serotonin content.**
SHRENKER, P. and A. BARTKE 415

Interactive effects of caffeine, 2-chloroadenosine and haloperidol on activity, social investigation and play fighting of juvenile rats.	
HOLLOWAY, W. R., JR. and D. H. THOR	421
Monoaminergic and local anesthetic components of cocaine's effects on kindled seizure expression.	
RUSSELL, R. D. and J. S. STRIPLING	427
Dose-related effects of pentobarbital on the genetic differences seen between paired, Roman high- or low-avoidance rats in a shuttle box.	
DRISCOLL, P. and R. STÜBI	435
Naltrexone's influence on neurobehavioral development.	
ZAGON, I. S. and P. J. McLAUGHLIN	441
Effects of caffeine and L-PIA on rats with selective damage of the hippocampal system.	
SHULL, R. N. and F. A. HOLLOWAY	449
Locomotor response of nialamide pretreated old rats to intraaccumbens dopamine.	
COUSIN, K. M., N. J. URETSKY and M. C. GERALD	461
Supra-additive toxic interaction of nicotine with antihistamines, and enhancement by the proconvulsant pentylenetetrazole.	
SEWELL, R. G., K. P. NANRY, J. KENNEDY, T. R. STIGER and R. E. HARMON	469
Comparative behavioral effects of CNS cholinesterase inhibitors.	
MOSS, D. E., L. A. RODRIGUEZ and S. B. McMASTER	479
Toward understanding ethanol's capacity to be reinforcing: A conditioned place preference following injections of ethanol.	
REID, L. D., G. A. HUNTER, C. M. BEAMAN and C. L. HUBBELL	483
Altered responses to serotonergic agents in Fawn-Hooded rats.	
GUDELSKY, G. A., J. I. KOENIG and H. Y. MELTZER	489
Ethanol-induced inhibition of the drinking response to hypertonic saline in the rat.	
HEYWARD, P. and G. EISENHOFER	493
Brief Communication	
Cold-restraint stress and urinary endogenous β-phenylethylamine excretion in rats.	
SNODDY, A. M., D. HECKATHORN and R. E. TESSEL	497
Announcements	501

CONTENTS

Articles

- Morphine and naloxone effects on tonic immobility and the dorsal immobility response in the rat.**
SMITH, R. L. and M. E. MEYER 505
- Role of brain neurotransmitters on neurotensin-induced gastric cytoprotection.**
HERNANDEZ, D. E., D. A. STANLEY, M. C. ALLEN and A. J. PRANGE, JR. 509
- Phencyclidine-like effect of cyclazocine on pentylenetetrazol-induced seizures in laboratory animals.**
SAGRATELLA, S., T. NIGLIO, E. ORTOLANI, A. SCOTTI DECAROLIS and
A. PÉZZOLA 515
- Differential effects of pimozide on response-rate and choice accuracy in a self-stimulation paradigm in mice.**
BOWERS, W., M. HAMILTON, R. M. ZACHARKO and H. ANISMAN 521
- Both response effort and current intensity affect self-stimulation train duration thresholds.**
FRANK, R. A. and H. P. WILLIAMS 527
- Intracortical glutamate injection produces helpless-like behavior in the rat.**
PETTY, F., C. McCHESNEY and G. KRAMER 531
- Dopamine-beta-hydroxylase inhibitors, feeding and locomotor activity:
Reinstatement of feeding following central norepinephrine.**
EVANS, K. R., R. J. BENINGER and R. EIKELBOOM 535
- Effects of neuroleptics on rate and duration of operant versus reflexive licking in rats.**
GRAMLING, S. E. and S. C. FOWLER 541
- Effect of chronic apomorphine on the development of denervation supersensitivity.**
ROBIN, M., C. FORLER and M. G. PALFREYMAN 547
- Effect of β -adrenergic antagonists on experimentally induced drinking in female rats.**
KATOVICH, M. J. and C. C. BARNEY 553
- Effects of chronic LiCl and RbCl on muricide induced by midbrain raphe lesions in rats.**
YAMAMOTO, T., H. ARAKI, Y. ABE and S. UEKI 559
- Serotonin antagonist pirenperone inhibits sexual behavior in the male rat: Attenuation by quipazine.**
MENDELSON, S. D. and B. B. GORZALKA 565
- Tolerance to behavioral effects of clonidine after chronic administration of morphine.**
McKEARNEY, J. W. 573

Contents continued

Effects of selective dopamine receptor agonists in rats trained to discriminate apomorphine from saline.	
WOOLVERTON, W. L., J. B. KAMIEN and L. I. GOLDBERG	577
Toluene and ethanol effects on baboon match-to-sample performance: Possible synergistic action.	
GELLER, I., R. J. HARTMANN, V. MENDEZ and E. M. GAUSE	583
Pancreatic and intestinal digestive enzymes in post-weanling rats with hypothalamic obesity.	
BERNARDIS, L. L., P. C. LEE, S. BROOKS and E. LEBENTHAL	589
Interactions between enkephalin and dopamine in the control of locomotor activity in the rat: A new hypothesis.	
AGMO, A. and N. DE AVILA	599
Behavioral consequences of perinatal hypothyroidism in postnatal and adult rats.	
COMER, C. P. and S. NORTON	605
Potentiation of α- and β-adrenergic receptor stimulation in inducing lordosis behavior.	
FERNÁNDEZ-GUASTI, A., K. LARSSON and C. BEYER	613
Augmented depression and reduced excitability of the central nervous system (CNS) by cadmium in the rat.	
HALL, C. E., D. NASSETH and S. HUNGERFORD	619
Genetically determined differences in acute responses to diisopropylfluorophosphate.	
SMOLEN, A., T. N. SMOLEN, J. M. WEHNER and A. C. COLLINS	623
Habituation to repeated stress is stressor specific.	
KANT, G. J., T. EGGLESTON, L. LANDMAN-ROBERTS, C. C. KENION, G. C. DRIVER and J. L. MEYERHOFF	631
Effects of betaine on seizures in the rat.	
GHOZ, E. H. and W. J. FREED	635
Brief Communications	
Prevention of strychnine-induced seizures and death by the N-methylated glycine derivatives betaine, dimethylglycine and sarcosine.	
FREED, W. J.	641
Prolongation of latencies for passive avoidance responses in rats treated with aniracetam or piracetam.	
YAMADA, K., T. INOUE, M. TANAKA and T. FURUKAWA	645
Stereospecific reduction by narcotic antagonists of clonidine-induced food intake.	
KATZ, N. L., R. F. SCHLEMMER, JR. and D. P. WALLER	649
Ketamine-induced locomotion in rats in an open-field.	
HETZLER, B. E. and B. SWAIN-WAUTLET	653
Announcements	657

CONTENTS

Articles

- Haloperidol and nonreinforcement produce different patterns of response slowing in a food reinforced runway task.**
WIRTSHAFTER, D. and K. E. ASIN 661
- Brain amines and effects of chlordiazepoxide on motor activity in response to stress.**
FREEMAN, G. B. and J. B. THURMOND 665
- Comparison of anorexia and motor disruption by cyclazocine and quipazine.**
HENCK, J. W., D. H. REZABEK and R. H. RECH 671
- The 5HT₂ antagonist pirenperone reverses disruption of FR-40 by hallucinogenic drugs.**
MOKLER, D. J., K. W. STOUDET and R. H. RECH 677
- Increased sensitivity to serotonergic agonists after repeated electroconvulsive shock in rats.**
WIELOSZ, M. 683
- Effects of ovariectomy and estrogen replacement on intrastriatal dopamine-elicited postural deviation.**
SMITH, R. L. and C. VAN HARTESVELDT 689
- Lithium effects on position learning with exploratory and aversive goal-box conditions.**
HINES, G. 695
- Autoradiographic localization of kappa opiate receptors in CNS taste and feeding areas.**
LYNCH, W. C., J. WATT, S. KRALL and C. M. PADEN 699
- Continuous infusion of aldosterone: Correlates of body weight gain.**
DEVENPORT, L. D., K. G. GOODWIN and P. M. HOPKINS 707
- A possible role for beta-adrenergic receptors in the expression of audiogenic seizures.**
LINTS, C. E. and C. NYQUIST-BATTIE 711
- Effects of psychotropic drugs on discrimination conditioning in olfactory bulbectomized rats.**
GOMITA, Y., N. OGAWA and S. UEKI 717
- Structure-activity studies on methoxy-substituted phenylisopropylamines using drug discrimination methodology.**
GLENNON, R. A., R. YOUNG and A. E. HAUCK 723
- Effects of phencyclidine (PCP)-like drugs on turning behavior, ³H-dopamine uptake, and ³H-PCP binding.**
JOHNSON, K. M. and L. D. SNELL 731

Sensitivity changes to dopaminergic agents in fine motor control of rhesus monkeys after repeated methamphetamine administration.	
ANDO, K., C. E. JOHANSON, L. S. SEIDEN AND C. R. SCHUSTER	737
Effects of aniracetam on delayed matching-to-sample performance of monkeys and pigeons.	
PONTECORVO, M. J. and H. L. EVANS	745
Clonazepam-induced hyperphagia in nondeprived rats: Tests of pharmacological specificity with Ro5-4864, Ro5-3663, Ro15-1788 and CGS 9896.	
COOPER, S. J. and D. B. GILBERT	753
Neuroleptic-induced deficits in operant responding for temperature reinforcement.	
ETTENBERG, A. and H. J. CARLISLE	761
Naltrexone antagonizes the biobehavioral adaptation to cold water stress in rats.	
GIRARDOT, M.-N. and F. A. HOLLOWAY	769
Synergism between caffeine and dl-phenylpropanolamine on brown adipose tissue thermogenesis in the adult rat.	
WELLMAN, P. J. and M. M. MARMON	781
Pimozide decreases the positive reinforcing effects of sham fed sucrose in the rat.	
GEARY, N. and G. P. SMITH	787
Continuous infusion of naloxone: Effects on behavior and oxygen consumption.	
MALIN, D. H., J. G. LEAVELL, K. FREEMAN, W. C. KINZLER and M. A. REAGAN	791
Effects of toluene, halothane and ethanol vapor on fixed-ratio performance in mice.	
MOSER, V. C. and R. L. BALSTER	797
Stress produces opioid-like effects on investigatory behavior.	
ARNSTEN, A. F. T., C. BERRIDGE and D. S. SEGAL	803
Acute alcohol intoxication and body composition in women and men.	
GOIST, K. C., JR. and P. B. SUTKER	811
Methylxanthine discrimination in the rat: Possible benzodiazepine and adenosine mechanisms.	
HOLLOWAY, F. A., H. E. MODROW and R. C. MICHAELIS	815
Meeting Report	
Symposium on alpha adrenoceptor distribution and function	825
Distribution and function of peripheral α-adrenoceptors in the cardiovascular system.	
RUFFOLO, R. R., JR.	827
Heterogeneity of alpha-2 adrenergic receptors.	
BYLUND, D. B.	835
Pharmacology of spinal adrenergic systems which modulate spinal nociceptive processing.	
YAKSH, T. L.	845
The alpha-adrenergic receptor: Radiohistochemical analysis of functional characteristics and biochemical differences.	
UNNERSTALL, J. R., I. FERNANDEZ and L. M. ORENSANZ	859

VOLUME INDEX

Electrophysiological assay and characterization of central adrenoceptors: Techniques and neuropharmacology.	
MARWAHA, J. and A. L. CURTIS	875
Brief Communications	
Effects of clonidine and yohimbine on the social play of juvenile rats.	
NORMANSELL, L. and J. PANKSEPP	881
Effects of quipazine and methysergide on play in juvenile rats.	
NORMANSELL, L. and J. PANKSEPP	885
<i>p</i>-Chloroamphetamine: Effect on sleep and respiration in the rat.	
DEMESQUITA, S.	889
Cholecystokinin and bombesin suppress operant responding for food reward.	
BABCOCK, A. M., M. LIVOSKY and D. D. AVERY	893
Effects of chronically administered nicotine and saline on motor activity in rats.	
CRONAN, T., J. CONRAD and R. BRYSON	897
Sensitization of rotational behavior produced by a single exposure to cocaine.	
LIN-CHU, G., T. E. ROBINSON and J. B. BECKER	901
Clonidine reverses methylxanthine-induced potentiation of baclofen antinociception.	
STEARDO, L. and J. SAWYNOK	905

CONTENTS

Eulogy v

Cathinone, Cocaine and Methamphetamine: Similarity of Behavioral Effects.
 SCHECHTER, M. D. and R. A. GLENNON 913

Behavioral responses of high and low active male rats to the chronic ingestion of desipramine.
 ECHANDÍA, E. L. R., S. T. BROITMAN and M. R. FÓSCOLO 917

Indomethacin facilitates acute tolerance to and dependence upon morphine as measured by changes in fixed-ratio behavior and rectal temperature in rats.
 NIELSEN, J. A. and S. B. SPARBER 921

Central administration of prostaglandin E₂ facilitates while F_{2_α} attenuates acute dependence upon morphine in rats.
 NIELSON, J. A. and S. B. SPARBER 933

Effects of the β-carboline, FG 7142, in the social interaction test of anxiety and the holeboard: Correlations between behaviour and plasma concentrations.
 FILE, S. E., S. PELLOW and C. BRAESTRUP 941

Involvement of dopamine in the aversive stimulus properties of cocaine in rats.
 HUNT, T., L. SWITZMAN and Z. AMIT 945

Opiate self-administration in adult offspring of methadone-treated female rats.
 HOVIOUS, J. R. and M. A. PETERS 949

Barbiturate tolerance and dependence: Effects on synaptosomal sodium transport and membrane fluidity.
 MITCHELL, M. A., J. PERIS and R. A. HARRIS 955

**Acute soman effects in the juvenile baboon:
 Effects on a match-to-sample discrimination task and on total blood acetylcholinesterase.**
 GELLER, I., R. J. HARTMANN, E. MORAN, B. Z. LEAL, R. J. HAINES and
 E. M. GAUSE 961

LHRH and mating behavior: Sexual receptivity versus sexual preference.
 DUDLEY, C. A. and R. L. MOSS 967

Dissociation of tolerance to the hypothermic and tachycardic effects of ethanol.
 PERIS, J. and C. L. CUNNINGHAM 973

Effect of DL-erythro-dihydroxyphenyserine on the locomotor activity of the mouse.
 MORI, T., T. NAKAJIMA, H. HASHIMOTO, T. NOTO and N. KATO 979

The development of Type I and Type II benzodiazepine receptors in the mouse cortex and cerebellum.
 GARRETT, K. M. and B. TABAKOFF 985

Contents continued

The influences of ethanol and other factors on the excretion of urinary salsolinol in social drinkers.	
HIRST, M., D. R. EVANS, C. W. GOWDEY and M. A. ADAMS	993
Asymmetrical effect of unilateral cortical lesions and amphetamine on DRL-20: A time-loss analysis.	
KUBOS, K. L., J. V. BRADY, T. H. MORAN, C. H. SMITH and R. G. ROBINSON	1001
Effects of triethyl lead on hot plate responsiveness and biochemical properties of the hippocampus.	
BONDY, S. C., J. S. HONG, H. A. TILSON and T. J. WALSH	1007
Effects of TRH, ethanol, and TRH-ethanol combination on activity in rats with altered monoamine content.	
BREESE, G. R., S. COYLE, G. D. FRYE and R. A. MUELLER	1013
Neonatal exposure to DES in BALB/c male mice: Effects on pituitary-gonadal function.	
DALTERIO, S., A BARTKE, R. STEGER and D. MAYFIELD	1019
A facilitatory role for serotonin in the sexual behavior of the female rat.	
MENDELSON, S. D. and B. B. GORZALKA	1025
Opiate antagonism reduces placentophagia and pup cleaning by parturient rats.	
MAYER, A. D., P. L. FARIS, B. R. KOMISARUK and J. S. ROSENBLATT	1035
Norepinephrine-facilitated eating: reduction in saccharin preference and conditioned flavor preferences with increase in quinine aversion.	
MATTHEWS, J. W., E. L. GIBSON and D. A. BOOTH	1045
High proline levels in the brains of mice as related to specific learning deficits.	
BAXTER, C. F., R. A. BALDWIN, J. L. DAVIS and J. F. FLOOD	1053
Effects of opioids and phencyclidine in combination with naltrexone on the acquisition and performance of response sequences in monkeys.	
MOERSCHBAECHER, J. M., D. M. THOMPSON and P. J. WINSAUER	1061
Brief Communications	
Self-administration of phentermine by naive rats: Effects of body weight and a food delivery schedule.	
PAPASAVA, M., G. SINGER and C. L. PAPASAVA	1071
Neonatal 6-hydroxydopamine potentiates clonidine's locomotor effects throughout maturation in the rat.	
SMYTHE, J. W. and B. A. PAPPAS	1075
APA Meeting	1079
Index	1089

VOLUME 22 1985

SUBJECT INDEX

- Acetylcholinesterase, 961
 - baboons
 - discrimination
 - soman
- Acquisition, 1061
 - drug interaction
 - monkeys
 - opioids
- Activity, 107
 - lead exposure
 - stress
- Acute intoxication, 811
 - alcohol metabolism
 - body composition
 - human studies
- Adenosine receptors, 195
 - caffeine
 - methyl xanthines
 - taste
- Adrenal responses, 357
 - drug interaction
 - ethanol dependence
- Adrenergic stimulation, 613
 - drug interaction
 - lordosis
 - molecular regulation
- α -Adrenergic antagonists, 279
 - beta adrenergic antagonists
 - lordosis
 - progesterone
- β -Adrenergic antagonists
 - α -adrenergic antagonists, 279
 - drinking, 553
 - lordosis, 279
 - progesterone, 279
 - thirst, 553
 - water deprivation, 553
- α -Adrenergic receptors, 859
 - [³H]prazosine
 - [³H]WB4101
 - receptor autoradiography
- α -2 Adrenergic receptors, 835
 - receptor subtypes
 - strain differences
- β -Adrenergic receptors, 711
 - audiogenic seizures
 - epilepsy
- Adrenoceptors, 875
 - electrophysiology
 - neuropharmacology
 - single unit studies
- α_1 -Adrenoceptors, 827
 - α_2 -adrenoceptors
 - cardiovascular system
- α_2 -Adrenoceptors, 827
 - α_1 -adrenoceptors
 - cardiovascular system
- Age differences, 301
 - learning
 - memory
 - radial maze performance
 - spatial discrimination task
- Aggression, 135
 - d-amphetamine
 - monkeys
 - social interaction
- Aging
 - clonidine, 1075
 - denervation, 1075
 - dopamine, 461
 - 6-hydroxydopamine, 1075
 - locomotor activity, 461, 1071
 - nialamide, 461
- Alcohol, 233
 - human studies
 - luteinizing hormone levels
 - menopausal women
- Alcohol metabolism, 811
 - acute intoxication
 - body composition
 - human studies
- Alcoholism, 483
 - conditioned place preference
 - ethanol reinforcement
- Aldosterone, 707
 - body fat
 - body water
 - skeletal growth
- Alloxan, 407
 - 2-deoxy-D-glucose
 - glucoprivic feeding
 - 5-thioglucoase
- Aminoaciduria, 1053
 - hyperprolinemia
 - learning deficits
 - proline
- Amitriptyline, 119
 - energy balance
 - glucoregulation
 - lithium
 - mianserin
- Amnesia, 377
 - brain serotonin
 - memory
- Amphetamine
 - anorexia, 57
 - desmethylimipramine, 57
 - DRL-20, 1001
 - intracranial drug administration, 57
 - lesions, cortical, 1001
 - morphine, 101
 - neuroleptics, 101
 - place conditioning, 101
 - reward, 101
 - supersensitivity, 1001
- d-Amphetamine
 - aggression, 135
 - biogenic amine, 127
 - drug interactions, 127
 - fenfluramine, 127
 - monkeys, 135
 - social interaction, 135
- Amphetamine reinforcement, 169
 - conditioned place preference
 - ethanol reinforcement
- Analgesia
 - cold water swim, 769
 - naltrexone, 769
 - pain modulation, 845
 - spinal adrenergic receptors, 845
 - spinopetal pathways, 845
 - stress, 769
 - tolerance, 769
- Analgesic mechanisms, 47
 - anxiolytic effects
 - diazepam
 - drug interactions
- Anhedonia, 787
 - neuroleptics
 - pimozide
 - reward
 - sham feeding
- Animal models, 383
 - anxiolytic tolerance
 - benzodiazepines
 - defensive burying
- Aniracetam
 - avoidance, 645
 - locomotor activity, 645
 - matching-to-sample, 745
 - monkeys, 745
 - pigeons, 745
 - piracetam, 645
 - short-term memory, 745
- Anorexia
 - amphetamine, 57
 - cyclazocine, 671
 - desmethylimipramine, 57
 - eating, 671
 - intracranial drug administration, 57
 - locomotor activity, 671
 - quipazine, 671
- Anticonvulsants
 - drug interactions, 53
 - eboracin, 53
 - GABAergic mechanisms, 141
 - pentobarbital, 141
 - phenytoin, 53
 - seizures, maximal electroshock induced, 141
- Antidepressants
 - benzodiazepine antagonists, 71
 - conditioned avoidance, 261
 - norepinephrine uptake, 261
 - psychotropic drugs, 71
 - shuttle box, 71
- Antihistamines
 - drug interactions, 469
 - drug toxicity, 469
 - nicotine, 469
 - pentylentetrazole, 469
 - sedation, 15
 - stimulus control, 15
- Antinociception
 - baclofen, 905
 - benzodiazepine receptor binding, 1007
 - clonidine, 905
 - dopamine antagonists, 905
 - hippocampus, 1007
 - methylxanthines, 905
 - triethyl lead, 1007

- Anxiety, 941
 - β -carbolines
 - exploration
 - FG 7142
 - locomotor activity
 - plasma concentrations
 - social interaction
- Anxiolytic effects, 47
 - analgesic mechanisms
 - diazepam
 - drug interactions
- Anxiolytic tolerance, 383
 - animal models
 - benzodiazepines
 - defensive burying
- Apomorphine
 - denervation supersensitivity, 547
 - dopamine receptors, 577
 - drug discrimination, 179, 577
 - drug interaction, 179, 209
 - ethanol, 179
 - lesions, 6-hydroxydopamine, 547
 - opiates, 209
 - pigeons, 209
- Apparatus
 - osmotic mini pump, 897
- Appetite
 - clonidine, 649
 - drinking, 699
 - eating, 649, 699
 - film autoradiography, 699
 - gustatory neuroanatomy, 699
 - rabbits, 649
 - stereospecific opiate antagonism, 649
 - taste preference, 699
- Asymmetry, 327
 - serotonin concentrations
 - spontaneous activity
- Atropine, 243
 - caudate nucleus
 - passive avoidance
 - memory
 - retention
 - striatal cholinergic activity
- Audiogenic seizures
 - β -adrenergic receptors, 711
 - betaine, 635
 - epilepsy, 711
 - pentylentetrazol, 635
 - seizures, 635
- Aversion, 695
 - avoidance
 - exploration
 - lithium
 - position learning
- Avoidance
 - aniracetam, 645
 - aversion, 695
 - exploration, 695
 - freezing behavior, 435
 - lithium, 695
 - locomotor activity, 645
 - pentobarbital, 435
 - piracetam, 645
 - position learning, 695
 - strain differences, 435
- Baboons
 - acetylcholinesterase, 961
 - discrimination, 583, 961
 - ethanol, 583
 - soman, 961
 - toluene, 583
- Baclofen, 905
 - antinociception
 - clonidine
 - dopamine antagonists
 - methylxanthines
- Barbiturates, 955
 - dependence
 - sodium transport
 - tolerance
- Behavioral development, 441
 - motor activity
 - naltrexone
 - opiate antagonists
- Behavioral inhibition, 25
 - diazepam
 - locomotor activity
- Benzodiazepine antagonists, 71
 - antidepressants
 - psychotropic drugs
 - shuttlebox
- Benzodiazepine receptor binding, 1007
 - antinociception
 - hippocampus
 - triethyl lead
- Benzodiazepine receptors, 985
 - cerebellum
 - cortex
 - receptor ontogeny
- Benzodiazepines, 383
 - animal models
 - anxiolytic tolerance
 - defensive burying
- Betaine
 - audiogenic seizures, 635
 - dimethylglycine, 641
 - pentylentetrazol, 635
 - sarcosine, 641
 - seizures, 635, 641
 - strychnine, 641
- Biogenic amine
 - d-amphetamine, 127
 - catecholamine analysis, 85
 - drug interactions, 127
 - fenfluramine, 127
 - HPLC, 85
- Body composition, 811
 - acute intoxication
 - alcohol metabolism
 - human studies
- Body fat, 707
 - aldosterone
 - body water
 - skeletal growth
- Body temperature
 - brain AChE activity, 623
 - diisopropylfluorophosphate, 623
 - ethanol, 973
 - heart rate, 973
 - strain differences, 623
 - tolerance, 973
- Body water, 707
 - aldosterone
 - body fat
 - skeletal growth
- Body weight, 1071
 - food delivery schedule
 - food deprivation
 - phentermine
 - self-administration
- Bombesin, 893
 - cholecystokinin
 - operant responding
 - satiety
- Brain
 - amygdala, 859
 - caudate nucleus, 159, 183, 243
 - central nervous system, 19, 619
 - cerebellar Purkinje neurons, 875
 - cerebellum, 297, 985
 - cerebral cortex, 221, 301, 327
 - corpus striatum, 77
 - cortex, 985
 - dentate gyrus, 449
 - dorsal raphe nucleus, 859, 875
 - forebrain, 859
 - frontal neocortex, 531
 - hippocampus, 147, 183, 297, 449, 1007
 - hypothalamus, 77, 127, 175, 859
 - hypothalamus-preoptic area, 227
 - lateral geniculate nucleus, 875
 - locus coeruleus, 859
 - median raphe, 327
 - medial septum, 309, 449
 - nigro-striatal dopamine tract, 547
 - nucleus accumbens, 461
 - nucleus locus coeruleus, 875
 - parabrachial nucleus, 859
 - paraventricular nucleus, 1045
 - pons-medulla, 127
 - preoptic-anterior hypothalamus, 337
 - prepyriform cortex, 421
 - spinal cord, 221
 - striatum, 205, 689
 - substantia nigra, 127, 521
 - thalamus, 127
 - ventromedial hypothalamus, 535, 589
- Brain AChE activity, 623
 - body temperature
 - diisopropylfluorophosphate
 - strain differences
- Brain serotonin
 - amnesia, 377
 - p*-chloroamphetamine, 889
 - memory, 377
 - rapid eye movement, 889
 - respiratory rate, 889
- Brain stimulation reward, 527
 - self-stimulation threshold
- Brown adipose tissue, 781
 - caffeine
 - drug synergism
 - dl-phenylpropanolamine
 - thermogenesis
- Cadmium, 619
 - central nervous system
 - depression
 - drug interaction
- Caffeine
 - adenosine receptors, 195
 - brown adipose tissue, 781
 - 2-chloroadenosine, 421
 - drug interaction, 421
 - drug synergism, 781
 - haloperidol, 421
 - hippocampus, 449
 - hyperactivity, 449
 - juvenile rats, 421
 - locomotor activity, 421
 - L-PIA, 449
 - methyl xanthines, 195
 - operant behavior, 449
 - dl-phenylpropanolamine, 781
 - taste, 195
 - thermogenesis, 781
- β -Carbolines, 941
 - anxiety
 - exploration
 - FG 7142

- locomotor activity
- plasma concentrations
- social interaction
- Cardiovascular system, 827
 - α_1 -adrenoceptors
 - α_2 -adrenoceptors
- Castration effects, 1019
 - drug interaction
 - neonatal exposure
 - pituitary function
- Catecholamine analysis, 85
 - biogenic amines
 - HPLC
- Catecholaminergic drugs, 403
 - drug interaction
 - exploratory behavior
 - habituation
- Cathinone, 913
 - cocaine
 - drug discrimination
 - methamphetamine
 - stimulus properties
- Caudate nucleus
 - atropine, 243
 - locomotor activity, 159
 - memory, 243
 - passive avoidance, 243
 - β -phenylethylamine, 159
 - retention, 243
 - striatal cholinergic activity, 243
- Central nervous system, 619
 - cadmium
 - depression
 - drug interaction
- Cerebellum, 985
 - benzodiazepine receptors
 - cortex
 - receptor ontogeny
- CGS 9896, 753
 - clonazepam
 - eating
 - hyperphagia
 - Ro5-3663
 - Ro5-4864
 - Ro15-1788
- Chlordiazepoxide, 665
 - emotional responsiveness
 - locomotor activity
 - stress
- 2-Chloroadenosine, 421
 - caffeine
 - drug interaction
 - haloperidol
 - juvenile rats
 - locomotor activity
- p*-Chloroamphetamine, 889
 - brain serotonin
 - rapid eye movement
 - respiratory rate
- Cholecystokinin, 893
 - bombesin
 - operant responding
 - satiety
- Cholinesterase, 479
 - extrapyramidal system
 - stereotypy
 - motor activity
- Chronic drug treatment, 283
 - muscarinic receptors
 - nicotine
 - oxotremorine
 - tolerance
- Classical conditioning, 41
 - LSD
 - morphine
- nictitating membrane response
- rabbits
- Clonazepam, 753
 - CGS 9896
 - eating
 - hyperphagia
 - Ro5-3663
 - Ro5-4864
 - Ro15-1788
- Clonidine
 - aging, 1075
 - antinociception, 905
 - appetite, 649
 - baclofen, 905
 - cross-tolerance, 573
 - denervation, 1075
 - dopamine antagonists, 905
 - eating, 649
 - fixed ratio schedules, 573
 - 6-hydroxydopamine, 1075
 - locomotor activity, 1075
 - methylxanthines, 905
 - morphine, 573
 - rabbits, 649
 - social play, 881
 - stereospecific opiate antagonism, 649
 - yohimbine, 881
- CNS stimulants, 723
 - drug discrimination
 - hallucinogens
 - phenylisopropylamines
 - structure-activity studies
- Cocaine
 - cathinone, 913
 - conditioned taste aversion, 945
 - dopamine, 945
 - drug discrimination, 913
 - kindling, 421
 - methamphetamine, 913
 - prepyriform cortex, 421
 - rotational behavior, 901
 - self-administration, 945
 - sensitization, 901
 - stimulus properties, 913
 - tolerance, 901
- Cold water swim, 769
 - analgesia
 - naltrexone
 - stress
 - tolerance
- Colonic temperature, 337
 - handling stress
 - hyperthermic
 - naltrexone
- Concurrent, 61
 - fixed ratio schedule
 - monkeys
 - nicotine
 - self administration
- Conditioned avoidance, 261
 - antidepressants
 - norepinephrine uptake
- Conditioned place preference
 - alcoholism, 483
 - amphetamine reinforcement, 169
 - ethanol reinforcement, 169, 483
 - nicotine, 237
- Conditioned taste aversion
 - cocaine, 945
 - dopamine, 945
 - opiate-ethanol interaction, 255
 - receptor stereospecificity, 255
 - self-administration, 945
- Conditioned preference, 1045
 - eating
- norepinephrine
- quinine aversion
- saccharin preference
- Conditioned suppression, 249
 - electric footshock
 - motility
 - opioid activity
 - pain-threshold
- Copulation, 1
 - fluprazine
 - sexual behavior, male rats
- Cortex
 - benzodiazepine receptors, 985
 - cerebellum, 985
 - glutamate, 531
 - helplessness, 531
 - receptor ontogeny, 985
 - stress, 531
- Cross-tolerance, 573
 - clonidine
 - fixed ratio schedules
 - morphine
- Cyclazocine
 - anorexia, 671
 - eating, 671
 - locomotor activity, 671
 - pentylene-tetrazol seizures, 515
 - quipazine, 671
 - rabbits, 515
- Cyclic AMP
 - habituation, 631
 - learning, 183
 - pituitary, 631
 - stress, 631
 - vasopressin, 183
- Defensive burying, 383
 - animal models
 - anxiolytic tolerance
 - benzodiazepines
- Denervation, 1075
 - aging
 - clonidine
 - 6-hydroxydopamine
 - locomotor activity
- Denervation supersensitivity, 547
 - apomorphine
 - lesions, 6-hydroxydopamine
- 2-Deoxy-D-glucose, 407
 - alloxan
 - glucoprivic feeding
 - 5-thioglucoase
- Dependence
 - barbiturates, 955
 - ethanol consumption, 19
 - indomethacin, 921
 - initial sensitivity, 19
 - morphine, 921, 933
 - operant behavior, 921, 933
 - prostaglandins, 921, 933
 - sodium transport, 955
 - tolerance, 921, 955
- Depletion, 153
 - monoamine
 - phenol-induced tremor
- Depression, 619
 - cadmium
 - central nervous system
 - drug interaction
- Desipramine, 917
 - hyperactivity
 - hypoactivity
 - locomotor activity

- Desmethylinipramine, 57
 - amphetamine
 - anorexia
 - intracranial drug administration
- Diazepam
 - analgesic mechanisms, 47
 - anxiolytic effects, 47
 - behavioral inhibition, 25
 - drug interactions, 47
 - locomotor activity, 25
- Diet, 993
 - ethanol
 - human studies
 - social drinking
 - urinary salsolinol
- Diisopropylfluorophosphate, 623
 - body temperature
 - brain AChE activity
 - strain differences
- Dimethylglycine, 641
 - betaine
 - sarcosine
 - seizures
 - strychnine
- Discrimination
 - acetylcholinesterase, 961
 - baboons, 583, 961
 - ethanol, 583
 - head-dipping, 521
 - pimozide, 521
 - reward, 521
 - self-stimulation, 521
 - soman, 961
 - toluene, 583
- Discrimination avoidance, 717
 - olfactory bulbectomy
 - psychotropic drugs
- DL-erythro-DOPS, 979
 - DL-threo-DOPS
 - locomotor activity
- DL-threo-DOPS, 979
 - DL-erythro-DOPS
 - locomotor activity
- Dopamine
 - aging, 461
 - cocaine, 945
 - conditioned taste aversion, 945
 - enkephalin, 599
 - estrogen, 689
 - locomotor activity, 461, 599
 - motility, 599
 - nialamide, 461
 - ovariectomy, 689
 - postural deviation, 689
 - self-administration, 945
- Dopamine antagonists
 - antinociception, 905
 - baclofen, 905
 - clonidine, 905
 - dopamine agonists, 309
 - methylxanthines, 905
 - 3-PPP, 309
 - self-stimulation, 309
- Dopamine depletion, 737
 - methamphetamine
 - rhesus monkeys
 - supersensitivity
 - tolerance
- Dopamine- β -hydroxylase inhibitors, 535
 - eating
 - locomotor activity
 - norepinephrine
- Dopamine receptors
 - apomorphine, 577
 - drug discrimination, 577
 - locomotor activity, 341
 - rearing, 341
- Dopamine uptake, 731
 - phencyclidine
 - ³H-phencyclidine binding
 - turning behavior
- Dopaminergic pathways, 31
 - penile erections
 - yawning
- Dorsal immobility response, 505
 - morphine
 - naloxone
 - tonic immobility
- Drinking
 - β -adrenergic antagonists, 553
 - appetite, 699
 - ethanol, 493
 - film autoradiography, 699
 - gustatory neuroanatomy, 699
 - hypertonic saline, 493
 - taste preference, 699
 - thirst, 493, 553
 - water deprivation, 553
- DRL-20, 1001
 - amphetamine
 - lesions, cortical
 - supersensitivity
- Drug
 - acetylcholine, 509
 - adenosine, 195
 - alaproclate, 5
 - alcohol, 233, 811
 - N-allylnormetazocine, 731
 - amineptine, 71
 - aminoxyacetic acid, 77
 - amitriptyline, 119, 261, 717
 - amphetamine, 57, 101, 169, 421, 599, 723, 1001
 - d-amphetamine, 127, 135, 309
 - anhendonina, 661
 - aniracetam, 645, 745
 - apomorphine, 31, 179, 209, 309, 403, 547, 577, 665, 737
 - atenolol, 553
 - atropine, 243
 - azatidine, 15
 - baclofen, 905
 - betaine, 635, 641
 - bicuculline, 77
 - bromocryptine, 31
 - butoxamine, 553
 - cadmium, 619
 - caffeine, 195, 421, 449, 815
 - β -carbolines, 941
 - cathinone, 913
 - β -CCM, 71
 - CGS 7525A, 71
 - CGS 8216, 71
 - CGS 9896, 753
 - chlordiazepoxide, 665, 717, 815
 - chlorimipramine, 261
 - 2-chloroadenosine, 421
 - p-chloroamphetamine, 889
 - chlorpheniramine, 15
 - chlorpromazine, 541, 717
 - cholinesterase, 479
 - cinanserin, 5
 - clomipramine, 205
 - clonazepam, 753
 - clonidine, 403, 613, 649, 665, 854, 881, 905, 1075
 - clozapine, 541
 - cocaine, 61, 421, 901, 913, 945
 - colchicine, 449
 - cyclazocine, 515, 671, 731, 1061
 - l-desamino-8-D-arginine vasopressin, 183
 - desipramine, 183, 261, 917
 - desmethylinipramine, 57, 327
 - dextran, 493
 - dextrorphan, 255
 - diazepam, 25, 47, 141, 383
 - diethylstilbestrol, 1019
 - 5,7-dihydroxytryptamine, 221, 327, 1013
 - diisopropylfluorophosphate, 623
 - N,N dimethylglycine, 641
 - diphenhydramine, 15, 333, 469
 - dopamine, 209, 357, 461, 509, 577, 661, 665, 689, 945, 979
 - DRL-20, 1001
 - eboracin, 53
 - epinephrine, 357
 - ethanol, 19, 91, 141, 169, 179, 255, 293, 357, 483, 493, 583, 797, 973, 993, 1013
 - ethylcholine ayiridinium chloride, 297
 - ethylketocyclazocine, 731
 - etoxadrol, 731
 - fenfluramine, 127, 377
 - FG 7142, 941
 - FLA-63, 535
 - ³H-flunitrazepam, 985
 - fluoxetine, 261, 377
 - α -flupenthixol, 101, 761
 - fluprazine hydrochloride, 1
 - fusaric acid, 535
 - glutamate, 531
 - glycine betaine, 641
 - haloperidol, 101, 265, 309, 403, 421, 509, 541, 661, 737
 - halothane, 797
 - heroin, 175, 215, 1061
 - hexamethonium, 237
 - B-HT 920, 403
 - 5HTP, 5
 - 6-hydroxydopamine, 901, 1013, 1075
 - 5-hydroxyindoleacetic acid, 371, 683
 - 5-hydroxytryptamine, 683
 - imipramine, 261, 377, 531
 - indomethacin, 921
 - isobutylmethylxanthine, 905
 - isoproterenol, 613
 - ketamine, 653, 731
 - ketanserin, 5, 565
 - lead, 107
 - levorphanol, 255
 - lidocaine, 421
 - lisuride, 677
 - LSD, 41
 - lithium, 119, 559, 695
 - maprotiline, 261
 - mecamylamine hydrochloride, 237
 - metallothionine, 619
 - metergoline, 5, 265, 421
 - methadone, 949, 1061
 - methamphetamine, 717, 737, 913
 - 5-methoxy-N,N-dimethyltryptamine, 489
 - methimazole, 605
 - methylphenidate, 479, 509
 - α -methyl-p-tyrosine, 403
 - methylxanthine, 195, 815, 905
 - methysergide, 5, 885, 1025
 - metoclopramide, 31
 - mianserin, 5, 119
 - molindone, 309
 - monoamine oxidase, 461
 - morphine, 41, 101, 157, 227, 255, 271, 333, 361, 395, 505, 535, 921, 933, 949

naloxone, 37, 47, 91, 209, 361, 505, 509, 515, 599, 791, 933, 1035
naltrexone, 175, 337, 399, 441, 649, 769, 1035, 1061
nialamide, 461
nicotine, 61, 237, 283, 897
nicotine tartrate, 469
nomifensine, 71, 309
noradrenaline, 183, 979
norepinephrine, 357, 535, 613, 665
nortriptyline, 261
6-OHDA, 183
8-OH-PPAT, 489
oxaprotiline, 261
oxotremorine, 283
pargyline, 221
pentazocine, 333
pentobarbital, 141, 365, 435, 619
pentylentetrazol, 53, 71, 469, 515, 635
peribedil, 577
phencyclidine, 731, 1061
phenethylamine, 497
phenobarbital, 389, 955
phenoxybenzamine, 279
phentermine, 1071
phentolamine, 57, 265
 β -phenylethylamine, 159
phenylpiperzine, 1
dl-phenylpropanolamine, 781
phenytoin, 53, 389
physostigmine, 479
L-PIA, 449
picrotoxin, 141
pimozide, 521, 599, 787, 945
pindolol, 711
piracetam, 645
pirenperone, 565, 677
prazosin, 279, 421, 613, 835, 845
[³H]prazosin, 859
progabide, 141
promethazine, 15
propranolol, 279, 421, 553, 613, 711
d,l propranolol, 553
prostaglandin, D₂, 365, 371
protriptyline, 261
quinine, 1045
quipazine, 5, 265, 489, 565, 665, 671, 677, 885, 1025
reserpine, 153
Ro5-3663, 753
Ro5-4864, 753
Ro15-1788, 71, 141, 753
Ro-44602, 221
rubidium, 559
sarcosine, 641
SCH 23390, 341
scopolamine, 745
serotonin, 5, 205, 265, 565, 665, 979
SKF 38393, 577
sodium pentobarbital, 395
soman, 961
strychnine, 619, 641
sulfonyl fluorides, 479
tetrabenazine, 153
 Δ^9 -tetrahydrocannabinol, 343, 415
theobromine, 195
theophylline, 195, 815, 905
toluene, 583, 797
tranlycypromine, 377
trazodone, 347
triethyl lead, 1007
trimethyl tin, 147
tripelennamine, 333, 469
tryptophan, 371
valproic acid, 389

viloxazine, 71
[³H]WB4101, 859
yohimbine, 403, 421, 835, 845, 881
zimelidine, 5
Drug discrimination
apomorphine, 179, 577
cathinone, 913
CNS stimulants, 723
cocaine, 913
dopamine receptors, 577
drug interaction, 179
ethanol, 179
hallucinogens, 723
methamphetamine, 913
methylxanthine, 815
operant behavior, 815
phenylisopropylamines, 723
phosphodiesterase inhibitor, 815
stimulus properties, 913
structure-activity studies, 723
Drug interaction
acquisition, 1061
adrenal responses, 357
adrenergic stimulation, 613
d-amphetamine, 127
analgesic mechanisms, 47
anticonvulsants, 53
antihistamines, 469
apomorphine, 179, 209
anxiolytic mechanisms, 47
biogenic amine, 127
cadmium, 619
caffeine, 421
castration effects, 1019
catecholaminergic drugs, 403
central nervous system, 619
2-chloroadenosine, 421
depression, 619
diazepam, 47
drug discrimination, 179
drug interaction, 179
drug toxicity, 469
eboracin, 53
ethanol dependence, 357
exploratory behavior, 403
fenfluramine, 127
habituation, 403
haloperidol, 421
juvenile rats, 421
locomotor activity, 421
lordosis, 613
molecular regulation, 613
monkeys, 1061
morphine analgesia, 395
neonatal exposure, 1019
nicotine, 469
opiates, 209
opioids, 1061
pentobarbital, 395
pentylentetrazole, 469
phenytoin, 53
pigeons, 209
pituitary function, 1019
potentiation, 395
Drug synergism, 781
brown adipose tissue
caffeine
dl-phenylpropanolamine
thermogenesis
Drug toxicity, 469
antihistamines
drug interactions
nicotine
pentylentetrazole

Eating
anorexia, 671
appetite, 649, 699
CGS 9896, 753
clonazepam, 753
clonidine, 649
conditioned preference, 1045
cyclazocine, 671
dopamine- β -hydroxylase inhibitors, 535
film autoradiography, 699
gustatory neuroanatomy, 699
hyperphagia, 753
locomotor activity, 535, 671
norepinephrine, 535, 1045
quipazine, 671
quinine aversion, 1045
rabbits, 649
Ro5-3663, 753
Ro5-4864, 753
Ro15-1788, 753
saccharin preference, 1045
stereospecific opiate antagonism, 649
taste preference, 699
Eboracin, 53
anticonvulsants
drug interactions
phenytoin
Electric footshock, 249
conditioned suppression
motility
opioid activity
pain-threshold
Electroconvulsive shock, 683
head twitches
locomotor activity
Electrophysiology, 875
adrenoceptors
neuropharmacology
single unit studies
Emotional responsiveness, 665
chlordiazepoxide
locomotor activity
stress
Endogenous opiates, 91
ethanol
naloxone
self-administration
Endorphins, 791
naloxone
opiate abstinence syndrome
opiate antagonists
Energy balance, 119
amitriptyline
glucoregulation
lithium
mianserin
Enkephalin, 599
dopamine
locomotor activity
motility
Epilepsy, 711
 β -adrenergic receptors
audiogenic seizures
Estrogen
Estrogen, 689
dopamine
ovariectomy
postural deviation
Ethanol
apomorphine, 179
baboons, 583
body temperature, 973
diet, 993
discrimination, 583

- drinking, 493
- drug discrimination, 179
- drug interaction, 179
- endogenous opiates, 91
- halothane, 797
- heart rate, 973
- human studies, 993
- hypertonic saline, 493
- learned tolerance, 293
- locomotor activity, 1013
- monoamine content, 1013
- naloxone, 91
- operant behavior, 797
- self-administration, 91
- social drinking, 993
- solvents, 797
- tail flick, 293
- thirst, 493
- thyrotropin-releasing hormone, 1013
- tolerance, 973
- toluene, 583, 797
- urinary salsolinol, 993
- Ethanol, acute, 77
 - ethanol, chronic
 - GABA mediated mechanisms
 - tolerance
- Ethanol, chronic, 77
 - ethanol, acute
 - GABA mediated mechanisms
 - tolerance
- Ethanol consumption, 19
 - dependence
 - initial sensitivity
- Ethanol dependence, 357
 - adrenal responses
 - drug interaction
- Ethanol reinforcement
 - alcoholism, 483
 - amphetamine reinforcement, 169
 - conditioned place preference, 169, 483
- Ethanol, voluntary intake, 205
 - serotonin
 - striatum
- Ethylcholine aziridinium, 297
 - high affinity choline uptake
 - passive avoidance
- Excretion, 497
 - phenethylamine
 - stress
- Exocrine pancreas, 589
 - intestinal enzyme activity
 - linear growth
 - obesity
 - synthetic diets
- Exploration
 - anxiety, 941
 - aversion, 695
 - avoidance, 695
 - β -carbolines, 941
 - FG 7142, 941
 - lithium, 695
 - locomotor activity, 941
 - plasma concentrations, 941
 - position learning, 695
 - social interaction, 941
- Exploratory behavior, 403
 - catecholaminergic drugs
 - drug interaction
 - habituation
- Extinction, 661
 - haloperidol
 - neuroleptics
 - reinforcement
- Extrapyramidal system, 479
 - cholinesterase
 - stereotypy
 - motor activity
- Female receptivity, 5
 - 5HT receptor blockers
 - 5HT synthesis
 - lordosis
- Fenfluramine, 127
 - d-amphetamine
 - biogenic amine
 - drug interactions
- FG 7142, 941
 - anxiety
 - β -carbolines
 - exploration
 - locomotor activity
 - plasma concentrations
 - social interaction
- Film autoradiography, 699
 - appetite
 - drinking
 - eating
 - gustatory neuroanatomy
 - taste preference
- Fixed ratio schedule
 - clonidine, 573
 - concurrent, 61
 - cross-tolerance, 573
 - monkeys, 61
 - morphine, 573
 - nicotine, 61
 - phenobarbital, 389
 - phenytoin, 389
 - self administration, 61
 - valproic acid, 389
- Fluprazine, 1
 - copulation
 - sexual behavior, male rats
- Food delivery schedule, 1071
 - body weight
 - food deprivation
 - phentermine
 - self-administration
- Food deprivation, 1071
 - body weight
 - food delivery schedule
 - phentermine
 - self-administration
- GABA mediated mechanisms, 77
 - ethanol, acute
 - ethanol, chronic
 - tolerance
- GABAergic mechanisms, 141
 - anticonvulsants
 - pentobarbital
 - seizures, maximal electroshock induced
- Genetics, 415
 - sexual behavior, male mice
 - Δ^9 -tetrahydrocannabinol
- Glucoprivic feeding, 407
 - alloxan
 - 2-deoxy-D-glucose
 - 5-thioglucose
- Glucoregulation, 119
 - amitriptyline
 - energy balance
 - lithium
 - mianserin
- Glutamate, 531
 - cortex
 - helplessness
 - stress
- Gustatory neuroanatomy, 699
 - appetite
 - drinking
 - eating
 - film autoradiography
 - taste preference
- Habituation
 - catecholaminergic drugs, 403
 - cyclic AMP, 631
 - drug interaction, 403
 - exploratory behavior, 403
 - pituitary, 631
 - stress, 631
- Hallucinogens
 - CNS stimulants, 723
 - drug discrimination, 723
 - 5HT receptors, 677
 - operant behavior, 677
 - phenylisopropylamines, 723
 - pirenperone, 677
 - structure-activity studies, 723
- Haloperidol
 - caffeine, 421
 - 2-chloroadenosine, 421
 - drug interaction, 421
 - extinction, 661
 - juvenile rats, 421
 - locomotor activity, 421
 - neuroleptics, 661
 - reinforcement, 661
- Halothane, 797
 - ethanol
 - operant behavior
 - solvents
 - toluene
- Hamsters
 - locomotor activity, 399
 - morphine, 157
 - naltrexone, 399
 - sensitization, 157
 - strain differences, 399
 - tolerance, 157
- Handling stress, 337
 - colonic temperature
 - hyperthermia
 - naltrexone
- HDL-lipid composition, 343
 - human studies
 - Δ^9 -THC
- Head-dipping, 521
 - discrimination
 - pimozide
 - reward
 - self-stimulation
- Head twitches, 683
 - electroconvulsive shock
 - locomotor activity
- Heart rate, 973
 - body temperature
 - ethanol
 - tolerance
- Helplessness, 531
 - cortex
 - glutamate
 - stress
- Heroin, 175
 - naltrexone
 - self-stimulation
- Heroin conditioning, 215
 - housing

- opiate receptors
- place preference
- 5HT receptor blockers, 5
 - female receptivity
 - 5HT synthesis
 - lordosis
- 5HT receptors, 677
 - hallucinogens
 - operant behavior
 - pirenperone
- 5HT synthesis, 5
 - female receptivity
 - 5HT receptor blockers
 - lordosis
- High affinity choline uptake, 297
 - ethylcholine aziridinium
 - passive avoidance
- Hippocampal pyramidal cells, 147
 - muscarinic receptors
 - passive avoidance
 - trimethyl tin
- Hippocampus
 - antinociception, 1007
 - benzodiazepine receptor binding, 1007
 - caffeine, 449
 - hyperactivity, 449
 - L-PIA, 449
 - operant behavior, 449
 - triethyl lead, 1007
- Hormone
 - aldosterone, 707
 - corticosterone, 357, 631, 707
 - estradiol benzoate, 279, 613, 689, 1019, 1025
 - estrogen, 967
 - luteinizing hormone, 233, 415, 1019
 - noradrenaline, 403
 - progesterone, 279, 1019, 1025
 - prolactin, 631
 - testosterone, 415, 1019
- Housing, 215
 - heroin conditioning
 - opiate receptors
 - place preference
- HPLC, 85
 - biogenic amines
 - catecholamine analysis
- Human studies
 - acute intoxication, 811
 - alcohol, 233
 - alcohol metabolism, 811
 - body composition, 811
 - diet, 993
 - ethanol, 993
 - HDL-lipid composition, 343
 - luteinizing hormone levels, 233
 - menopausal women, 233
 - social drinking, 993
 - Δ^9 -THC, 343
 - urinary salsolinol, 993
- 6-Hydroxydopamine, 1075
 - aging
 - clonidine
 - denervation
 - locomotor activity
- Hyperactivity
 - caffeine, 449
 - desipramine, 917
 - hippocampus, 449
 - hypoactivity, 917
 - L-PIA, 449
 - operant behavior, 449
 - locomotor activity, 917
- Hyperphagia, 753
 - CGS 9896
- clonazepam
- eating
 - Ro5-3663
 - Ro5-4864
 - Ro15-1788
- Hyperprolinemia, 1053
 - aminoaciduria
 - learning deficits
 - proline
- Hyperthermia
 - colonic temperature, 337
 - handling stress, 337
 - hypothermia, 489
 - naltrexone, 337
 - serotonergic agents, 489
 - wet dog shakes, 489
- Hypertonic saline, 493
 - drinking
 - ethanol
 - thirst
- Hypoactivity
 - desipramine, 917
 - hyperactivity, 917
 - hyperthermia, 489
 - locomotor activity, 917
 - serotonergic agents, 489
 - wet dog shakes, 489
- Hypothyroid, 605
 - locomotion
 - perinatal exposure
 - perseveration
 - spatial maze
- In vitro, 317
 - isolated perfused mouse brain
 - neuropeptide secretion
 - nicotine
 - pituitary
- Initial sensitivity, 19
 - dependence
 - ethanol consumption
- Intestinal enzyme activity, 589
 - exocrine pancreas
 - linear growth
 - obesity
 - synthetic diets
- Intracranial drug administration, 57
 - amphetamine
 - anorexia
 - desmethylinipramine
- Investigatory behavior, 803
 - locomotor activity
 - opioid systems
 - stress
- Isolated perfused mouse brain, 317
 - in vitro
 - neuropeptide secretion
 - nicotine
 - pituitary
- Juvenile rats, 421
 - caffeine
 - 2-chloroadenosine
 - drug interaction
 - haloperidol
 - locomotor activity
- Ketamine, 653
 - locomotion
 - open field
- Kindling, 421
 - cocaine
 - prepyriform cortex
- Lead exposure, 107
 - activity
 - stress
- Learned tolerance, 293
 - ethanol
 - tail flick
- Learning
 - age differences, 301
 - cyclic AMP, 183
 - memory, 301
 - radial maze performance, 301
 - spatial discrimination task, 301
 - vasopressin, 183
- Learning deficits, 1053
 - aminoaciduria
 - hyperprolinemia
 - proline
- Lesions, cortical, 1001
 - amphetamine
 - DRL-20
 - supersensitivity
- Lesions, 6-hydroxydopamine, 547
 - apomorphine
 - denervation supersensitivity
- Lesions, midbrain raphe, 559
 - lithium
 - muricide
 - prophylactic effects
 - olfactory bulbectomy
 - rubidium
- Lethality, 333
 - opioid-antihistamine interactions
- Lick duration, 541
 - neuroleptics
 - operant licking
- Linear growth, 589
 - exocrine pancreas
 - intestinal enzyme activity
 - obesity
 - synthetic diets
- Lithium
 - amitriptyline, 119
 - aversion, 695
 - avoidance, 695
 - energy balance, 119
 - exploration, 695
 - glucoregulation, 119
 - lesions, midbrain raphe, 559
 - mianserin, 119
 - muricide, 559
 - position learning, 695
 - olfactory bulbectomy, 559
 - prophylactic effects, 559
 - rubidium, 559
- Locomotor activity
 - aging, 461, 1075
 - aniracetam, 645
 - anorexia, 671
 - avoidance, 645
 - anxiety, 941
 - behavioral inhibition, 25
 - caffeine, 421
 - β -carbolines, 941
 - caudate nucleus, 159
 - chlordiazepoxide, 665
 - 2-chloroadenosine, 421
 - clonidine, 1075
 - cyclazocine, 671
 - denervation, 1075
 - desipramine, 917
 - diazepam, 25
 - DL-erythro-DOPS, 979
 - DL-threo-DOPS, 979
 - dopamine, 461, 599
 - dopamine- β -hydroxylase inhibitors, 535

dopamine receptors, 341
drug interaction, 421
eating, 535, 671
electroconvulsive shock, 683
emotional responsiveness, 665
enkephalin, 599
ethanol, 1013
exploration, 941
FG 7142, 941
haloperidol, 421
hamsters, 399
head twitches, 683
6-hydroxydopamine, 1075
hyperactivity, 917
hypoactivity, 917
hypothyroid, 605
investigatory behavior, 803
juvenile rats, 421
ketamine, 653
monoamine content, 1013
motility, 599
naltrexone, 399
neurotensin, 189
nialamide, 461
nicotine, 461
norepinephrine, 535
open field, 653
opioid system, 803
perinatal exposure, 605
perseveration, 605
 β -phenylethylamine, 159
piracetam, 645
plasma concentrations, 941
prostaglandin D₂, 365
quipazine, 671
rearing, 341
sedation, 189, 365
serotonergic system, 365
social interaction, 941
spatial maze, 605
strain differences, 399
stress, 665, 803
thyrotropin-releasing hormone, 1013
tolerance, 189

Lordosis
adrenergic stimulation, 613
alpha adrenergic antagonists, 279
beta adrenergic antagonists, 279
drug interaction, 613
female receptivity, 5
5HT receptor blockers, 5
5HT synthesis, 5
molecular regulation, 613
proceptivity, 1025
progesterone, 279
serotonin, 1025
sexual behavior, female rat, 1025

L-PIA, 449
caffeine
hippocampus
hyperactivity
operant behavior

LSD, 41
classical conditioning
morphine
nictitating membrane response
rabbits

Luteinizing hormone levels, 233
alcohol
human studies
menopausal

Luteinizing hormone releasing hormone, 967
proceptive behavior
sexual preference
sexual receptivity

Matching-to-sample, 745
aniracetam
monkeys
pigeons
short-term monkeys

Maternal opiate exposure, 949
methadone
perinatal biochemistry
self-administration

Memory
age differences, 301
amnesia, 377
atropine, 243
brain serotonin, 377
caudate nucleus, 243
learning, 301
passive avoidance, 243
radial maze performance, 301
striatal cholinergic activity, 243

Menopausal women, 233
alcohol
human studies
luteinizing hormone levels

Methamphetamine
cathinone, 913
cocaine, 913
dopamine depletion, 737
drug discrimination, 913
rhesus monkeys, 737
stimulus properties, 913
supersensitivity, 737
tolerance, 737

Method
film autoradiography, 699
high performance liquid chromatography, 85
hot plate testing, 1007
radiohistochemistry, 859
single unit electrophysiological recordings, 875

Methadone, 949
maternal opiate exposure
perinatal biochemistry
self-administration

Methylxanthines
adenosine receptors, 195
antinociception, 905
baclofen, 905
caffeine, 195
clonidine, 905
dopamine antagonists, 905
drug discrimination, 815
operant behavior, 815
phosphodiesterase inhibitor, 815
taste, 195

Methysergide, 885
play
quipazine
serotonin

Mianserin, 119
amitriptyline
energy balance
glucoregulations
lithium

Molecular regulation, 613
adrenergic stimulation
drug interaction
lordosis

Monkeys
acquisition, 1061
aggression, 135
d-amphetamine, 135
aniracetam, 745
concurrent fixed ratio schedule, 61
drug interaction, 1061

matching-to-sample, 745
nicotine, 61
opioids, 1061
pigeons, 745
self administration, 61
short-term memory, 745
social interaction, 135

Monoamine content, 1013
ethanol
locomotor activity
thyrotropin-releasing hormone

Monoamines, 153
depletion
phenol-induced tremor

Morphine
amphetamine, 101
classical conditioning, 41
clonidine, 573
cross-tolerance, 573
dependence, 921, 933
dorsal immobility response, 505
fixed ratio schedules, 573
hamsters, 157
indomethacin, 921
LSD, 41
naloxone, 361, 505
neuroleptics, 101
nictitating membrane response, 41
operant behavior, 921, 933
place conditioning, 101
prenatal exposure, 227
prostaglandins, 921, 933
reproduction, 227
reward, 101
sensitization, 157
sexual behavior, rats, 361
steroid receptors, 227
tolerance, 157, 921
tonic immobility, 505

Morphine analgesia, 395
drug interaction
pentobarbital
potentiation

Morphine, intrathecal, 271
place conditioning
tail flick

Motility
conditioned suppression, 249
dopamine, 599
electric footshock, 249
enkephalin, 599
locomotor activity, 599
opioid activity, 249
pain-threshold, 249

Motor activity
behavioral development, 441
cholinesterase, 479
extrapyramidal system, 479
naltrexone, 441
opiate antagonists, 441
stereotypy, 479

Motor deficits, 761
neuroleptics
operant behavior
reinforcement

Mouthing, 265
ontogeny
serotonergic syndrome

Muricide, 559
lesions, midbrain raphe
lithium
prophylactic effects
olfactory bulbectomy
rubidium

- Muscarinic receptors
 - chronic drug treatment, 283
 - hippocampal pyramidal cells, 147
 - nicotine, 283
 - oxotremorine, 283
 - passive avoidance, 147
 - tolerance, 283
 - trimethyl tin, 147
- Naloxone
 - dorsal immobility response, 505
 - endogenous opiates, 91
 - endorphins, 791
 - ethanol, 91
 - morphine, 361, 505
 - operant feeding, 37
 - opiate abstinence syndrome, 791
 - opiate antagonists, 791
 - pigs, 37
 - self-administration, 91
 - sexual behavior, rats, 361
 - tonic immobility, 505
- Naltrexone
 - analgesia, 769
 - behavioral development, 441
 - cold water swim, 769
 - colonic temperature, 337
 - hamsters, 399
 - handling stress, 337
 - heroin, 175
 - locomotor activity, 399
 - motor activity, 441
 - opiate antagonists, 441
 - self-stimulation, 175
 - strain differences, 399
 - stress, 769
 - tolerance, 769
- Neonatal exposure, 1019
 - castration effects
 - drug injection
 - pituitary function
- Neuroleptics
 - amphetamine, 101
 - anhedonia, 787
 - extinction, 661
 - haloperidol, 661
 - lick duration, 541
 - morphine, 101
 - motor deficits, 761
 - operant behavior, 761
 - operant licking, 541
 - pimozide, 787
 - place conditioning, 101
 - reinforcement, 661, 761
 - reward, 101, 787
 - sham feeding, 787
- Neuropeptide secretion, 317
 - in vitro
 - isolated perfused mouse brain
 - nicotine
 - pituitary
- Neuropharmacology, 875
 - adrenoceptors
 - electrophysiology
 - single unit studies
- Neurotensin
 - locomotor activity, 189
 - neurotransmitters, 509
 - sedation, 189
 - stress ulcers, 509
 - tolerance, 189
- Neurotransmitters, 509
 - neurotensin
 - stress ulcers
- Nialamide, 461
 - aging
 - dopamine
 - locomotor activity
- Nicotine
 - antihistamines, 469
 - chronic drug treatment, 283
 - concurrent, 61
 - conditioned place preference, 237
 - drug interactions, 469
 - drug toxicity, 469
 - fixed ratio schedule, 61
 - isolated perfused mouse brain, 317
 - locomotor activity, 897
 - monkeys, 61
 - muscarinic receptors, 283
 - neuropeptide secretion, 317
 - oxotremorine, 283
 - pentylentetrazole, 469
 - pituitary, 317
 - self administration, 61
 - tolerance, 283
- Nictitating membrane response, 41
 - classical conditioning
 - LSD
 - morphine
 - rabbits
- Norepinephrine
 - conditioned preference, 1045
 - dopamine- β -hydroxylase inhibitors, 535
 - eating, 535, 1045
 - locomotor activity, 535
 - quinine aversion, 1045
 - saccharin preference, 1045
- Norepinephrine uptake, 261
 - antidepressants
 - conditioned avoidance
- Obesity, 589
 - exocrine pancreas
 - intestinal enzyme activity
 - linear growth
 - synthetic diets
- Obsessive-compulsive neurosis, 347
 - trazodone
- Olfactory bulbectomy
 - discrimination avoidance, 717
 - lesions, midbrain raphe, 559
 - lithium, 559
 - muricide, 559
 - prophylactic effects, 559
 - psychotropic drugs, 717
 - rubidium, 559
- Ontogeny, 265
 - mouthling
 - serotonergic syndrome
- Open field, 653
 - ketamine
 - locomotion
- Operant behavior
 - bombesin, 893
 - caffeine, 449
 - cholecystokinin, 893
 - dependence, 921, 933
 - drug discrimination, 815
 - ethanol, 797
 - hallucinogens, 677
 - halothane, 797
 - hippocampus, 449
 - 5HT receptors, 677
 - hyperactivity, 449
 - indomethacin, 921
 - lick duration, 541
- L-PIA, 449
- methylxanthine, 815
- morphine, 921, 933
- motor deficits, 761
- naloxone, 37
- neuroleptics, 541, 761
- phosphodiesterase inhibitor, 815
- pigs, 37
- pirenerone, 677
- prostaglandins, 921, 933
- reinforcement, 761
- satiety, 893
- solvents, 797
- tolerance, 921
- toluene, 797
- Opiate abstinence syndrome, 791
 - endorphins
 - naloxone
 - opiate antagonists
- Opiate antagonism, 1035
 - parturition
 - placentophagia
 - tolerance
- Opiate antagonists
 - behavioral development, 441
 - endorphins, 791
 - motor activity, 441
 - naloxone, 791
 - naltrexone, 441
 - opiate abstinence syndrome, 791
- Opiate-ethanol interaction, 255
 - conditioned taste aversion
 - receptor stereospecificity
- Opiate receptors, 215
 - housing
 - heroin conditioning
 - place preference
- Opiates, 209
 - apomorphine
 - drug interaction
 - pigeons
- Opioid activity, 249
 - conditioned suppression
 - electric footshock
 - motility
 - pain-threshold
- Opioid-antihistamine interactions, 333
 - lethality
- Opioid systems, 803
 - investigatory behavior
 - locomotor activity
 - stress
- Opioids, 1061
 - acquisition
 - drug interaction
 - monkeys
- Ovariectomy, 689
 - dopamine
 - estrogen
 - postural deviation
- Oxotremorine, 283
 - chronic drug treatment
 - muscarinic receptors
 - nicotine
 - tolerance
- Pain modulation, 845
 - analgesia
 - spinal adrenergic receptors
 - spinopetal pathways
- Pain-threshold, 249
 - conditioned suppression
 - electric footshock

- motility
- opioid activity
- Parturition, 1035
 - opiate antagonism
 - placentophagia
 - tolerance
- Passive avoidance
 - atropine, 243
 - caudate nucleus, 243
 - ethylcholine aziridinium, 297
 - high affinity choline uptake, 297
 - hippocampal pyramidal cells, 147
 - memory, 243
 - muscarinic receptors, 147
 - retention, 243
 - striatal cholinergic activity, 243
 - trimethyl tin, 147
- Penile erections, 31
 - dopaminergic pathways
 - yawning
- Pentobarbital
 - anticonvulsants, 141
 - avoidance, 435
 - drug interaction, 395
 - freezing behavior, 435
 - GABAergic mechanisms, 141
 - morphine analgesia, 395
 - potentiation, 395
 - seizures, maximal electroshock induced, 141
 - strain differences, 435
- Pentylentetrazol
 - antihistamines, 469
 - audiogenic seizures, 635
 - betaine, 635
 - drug interactions, 469
 - drug toxicity, 469
 - nicotine, 469
 - seizures, 635
- Pentylentetrazol seizures, 515
 - cyclazocine
 - rabbits
- Peptide
 - ACTH, 317
 - angiotensin II, 553
 - bombesin, 893
 - p-chlorophenylalanine, 153
 - cholecystokinin, 893
 - β -endorphin, 317
 - enkephalin, 599
 - follicle stimulating hormone, 1019
 - gonadotropin, 1019
 - 6-hydroxydopamine, 153
 - LHRH, 967
 - α -methyl-p-tyrosine, 153
 - α MSH, 317
 - neurotensin, 189, 509
 - thyrotropin-releasing hormone, 1013
 - vasopressin, 183
 - xenopsin, 189
- Perinatal biochemistry, 949
 - maternal opiate exposure
 - methadone
 - self-administration
- Perinatal exposure, 605
 - hypothyroid
 - locomotion
 - perseveration
 - spatial maze
- Perseveration, 605
 - hypothyroid
 - locomotion
 - perinatal exposure
 - spatial maze
- Phencyclidine, 731
 - dopamine uptake
 - 3 H-phencyclidine
 - turning behavior
- 3 H-Phencyclidine binding, 731
 - dopamine uptake
 - phencyclidine
 - turning behavior
- Phenethylamine, 497
 - excretion
 - stress
- Phenobarbital, 389
 - fixed-ratio schedule
 - phenytoin
 - valproic acid, 389
- Phenol-induced tremor, 153
 - depletion
 - monoamine
- Phentermine, 1071
 - body weight
 - food delivery schedule
 - food deprivation
 - self-administration
- β -Phenylethylamine, 159
 - caudate nucleus
 - locomotor activity
- Phenylisopropylamines, 723
 - CNS stimulants
 - drug discrimination
 - hallucinogens
 - structure-activity studies
- dl-Phenylpropanolamine, 781
 - brown adipose tissue
 - caffeine
 - drug synergism
 - thermogenesis
- Phenytoin
 - anticonvulsants, 53
 - drug interactions, 53
 - eboracin, 53
 - fixed-ratio schedule, 389
 - phenobarbital, 389
 - valproic acid, 389
- Phosphodiesterase inhibitor, 815
 - drug discrimination
 - methylxanthine
 - operant behavior
- Pigeons
 - aniracetam, 745
 - apomorphine, 209
 - drug interaction, 209
 - matching-to-sample, 745
 - monkeys, 745
 - opiates, 209
 - short-term memory, 745
- Pigs, 37
 - naloxone
 - operant feeding
- Pimozide
 - anhedonia, 787
 - discrimination, 521
 - head-dipping, 521
 - neuroleptics, 787
 - reward, 521, 787
 - self-stimulation, 521
 - sham feeding, 787
- Piracetam, 645
 - aniracetam
 - avoidance
 - locomotor activity
- Pirenperone
 - hallucinogens, 677
 - 5HT receptors, 677
 - operant behavior, 677
- quipazine, 565
- serotonin, 565
- sexual behavior, male rat, 565
- Pituitary
 - cyclic AMP, 631
 - habituation, 631
 - isolated perfused mouse brain, 317
 - neuropeptide secretion, 317
 - nicotine, 317
 - stress, 631
- Pituitary function, 1019
 - castration effects
 - drug interactions
 - neonatal exposure
- Place conditioning
 - amphetamine, 101
 - morphine, 101
 - morphine, intrathecal, 271
 - neuroleptics, 101
 - reward, 101
 - tail flick, 271
- Place preference, 215
 - heroin conditioning
 - housing
 - opiate receptors
- Placentophagia, 1035
 - opiate antagonism
 - parturition
 - tolerance
- Plasma concentrations, 941
 - anxiety
 - β -carbolines
 - exploration
 - FG 7142
 - locomotor activity
 - social interaction
- Play, 885
 - methysergide
 - quipazine
 - serotonin
- Position learning, 695
 - aversion
 - avoidance
 - exploration
 - lithium
- Postural deviation, 689
 - dopamine
 - estrogen
 - ovariectomy
- Potentiation, 395
 - drug interaction
 - morphine analgesia
 - pentobarbital
- 3-PPP, 309
 - dopamine agonists
 - dopamine antagonists
 - self-stimulation
- [3 H]Prazosin, 859
 - α -adrenergic receptors
 - [3 H]WB4101
 - receptor autoradiography
- Prenatal exposure, 227
 - morphine
 - reproduction
 - steroid receptors
- Prepyriform cortex, 421
 - cocaine
 - kindling
- Proceptive behavior, 967
 - luteinizing hormone releasing hormone
 - sexual preference
 - sexual receptivity
- Proceptivity, 1025
 - lordosis

- serotonin
 - sexual behavior, female rat
- Progesterone, 279
 - alpha adrenergic antagonists
 - beta adrenergic antagonists
 - lordosis
- Proline, 1053
 - hyperprolinemia
 - learning deficits
- Prophylactic effects, 559
 - lesions, midbrain raphe
 - lithium
 - muricide
 - olfactory bulbectomy
 - rubidium
- Prostaglandin D₂
 - locomotor activity, 365
 - sedation, 365
 - serotonergic system, 365, 371
 - synaptosomes, 371
- Prostaglandins
 - dependence, 921, 933
 - indomethacin, 921
 - morphine, 921, 933
 - operant behavior, 921, 933
 - tolerance, 921
- Psychotropic drugs
 - antidepressants, 71
 - benzodiazepine antagonists, 71
 - discrimination avoidance, 717
 - olfactory bulbectomy, 717
 - shuttlebox, 71

- Quinine aversion, 1045
 - conditioned preference
 - eating
 - norepinephrine
 - saccharin preference
- Quipazine
 - anorexia, 671
 - cyclazocine, 671
 - eating, 671
 - locomotor activity, 671
 - methysergide, 885
 - pirenperone, 565
 - play, 885
 - serotonin, 565, 885
 - sexual behavior, male rat, 565

- Rabbits
 - appetite, 649
 - classical conditioning, 41
 - clonidine, 649
 - cyclazocine, 515
 - eating, 649
 - LSD, 41
 - morphine, 41
 - nictitating membrane response, 41
 - pentylentetrazol seizures, 515
 - stereospecific opiate antagonism, 649
- Radial maze performance, 301
 - age difference
 - learning
 - memory
 - spatial discrimination task
- Rapid eye movement, 889
 - brain serotonin
 - p*-chloroamphetamine
 - respiratory rate
- Rearing, 341
 - dopamine receptors
 - locomotor activity

- Receptor autoradiography, 859
 - α-adrenergic receptors
 - [³H]prazosin
 - [³H]WB4101
- Receptor ontogeny, 985
 - benzodiazepine receptors
 - cerebellum
 - cortex
- Receptor stereospecificity, 255
 - conditioned taste aversion
 - opiate-ethanol interaction
- Receptor subtypes, 835
 - alpha-2 adrenergic receptors
 - strain differences
- Reinforcement
 - extinction, 661
 - haloperidol, 661
 - motor deficits, 761
 - neuroleptics, 661, 761
 - operant behavior, 761
- Reproduction, 227
 - morphine
 - prenatal exposure
 - steroid receptors
- Respiratory depression, 221
 - serotonin agonists
 - serotonin turnover
- Respiratory rate, 889
 - brain serotonin
 - p*-chloroamphetamine
 - rapid eye movement
- Retention, 243
 - atropine
 - caudate nucleus
 - passive avoidance
 - memory
 - striatal cholinergic activity
- Reward
 - amphetamine, 101
 - anhedonia, 787
 - discrimination, 521
 - head-dipping, 521
 - morphine, 101
 - neuroleptics, 101, 787
 - pimozide, 521, 787
 - place conditioning, 101
 - self-stimulation, 521
 - sham feeding, 787
- Rhesus monkeys, 737
 - dopamine depletion
 - methamphetamine
 - supersensitivity
 - tolerance
- Ro5-3663, 753
 - CGS 9896
 - clonazepam
 - eating
 - hyperphagia
 - Ro5-4864
 - Ro15-1788
- Ro5-4864, 753
 - CGS 9896
 - clonazepam
 - eating
 - hyperphagia
 - Ro5-3663
 - Ro15-1788
- Ro15-1788, 753
 - CGS 9896
 - clonazepam
 - eating
 - hyperphagia
 - Ro5-3663
 - Ro5-4864

- Rotational behavior, 901
 - cocaine
 - sensitization
 - tolerance
- Rubidium, 559
 - lesions, midbrain raphe
 - lithium
 - muricide
 - prophylactic effects
 - olfactory bulbectomy

- Saccharin preference, 1045
 - conditioned preference
 - eating
 - norepinephrine
 - quinine aversion
- Sarcosine, 641
 - betaine
 - dimethylglycine
 - seizures
 - strychnine
- Satiety, 893
 - bombesin
 - cholecystokinin
 - operant responding
- Sedation
 - antihistamines, 15
 - locomotor activity, 189, 365
 - neurotensin, 189
 - prostaglandin D₂, 365
 - serotonergic system, 365
 - stimulus control, 15
 - tolerance, 189
- Seizures
 - audiogenic seizures, 635
 - betaine, 635, 641
 - dimethylglycine, 641
 - pentylentetrazol, 635
 - sarcosine, 641
 - strychnine, 641
- Seizures, maximal electroshock induced, 141
 - anticonvulsants
 - GABAergic mechanisms
 - pentobarbital
- Self-administration
 - body weight, 1071
 - cocaine, 945
 - concurrent fixed ratio schedule, 61
 - conditioned taste aversion, 945
 - dopamine, 945
 - endogenous opiates, 91
 - ethanol, 91
 - food delivery schedule, 1071
 - food deprivation, 1071
 - maternal opiate exposure, 949
 - methadone, 949
 - monkeys, 61
 - naloxone, 91
 - nicotine, 61
 - perinatal biochemistry, 949
 - phentermine, 1071
- Self-stimulation
 - discrimination, 521
 - dopamine agonists, 309
 - dopamine antagonists, 309
 - head-dipping, 521
 - heroin, 175
 - naltrexone, 175
 - pimozide, 521
 - 3-PPP, 309
 - reward, 521

- Self-stimulation thresholds, 527
 - brain stimulation reward
- Sensitization
 - cocaine, 901
 - hamsters, 157
 - morphine, 157
 - rotational behavior, 901
 - tolerance, 157, 901
- Serotonergic agents, 489
 - hyperthermia
 - hypothermia
 - wet dog shakes
- Serotonergic syndrome, 265
 - mouthing
 - ontogeny
- Serotonergic system
 - locomotor activity, 365
 - prostaglandin D₂, 365, 371
 - sedation, 365
 - synaptosomes, 371
- Serotonin
 - ethanol, voluntary intake, 205
 - lordosis, 1035
 - methysergide, 885
 - pirenperone, 565
 - play, 885
 - proceptivity, 1025
 - quipazine, 565, 885
 - sexual behavior, female rat, 1025
 - sexual behavior, male rat, 565
 - striatum, 205
- Serotonin agonists, 221
 - respiratory depression
 - serotonin turnover
- Serotonin concentrations, 327
 - asymmetry
 - spontaneous activity
- Serotonin turnover, 221
 - respiratory depression
 - serotonin agonists
- Sexual behavior, female rat, 1025
 - lordosis
 - proceptivity
 - serotonin
- Sexual behavior, male mice, 415
 - genetics
 - Δ⁹-tetrahydrocannabinol
- Sexual behavior, male rats
 - copulation, 1
 - fluprazine, 1
 - pirenperone, 565
 - quipazine, 565
 - serotonin, 565
- Sexual behavior, rats, 361
 - morphine
 - naloxone
- Sexual preference, 967
 - luteinizing hormone releasing hormone
 - proceptive behavior
 - sexual receptivity
- Sexual receptivity, 967
 - luteinizing hormone releasing hormone
 - proceptive behavior
 - sexual preference
- Sham feeding, 787
 - anhedonia
 - neuroleptics
 - pimozide
 - reward
- Short-term memory, 745
 - aniracetam
 - matching-to-sample
 - monkeys
 - pigeons
- Shuttlebox, 71
 - antidepressants
 - benzodiazepine antagonists
 - psychotropic drugs
- Single unit studies, 875
 - adrenoceptors
 - electrophysiology
 - neuropharmacology
- Skeletal growth, 707
 - aldosterone
 - body fat
 - body water
- Social drinking, 993
 - diet
 - ethanol
 - human studies
 - urinary salsolinol
- Social interaction
 - aggression, 135
 - d-amphetamine, 135
 - anxiety, 941
 - β-carbolines, 941
 - exploration, 941
 - FG 7142
 - locomotor activity, 941
 - monkeys, 135
 - plasma concentrations, 941
- Social play, 881
 - clonidine
 - yohimbine
- Sodium transport, 955
 - barbiturates
 - dependence
 - tolerance
- Solvents, 797
 - ethanol
 - halothane
 - operant behavior
 - toluene
- Soman, acetylcholinesterase, 961
 - baboons
 - discrimination
- Spatial discrimination task, 301
 - age difference
 - learning
 - memory
 - radial maze performance
- Spatial maze, 605
 - hypothyroid
 - locomotion
 - perinatal exposure
 - perseveration
- Spinal adrenergic receptors, 845
 - analgesia
 - pain modulation
 - spinopetal pathways
- Spinopetal pathways, 845
 - analgesia
 - pain modulation
 - spinal adrenergic receptors
- Spontaneous activity, 327
 - asymmetry
 - serotonin concentrations
- Stereospecific opiate antagonism, 649
 - appetite
 - clonidine
 - eating
 - rabbits
- Stereotypy, 479
 - cholinesterase
 - extrapyramidal system
 - motor activity
- Steroid receptors, 227
 - morphine
 - prenatal exposure
 - reproduction
- Stimulus control, 15
 - antihistamines
 - sedation
- Stimulus properties, 913
 - cathinone
 - cocaine
 - drug discrimination
 - methamphetamine
- Strain differences
 - alpha-2 adrenergic receptors, 835
 - avoidance, 435
 - body temperature, 623
 - brain AChE activity, 623
 - diisopropylfluorophosphate, 623
 - freezing behavior, 435
 - hamsters, 399
 - locomotor activity, 399
 - naltrexone, 399
 - pentobarbital, 435
 - receptor subtypes, 835
- Stress
 - activity, 107
 - analgesia, 769
 - chlordiazepoxide, 665
 - cold water swim, 769
 - cortex, 531
 - cyclic AMP, 631
 - emotional responsiveness, 665
 - excretion, 497
 - glutamate, 531
 - habituation, 631
 - helplessness, 531
 - investigatory behavior, 803
 - lead exposure, 107
 - locomotor activity, 665, 803
 - naltrexone, 769
 - opioid systems, 803
 - phenethylamine, 497
 - pituitary, 631
 - tolerance, 769
- Stress ulcers, 509
 - neurotensin
 - neurotransmitters
- Striatal cholinergic activity, 243
 - atropine
 - caudate nucleus
 - passive avoidance
 - memory
 - retention
- Striatum, 205
 - ethanol, voluntary intake
 - serotonin
- Structure-activity studies, 723
 - CNS stimulants
 - drug discrimination
 - hallucinogens
 - phenylisopropylamines
- Strychnine, 641
 - betaine
 - dimethylglycine
 - sarcosine
 - seizures
- Supersensitivity
 - amphetamine, 1001
 - dopamine depletion, 737
 - DRL-20, 1001
 - lesions, cortical, 1001
 - methamphetamine, 737
 - rhesus monkeys, 737
 - tolerance, 737
- Synaptosomes, 371
 - prostaglandin D₂
 - serotonergic system

- Synthetic diets, 589
 - exocrine pancreas
 - intestinal enzyme activity
 - linear growth
 - obesity
- Tail flicks
 - ethanol, 293
 - learned tolerance, 293
 - morphine, intrathecal, 271
 - place conditioning, 271
- Taste, 195
 - adenosine receptors
 - caffeine
 - methyl xanthines
- Taste preference, 699
 - appetite
 - drinking
 - eating
 - film autoradiography
 - gustatory neuroanatomy
- Δ^9 -Tetrahydrocannabinol, 415
 - genetics
 - sexual behavior, male mice
- Thermogenesis, 781
 - brown adipose tissue
 - caffeine
 - drug synergism
 - dl-phenylpropranolamine
- Δ^9 -THC, 343
 - HDL-lipid composition
 - human studies
- 5-Thioglucose, 407
 - alloxan
 - 2-deoxy-D-glucose
 - glucoprivic feeding
- Thirst
 - β -adrenergic antagonists, 553
 - drinking, 493, 553
 - ethanol, 493
 - hypertonic saline, 493
 - water deprivation, 553
- Thyrotropin-releasing hormone, 1013
 - ethanol
 - locomotor activity
 - monoamine content
- Tolerance
 - analgesia, 769
- barbiturates, 955
- body temperature, 973
- chronic drug treatment, 283
- cocaine, 901
- cold water swim, 769
- dependence, 921, 955
- dopamine depletion, 737
- ethanol, 973
- ethanol, acute, 77
- ethanol, chronic, 77
- GABA mediated mechanisms, 77
- hamsters, 157
- heart rate, 973
- indomethacin, 921
- locomotor activity, 189
- methamphetamine, 737
- morphine, 157, 921
- muscarinic receptors, 283
- naltrexone, 769
- neurotensin, 189
- nicotine, 283
- operant behavior, 921
- opiate antagonism, 1035
- oxotremorine, 283
- parturition, 1035
- placentophagia, 1035
- prostaglandins, 921
- rhesus monkeys, 737
- rotational behavior, 901
- sedation, 189
- sensitization, 157, 901
- sodium transport, 955
- stress, 769
- supersensitivity, 737
- Toluene
 - baboons, 583
 - discrimination, 583
 - ethanol, 583, 797
 - halothane, 797
 - operant behavior, 797
 - solvents, 797
- Tonic immobility, 505
 - dorsal immobility response
 - morphine
 - naloxone
- Trazedone, 347
 - obsessive-compulsive neurosis
- Triethyl lead, 1007
 - antinociception
- benzodiazepine receptor binding
- hippocampus
- Trimethyl tin, 147
 - hippocampal pyramidal cells
 - muscarinic receptors
 - passive avoidance
- Turning behavior, 731
 - dopamine uptake
 - phencyclidine
 - 3 H-phencyclidine binding
- Urinary salsolinol, 993
 - diet
 - ethanol
 - human studies
 - social drinking
- Valproic acid, 389
 - fixed-ratio schedule
 - phenobarbital
 - phenytoin
- Vasopressin, 183
 - cyclic AMP
 - learning
- Water deprivation, 553
 - β -adrenergic antagonists
 - drinking
 - thirst
- 3 H]WB4101, 859
 - α -adrenergic receptors
 - 3 H]prazosin
 - receptor autoradiography
- Wet dog shakes, 489
 - hyperthermia
 - hypothermia
 - serotonergic agents
- Yawning, 31
 - dopaminergic pathways
 - penile erections
- Yohimbine, 881
 - clonidine
 - social play

AUTHOR INDEX

- Abe, Y., 559
 Adams, M. A., 993
 Advokat, C., 271
 Agmo, A., 599
 Alexander, G. J., 53
 Alexander, R. B., 53
 Allen, M. C., 509
 Amit, Z., 215, 255, 945
 Ando, K., 737
 Anisman, H., 521
 Araki, H., 559
 Arnsten, A. F. T., 803
 Asin, K. E., 169, 661
 Atrens, D. M., 119
 Avery, D. D., 893
- Babcock, A. M., 893
 Baldwin, B. A., 37
 Baldwin, R. A., 1053
 Balster, R. L., 61, 797
 Barfield, R. J., 227
 Barney, C. C., 553
 Barrett, J., 107
 Bartke, A., 415, 1019
 Baum, M. J., 361
 Bavli, S., 233
 Baxter, C. F., 1053
 Beaman, C. M., 483
 Becker, J. B., 901
 Beninger, R. J., 341, 535
 Berge, O.-G., 293
 Bernardis, L. L., 589
 Bernstein, D., 301
 Berridge, C., 803
 Beyer, C., 279, 613
 Black, R. S., 327
 Blanchard, D. C., 1
 Blanchard, R. J., 1
 Boismare, F., 205
 Bondy, S. C., 1007
 Booth, D. A., 57, 1045
 Borrell, S., 357
 Bowers, W., 521
 Brady, J. V., 1001
 Braestrup, C., 941
 Breese, G. R., 221, 1013
 Broekkamp, C. L. E., 309
 Broitman, S. T., 917
 Brooks, S., 589
 Bryson, R., 897
 Bylund, D. B., 835
 Byrd, L. D., 135
- Carlisle, H. J., 761
 Chretien, P., 205
 Clody, D. E., 147
 Collins, A. C., 283, 623
 Comer, C. P., 605
 Conrad, J., 897
 Cooper, S. J., 25, 753
 Cornell, K., 317
 Coupet, J., 147
 Cousin, K. M., 461
 Coyle, S., 1013
 Cronan, T., 897
- Cunningham, C. L., 973
 Curtis, A. L., 825
- Dalterio, S., 1019
 Dar, M. S., 77
 Daoust, M., 205
 Davis, J. L., 1053
 Dean, R. L., 147
 de Avila, N., 599
 DeMesquita, S., 889
 Devenport, L. D., 707
 Deviche, P., 209
 Diamond, M., 1
 Diamond, P., 361
 Diaz, C., 195
 Dionysiou-Asteriou, A., 343
 Dourish, C. T., 159
 Doyle, T. F., 91
 Driscoll, P., 435
 Driver, G. C., 631
 Dudley, C. A., 967
- Echandía, E. L. R., 917
 Eggleston, T., 631
 Eguibar, J. R., 31
 Eikelboom, R., 535
 Eisenhower, G., 493
 Ellingboe, J., 233
 Ellison, F., 215
 Englert, L. F., 297
 Erwin, V. G., 317
 Etgen, A. M., 227
 Ettenberg, A., 761
 Evans, D. R., 993
 Evans, H. L., 745
 Evans, K. R., 535
- Faris, P. L., 1035
 Fernandez, I., 859
 Fernández-Guasti, A., 279, 613
 Fernández-Samblancat, M., 243
 File, S. E., 941
 Flood, J. F., 1053
 Forler, C., 547
 Fóscolo, M. R., 917
 Fowler, S. C., 541
 Flannelly, K. J., 1
 Frank, R. A., 527
 Freed, W. J., 635, 641
 Freeman, G. B., 665
 Freeman, K., 791
 Frye, G. D., 1013
 Fudala, P. J., 237
 Furukawa, T., 645
- Gallus, J. A., 333
 Garrett, K. M., 985
 Gause, E. M., 583, 961
 Geary, N., 787
 Geller, I., 583, 961
 Gerald, M. C., 461
 Gerhardt, S., 71
 Ghoz, E. H., 635
 Gibson, E. L., 1045
 Gilbert, D. B., 753
- Gill, J. M., 195
 Girardot, M.-N., 769
 Gleeson, R. M., 119
 Glennon, R. A., 723, 913
 Goist, K. C., Jr., 811
 Goldberg, L. I., 577
 Goldblum, N., 361
 Gomita, Y., 717
 Goodwin, K. G., 707
 Gormezano, I., 41
 Gorzalka, B. B., 565, 1025
 Gowdey, C. W., 993
 Gower, A. J., 309
 Gramling, S. E., 541
 Guaza, C., 357
 Gudelsky, G. A., 489
- Haines, R. J., 961
 Hall, C. E., 619
 Hamburger-Bar, R., 183
 Hamilton, M., 521
 Harmon, R. E., 469
 Harris, R. A., 955
 Hartmann, R. J., 583, 961
 Harvey, J. A., 41
 Hashimoto, H., 979
 Hauck, A. E., 723
 Heckathorn, D., 497
 Heffner, T., 85
 Henck, J. W., 671
 Hernandez, D. E., 509
 Hetzler, B. E., 653
 Heyward, P., 493
 Higson, F. M., 119
 Hines, G., 695
 Hirst, M., 993
 Ho, B. T., 297
 Hoffman, D. C., 341
 Höglund, A. U., 403
 Hole, D. R., 5
 Hole, K., 293
 Hollingsworth, E. B., 365, 371
 Holloway, F. A., 449, 769, 815
 Holloway, W. R., Jr., 421
 Holmgren, B., 31
 Hong, J. S., 1007
 Hopkins, P. M., 707
 Horita, A., 337
 Hovious, J. R., 949
 Hubbell, C. L., 483
 Hungerford, S., 619
 Hunsinger, R. N., 127
 Hunt, T., 215, 945
 Hunter, A. J., 5
 Hunter, G. A., 483
- Ingram, D. K., 301
 Inoue, T., 645
 Iser, C., 361
 Iwamoto, E. T., 237
- Johanson, C. E., 737
 Johnson, K. M., 731
 Jørgensen, H. A., 293
- Kalofoutis, A., 343
 Kameyama, T., 249
 Kamien, J. B., 577
 Kant, G. J., 631
 Kato, N., 979
 Katovich, M. J., 553
 Katz, N. L., 649
 Kenion, C. C., 631
 Kennedy, J., 469
 Kinzler, W. C., 791
 Kisara, K., 153
 Koch, C., 389
 Koenig, J. I., 489
 Komisaruk, B. R., 1035
 Kopeloff, L. M., 53
 Kotake, C., 85
 Koutselinis, 343
 Krall, S., 699
 Kramer, G., 531
 Kubos, K. L., 1001
- Lai, H., 337
 Lalonde, R., 377
 Landman-Roberts, L., 631
 Larsson, K., 279, 613
 Leal, B. Z., 961
 Leavell, J. G., 791
 Lebenthal, E., 589
 Lee, P. C., 589
 Le Magnen, J., 19
 Lhuintre, J. P., 205
 Lieblich, I., 361
 Liebman, J. M., 71
 Lim, H. L., 1
 Lin-Chu, 901
 Lints, C. E., 711
 Lippa, A. S., 147
 Livesey, P. J., 107
 Livosky, M., 893
 London, E. D., 301
 Loullis, C. C., 147
 Lowy, M. T., 399
 Lucki, I., 261
 Lynch, W. C., 699
- McChesney, C., 531
 McKearney, J. W., 573
 McLaughlin, P. J., 441
 McMaster, S. B., 479
- Mackey, W. B., 101
 Malin, D. H., 791
 Maravelias, C., 343
 Marfaing-Jallat, P., 19
 Marks, M. J., 283
 Marmon, M. M., 781
 Marty, M. A., 317
 Marwaha, J., 875
 Matthews, J. W., 1045
 Mayer, A. D., 1035
 Mayfield, D., 1019
 Meisenberg, G., 189
 Mello, N. K., 233
 Meltzer, H. Y., 489
 Mendelson, J. H., 233

- Mendelson, S. D., 565, 1025
 Mendez, V., 583
 Meyer, M. E., 505
 Meyerhoff, J. L., 631
 Meyerson, B. J., 403
 Michaelis, R. C., 815
 Misra, A. L., 395
 Mitchell, M. A., 955
 Modrow, H. E., 815
 Moerschbaecher, J. M., 1061
 Mokler, D. J., 677
 Moore, N., 205
 Moran, E., 961
 Moran, T. H., 1001
 Mori, T., 979
 Moser, V. C., 797
 Moss, D. E., 479
 Moss, R. L., 967
 Mueller, R. A., 221, 1013
 Murnane, J. M., 407
- Nabeshima, T., 249
 Nakajima, T., 979
 Nanry, K. P., 469
 Nasseth, D., 619
 Nawiesniak, E., 175
 Nearchou, N. I., 333
 Newman, M. E., 183
 Ng Cheong Ton, J. M., 255
 Nielson, J. A., 921, 933
 Niglio, T., 515
 Nobler, M. S., 261
 Normansell, L., 881, 885
 Norton, S., 605
 Noto, T., 979
 Nyquist-Battie, C., 711
- Ogawa, N., 717
 Olton, D. S., 301
 Orensanz, L. M., 859
 Ortolani, E., 515
- Paden, C. M., 699
 Pae, Y.-S., 337
 Palfreyman, M. G., 547
 Panksepp, J., 881, 885
- Papasava, C. L., 1071
 Papasava, M., 1071
 Pappas, B. A., 1075
 Parrott, R. F., 37
 Patrick, G. A., 365, 371
 Pellow, S., 941
 Peris, J., 955, 973
 Peters, M. A., 949
 Petty, F., 531
 Pezzola, A., 515
 Pick, C. G., 361
 Picker, M., 389
 Poling, A., 333, 389
 Pontani, R. B., 395
 Pontecorvo, M. J., 745
 Pope, C. N., 297
 Prado-Alcalá, R. A., 243
 Prange, A. J., Jr., 509
 Prasad, A., 347
- Rastogi, S. K., 141
 Reagan, M. A., 791
 Rech, R. H., 671, 677
 Reid, L. D., 483
 Reynolds, M. A., 301
 Rezabek, D. H., 671
 Ristine, L. A., 265
 Ritter, S., 407
 Robin, M., 547
 Robinson, R. G., 327, 1001
 Robinson, T. E., 901
 Rodriguez, L. A., 479
 Rosenblatt, J. S., 1035
 Ruffolo, R. R., Jr., 827
 Russell, R. D., 421
- Sagratella, S., 515
 Saligut, C., 205
 Samson, H. H., 91
 Sangiah, S., 399
 Sawynok, J., 905
 Schechter, M. D., 179, 913
 Schenk, S., 175, 215
 Schiffman, S. S., 195
 Schindler, C. W., 41
 Schlemmer, R. F., Jr., 649
- Schnur, P., 157
 Schuster, C. R., 737
 Scotti de Carolis, A., 515
 Segal, D. S., 803
 Seiden, L. S., 85, 737
 Sewell, R. G., Jr., 333, 469
 Shrenker, P., 415
 Shull, R. N., 449
 Singer, W. H., 189
 Singer, G., 1071
 Slifer, B. L., 61
 Smith, C. H., 1001
 Smith, E. O., 135
 Smith, G. P., 787
 Smith, R. L., 505, 689
 Smolen, A., 623
 Smolen, T. N., 623
 Smythe, G. A., 119
 Smythe, J. W., 1075
 Snell, L. D., 731
 Snoddy, A. M., 497
 Solodkin-Herrera, M., 243
 Sparber, S. B., 921, 933
 Spear, L. P., 265
 Stanley, D. A., 509
 Steardo, L., 905
 Steger, R., 1019
 Stiger, T. R., 469
 Storlien, L. H., 119
 Stoudt, K. W., 677
 Stripling, J. S., 427
 Stübi, R., 435
 Sutker, P. B., 811
 Suzuki, T., 153
 Swain-Wautlet, B., 653
 Switzman, L., 945
- Tabakoff, B., 169, 985
 Tanaka, M., 645
 Teoh, K. W., 237
 Tessel, R. E., 497
 Thomas, J., 389
 Thompson, D. M., 1061
 Thor, D. H., 421
 Thurmond, J. B., 665
 Ticku, M. K., 141
- Tilson, H. A., 1007
 Towell, A., 57
 Towle, A., 221
 Treit, D., 47, 383
 Trucios, N., 31
- Ueki, S., 559, 717
 Unnerstall, J. R., 859
 Urbá-Holmgren, R., 31
 Uretsky, N. J., 461
- Vadlamani, N. L., 395
 van der Kooy, D., 101
 Van Hartesveldt, C., 689
 Vathy, I. U., 227
 Vikis-Freibergs, V., 377
 Vosmer, G., 85
- Waller, D. P., 649
 Waller, S. B., 301
 Walsh, T. J., 1007
 Watt, J., 699
 Wehner, J. M., 623
 Wellman, P. J., 781
 Wielosz, M., 683
 Williams, H. P., 527
 Willner, P., 57
 Wilson, C. A., 5
 Wilson, M. C., 127
 Winsauer, P. J., 1061
 Winter, J. C., 15
 Wirtshafter, D., 169, 661
 Wooles, W. R., 77
 Woolverton, W. L., 577
- Yaksh, T. L., 845
 Yamada, K., 249, 645
 Yamamoto, T., 559
 Yim, G. K. W., 399
 Young, R., 723
- Zacharko, R. M., 521
 Zagon, I. S., 441
 Zerneño, M., 31
 Zgombick, J. M., 317

