

VOLUME 30 1988

SUBJECT INDEX

- Acquisition, 949
retention
scopolamine
T-maze, 14-unit
- Active avoidance, 77
aminergic neurotransmitter systems
memory retrieval
pharmacological stimulation
- Activity meter, 199
motor development
nicotine
prenatal changes
- Acute administration
amphetamine, 871
behavioral effects, 809
caffeine, 809
chronic administration, 809
ethanol, 769
latent inhibition disruption, 871
 $MHPG-SO_4$, 769
noradrenaline metabolism, 769
strain differences, 769
- Acute effects, 737
behavioral tolerance
chronic effects
cocaine
complex operant behavior
dose-dependent effects
monkeys
- Acute pretreatment, 1065
nicotine
plasma corticosterone levels
strain differences
- Acute response, 269
genetic influence
nicotine
nicotine tolerance
- Adenosine, 155
cerebellum
ethanol
motor incoordination
spontaneous motor activity inhibition
- Adenosine receptor downregulation, 303
brain, rat
chronic administration
diazepam
- Adenosine receptors, 707
autoradiography
methylxanthines
strain differences
- Ad lib feeding, 649
body weight restriction
dorsomedial hypothalamic nucleus
food restriction
lesions, dorsomedial hypothalamic nucleus
- Adrenalectomy
analgesia, stress-induced, 791
corticosterone, 101
 H_2 -receptor, 791
hypophysectomy, 791
schedule-induced wheel running, 101
- (1-24)Adrenocorticotrophic hormone, 391
atria, rat
 3H -norepinephrine uptake
- Aggression, 409
carbamazepine
cats
midbrain periaqueductal gray
- Aggressive behavior
alphaxalone, 729
comparative effects, 729
locomotor behavior, 729
medroxyprogesterone acetate, 829
mice, male, 829
progesterone, 729
reproductive behavior, 729
tamoxifen, 829
- Alcohol intake, 823
renin-angiotensin system
serotonin uptake inhibitor
- N-Allylnormetazocine, 493
oral self-administration
phencyclidine
rhesus monkeys
withdrawal
- Alpha-adrenoceptors, 471
biphasic effects
clonidine
conflict behavior
- Alphaxalone, 729
aggressive behavior
comparative effects
locomotor behavior
progesterone
reproductive behavior
- Alprazolam, 511
low-dose administration
motor activity
- Aminergic neurotransmitter systems, 77
active avoidance
memory retrieval
pharmacological stimulation
- α -Amino-3-hydroxy-5-methylisoxazole-4-propionate, 379
hypermotility
nucleus accumbens
quisqualic acid receptors
- Amnesia
MK-801,205
retrieval, 1093
scopolamine, 1093
- Amphetamine
acute administration, 871
amphetamine anorexia, 641
anorectic effects, 755
behavioral microanalysis, 641
cholecystokinin-octapeptide, 309
chronic administration, 899
circadian rhythm, 535
continuous administration, 535
dopamine, 641
drug interactions, 641
EEG power spectra, 489
- hyperlocomotion, 309
intra-accumbens injection, 309
intracerebroventricular injection, 309
latent inhibition disruption, 871
locomotor behavior, 535
motor activity, 489
opiate mechanisms, 755
route of administration, 309
stereotypy, 309, 535, 899
tolerance development, 755
 $U50488H$, 755
- d-Amphetamine
 γ -butyrolactone, 45
 $CGS\ 10746B$, 1089
conditioned place preference, 853
diazepam, 853
drug discrimination, 1085, 1089
drug interactions, 45, 853
lever pressing, 45
morphine, 853
naloxone, 45
nisoxetine, 1085
ritanserin, 853
- Amphetamine anorexia, 641
amphetamine
behavioral microanalysis
dopamine
drug interactions
- Analepsis, 115
codeine
rat/rabbit comparisons
- Analgesia
bremazocine, 817
ethylketocyclazocine, 817
intestinal inhibition, 319
morphine, 123, 319
neonatal administration, 817
prenatal stress, 123
sex differences, 123
supraspinal cerebral areas, 319
- Analgesia, morphine-induced, 905
jumping, naloxone-induced
morphine
naloxone
restraint
- Analgesia, stress-induced, 791
adrenalectomy
 H_2 -receptor
hypophysectomy
- Anatomical analysis, 129
carbachol
frontal cortex
motor seizures
- Angiotensins, 343
blood pressure responsiveness
genetic breeding
intracarotid infusion
- Anorectic effects, 755
amphetamine
opiate mechanisms
tolerance development
 $U50488H$

- Anorexia, 89
 dexfenfluramine
 ischymetric mechanisms
 lipostatic mechanisms
 metabolic chamber
- Antagonist treatment, 443
 heroin
 intravenous self-administration
 nucleus accumbens
 periaqueductal grey
- Antinociception, 65
 bradycardia
 hypotension
 intrathecal antagonists
 intravenous administration
 [D-Ala²]-methionine enkephalinamide
- Anxiety, 701
 benzodiazepine receptors
 drug interactions
 ethanol
 plus-maze test
- Anxiogenic effects, 331
 benzodiazepine receptors
 brain, rat
 N-butyl β carboline-3-carboxylate
 proconvulsant effects
- Anxiolytic identification, 775
 conditioned defensive burying
- Anxiolytics, 1071
 buspirone
 chlordiazepoxide
 defensive burying
 drug comparisons
 shock-probe test
- Apomorphine
 body temperature, 683
 climbing behavior, 143
 dose-dependent effects, 107
 genetic analysis, 143
 haloperidol, 683
 locomotor behavior, 143
 passive avoidance learning, 107
 punished responding, 753
 SCH 23390, 683
 unpunished responding, 753
- Apparatus
 eight-arm radial maze, 119
 metabolic chamber, 89
 Morris Water Maze, 519
 osmotic mini-pump, 357
 T-maze, 14-unit, 949
- Approach response, 397
 differential effects
 electrical stimulation
 escape response
 intracerebral microinjection
 lateral hypothalamus
 morphine
- Asymmetrical activation, 911
 cerebral cortex
 GABA-gated chloride channels
- Atria, rat, 391
 (1-24)adrenocorticotrophic hormone
³H-norepinephrine uptake
- Atropine, 625
 chickens
 immobility response
 scopolamine
 strain differences
- Auditory stimulus, 983
 functional neuroanatomy
 heroin
- Autoradiography
 adenosine receptors, 707
 brain regional uptake, 781
 2-deoxyglucose, 781
 ethanol, 781
 methylxanthines, 707
 strain differences, 707, 781
- Aversive effects, 693
 dopamine innervation
 lesions, 6-OHDA
 opiates
 visceral cortex
- Behavioral effects
 acute administration, 809
 caffeine, 809
 chronic administration, 809
 5-methoxytryptamine, 847
 parachlorophenylalanine, 847
 prenatal exposure, 847
 serotonin uptake, 847
 thyrotropin-releasing hormone
 binding, 73
 triazolobenzodiazepines, 73
- Behavioral/electrocorticographic comparisons, 479
 diazepam
 drug interactions
 pentylenetetrazol
 rat pups
- Behavioral microanalysis, 641
 amphetamine
 amphetamine anorexia
 dopamine
 drug interactions
- Behavioral tolerance, 737
 acute effects
 chronic effects
 cocaine
 complex operant behavior
 dose-dependent effects
 monkeys
- Benzodiazepine binding sites, 679
 in vitro autoradiography
 substantia innominata
- Benzodiazepine receptor binding affinity, 665
 3-hydroxykynurenone
 neonatal deficiency
 seizures
 vitamin B-6
- Benzodiazepine receptors
 anxiety, 701
 anxiogenic effects, 331
 brain, rat, 331
 N-butyl β carboline-3-carboxylate, 331
 drug interactions, 701
 ethanol, 701
 plus-maze test, 701
 proconvulsant effects, 331
- Benzodiazepines
 chlordiazepoxide, 515
 hunger-mimetic model, 515
 hyperphagia, 515
 postdecapitation convulsions, 1101
 tonic component, 1001
- Bicuculline, 337
 flight behavior
 microinjection
 rats, detelencephalated
 semicarbazide
- Binding characteristics, 255
- nicotinic ligands
 pharmacologic analysis
- Biodisposition, 371
 charcoal
 phencyclidine
- Biogenic amines, 795
 discrete brain regions
 high performance liquid chromatography
- Biphasic effects, 471
 alpha-adrenoceptors
 clonidine
 conflict behavior
- Blood pressure responsiveness, 343
 angiotensins
 genetic breeding
 intracarotid infusion
- Body temperature
 apomorphine, 683
 cannabidiol, 675
 cannabinol, 675
 chronic treatment, 451
 dose-dependent effects, 451
 drug interactions, 451, 675
 haloperidol, 683
 8-OH-DPAT, 451
 open-field activity, 675
 SCH 23390, 683
- Body weight restriction, 649
 ad lib feeding
 dorsomedial hypothalamic nucleus
 food restriction
 lesions, dorsomedial hypothalamic nucleus
- Bradycardia, 65
 antinociception
 hypotension
 intrathecal antagonists
 intravenous administration
 [D-Ala²]-methionine enkephalinamide
- Brain
 amygdala, 129, 319, 769
 brain stem, 137
 bulbar reticular formation, 319
 caudate, 319
 caudate-putamen, 325
 cerebellum, 155
 cerebral cortex, 137, 669, 769, 911, 941
 dorsal hypothalamus, 319
 dorsal noradrenergic bundle, 835
 dorsal periaqueductal gray, 337
 dorsomedial hypothalamic nucleus, 649
 frontal cortex, 129, 319
 hippocampus, 117, 769
 hypothalamic paraventricular nucleus, 925
 hypothalamus, 769, 941
 lateral hypothalamus, 319, 365, 397, 657, 917
 lateral ventricle, 519
 locus coeruleus, 13, 769
 midbrain, 941
 medial anterior cortex, 129
 medial forebrain bundle-lateral hypothalamus, 195
 medial hypothalamus, 337
 median raphe nucleus, 529, 577
 midbrain periaqueductal gray, 409
 mid-line thalamus, 319
 nucleus accumbens, 189, 309, 379, 443, 1051

- nucleus basalis of Meynert, 129
 periaqueductal gray, 319, 443
 raphe magnus nucleus, 319
 striatum, 137, 457
 ventral tegmentum, 1077
 visceral cortex, 693
- Brain, rat**
 adenosine receptor downregulation, 303
 anxiogenic effects, 331
 benzodiazepine receptors, 331
N-butyl β carboline-3-carboxylate, 331
 chronic administration, 303
 diazepam, 303
 hypothermia, 941
 proconvulsant effects, 331
 thyrotropin-releasing hormone, 941
- Brain regional uptake**, 781
 autoradiography
 2-deoxyglucose
 ethanol
 strain differences
- Brain-stimulation reward**, 195
 buprenorphine
 reinforcing properties
 reward threshold
- Bremazocine**, 817
 analgesia
 ethylketocyclazocine
 neonatal administration
- 4-Bromo-2,5-dimethoxyphenethylamine**, 597
 drugs of abuse
- Buprenorphine**
 brain-stimulation reward, 195
 differential tolerance, 977
 diprenorphine, 977
 drug comparisons, 977
 food intake, 977
 heroin, 977
 monkeys, 977
 reinforcing properties, 195
 reward threshold, 195
- Buspirone**
 anxiolytics, 1071
 chlordiazepoxide, 1071
 defensive burying, 1071
 drug comparisons, 1071
 gepirone, 723
 8-hydroxy-2-(di-n-propylamino)tetralin, 723
 pigeons, 723
 shock-probe test, 1071
 unpunished responding, 723
- N-Butyl β carboline-3-carboxylate**, 331
 anxiogenic effects
 benzodiazepine receptors
 brain, rat
 proconvulsant effects
- γ -Butyrolactone**, 45
 d-amphetamine
 drug interactions
 lever pressing
 naloxone
- Caffeine**, 809
 acute administration
 behavioral effects
 chronic administration
- Cannabidiol**, 675
 body temperature
 cannabinol
- drug interactions
 open-field activity
- Cannabinol**, 675
 body temperature
 cannabidiol
 drug interactions
 open-field activity
- Carbachol**, 129
 anatomical analysis
 frontal cortex
 motor seizures
- Carbamate esters**, 403
 nicotine
 nicotine agonists
 nicotine antagonists
 structure-activity studies
- Carbamazepine**, 409
 aggression
 cats
 midbrain periaqueductal gray
- β -Carbolines**, 351
 drug discrimination
 FG 7142
 footshock
 novel environment
- Catalepsy**, 765
 dopamine receptor
 dose-dependent effects
 drug interactions
 LY7155
- Catecholamines**, 589
 drug interactions
 endogenous opioids
 self-stimulation reward
 ventral tegmental area
- Cats**
 aggression, 409
 carbamazepine, 409
 midbrain periaqueductal gray, 409
 naloxone, 543
 penile erection, 543
- Central benzodiazepine agonist**, 749
 clonazepam
 drug comparisons
 NaCl intake
 peripheral benzodiazepine agonist
 RO 5-4864
- Central nicotinic receptors**, 235
 conditioned taste aversion
 discriminative stimulus
 nicotine
- Cerebellum**, 155
 adenosine
 ethanol
 motor incoordination
 spontaneous motor activity inhibition
- Cerebral cortex**, 911
 asymmetrical activation
 GABA-gated chloride channels
- Cerebral depletion**, 137
 conditioned avoidance responding
 norepinephrine
- CGS 10746B**, 1089
 d-amphetamine
 drug discrimination
- Charcoal**, 371
 biodisposition
 phenencyclidine
- Chemoconvulsants**, 995
 drug interactions
 GABAergic drugs
 pentobarbital
- phenobarbital
Chickens, 625
 atropine
 immobility response
 scopolamine
 strain differences
- Chlordiazepoxide**
 anxiolytics, 1071
 benzodiazepines, 515
 buspirone, 1071
 chronic intake, 385
 contextual fear, 209
 cross-tolerance, 385
 defensive burying, 1071
 drug comparisons, 1071
 ethanol, 385
 ethanol tolerance, 385
 hunger-mimetic model, 515
 hyperphagia, 515
 nociception, 209
 shock controllability, 209
 shock-probe test, 1071
- Cholecystokinin**, 569
 dose-dependent effects
 rate-decreasing effects
 schedule-controlled behavior
- Cholecystokinin-octapeptide**, 309
 amphetamine
 hyperlocomotion
 intra-accumbens injection
 intracerebroventricular injection
 route of administration
 stereotypy
- Chronic administration**
 acute administration, 809
 adenosine receptor downregulation, 303
 amphetamine, 899
 behavioral effects, 809
 brain, rat, 303
 caffeine, 809
 clorgyline, 299
 desmethylimipramine, 299
 diazepam, 303
 l-dopa, 585
 drinking, 299
 eating, 299
 haloperidol, 585
 rebound enhancement, 585
 self-stimulation, 585
 stereotyped behavior, 899
- Chronic effects**, 737
 acute effects
 behavioral tolerance
 cocaine
 complex operant behavior
 dose-dependent effects
 monkeys
- Chronic intake**, 385
 chlordiazepoxide
 cross-tolerance
 ethanol
 ethanol tolerance
- Chronic stress**, 169
 $[^3\text{H}]$ cyclohexyladenosine
 hypothalamus
 receptor ligand binding
- Chronic treatment**, 451
 body temperature
 dose-dependent effects
 drug interactions
 8-OH-DPAT

- Circadian rhythm, 535
 amphetamine
 continuous administration
 locomotor behavior
 stereotypy
- Circadian studies, 347
 clorgyline
 5-hydroxytryptamine receptors
- Circling behavior, 1077
 dopaminergic uptake blocker
 morphine
- Citalopram, 613
 discriminative stimulus
 drug comparisons
 L-5-hydroxytryptophan
 RO 4-46202
- Classical conditioning, 433
 CS-US interval
 d-lysergic acid diethylamide
 reflex facilitation
- Classical trace conditioning, 427
 d-lysergic acid diethylamide
- Clenbuterol, 417
 investigatory behavior
 locomotor activity
 peripheral mediation
- Climbing behavior, 143
 apomorphine
 genetic analysis
 locomotor behavior
- Clonazepam, 749
 central benzodiazepine agonist
 drug comparisons
 NaCl intake
 peripheral benzodiazepine antagonist
 RO 5-4864
- Clonidine
 alpha-adrenoceptors, 471
 biphasic effects, 471
 conflict behavior, 471
 feeding behavior, 925
- Clorgyline
 chronic administration, 299
 circadian studies, 347
 desmethylimipramine, 299
 drinking, 299
 eating, 299
 5-hydroxytryptamine receptors, 347
- Clozapine, 603
 drug comparisons
 fixed-consecutive-number responding
- Cocaine
 acute effects, 737
 behavioral tolerance, 737
 chronic effects, 737
 complex operant behavior, 737
 dose-dependent effects, 737
 imipramine, 1
 interactive effects, 1
 monkeys, 737
 self-stimulation, 1
 train-duration thresholds, 1
- Codeine, 115
 analgesis
 rat/rabbit comparisons
- Comparative effects, 729
 aggressive behavior, 729
 alphaxalone
 locomotor behavior
 progesterone
 reproductive behavior
- Complex operant behavior, 737
- acute effects
 behavioral tolerance
 chronic effects
 cocaine
 dose-dependent effects
 monkeys
- Conditioned avoidance responding, 137
 cerebral depletion
 norepinephrine
- Conditioned defensive burying, 775
 anxiolytic identification
- Conditioned place preference
 d-amphetamine, 853
 diazepam, 853
 drug interactions, 853
 hippocampus, 787
 morphine, 787, 853
 ritanserin, 853
- Conditioned stimulus, 859
 cyclophosphamide
 mice, female
 T-cell antibody responses
 unconditioned stimulus
- Conditioned taste aversion
 central nicotinic receptors, 235
 discriminative stimulus, 235
 methylnaltrexone, 687
 morphine, 687
 nicotine, 235
 opiate aversive effects, 687
 preexposure effects, 687
- Conflict behavior, 471
 alpha-adrenoceptors
 biphasic effects
 clonidine
- Contextual fear, 209
 chlordiazepoxide
 nociception
 shock controllability
- Continuous administration, 535
 amphetamine
 circadian rhythm
 locomotor behavior
 stereotypy
- Continuous infusion, 357
 embryos, chicken
 methadone
 opioid dependence
 osmotic mini-pumps
- Corticosterone, 101
 adrenalectomy
 schedule-induced wheel running
- Corticotropin-releasing hormone, 801
 freezing behavior
 intracerebroventricular administration
 pain sensitivity
- Crabs, 635
 defensive response
 morphine
 naloxone
- Cross-tolerance, 385
 chlordiazepoxide
 chronic intake
 ethanol
 ethanol tolerance
- CS-US interval, 433
 classical conditioning
 d-lysergic acid diethylamide
 reflex facilitation
- Cyclazocine, 163
 dissociation
 naltrexone
- nonopioid effects
 opioid effects
- [³H]Cyclohexyladenosine, 169
 chronic stress
 hypothalamus
 receptor ligand binding
- Cyclophosphamide, 859
 conditioned stimulus
 mice, female
 T-cell antibody responses
 unconditioned stimulus
- D₁/D₂ agonists, 457
 dopamine
 EEDQ
 rotational behavior
 selective protection
- D1/D2 dopamine receptor stimulation, 189
 SKF 38393
 stereotyped behaviors
- Daily running activity
 desipramine
 inescapable stress
 long-term effects
- Defensive burying, 1071
 anxiolytics
 buspirone
 chlordiazepoxide
 drug comparisons
 shock-probe test
- Defensive response, 635
 crabs
 morphine
 naloxone
- 2-Deoxyglucose, 781
 autoradiography
 brain regional uptake
 ethanol
 strain differences
- Desipramine
 daily running activity, 21
 ethanol intake, 1045
 fluoxetine, 1045
 food intake, 1045
 inescapable stress, 21
 long-term effects, 21
 RO 15-4513, 1045
 strain differences, 1045
 water intake, 1045
- Desmethylimipramine, 299
 chronic administration
 clorgyline
 drinking
 eating
- Dexfenfluramine, 89
 anorexia
 ischymetric mechanisms
 lipostatic mechanisms
 metabolic chamber
- Diazepam
 adenosine receptor downregulation,
 303
 d-amphetamine, 853
 behavioral/electrocorticographic
 comparisons, 479
 brain, rat, 303
 chronic administration, 303
 conditioned place preference, 853
 dogs, 945
 drug interactions, 479, 853
 flumazenil, 945
 morphine, 853

oral absorption, 945
 pentylenetetrazol, 479
 rat pups, 479
 ritanserin, 853
 Differential effects, 397
 approach response
 electrical stimulation
 escape response
 intracerebral microinjection
 lateral hypothalamus
 morphine
 Differential sensitivity, 183
 ethanol antagonism
 RO 15-4513
 strain differences
 Differential tolerance, 977
 buprenorphine
 diprenorphine
 drug comparisons
 food intake
 heroin
 monkeys
 Dihydroergocristine, 961
 learning and memory
 rats, aged males
 Diprenorphine, 977
 buprenorphine
 differential tolerance
 drug comparisons
 food intake
 heroin
 monkeys
 Discrete brain regions, 795
 biogenic amines
 high performance liquid chromatography
 Discriminative stimulus
 central nicotinic receptors, 235
 citalopram, 613
 conditioned taste aversion, 235
 drug comparisons, 613
 drug interactions, 617
 L-5-hydroxytryptophan, 613
 LSD, 617
 nicotine, 235
 RO 4-4620, 613
 serotonergic agonists, 617
 serotonergic antagonists, 617
 Dissociation, 163
 cyclazocene
 naltrexone
 nonopioid effects
 opioid effects
 Dogs, 945
 diazepam
 flumazenil
 oral absorption
 L-Dopa, 585
 chronic administration
 haloperidol
 rebound enhancement
 self-stimulation
 Dopamine
 amphetamine, 641
 amphetamine anorexia, 641
 behavioral microanalysis, 641
 D₁/D₂ agonists, 457
 drug interactions, 641
 EEDQ, 457
 hyperactivity, 577
 lateral hypothalamus, 365
 median raphe nucleus, 577
 morphine, 577
 neonatal depletions, 365
 rats, adult, 365
 rotational behavior, 457
 selective protection, 457
 stimulation reward, 365
 Dopamine D-1 receptors, 325
 dopamine D-2 receptors
 receptor density
 receptor distribution
 strain differences
 Dopamine D-2 receptors, 325
 dopamine D-1 receptors
 receptor density
 receptor distribution
 strain differences
 Dopamine innervation, 693
 aversive effects
 lesions, 6-OHDA
 opiates
 visceral cortex
 Dopamine-mediated behavior, 463
 drug comparisons
 Dopamine receptors
 catalepsy, 765
 dose-dependent effects, 765
 drug discrimination, 55
 drug interactions, 55, 765
 environment-specific conditioning, 525
 ethanol, 55
 LY17155, 765
 quinpirole, 525
 serotonin receptors, 55
 Dopaminergic uptake blocker, 1077
 circling behavior
 morphine
 Dorsal noradrenergic bundle, 835
 learning
 lesions, 6-hydroxydopamine
 memory
 Dorsomedial hypothalamic nucleus, 649
 ad lib feeding
 body weight restriction
 food restriction
 lesions, dorsomedial hypothalamic nucleus
 Dose-dependent effects
 acute effects, 737
 apomorphine, 107
 behavioral tolerance, 737
 body temperature, 451
 catalepsy, 765
 cholecystokinin, 569
 chronic effects, 737
 chronic treatment, 451
 cocaine, 737
 complex operant behavior, 737
 dopamine receptor, 765
 drug interactions, 451, 765
 LY17155, 765
 monkeys, 737
 8-OH-DPAT, 451
 passive avoidance learning, 107
 rate-decreasing effects, 569
 schedule-controlled behavior, 569
 Drinking
 chronic administration, 299
 clorgyline, 299
 desmethylimipramine, 299
 lateral hypothalamus, 917
 sulpiride, 917
 Drug

adinazolam, 73
 N-allylnormetazocine, 493
 alprazolam, 73, 511
 α-amino-3-hydroxy-5-methyl isoxazole-4-propionate, 379
 2-amino-5-phosphonovaleric acid, 529
 amphetamine, 489, 535, 641, 871
 d-amphetamine, 45, 309, 853, 1085, 1089, 1093
 dl-amphetamine, 899
 (-)-anabasine, 255
 apomorphine, 77, 107, 143, 189, 457, 463, 641, 683, 753, 889
 arecoline, 1093
 atropine, 625
 baclofen, 995
 bicuculline, 337, 995
 bremazocine, 817
 4-bromo-2,5-dimethoxyphenethylamine, 597
 buprenorphine, 195, 977
 buspirone, 55, 723, 775, 1071
 γ-butyrolactone, 45
 caffeine, 707, 809
 cannabidiol, 675
 cannabinol, 675
 carbachol, 129
 carbamazepine, 409
 cathinone, 755, 1089
 CGS 10746B, 1089
 chlordiazepoxide, 209, 331, 515, 775, 1071
 chlorpromazine, 603
 7-(2-chloroethyl)-theophylline, 155
 citalopram, 613
 clenbuterol, 417
 clomipramine, 451
 clonazepam, 749
 clonidine, 77, 451, 471, 925
 clorgyline, 299, 347, 451
 clozapine, 603
 cocaine, 1, 243, 589, 737, 1089
 codeine, 115
 corticosterone, 101
 (dl)-cyclazocene, 163
 (l)-cyclazocene, 163
 cyclophosphamide, 859
 (-)-cytisine, 255
 desipramine, 21, 1045
 desmethylimipramine, 137, 299
 dexfenfluramine, 89
 diazepam, 115, 303, 331, 479, 679, 755, 853, 945, 995
 dihydroergocristine, 961
 5,6-dihydroxytryptamine, 319
 dilezap, 155
 diprenorphine, 977
 DOM, 617
 l-dopa, 77, 585
 dopamine, 365, 641, 693
 DPS-4, 137
 enalapril, 823
 estazolam, 73
 ethanol, 55, 155, 177, 501, 769, 781, 867, 933
 ethyl β-carboline-3-carboxylate, 243
 ethylketocyclazocene, 817
 d-fenfluramine, 715
 fentanyl, 879
 FG 7142, 351, 701
 flumazenil, 945
 fluoxetine, 77, 823, 1045

- α-fluphenixol, 693
 GBR-13069, 1077
 gepirone, 723
 haloperidol, 55, 309, 451, 585, 589, 603, 683
 heroin, 443, 977, 983
 8-hydroxy-2-(di-n-propylamino) tetralin, 723
 3-hydroxykynurenone, 665
 1,5-hydroxytryptophan, 613
 imipramine, 1, 451, 775, 889
 isofloxythepin, 1081
 isoproterenol, 417
 ketamine, 421
 kynurenic acid, 529
 (-)-lobeline, 255
^{[3]H}lormetazepam, 679
 loxapine, 603
 LSD, 613, 617
 LY 171555, 55, 453
 d-lysergic acid diethylamide, 427, 433
 marijuana, 539
 MDMT, 617
 mecamylamine, 149
 medroxyprogesterone acetate, 829
 5-MeODMT, 55, 679
 meprobamate, 775
 metergoline, 451
 methadone, 357
 methaqualone, 483
 methiotezin, 451
 5-methoxy DMT, 77
 5-methoxytryptamine, 847
 methylnaltrexone, 687
 methylphenidate, 879
 MK-801, 205
 molindone, 603
 morphine, 13, 123, 243, 319, 397, 569, 577, 635, 687, 693, 755, 775, 789, 853, 905, 1021, 1051, 1077
 MR 2266, 817
 nadolol, 417
 naloxone, 13, 45, 451, 543, 589, 635, 791, 905, 967, 1077
 naltrexone, 115, 163, 569, 817
 nicotine, 119, 149, 199, 217, 227, 235, 243, 249, 269, 403, 879, 1059, 1065
 (-)-nicotine, 255
 (+)-nicotine, 255
 nisoxetine, 1085
 nitrous oxide, 83
 nomifensine, 1077
³H-norepinephrine, 391
 8-OH-DPAT, 55, 451, 613, 617
 parachlorophenylalanine, 847
 pentobarbital, 995
 pentylenetetrazol, 479
 phencyclidine, 31, 205, 371, 493, 1035
 l-phenylcyclohexane, 1035
 phenobarbital, 879, 995
 phenoxybenzamine, 451
 phenylephrine, 77
 picrotoxin, 995
 pimozide, 641
 pindolol, 451
 pirenperone, 37, 55, 613, 617
 pirenzepine, 519
 pizotifen, 55
 pizotyline, 613, 617
 propanolol, 451
 (-)propranolol, 55
 quinpirole, 189, 457, 525
 quinuclidinyl benzilate, 31
 quipazine, 37, 55
 ritanserin, 451, 853
 RO 4-4602, 613
 RO 5-4864, 749
 RO 15-1788, 331
 RO 15-3505, 701
 RO 15-4513, 183, 501, 701, 867, 1045
 RU-24969, 617
 salbutamol, 77
 SCH 23390, 463, 683, 765
 scopolamine, 119, 205, 295, 625, 949, 1093
 semicarbazide, 337
 SKF 38393, 55, 189, 457, 463
 SMS 201-995, 295
 strychnine, 995
 sulpiride, 917
 (-)-sulpiride, 765
 tamoxifen, 829
 TFMPP, 55, 613, 617
 theophylline, 155
 thioridazine, 641
 THIP, 995
 triazolam, 73
 U50488H, 755
 YM 09151-2, 463
 zolantidine, 791
 Drug-admixed food method, 483
 methaqualone
 physical dependence
 sex differences
 Drug comparisons
 anxiolytics, 1071
 buprenorphine, 977
 buspirone, 723, 1071
 central benzodiazepine agonist, 749
 chlordiazepoxide, 1071
 citalopram, 613
 clonazepam, 749
 clozapine, 603
 defensive burying, 1071
 differential tolerance, 977
 discriminative stimulus, 613
 dopamine-mediated behavior, 463
 fixed-consecutive-number responding, 603
 food intake, 977
 gepirone, 723
 heroin, 977
 8-hydroxy-2-(di-n-propyl-amino)tetralin, 723
 l-hydroxytryptophan, 613
 monkeys, 977
 NaCl intake, 749
 peripheral benzodiazepine agonist, 749
 pigeons, 723
 RO 4-46202, 613
 RO 5-4864, 749
 shock-probe test, 1071
 unpunished responding, 723
 Drug discrimination
 d-amphetamine, 1085, 1089
 β-carbolines, 351
 CGS 10746B, 1089
 drug interactions, 55
 dopamine receptors, 55
 ethanol, 55
 FG 7142, 351
 footshock, 351
 nisoxetine, 1085
 novel environment, 351
 serotonin receptors, 55
 Drug interactions
 amphetamine, 641
 d-amphetamine, 45, 853
 amphetamine anorexia, 641
 anxiety, 701
 behavioral/electrocorticographic comparisons, 479
 behavioral microanalysis, 641
 benzodiazepine receptors, 701
 body temperature, 451, 675
 γ-butyrolactone, 45
 cannabidiol, 675
 cannabinol, 675
 catatopy, 765
 catecholamines, 589
 chemoconvulsants, 995
 chronic treatment, 451
 conditioned place preference, 853
 diazepam, 479, 853
 discriminative stimulus, 617
 dopamine, 641
 dopamine receptor, 55, 765
 dose-dependent effects, 451, 765
 drug discrimination, 55
 endogenous opioids, 589
 ethanol, 55, 501, 701, 867
 GABAergic drugs, 995
 GABAergic system, 501
 lever pressing, 45
 light/dark choice paradigm, 867
 locus coeruleus, 13
 locus coeruleus stimulation, 13
 lordosis, 37
 LSD, 617
 LY17155, 765
 alpha-melanocyte stimulating hormone, 37
 molecular interactions, 501
 monkeys, 13
 morphine, 13, 853
 morphine withdrawal, 13
 naloxone, 13, 45
 8-OH-DPAT, 451
 open-field activity, 675
 pentobarbital, 995
 pentylenetetrazol, 479
 phencyclidine, 1035
 phenobarbital, 995
 l-phenylcyclohexane, 1035
 plus-maze test, 701
 rat pups, 479
 ritanserin, 853
 RO 15-4513, 501, 867
 self-stimulation reward, 589
 serotonin, 37
 serotonergic agonists, 617
 serotonergic antagonists, 617
 serotonin receptors, 55
 staircase test, 867
 ventral tegmental area, 589
 Drug self-administration, 227
 human studies
 intravenous administration
 nicotine
 reinforcing effects
 Drugs of abuse, 597
 4-bromo-2,5-dimethoxyphenethylamine
 Eating
 chronic administration, 299
 clorgyline, 299
 desmethylimipramine, 299
 lateral hypothalamus, 917

- sulpiride, 917
- EEDQ, 457
 - D₁/D₂ agonists
 - dopamine
 - rotational behavior
 - selective protection
- EEG power spectra, 489
 - amphetamine
 - motor activity
- Eight-arm radial maze, 119
 - nicotine
 - scopolamine
- Electrical stimulation, 397
 - approach response
 - differential effects
 - escape response
 - intracerebral microinjection
 - lateral hypothalamus
 - morphine
- Electroencephalogram, 149
 - human studies, males
 - mecamylamine
 - nicotine
 - nicotine gum
- Embryos, chicken, 357
 - continuous infusion
 - methadone
 - opioid dependence
 - osmotic mini-pump
- Endogenous opioids, 589
 - catecholamines
 - drug interactions
 - self-stimulation reward
 - ventral tegmental area
- β -Endorphin levels, 933
 - ethanol
 - ethanol withdrawal
 - pituitary
- Environment-specific conditioning, 525
 - dopamine receptor
 - quinpirole
- Escape, 957
 - frogs
 - skin mucus
 - tardive dyskinesia
- Escape response, 397
 - approach response
 - differential effects
 - electrical stimulation
 - intracerebral injection
 - lateral hypothalamus
 - morphine
- Estrous cycle, 563
 - monoamines
 - postpartum period
 - pregnancy
- Ethanol
 - acute administration, 769
 - adenosine, 155
 - anxiety, 701
 - autoradiography, 781
 - benzodiazepine receptors, 701
 - brain regional uptake, 781
 - cerebellum, 155
 - chlor diazepoxide, 385
 - chronic intake, 385
 - cross-tolerance, 385
 - 2-deoxyglucose, 781
 - dopamine receptors, 55
 - drug discrimination, 55
 - drug interactions, 55, 501, 701, 867
 - β -endorphin levels, 933
 - ethanol tolerance, 385
 - ethanol withdrawal, 933
 - GABAergic system, 501
 - hippocampus, 177
 - light/dark choice paradigm, 867
 - MHPG-SO₄, 769
 - molecular interactions, 501
 - motor incoordination, 155
 - noradrenaline metabolism, 769
 - pituitary, 933
 - plus-maze test, 701
 - rhythmic slow activity, 177
 - RO 15-4513, 501, 867
 - serotonin receptors, 55
 - spontaneous motor activity inhibition, 155
 - staircase test, 867
 - strain differences, 177, 769, 781
- Ethanol antagonism, 183
 - differential sensitivity
 - RO 15-4513
 - strain differences
- Ethanol intake, 1045
 - desipramine
 - fluoxetine
 - food intake
 - RO 15-4513
 - strain differences
 - water intake
- Ethanol tolerance, 385
 - chlor diazepoxide
 - chronic intake
 - cross-tolerance
 - ethanol
- Ethanol withdrawal, 933
 - β -endorphin levels
 - ethanol
 - pituitary
- Ethylketocyclazocine, 817
 - analgesia
 - bremazocine
 - neonatal administration
- Excitatory amino acid antagonists, 529
 - ingestive behaviors
 - median raphe nucleus
- Feeding behavior, 925
 - clonidine
- d-Fenfluramine, 715
 - serotonin metabolism, brain
 - uptake inhibition
- FG 7142, 351
 - β -carbolines
 - drug discrimination
 - footshock
 - novel environment
- Fixed-consecutive-number responding, 603
 - clozapine
 - drug comparisons
- Flash evoked potentials, 421
 - ketamine
- Flight behavior, 337
 - bicuculline
 - microinjection
 - rats, detelencephalated
 - semicarbazide
- Flumazenil, 945
 - diazepam
 - dogs
 - oral absorption
- Fluoxetine, 1045
 - desipramine
 - ethanol intake
- food intake
 - RO 15-4513
 - strain differences
 - water intake
- Food intake
 - buprenorphine, 977
 - desipramine, 1045
 - differential tolerance, 977
 - diprenorphine, 977
 - drug comparisons, 977
 - ethanol intake, 1045
 - fluoxetine, 1045
 - heroin, 977
 - intravenous self-administration, 1051
 - lesions, 6-hydroxydopamine, 1051
 - monkeys, 977
 - morphine, 1051
 - nucleus accumbens, 1051
 - RO 15-4513
 - strain differences, 1045
 - water intake, 1045
- Food restriction, 649
 - ad lib feeding
 - body weight restriction
 - dorsomedial hypothalamic nucleus
 - lesions, dorsomedial hypothalamic nucleus
- Footshock, 351
 - β -carbolines
 - drug discrimination
 - FG 7142
 - novel environment
- Four-drug discrimination, 879
 - identical levers
 - response manipulandum
- Freezing behavior, 801
 - corticotropin-releasing hormone
 - intracerebroventricular administration
 - pain sensitivity
- Frogs, 957
 - escape
 - skin mucus
 - tardive dyskinesia
- Frontal cortex, 129
 - anatomical analysis
 - carbachol
 - motor seizures
- Functional neuroanatomy, 983
 - auditory stimulus
 - heroin
- GABA agonists, 657
 - lateral hypothalamus
 - reward effect
 - self-stimulation
- GABAergic drugs, 995
 - chemoconvulsants
 - drug interactions
 - pentobarbital
 - phenobarbital
- GABAergic system, 501
 - drug interactions
 - ethanol
 - molecular interactions
 - RO 15-4513
- GABA-gated chloride channels, 911
 - asymmetrical activation
 - cerebral cortex
- Genetic analysis, 143
 - apomorphine
 - climbing behavior
 - locomotor behavior
- Genetic breeding, 343

- angiotensins
 blood pressure responsiveness
 intracarotid infusion
Genetic differences, 1059
 nicotine
 plasma corticosterone levels
Genetic influence, 269
 acute response
 nicotine
 nicotine tolerance
Gepirone, 723
 buspirone
 drug comparisons
 8-hydroxy-2-(di-n-propyl-amino)tetralin
 pigeons
 unpunished responding
- Haloperidol**
 apomorphine, 683
 body temperature, 683
 chronic administration, 585
 l-dopa, 585
 rebound enhancement, 585
 SCH 23390, 683
 self-stimulation, 585
- Heart**, 1015
 kidney
 peripheral benzodiazepine receptors
 $[^3\text{H}]$ RO 5-4864 binding
 stress
- Heroin**
 antagonist treatment, 443
 auditory stimulus, 983
 buprenorphine, 977
 differential tolerance, 977
 diprenorphine, 977
 drug comparisons, 977
 food intake, 977
 functional neuroanatomy, 983
 intravenous self-administration, 443
 monkeys, 977
 nucleus accumbens, 443
 periaqueductal grey, 443
- High performance liquid chromatography**, 795
 biogenic amines
 discrete brain regions
- Hippocampus**
 conditioned place preference, 787
 ethanol, 177
 morphine, 787
 rhythmic slow activity, 177
 strain differences, 177
- Hormone**
 alphaxalone, 729
 progesterone, 729
- H₂-receptor**, 791
 adrenalectomy
 analgesia, stress-induced
 hypophysectomy
- Human studies**
 drug self-administration, 227
 intravenous administration, 227
 marijuana smoke, 895
 nicotine, 217, 227
 nitrous oxide, 83
 pharmacologic determinants, 221
 pharmacological effects, 217
 reinforcing effects, 227
 salivary cotinine, 895
 serum cotinine, 895
- state-dependent memory, 83
 tobacco dependence, 217
 tobacco self-administration, 221
 tobacco smoke, 895
- Human studies, males**
 electroencephalogram, 149
 marijuana, 539
 mecamylamine, 149
 metabolic data, 249
 naloxone, 967
 nicotine, 149, 249
 nicotine gum, 149
 nicotine metabolism, 249
 prolactin response, 967
 psychopharmacology, 967
 small groups, 539
 social behavior, 539
- Hunger-mimetic model**, 515
 benzodiazepines
 chlordiazepoxide
 hyperphagia
- 8-Hydroxy-2-(di-n-propyl-amino)tetralin**, 723
 buspirone
 drug comparisons
 gepirone
 pigeons
 unpunished responding
- 3-Hydroxykynurenone**, 665
 benzodiazepine receptor binding affinity
 neonatal deficiency
 seizures
 vitamin B-6
- 5-Hydroxytryptamine receptors**, 347
 circadian studies
 clorgyline
- l-5-Hydroxytryptophan**, 613
 citalopram
 discriminative stimulus
 drug comparisons
 RO 4-46202
- Hyperactivity**, 577
 dopamine
 median raphe nucleus
 morphine
- Hyperlocomotion**, 309
 amphetamine
 cholecystokinin-octapeptide
 intra-accumbens injections
 intracerebroventricular injection
 route of administration
 stereotypy
- Hypermotility**, 379
 α -amino-3-hydroxy-5-methylisoxazole-4-propionate
 nucleus accumbens
 quisqualic acid receptors
- Hyperphagia**, 515
 benzodiazepines
 chlordiazepoxide
 hunger-mimetic model
- Hypophysectomy**, 791
 adrenalectomy
 analgesia, stress-induced
 H₂-receptor
- Hypotension**, 65
 antinociception
 bradycardia
 intrathecal antagonists
 intravenous administration
 [D-Ala²]-methionine enkephalinamide
- Hypothalamus**, 169
 chronic stress
 $[^3\text{H}]$ cyclohexyladenosine receptor ligand binding
Hypothermia, 941
 brain, rat
 thyrotropin-releasing hormone
- Identical levers**, 879
 four-drug discrimination response manipulandum
- Imipramine**
 cocaine, 1
 interactive effects, 1
 long-term treatment, 889
 place preference, apomorphine-induced, 889
 place preference, food-induced self stimulation, 1
 short-term treatment, 889
 train-duration thresholds, 1
- Immobility response**, 625
 atropine
 chickens
 scopolamine
 strain differences
- Inescapable stress**, 21
 daily running activity
 desipramine
 long-term effects
- Ingestive behaviors**, 529
 excitatory amino acid antagonists
 median raphe nucleus
- Interactive effects**, 1
 cocaine
 imipramine
 self-stimulation
 train-duration thresholds
- Intestinal inhibition**, 319
 analgesia
 morphine
 supraspinal cerebral areas
- Intra-accumbens injection**, 309
 amphetamine
 cholecystokinin-octapeptide
 hyperlocomotion
 intracerebroventricular injection
 route of administration
 stereotypy
- Intracarotid infusion**, 343
 angiotensins
 blood pressure responsiveness
 genetic breeding
- Intracerebral microinjection**, 397
 approach response
 differential effects
 electrical stimulation
 escape response
 lateral hypothalamus
 morphine
- Intracerebroventricular administration**, 801
 corticotropin-releasing hormone
 freezing behavior
 pain sensitivity
- Intracerebroventricular injection**, 309
 amphetamine
 cholecystokinin-octapeptide
 hyperlocomotion
 intra-accumbens injection
 route of administration
 stereotypy

- Intrathecal antagonists, 65
 antinociception
 bradycardia
 hypotension
 intravenous administration
 [D-Ala²]-methionine enkephalinamide
- Intravenous administration
 antinociception, 65
 bradycardia, 65
 drug self-administration, 227
 human studies, 227
 hypotension, 65
 intrathecal antagonists, 65
 [D-Ala²]-methionine enkephalinamide
 monkeys, 243
 reinforcing effects, 227
- Intravenous self-administration
 antagonist treatment, 443
 food intake, 1051
 heroin, 443
 lesions, 6-hydroxydopamine, 1051
 morphine, 1051
 nucleus accumbens, 443, 1051
 periaqueductal grey, 443
- Inverse benzodiazepine agonists, 5
 in vitro
 in vivo
 neuropharmacology
 rabbits
- Investigatory behavior, 417
 clenbuterol
 locomotor activity
 peripheral mediation
- In vitro, 5
 inverse benzodiazepine agonists
 in vivo
 neuropharmacology
 rabbits
- In vitro autoradiography, 679
 benzodiazepine binding sites
 substantia innominata
- In vivo
 inverse benzodiazepine agonists, 5
 in vitro, 5
 neuropharmacology, 5
 parametric studies, 31
 phenacylidine, 31
 quinuclidinyl benzilate, 31
 rabbits, 5
- Ionizing radiation, 1007
 schedule-controlled performance
 sublethal doses
- Ischymetric mechanisms, 89
 anorexia
 dexfenfluramine
 lipostatic mechanisms
 metabolic chamber
- Isofloxythepin, 1081
 isofloxythepin enantiomers
 postdecapitation convulsions
 prolactin secretion
- Isofloxythepin enantiomers, 1081
 isofloxythepin
 postdecapitation convulsions
 prolactin secretion
- Jumping, naloxone-induced, 905
 analgesia, morphine-induced
 morphine
 naloxone
 restraint
- Ketamine, 421
 flash evoked potentials
- Kidney, 1015
 heart
 peripheral benzodiazepine receptors
 [³H] RO 5-4864 binding
 stress
- Latent inhibition disruption, 871
 acute administration
 amphetamine
- Lateral hypothalamus
 approach response, 397
 differential effects, 397
 dopamine, 365
 drinking, 917
 eating, 917
 electrical stimulation, 397
 escape response, 397
 GABA agonists, 657
 intracerebral microinjection, 397
 morphine, 397
 neonatal depletions, 365
 rats, adult, 365
 reward effect, 657
 self-stimulation, 657
 stimulation reward, 365
 sulpiride, 917
- Learning, 835
 dorsal noradrenergic bundle
 lesions, 6-hydroxydopamine
 memory
- Learning and memory, 961
 dihydroergocristine
 rats, aged males
- Lesions, dorsomedial hypothalamic nucleus, 649
 ad lib feeding
 body weight restriction
 dorsomedial hypothalamic nucleus
 food restriction
- Lesions, 6-hydroxydopamine
 aversive effects, 693
 dopamine innervation, 693
 dorsal noradrenergic bundle, 835
 food intake, 1051
 intravenous self-administration, 1051
 learning, 835
 memory, 835
 morphine, 1051
 nucleus accumbens, 1051
 opiates, 693
 visceral cortex, 693
- Lever pressing, 45
 d-amphetamine
 γ -butyrolactone
 drug interactions
 naloxone
- Light/dark choice paradigm, 867
 drug interactions
 ethanol
 RO 15-4513
 staircase test
- Lipostatic mechanisms, 89
 anorexia
 dexfenfluramine
 ischymetric mechanisms
 metabolic chamber
- Locomotor behavior
 aggressive behavior, 729
 alphaxalone, 729
 amphetamine, 535
- Apomorphine, 143
 circadian rhythm, 535
 clenbuterol, 417
 climbing behavior, 143
 comparative effects, 729
 continuous administration, 535
 genetic analysis, 143
 investigatory behavior, 417
 peripheral mediation, 417
 progesterone, 729
 reproductive behavior, 729
 stereotypy, 535
- Locus coeruleus, 13
 drug interactions
 locus coeruleus stimulation
 monkeys
 morphine
 morphine withdrawal
 naloxone
- Locus coeruleus stimulation, 13
 drug interactions
 locus coeruleus
 monkeys
 morphine
 morphine withdrawal
 naloxone
- Long-term effects, 21
 daily running activity
 desipramine
 inescapable stress
- Long-term treatment, 889
 imipramine
 place preference, apomorphine-induced
 place preference, food-induced
 short-term treatment
- Lordosis, 37
 drug interactions
 alpha-melanocyte stimulating hormone
 serotonin
- Low-dose administration, 511
 alprazolam
 motor activity
- LSD, 617
 discriminative stimulus
 drug interactions
 serotonergic agonists
 serotonergic antagonists
- LY17155, 765
 cataplexy
 dopamine receptor
 dose-dependent effects
 drug interactions
- d-Lysergic acid diethylamide
 classical conditioning, 433
 classical trace conditioning, 427
 CS-UCS interval, 433
 reflex facilitation, 433
- Marijuana, 539
 human studies, males
 small groups
 social behavior
- Marijuana smoke, 895
 human studies
 salivary cotinine
 serum cotinine
 tobacco smoke
- Maternal stress, 669
 5-MeODMT
 open-field activity

- postnatal factors
- prenatal factors
- Mecamylamine**, 149
 - electroencephalogram
 - human studies, males
 - nicotine
 - nicotine gum
- Median raphe nucleus**
 - dopamine, 577
 - excitatory amino acid antagonists, 529
 - hyperactivity, 577
 - ingestive behaviors, 529
 - morphine, 577
- Medroxyprogesterone acetate**, 829
 - aggressive behavior
 - mice, male
 - tamoxifen
- alpha-Melanocyte stimulating hormone**, 37
 - drug interactions
 - lordosis
 - serotonin
- Memory**, 835
 - dorsal noradrenergic bundle
 - learning
 - lesions, 6-hydroxydopamine
- Memory retrieval**, 77
 - active avoidance
 - aminergic neurotransmitter systems
 - pharmacological stimulation
- 5-MeODMT**, 669
 - maternal stress
 - open-field activity
 - postnatal factors
 - prenatal factors
- Metabolic chamber**, 89
 - anorexia
 - dexfenfluramine
 - ischymetric mechanisms
 - lipostatic mechanisms
- Metabolic data**, 249
 - human studies, males
 - nicotine
 - nicotine metabolism
- Methadone**, 357
 - continuous infusion
 - embryos, chicken
 - opioid dependence
 - osmotic mini-pumps
- Methaqualone**, 483
 - drug-admixed food method
 - physical dependence
 - sex differences
- [D-Ala²]-Methionine enkephalinamide, 65
 - antinociception
 - bradycardia
 - hypotension
 - intrathecal antagonists
 - intravenous administration
- Method**
 - autoradiography, 325, 781
 - drug-admixed food method, 483
 - gas chromatography-mass spectrometry, 249
 - high performance liquid chromatography, 795
 - Montgomery's conflict test, 471
 - Vogel's conflict test, 471
- 5-Methoxytryptamine, 847
 - behavioral effects
 - parachlorophenylalanine
 - prenatal exposure
 - serotonin uptake
- Methylnaltrexone**, 687
 - conditioned taste aversion
 - morphine
 - opiate aversive effects
 - preexposure effects
- Methylxanthines**, 707
 - adenosine receptors
 - autoradiography
 - strain differences
- MHPG-SO₄, 769
 - acute administration
 - ethanol
 - noradrenaline metabolism
 - strain differences
- Mice, female**, 859
 - conditioned stimulus
 - cyclophosphamide
 - T-cell antibody responses
 - unconditioned stimulus
- Mice, male**, 829
 - aggressive behavior
 - medroxyprogesterone acetate
 - tamoxifen
- Microinjection**, 337
 - bicuculline
 - flight behavior
 - rats, detelencephalated
 - semicarbazide
- Midbrain periaqueductal gray**, 409
 - aggression
 - carbamazepine
 - cats
- MK-801**, 205
 - amnesia
- Molecular interactions**, 501
 - drug interactions
 - ethanol
 - GABAergic system
 - RO 15-4513
- Monkeys**
 - acute effects, 737
 - behavioral tolerance, 737
 - buprenorphine, 977
 - chronic effects, 737
 - cocaine, 737
 - complex operant behavior, 737
 - differential tolerance, 977
 - diprenorphine, 977
 - dose-dependent effects, 737
 - drug comparisons, 977
 - drug interactions, 13
 - food intake, 977
 - heroin, 977
 - intravenous administration, 243
 - locus coeruleus, 13
 - locus coeruleus stimulation, 13
 - morphine, 13
 - morphine withdrawal, 13
 - naloxone, 13
 - nicotine, 243
- Monoamines**, 563
 - estrous cycle
 - postpartum period
 - pregnancy
- Morphine**
 - d-amphetamine, 853
 - analgesia, 123, 319
 - analgesia, morphine-induced, 905
 - approach response, 397
 - circling behavior, 1077
 - conditioned place preference, 787, 853
 - conditioned taste aversion, 687
- crabs**, 635
- defensive response**, 635
- diazepam**, 853
- differential effects**, 397
- dopamine**, 577
 - dopaminergic uptake blocker, 1077
 - drug interactions, 13, 853
 - electrical stimulation, 397
 - escape response, 397
 - food intake, 1051
 - hippocampus, 787
 - hyperactivity, 77
 - intestinal inhibition, 319
 - intracerebral microinjection, 397
 - intravenous self-administration, 1051
 - jumping, naloxone-induced
 - lateral hypothalamus, 397
 - lesions, 6-hydroxydopamine, 1051
 - locus coeruleus, 13
 - locus coeruleus stimulation, 13
 - median raphe nucleus, 577
 - methylnaltrexone, 687
 - monkeys, 13
 - morphine withdrawal, 13
 - naloxone, 13, 635, 905
 - nucleus accumbens, 1051
 - opiate aversive effects, 687
 - preexposure effects, 687
 - prenatal stress, 123
 - restraint, 905
 - ritanserin, 853
 - sex differences, 123
 - supraspinal cerebral areas, 319
- Morphine withdrawal**, 13
 - drug interactions
 - locus coeruleus
 - locus coeruleus stimulation
 - monkeys
 - morphine
 - naloxone
- Morris Water Maze**, 519
 - pirenzepine
 - spatial learning
- Motor activity**
 - alprazolam, 511
 - amphetamine, 489
 - EEG power spectra, 489
 - low-dose administration, 511
- Motor development**, 199
 - activity meter
 - nicotine
 - prenatal changes
- Motor incoordination**, 155
 - adenosine
 - cerebellum
 - ethanol
 - spontaneous motor activity inhibition
- Motor seizures**, 129
 - anatomical analysis
 - carbachol
 - frontal cortex
- NaCl intake**, 749
 - central benzodiazepine agonist
 - clonazepam
 - drug comparisons
 - peripheral benzodiazepine agonist
 - RO 5-4864
- Naloxone**
 - d-amphetamine, 45
 - analgesia, morphine-induced, 905
 - γ -butyrolactone, 45

- cats, 543
 crabs, 635
 defensive response, 635
 drug interactions, 13, 45
 human studies, males, 967
 jumping, naloxone-induced, 905
 lever pressing, 45
 locus coeruleus, 13
 locus coeruleus stimulation, 13
 monkeys, 13
 morphine, 13, 635, 905
 morphine withdrawal, 13
 penile erection, 543
 prolactin response, 967
 psychopharmacology, 967
 restraint, 905
- Naltrexone**, 163
 cyclazocine
 dissociation
 nonopioid effects
 opioid effects
- Neonatal administration**, 817
 analgesia
 bremazocine
 ethylketocyclazocine
- Neonatal deficiency**, 665
 benzodiazepine receptor binding affinity
 3-hydroxykynurenone
 seizures
 vitamin B-6
- Neonatal depletions**, 365
 dopamine
 lateral hypothalamus
 rats, adult
 stimulation reward
- Neuropharmacology**, 5
 inverse benzodiazepine agonists, 5
 in vitro
 in vivo
 rabbits
- Nicotine**
 activity meter, 199
 acute pretreatment, 1065
 acute response, 269
 carbamate esters, 403
 central nicotinic receptors, 235
 conditioned taste aversion, 235
 discriminative stimulus, 235
 drug self-administration, 227
 eight-arm radial maze
 electroencephalogram, 149
 genetic differences, 1059
 genetic influence, 269
 human studies, 217, 227
 human studies, males, 149, 249
 intravenous administrations, 227, 243
 mecamylamine, 149
 metabolic data, 249
 monkeys, 243
 motor development, 199
 nicotine agonists, 403
 nicotine antagonists, 403
 nicotine gum, 149
 nicotine metabolism, 249
 nicotine tolerance, 269
 pharmacological effects, 217
 plasma corticosterone levels, 1059, 1065
 prenatal changes, 199
 reinforcing effects, 227
 scopolamine, 119
- strain differences, 1065
 structure-activity studies, 403
 tobacco dependence, 217
- Nicotine agonists**, 403
 carbamate esters
 nicotine
 nicotine antagonists
 structure-activity studies
- Nicotine antagonists**, 403
 carbamate esters
 nicotine
 nicotine agonists
 structure-activity studies
- Nicotine gum**
 electroencephalogram, 149
 human studies, males, 149
 mecamylamine, 149
 nicotine, 149
 pharmacological treatment, 279
 tobacco dependence, 279
- Nicotine metabolism**, 249
 human studies
 metabolic data
 nicotine
- Nicotine tolerance**, 269
 acute response
 genetic influence
 nicotine
- Nicotinic ligands**, 255
 binding characteristics
 pharmacologic analysis
- Nisoxetine**, 1085
 d-amphetamine
 drug discrimination
- Nitrous oxide**, 83
 human studies
 state-dependent memory
- Nociception**, 209
 chlordiazepoxide
 contextual fear
 shock controllability
- Nonopioid effects**, 163
 cyclazocine
 dissociation
 naltrexone
 opioid effects
- Noradrenaline metabolism**, 769
 acute administration
 ethanol
 MHPG-SO_4
 strain differences
- Norepinephrine**, 137
 cerebral depletion
 conditioned avoidance responding
 ^3H -Norepinephrine uptake, 391
 (1-24)adrenocorticotrophic hormone
 atria, rat
- Novel environment**, 351
 β -carbolines
 drug discrimination
 FG 7142
 footshock
- Nucleus accumbens**
 α -amino-3-hydroxy-5-methyl-isoxazole-4-propionate, 379
 antagonist treatment, 443
 food intake, 1051
 heroin, 443
 hypermotility, 379
 intravenous self-administration, 443, 1051
 lesions, 5-hydroxydopamine, 1051
- morphine**, 1051
 periaqueductal grey, 443
 quisqualic acid receptors, 379
- 8-OH-DPAT**, 451
 body temperature
 chronic treatment
 dose-dependent effects
 drug interactions
- Open-field activity**
 body temperature, 675
 cannabidiol, 675
 cannabinol, 675
 drug interactions, 675
 maternal stress, 669
 5-MeODMT , 669
 postnatal factors, 669
 prenatal factors, 669
- Opiate aversive effects**, 687
 conditioned taste aversion
 methylNaltrexone
 morphine
 preexposure effects
- Opiate mechanisms**, 755
 amphetamine
 anorectic effects
 tolerance development
 U50488H
- Opiates**, 693
 aversive effects
 dopamine innervation
 lesions, 6-OHDA
 visceral cortex
- Opioid dependence**, 357
 continuous infusion
 embryos, chicken
 methadone
 osmotic minipumps
- Opioid effects**, 163
 cyclazocine
 dissociation
 naltrexone
 nonopioid effects
- Opioids**, 1021
 rat, male
 sexual behavior
- Oral absorption**, 945
 diazepam
 dogs
 flumazenil
- Oral self-administration**, 493
 N-allylnormetazocine
 phencyclidine
 rhesus monkeys
 withdrawal
- Osmotic mini-pumps**, 357
 continuous infusion
 embryos, chicken
 methadone
 opioid dependence
- Pain sensitivity**, 801
 corticotropin-releasing hormone
 freezing behavior
 intracerebroventricular administration
- Parachlorophenylalanine**, 847
 behavioral effects
 5-methoxytryptamine
 prenatal exposure
 serotonin uptake
- Paradoxical sleep suppression**, 295
 scopolamine

- SMS 201-995
 Parametric studies, 31
 in vivo
 phencyclidine
 quinuclidinyl benzilate
 Passive avoidance learning, 107
 apomorphine
 dose-dependent effects
 Penile erection, 543
 cats
 naloxone
 Pentobarbital, 995
 chemoconvulsants
 drug interactions
 GABAergic drugs
 phenobarbital
 Pentylenetetrazol, 479
 behavioral/electrocorticographic comparisons
 diazepam
 drug interactions
 rat pups
 Peptides
 (1-24)adrenocorticotrophic hormone, 391
 D-Ala²-Met⁵-enkephalinamide, 1021
 [D-Ala²]-methionine enkephalinamide, 65
 angiotensin II, 343
 angiotensin III, 343
 caerulein, 957
 cholecystokinin, 569, 957
 cholecystokinin-octapeptide, 309
 corticotropin-releasing hormone, 801
 alpha-melanocyte stimulating hormone, 37
 serotonin, 37, 957
 thyrotropin-releasing hormone, 73, 941, 957
 xenopsin, 957
 Periaqueductal grey, 443
 antagonist treatment
 heroin
 intravenous self-administration
 nucleus accumbens
 Peripheral benzodiazepine agonist, 749
 central benzodiazepine agonist
 clonazepam
 drug comparisons
 NaCl intake
 RO 5-4864
 Peripheral benzodiazepine receptors, 1051
 heart
 kidney
 [³H] RO 5-4864 binding
 stress
 Pentobarbital, 995
 chemoconvulsants
 drug interactions
 GABAergic drugs
 phenobarbital
 Peripheral mediation, 417
 clenbuterol
 investigatory behavior
 locomotor activity
 Pharmacologic analysis, 255
 binding characteristics
 nicotinic ligands
 Pharmacologic determinants, 221
 human studies
 tobacco self-administration
 Pharmacological stimulation
- active avoidance, 77
 aminergic neurotransmitter systems, 77
 human studies, 217
 memory retrieval, 77
 nicotine, 217
 nicotine gum, 279
 tobacco dependence, 217, 279
 Phencyclidine
 N-allylnormetazocine, 493
 biodisposition, 371
 charcoal, 371
 drug interactions, 1035
 in vivo, 31
 oral self-administration, 493
 parametric studies, 31
 l-phenylcyclohexane, 1035
 quinuclidinyl benzilate, 31
 rhesus monkeys, 493
 withdrawal, 493
 Phenobarbital, 995
 chemoconvulsants
 drug interactions
 GABAergic drugs
 pentobarbital
 l-Phenylcyclohexane, 1035
 drug interactions
 phencyclidine
 Physical dependence, 483
 drug-admixed food method
 methaqualone
 sex differences
 Pigeons, 723
 buspirone
 drug comparisons
 gepirone
 8-hydroxy-2-(di-n-propyl-amino)tetralin
 unpunished responding
 Pirenzepine, 519
 Morris Water Maze
 spatial learning
 Pituitary, 933
 β-endorphin levels
 ethanol
 ethanol withdrawal
 Place preference, apomorphine-induced, 889
 imipramine
 long-term treatment
 place preference, food-induced
 short-term treatment
 Place preference, food-induced, 889
 imipramine
 long-term treatment
 place preference, apomorphine-induced
 short-term treatment
 Plasma corticosterone levels
 acute pretreatment, 1065
 genetic differences, 1059
 nicotine, 1059, 1065
 strain differences, 1065
 Plus maze test, 701
 anxiety
 benzodiazepine receptors
 drug interactions
 ethanol
 Postdecapitation convulsions
 benzodiazepines, 1001
 isofl oxythepin, 1081
 isofl oxythepin enantiomers, 1081
 prolactin secretion, 1081
 tonic component, 1001
 Postnatal factors, 669
 maternal stress
 5-MeODMT
 open-field activity
 prenatal factors
 Postpartum period, 563
 estrous cycle
 monoamines
 pregnancy
 Preexposure effects, 687
 conditioned taste aversion
 methyl naltrexone
 morphine
 opiate aversive effects
 Pregnancy, 563
 estrous cycle
 monoamines
 postpartum period
 Prenatal changes, 199
 activity meter
 motor development
 nicotine
 Prenatal exposure, 847
 behavioral effects
 5-methoxytryptamine
 parachlorophenylalanine
 serotonin uptake
 Prenatal factors, 669
 maternal stress
 5-MeODMT
 open-field activity
 postnatal factors
 Prenatal stress, 123
 analgesia
 morphine
 sex differences
 Proconvulsant effects, 331
 anxiogenic effects
 benzodiazepine receptors
 brain, rat
 N-butyl β carboline-3-carboxylate
 Progesterone, 729
 aggressive behavior
 alphaxalone
 comparative effects
 locomotor behavior
 reproductive behavior
 Prolactin response, 967
 human studies, males
 naloxone
 psychopharmacology
 Prolactin secretion, 1081
 isofl oxythepin
 isofl oxythepin enantiomers
 postdecapitation convulsions
 Psychopharmacology, 967
 human studies, males
 naloxone
 prolactin response
 Punished responding, 753
 apomorphine
 unpunished responding
 Quinpirole, 525
 dopamine receptor
 environment-specific conditioning
 Quinuclidinyl benzilate, 31
 in vivo
 parametric studies
 phencyclidine

- Quisqualic acid receptors, 379
 α -amino-3-hydroxy-5-methylisoxazole-4-propionate
 hypermotility
 nucleus accumbens
- Rabbits, 5
 inverse benzodiazepine agonists
 in vitro
 in vivo
 neuropharmacology
- Rat, adult, 365
 dopamine
 lateral hypothalamus
 neonatal depletions
 stimulation reward
- Rat, aged males, 961
 dihydroergocristine
 learning and memory
- Rat, detelencephalated, 337
 bicuculline
 flight behavior
 microinjection
 semicarbazide
- Rat, male, 1021
 opioids
 sexual behavior
- Rat pups, 479
 behavioral/electrocorticographic comparisons
 diazepam
 drug interactions
 pentylentetrazol
- Rat/rabbit comparisons, 115
 analepsis
 codeine
- Rate-decreasing effects, 569
 cholecystokinin
 dose-dependent effects
 schedule-controlled behavior
- Rebound enhancement, 585
 chronic administration
 L-dopa
 haloperidol
 self-stimulation
- Receptor density, 325
 dopamine D-1 receptors
 dopamine D-2 receptors
 receptor distribution
 strain differences
- Receptor distribution, 325
 dopamine D-1 receptors
 dopamine D-2 receptors
 receptor density
 strain differences
- Receptor ligand binding, 169
 chronic stress
 [³H]cyclohexyladenosine
 hypothalamus
- Reflex facilitation, 433
 classical conditioning
 CS-UCS interval
 d-lysergic acid diethylamide
- Reinforcing effects, 227
 drug self-administration
 human studies
 intravenous administration
 nicotine
- Reinforcing properties, 195
 brain-stimulation reward
 buprenorphine
 reward threshold
- Renin-angiotensin system, 823
 alcohol intake
 serotonin uptake inhibition
- Reproductive behavior, 729
 aggressive behavior
 alphaxalone
 comparative effects
 locomotor behavior
 progesterone
- Response manipulandum, 879
 four-drug discrimination
 identical levers
- Restraint, 905
 analgesia, morphine-induced
 jumping, naloxone-induced
 morphine
 naloxone
- Retention, 949
 acquisition
 scopolamine
 T-maze, 14-unit
- Retrieval, 1093
 amnesia
 scopolamine
- Reward effect, 657
 GABA agonists
 lateral hypothalamus
 self-stimulation
- Reward threshold, 195
 brain-stimulation reward
 buprenorphine
 reinforcing properties
- Rhesus monkeys, 493
 N-allylnormetazocine
 oral self-administration
 phencyclidine
 withdrawal
- Rhythmic slow activity, 177
 ethanol
 hippocampus
 strain differences
- Ritanserin, 853
 d-amphetamine
 conditioned place preference
 diazepam
 drug interactions
 morphine
- RO 4-4620, 613
 citalopram
 discriminative stimulus
 drug comparisons
 L-5-hydroxytryptophan
- RO 5-4864, 749
 central benzodiazepine agonist
 clonazepam
 drug comparisons
 NaCl intake
 peripheral benzodiazepine agonist
- [³H] RO 5-4864 binding, 1015
 heart
 kidney
 peripheral benzodiazepine receptors
 stress
- RO 15-4513
 desipramine, 1045
 differential sensitivity, 183
 drug interactions, 501, 867
 ethanol, 501, 867
 ethanol antagonism, 183
 ethanol intake, 1045
 fluoxetine, 1045
 food intake, 1045
- GABAergic system, 501
 light/dark choice paradigm, 867
 molecular interactions, 501
 staircase test, 867
 strain differences, 183, 1045
 water intake, 1045
- Rotational behavior, 457
 D₁/D₂ agonists
 dopamine
 EEDQ
 selective protection
- Route of administration, 309
 amphetamine
 cholecystokinin-octapeptide
 hyperlocomotion
 intra-accumbens injection
 intracerebroventricular injection
 stereotypy
- Salivary cotinine, 895
 human studies
 marijuana smoke
 serum cotinine
 tobacco smoke
- SCH 23390, 683
 apomorphine
 body temperature
 haloperidol
- Schedule-controlled behavior, 569
 cholecystokinin
 dose-dependent effects
 rate-decreasing effects
- Schedule-controlled performance, 1007
 ionizing radiation
 sublethal doses
- Schedule-induced wheel running, 101
 adrenalectomy
 corticosterone
- Scopolamine
 acquisition, 949
 amnesia, 1093
 atropine, 625
 chickens, 625
 eight-arm radial maze, 119
 immobility response, 625
 nicotine, 119
 paradoxical sleep suppression, 295
 retention, 949
 retrieval, 1093
 SMS 201-995, 295
 strain differences, 625
 T-maze, 14-unit, 949
- Seizures, 665
 benzodiazepine receptor binding
 affinity
 3-hydroxykynurenone
 neonatal deficiency
 vitamin B-6
- Selective protection, 457
 D₁/D₂ agonists
 dopamine
 EEDQ
 rotational behavior
- Self-stimulation
 chronic administration, 515
 cocaine, 1
 L-dopa, 585
 GABA agonists, 657
 haloperidol, 585
 imipramine, 1
 interactive effects, 1
 lateral hypothalamus, 657

- rebound enhancement, 585
 reward effect, 657
 train-duration thresholds, 1
Self-stimulation reward, 589
 catecholamines
 drug interactions
 endogenous opioids
 ventral tegmental area
Semicarbazide, 337
 bicuculline
 flight behavior
 microinjection
 rats, detelencephalated
Serotonergic agonists, 617
 discriminative stimulus
 drug interactions
 LSD
 serotonergic antagonists
Serotonergic antagonists, 617
 discriminative stimulus
 drug interactions
 LSD
 serotonergic agonists
Serotonin, 37
 drug interactions
 lordosis
 alpha-melanocyte stimulating hormone
Serotonin metabolism, brain, 715
 d-fenfluramine
 uptake inhibition
Serotonin receptors, 55
 drug discrimination
 drug interactions
 dopamine receptors
 ethanol
Serotonin uptake, 847
 behavioral effects
 5-methoxytryptamine
 parachlorophenylalanine
 prenatal exposure
Serotonin uptake inhibitor, 823
 alcohol intake
 renin-angiotensin system
Serum cotinine, 895
 human studies
 marijuana smoke
 salivary cotinine
 tobacco smoke
Sex differences
 analgesia, 123
 drug-admixed food method, 483
 methaqualone, 483
 morphine, 123
 physical dependence, 483
 prenatal stress, 123
Sexual behavior, 1021
 rat, male
 opioids
Shock controllability, 209
 chlordiazepoxide
 contextual fear
 nociception
Shock-probe test, 1071
 anxiolytics
 buspirone
 chlordiazepoxide
 defensive burying
 drug comparisons
Short-term treatment, 889
 imipramine
 long-term treatment
 place preference, apomorphine-induced
 place preference, food-induced
SKF 38393, 189
 D1/D2 dopamine receptor stimulation
 stereotyped behaviors
Skin mucus, 957
 escape
 frogs
 tardive dyskinesia
Small groups, 539
 human studies, males
 marijuana
 social behavior
SMS 201-995, 295
 paradoxical sleep suppression
 scopolamine
Social behavior, 539
 human studies, males
 marijuana
 small groups
Spatial learning, 519
 Morris Water Maze
 pirenzepine
Spontaneous motor activity inhibition, 155
 adenosine
 cerebellum
 ethanol
 motor incoordination
Staircase test, 867
 drug interactions
 ethanol
 light/dark choice paradigm
 RO 15-4513
State-dependent memory, 83
 human studies
 nitrous oxide
Stereotyped behavior
 amphetamine, 899
 chronic administration, 899
 D1/D2 dopamine receptor stimulation, 189
 SKF 38393, 189
Stereotypy
 amphetamine, 309, 535
 cholecystokinin octapeptide, 309
 circadian rhythm, 535
 continuous administration, 535
 hyperlocomotion, 309
 intra-accumbens injection, 309
 intracerebroventricular injection, 309
 locomotor behavior, 535
 route of administration, 309
Stimulation reward, 365
 dopamine
 lateral hypothalamus
 neonatal depletions
 rats, adult
Strain differences
 acute administration, 769
 acute pretreatment, 1065
 adenosine receptors, 707
 atropine, 625
 autoradiography, 707, 781
 brain regional uptake, 781
 chickens, 625
 2-deoxyglucose, 781
 desipramine, 1045
 differential antagonism, 183
 dopamine D-1 receptors, 325
 dopamine D-2 receptors, 325
 ethanol, 177, 769, 781
 ethanol antagonism, 183
 ethanol intake, 1045
 fluoxetine, 1045
 food intake, 1045
 hippocampus, 177
 immobility response, 625
 methylxanthines, 707
 MHPG-SO₃
 nicotine, 1065
 noradrenaline metabolism, 769
 plasma corticosterone levels, 1065
 receptor density, 325
 receptor distribution, 325
 rhythmic slow activity, 177
 RO 15-4513, 183, 1045
 scopolamine, 625
 water intake, 1045
Stress, 1015
 heart
 kidney
 peripheral benzodiazepine receptors
 [³H] RO 5-4864 binding
Structure-activity studies, 403
 carbamate esters
 nicotine
 nicotine agonists
 nicotine antagonists
Sublethal doses, 1007
 ionizing radiation
 schedule-controlled performance
Substantia innominata, 679
 benzodiazepine binding sites
 in vitro autoradiography
Sulpiride, 917
 drinking
 eating
Supraspinal cerebral areas, 319
 analgesia
 intestinal inhibition
 morphine
Tamoxifen, 829
 aggressive behavior
 medroxyprogesterone acetate
 mice, male
Tardive dyskinesia, 957
 escape, 957
 frogs
 skin mucus
T-cell antibody responses, 859
 conditioned stimulus
 cyclophosphamide
 mice, female
 unconditioned stimulus
Thyrotropin-releasing hormone, 941
 brain, rat
 hypothermia
Thyrotropin-releasing hormone binding, 73
 behavioral effects
 triazolobenzodiazepines
T-maze, 14-unit, 949
 acquisition
 retention
 scopolamine
Tobacco dependence
 human studies, 217
 nicotine, 217
 nicotine gum, 279
 pharmacological effects, 217

pharmacological treatment, 279	
Tobacco self-administration, 221	
human studies	
pharmacologic determinants	
Tobacco smoke, 895	
human studies	
marijuana smoke	
salivary cotinine	
serum cotinine	
Tolerance development, 755	
amphetamine	
anorectic effects	
opiate mechanisms	
U50488H	
Tonic component, 1001	
benzodiazepines	
postdecapitation convulsions	
Train-duration thresholds, 1	
cocaine	
imipramine	
interactive effects	
self-stimulation	
Triazolobenzodiazepines, 73	
behavioral effects	
thyrotropin-releasing hormone binding	
U50488H, 755	
amphetamine	
anorectic effects	
opiate mechanisms	
tolerance development	
Unconditioned stimulus, 859	
conditioned stimulus	
cyclophosphamide	
mice, female	
T-cell antibody response	
Unpunished responding	
apomorphine, 753	
buspirone, 723	
drug comparisons, 723	
gepirone, 723	
8-hydroxy-2-(di-n-propylamino)tetralin, 723	
pigeons, 723	
punished responding, 753	
Uptake inhibition, 715	
d-fenfluramine	
serotonin metabolism, brain	
Ventral tegmental area, 589	
catecholamines	
drug interactions	
endogenous opioids	
self-stimulation reward	
Visceral cortex, 693	
aversive effects	
dopamine innervation	
lesions, 6-OHDA	
opiates	
Vitamin B-6, 665	
benzodiazepine receptor binding	
affinity	
3-hydroxykynurenone	
neonatal deficiency	
seizures	
Water intake, 1045	
desipramine	
ethanol intake	
fluoxetine	
food intake	
RO 15-4513	
strain differences	
Withdrawal, 493	
N-allylnormetazocine	
oral self-administration	
phencyclidine	
rhesus monkeys	

AUTHOR INDEX

Abood, L. G., 403	Bridges, R. S., 123	Dall'olio, R., 463	Frank, R. A., 1
Agmo, A., 1021	Brooderson, R. J., 189	Danguir, J., 295	Franz, C. G., 1007
Aicher, S. A., 65	Brown, R. L., 543	Dar, M. S., 155	Freedman, D. X., 427
Allen, J. L., 625	Bruno, J. P., 365	De Robertis, E., 331	Freund, R. K., 1059
Amir, S., 905	Cabib, S., 143, 765	De Saint-Hilaire-Kafi, S., 295	Fulginiti, S., 899
Anderson, S. M., 169	Calcagnetti, D. J., 817	Desan, P. H., 21, 563	Fuller, R. W., 715
Artinián, J., 899	Calligaro, D., 163	Domae, M., 1081	Fundytus, M., 1071
Asin, K. E., 577	Campbell, I. C., 299, 347	Domer, F. R., 543	Furukawa, T., 1081
Aulakh, C. S., 451	Cancela, L. M., 899	Donzanti, B. A., 795	Gähwiler, M., 199
Azar, A. P., 925	Cappell, H., 515	Drago, F., 961	Gandolfi, O., 463
Azmania, E. C., 847	Carino, M. A., 115	Drugan, R. C., 1015	Gatta, F., 5
Backus, L. I., 657	Carrive, P., 337	Dunn, G., 299, 347	Gerhardt, G. A., 1077
Bagri, A., 337	Carroll, M. E., 493	Durcan, M. J., 299, 347	Geyer, M. A., 417
Baldwin, H. A., 809	Cazala, P., 397	Dworkin, S. I., 1051	Ghoneim, M. M., 83
Barrett, J. E., 723	Chachich, M. E., 949	Dyer, R. S., 421	Giagnoni, G., 319
Barthalmus, G. T., 957	Chan, A. W. K., 385	Dymshitz, J., 905	Gianoulakis, C., 933
Basile, A. S., 1015	Chaturvedi, A. K., 1035	Edinger, H. M., 409	Glennon, R. A., 597
Bassett, J. R., 391	Chinn, C., 115	Elgin, R. J., Jr., 137	Goeders, N. E., 1051
Bechara, A., 687, 693	Chipkin, R. E., 683	Engel, J. A., 471	Gogas, K. R., 791
Bednarz, L. M., 189	Choi, W. W., 83	Ettenberg, A., 309	Goldberg, S. R., 215, 217, 221, 227, 243
Belzung, C., 867	Clark, M., 155	Evans, R. L., 753	Goodale, D. B., 457
Bendani, T., 397	Clark, V. A., 895	Even, P., 89	Gori, E., 319
Beninger, R. J., 525	Co, C., 1051	Falk, J. L., 749	Gomezano, I., 433
Benowitz, N. L., 249	Collins, A. C., 269, 1059	Fanselow, M. S., 817	Grant, S. J., 13
Benson, R. W., 859	Compton, D. R., 371	Faught, K., 31	Gratton, A., 1077
Benvenga, M. J., 205	Cook, J. M., 243	Feldman, M. J., 649	Greenblatt, D. J., 511
Bernardis, L. L., 649	Cool-Hausler, V. A., 433	Feldon, J., 871	Greenwood, C., 693
Block, L. D., 665	Corrigall, W. A., 443, 787	Fibiger, H. C., 835	Grinker, J. A., 925
Boggan, W. O., 31	Coulaud, H., 89	File, S. E., 809	Grupp, L. A., 823
Boja, J. W., 1085, 1089	Craft, R. M., 775	Fischman, M. W., 539	Guerin, G. F., 1051
Bostwick, M., 255	Cramer, C. P., 817	Fleck-Kandath, C., 723	Guilarte, T. R., 665
Boyd, S., 31	Crawley, J. N., 129, 1015	Foltin, R. W., 539	Haertzen, C. A., 967
Branch, M. N., 737	Cushing, L. L., 343	Fraile, I. G., 729	Hagen, T. J., 243
Brandão, M., 337	D'Agata, V., 961	Frampton, S. F., 417	

- Hara, T., 1001
 Harding, J. W., 343
 Harrison, J. R., 1007
 Harvey, J. A., 433
 Hawkins, M., 303
 Hellevuo, K., 183
 Helmstetter, F. J., 817
 Hennig, C. W., 625
 Henningfield, J. E., 129, 217, 221, 227, 279
 Herberg, L. J., 585
 Hernandez, L., 917
 Herning, R. I., 129
 Hesse, G. W., 657
 Hill, J. L., 451
 Hiltunen, A. J., 675
 Hjorth, S., 189
 Hoebel, B. G., 917
 Hoffer, B. J., 1077
 Hollingsworth, E. M., 535
 Hook, R., 255
 Horita, A., 115
 Hough, L. B., 791
 Howard, J. L., 775
 Huang, Y. H., 13
 Hubner, C. B., 195
 Hunt, T., 515
 Hunter, A. J., 519
 Hutchison, W. D., 933
 Ichihara, K., 107
 Ida, Y., 769
 Ignatius, J., 177
 Inanaga, K., 769
 Ingram, D. K., 949
 Iwamoto, E. T., 119
 Jacob, J., 657
 Jacob, P., III, 249
 Jacobi, A. G. M., 457
 Järbe, T. U. C., 675
 Jarvik, J. E., 279
 Jarvis, M. F., 707
 Jasinski, D. R., 967
 Jensen, L. L., 343
 Johnson, R. E., 967
 Johnston, A. L., 809
 Judge, M. E., 77
 Jungschaffer, D. A., 1059
 Kaheinen, P., 177
 Kalant, H., 933
 Kalin, N. H., 801
 Kameyama, T., 107
 Kant, G. J., 169
 Katz, J. L., 243
 Kawazawa, S., 1001
 Kerr, L. M., 325
 Khazan, N., 163
 Kinsley, C. H., 123
 Klitenick, M. A., 577
 Kodis, M., 649
 Koike, Y., 483
 Kornetsky, C., 195
 Korpi, E. R., 177, 183, 781
 Korttila, K., 83
 Koshikawa, N., 347
 Kozlowski, M. R., 73
 Kulkarni, S. K., 501
 Kumor, K. M., 967
 Kuntz, D. J., 1035
 Langan, M. C., 385
 Leibowitz, S. F., 925
 Leidenheimer, N. J., 351
 Leo, P., 77, 1093
 Leong, F. W., 385
 Leu, J. R., 169
 Li, T.-K., 1045
 Lichtensteiger, W., 199
 Lin, W., 101
 Lindroos, F., 781
 Linseman, M. A., 787
 Lister, R. G., 701
 Long, R., 129
 Lopez, F., 511
 Lozada, M., 635
 Lubow, R. E., 871
 Lukas, S. E., 977
 Lumeng, L., 1045
 Lyddane, J. E., 371
 Lyon, R. A., 597
 McBride, W. J., 1045
 McEwen, B. S., 729
 McEwen, G., 649
 McIntire, K. D., 45
 McIntyre, J. F., 625
 McIntyre, T., 911
 McMillan, D. E., 753
 McNicholas, L. F., 945
 McWilliam, J. R., 299
 Maier, S. F., 21, 563
 Maiti, A., 403
 Maldonado, H., 635
 Mann, P. E., 123
 Mansbach, R. S., 723
 Mantysalo, S., 177
 Marks, M. J., 269
 Martin, B. J., 1059, 1065
 Martin, B. R., 371
 Martin, G. E., 137
 Martin, G. M., 687
 Martin, W. R., 255, 945
 Martin-Iverson, M. T., 835
 Massi, P., 319
 Massotti, M., 5
 Matsumoto, S., 1081
 Matsuo, N., 1081
 Matthews, A., 543
 Mazurski, E. J., 525
 Medina, J. H., 331
 Mehrabani, P. A., 391
 Mehta, A. K., 995
 Mele, L., 5
 Mele, P. C., 1007
 Mello, N. K., 977
 Mendelson, J. H., 977
 Mewaldt, S. P., 83
 Middaugh, L. D., 31
 Miller, L. G., 511
 Miner, L. L., 269
 Mintz, M., 585
 Misawa, M., 483
 Misslin, R., 867
 Miyazaki, M., 941
 Mizobe, T., 941
 Mizuki, Y., 1001
 Montanaro, N., 463
 Moriarty, D. D., Jr., 625
 Mueller, K., 535
 Munday, W. R., 119
 Murphy, D. L., 451
 Murphy, J. M., 1045
 Muscat, R., 641
 Nabeshima, T., 107
 Neale, M. C., 299
 Nencini, P., 755
 Nicolaidis, S., 89
 Nitz, D., 1
 Nomikos, G. G., 853
 Novas, M. L., 331
 Oguchi, M., 769
 Okuda, C., 941
 Overton, D. A., 879
 Papasava, M., 101
 Papp, M., 889
 Pappas, B. A., 479
 Parada, M. A., 917
 Paredes, R., 1021
 Parolaro, D., 319
 Patrini, G., 319
 Paul, S. M., 511, 1015
 Paule, M. G., 859
 Penetrante, M. L., 385
 Perlanski, E., 823
 Perry, M., 829
 Peters, D. A. V., 669
 Petersen, R. C., 83
 Pfaff, D. W., 729
 Picerno, J. M., 625
 Picker, M., 603
 Pickworth, W. B., 129
 Pisa, M., 835
 Plaessmann, W. R., 749
 Pollard, G. T., 775
 Pommering, T., 1
 Poulos, C. X., 515
 Pravica, M., 303
 Puglisi-Allegra, S., 143, 765
 Pyyko, I., 177
 Quartermain, D., 77, 1093
 Rabin, R. A., 613, 617
 Radulovacki, M., 303
 Raible, L., 37
 Randich, A., 65
 Redmond, D. E., Jr., 13
 Ribary, U., 199
 Rigdon, G. C., 421
 Riley, A. L., 569
 Roberts, D. W., 859
 Roberts, F. F., 519
 Robertson, D. W., 715
 Romano, A., 635
 Roncada, P., 463
 Rose, I. C., 585
 Rosellini, R. A., 209
 Ryan, C. L., 479
 Ryan, S. M., 563
 Sahid Salles, K., 403
 Sala, M., 319
 Sarter, M., 679
 Satoh, H., 769
 Scalisi, B., 961
 Scapagnini, U., 961
 Schanley, D. L., 385
 Schechter, M. D., 55, 351, 1085, 1089
 Schindler, C. W., 433
 Schlumpf, M., 199
 Schmitt, P., 337
 Schneider, H. H., 679
 Schulze, G. E., 859
 Seifert, W. F., 589
 Seran, G. F., 357
 Seyfried, D. M., 457
 Shader, R. I., 511
 Shaikh, M. B., 409
 Shashoua, V. E., 657
 Shemer, A., 847
 Shen, C. F., 879
 Sherman, J. E., 801
 Shirakawa, K., 1081
 Shirao, I., 769
 Shor-Posner, G., 925
 Shreve, P. E., 379
 Shulgın, A. T., 249
 Siegel, A., 409
 Siegel, S., 427
 Signs, S. A., 55
 Silbert, L. H., 21
 Simmons, M., 895
 Simon, N. G., 829
 Singer, G., 101
 Sizemore, G. M., 737
 Skirboll, L. R., 129
 Skolnick, P., 911, 1015
 Sloan, J. W., 255, 945
 Smith, J. E., 1051
 Smock, T. K., 563
 Smythe, J. W., 479
 Snoddy, H. D., 715
 Söderpalm, B., 471
 Spangler, E. L., 949
 Sparber, S. B., 357
 Spaulding, T. C., 205
 Spyrali, C., 853
 Stein, E. A., 983
 Stellar, J. R., 365, 657
 Stewart, R. B., 823
 Stivers, J. A., 129
 Stolerman, I. P., 235
 Suzuki, T., 483
 Takada, K., 243
 Tanaka, M., 769
 Tang, M., 749
 Tanzer, D. J., 309
 Tashkin, D. P., 895
 Thomas, B. F., 371
 Ticku, M. K., 501, 995
 Titeler, M., 597
 Tomaz, C., 337
 Towell, A., 641
 Treit, D., 1071
 Trifunovic, R., 529
 Trullas, R., 911
 Trusk, T. C., 983
 Tsuda, A., 769
 Tsujimaru, S., 769
 Ullman, E. A., 1059
 Unis, A. S., 325
 Uretsky, N. J., 379
 Ushijima, I., 1001
 Vaccarino, F. J., 443
 Vaccheri, A., 463
 Valerio, C., 961

- van der Kooy, D., 687, 693
Van Ree, J. M., 589
Van Vunakis, H., 895
Van Wolfswinkel, L., 589
Vogel, E., 867
Volpe, M., 925
Wachtel, S. R., 189
Wagner, H. N., Jr., 665
Wala, E., 255, 945
- Wamsley, J. K., 325
Wängdahl, K., 675
Waraczynski, M., 365
Warren, D. A., 209
Wehner, J. M., 1065
Weiner, I., 871
Weiss, B., 457
Weiss, F., 309
Wessler, G., 543
Whitaker-Azmitia, P. M., 847
- White, F. J., 189
Wilks, L. J., 809
Williams, M., 707
Willner, P., 641
Winsauer, P. J., 569
Winter, J. C., 613, 617
Wirtshafter, D., 529, 577
Wise, R. A., 1077
Wolfman, C., 331
Woodmansee, W. W., 563
- Wozniak, K. M., 451
Wright, J. W., 343
Yamada, K., 1081
Yamada, M., 1001
Yamamoto, B. K., 795
Young, G. A., 163, 489
Zielinski, W. J., 957
Zito, K. A., 693