

SUBJECT INDEX

- Abecarnil, 87, 1005
 Aberrant drinking, 33
 Absence, 73
 Acetylcholine, 179, 679, 783, 809
 ACTH, 517, 641, 965
 ACTH analog, 163
 Activity, 303, 701
 Addiction, 11, 433, 791, 809
 Adenosine A₁ receptors, 341
 Adjunctive behavior, 123
 Adrenal weight, 965
 Aging, 641
 Agonists, 995
Agouti, 425
 Aggression, 329
 Aggressive behavior, 951
 Alcohol, 585
 Alcohol aversion, 487
 Alcohol intake, 891
 Alcohol-nonpreferring rats, 487, 585
 Alcohol-preferring rats, 487, 585
 Alcohol reinforcement, 487
 Alcohol sensitivity, 585, 723
 Alcohol tolerance, 585
 α -Methyl-*p*-tyrosine, 379
 α MPT, 1
 α_1 -Adrenoceptors, 1017
 α_2 -Adrenoceptors, 291, 1017
 Alfaxalone, 777
 Allopregnanolone, 777
 Amino acids, 549
 Amnesia, 391
 Amphetamine, 511, 695, 741, 817, 833
 Anabolic-androgenic steroids, 329
 Analgesia, 133, 567, 665, 927, 943
 Androgen, 741
 Androgen-dependent behavior, 213
 Animal model, 11, 123
 Aniracetam, 277, 943
 Anorexant khat, 297
 Anorexia, 839
 Anorexia nervosa, 123, 433
 Antagonists, 995
 Antianxiety, 493
 Anticonvulsant, 87
 Anticonvulsant drugs, 559
 Antinociception, 205, 411, 449, 567, 943
 Antipsychotic, 493
 Anxiety, 271, 369, 541, 825, 1005
 Anxiogenic drugs, 271
 Anxiolysis, 87
 Anxiolytics, 271, 369, 753, 825
 A₁ receptors, 249
 Apomorphine, 335, 417, 817, 833
 Apropen, 463
 Arecoline, 713
 Associative learning, 649
 Atropine, 463
 Attention, 163, 213, 617
 Atypical opioid systems, 433
 Audiogenic-like seizures, 503
 Audiogenic seizures, 503
 Auto-addiction, 433
 Aversion, 511
 (*A^v*), 425
 Baclofen, 73, 303
 Barakol, 753
 Behavior, 493, 995
 Behavior genetics, 623
 Benactyzine, 463
 Benzodiazepine, 1, 87, 593, 1005
 Benzodiazepine receptors, 581, 723
 Benzoyllecgonine, 133
 β -Adrenoceptor antagonists, 903
 β -Adrenoceptors, 1017
 β -Endorphin, 425
 β -FNA, 927
 Bicuculline, 629, 673
 Black bear, 885
 Blink reflex, 857
 Body temperature, 657
 Body weight, 657
 Brain, 205, 843
 Brain angiotensin, 687
 Brain cholinergic systems, 687
 Brain damage, 163
 Brain injury, 679
 Brain monoamines, 469
 Brain phospholipid, 843
 Brain serotonergic systems, 687
 Branched-chain amino acids, 449
 Bretazenil, 723
 Bromocriptine, 833
 Burimamide, 567
 Cadmium, 687
 Cadmium intoxication, 687
 Cadmium neurotoxicity, 687
 Calcium-calmodulin protein kinase activity, 155
 Calorimetry, 549
 Cannabinoid, 927
 Cannabis, 657
 Carbamazepine, 243, 559
 Carbon monoxide, 355
 Cardiovascular, 927
 Cardiovascular responses, 927
Cassia siamea, 753
 Catalepsy, 437
 Catecholamines, 141, 213
 CCK, 493
 CCPA, 249
 Central administration, 665
 Cerebellum, 147
 CGP 35348, 943
 CGS8216, 87
 Chicken embryo, 603
 Chlordiazepoxide, 593
 Chlorpromazine, 115
 Choline, 783
 Cholinergic activity, 613
 Cholinergic antagonist, 463
 Cholinergic neurochemistry, 771
 Cholinergic pathways, 735
 Cholinergic stimulation, 1017
 Cholinergic system, 713
 Cholinesterase inhibition, 771
 Chronic administration, 935
 Chronic ethanol, 249
 Chronic methamphetamine, 437
 Chronic stress, 517
 Cigarettes, 355
 Cingulate cortex, 617
 Circadian, 843
 Circadian rhythm, 141
 Circadian wheel-running activity, 843
 Citalopram, 825
 Classical conditioning, 147
 Clonidine, 1, 291, 979
 CO₂, 205
 Cocaethylene, 133
 Cocaine, 5, 57, 185, 191, 133, 227, 243, 525, 623, 695, 747, 863, 911, 919
 Conditioned fear stress, 825
 Conditioned place preference, 99, 185, 191, 531, 657
 Conditioned taste aversion, 243, 657, 891
 Conditioned taste avoidance, 657
 Conflict behavior, 369
 Conflict responding, 593
 Continuous drug infusion, 713
 Convulsions, 493
 Corticosterone, 641
 CP 55,940, 657
 CPP, 799
 Crab, 441
 Crack, 57
 Cromakalim, 839
 Cue learning, 303
 Cyproheptadine, 441
d-Amphetamine, 297
 DA D₂ receptors, 525
 DAMPGO, 927
 Daytime activity, 265
 Defensive reflex, 857
 Dehydroepiandrosterone, 51

- d*-Fenfluramine, 641
 δ -Opioid receptor, 477
 δ -Receptor, 665
 Dependence, 11, 791
 Depression, 535
 Development, 41, 425, 603
 Dexfenfluramine, 549
D-Fenfluramine, 155
 Diazepam, 115, 271, 317, 753, 1005
 Diestrus-2, 965
 Dizocilpine, 701
D-Norfenfluramine, 155
 DOI, 603
 Dominance, 285
 Dominance rank, 11
 D_1 receptors, 481, 759
 DOPAC, 41, 575
 Dopamine, 41, 99, 179, 221, 257, 285, 417, 455, 493, 575, 641, 695, 863
 Dopamine agonists, 481, 759
 Dopamine antagonists, 481, 759
 Dopamine (DA), 425
 Dopamine D_1 receptors, 935
 Dopamine D_2/D_3 receptors, 935
 Dopamine neurotransmission, 107
 Dopamine receptor supersensitivity, 185
 Dopamine release, 155
 Dopaminergic stimulation, 1017
 Dothiepin, 265
 DPDPE, 885
 [D-Pen⁵]-enkephalin, 877
 [D-Pen²]-enkephalin, 877
 Drinking, 347
 Drinking behavior, 687
 Drug abuse, 657, 871
 Drug aerosols, 57
 Drug discrimination, 107, 455, 891, 979
 Drug reinforcement, 477
 Drug reward, 511
 Drugs of abuse, 243, 617
 DSP-4, 213, 391
 D_3 Receptor, 695
 D_2 dopamine receptors, 291
 D_2 Receptor, 695, 759
 Duration, 965
 Dynorphin A, 885
- Eating disorders, 433
 Ecgonine, 133
 Ecgonine methyl ester, 133
 EEG, 73
 8-OH-DPAT, 323, 385
 Ejaculation, 329
 Electrophysiology, 493
 Elevated plus-maze, 271, 753
 Elicited PGO waves, 323
 Endogenous opioid peptides, 81
 Endogenous opioids, 613
 Energy metabolism, 549
 Environment-specific sensitization, 899
 Epilepsy, 73
 Essential, 843
 Essential fatty acids, 843
 Estrogen, 27
 Ethanol, 11, 51, 891, 919, 971
 Ethanol alcohol preference, 33
 Ether stress, 965
 Eticlopride, 759
 Etonitazene, 11, 871
 Evoked potentials, 817
 Exploratory head dipping, 877
 Ex vivo binding, 41
- Fear, 649
 Feeding, 1005
 Felbamate, 559
 Female, 433
 Female F-344 rat, 641
 Fenfluramine, 99, 511
 FG5865 Fimbria lesion, 163
 5β -Pregnanediol, 777
 5-HIAA, 965
 5-HT (5-hydroxytryptamine, serotonin), 995
 5-HT receptors, 107
 5-HT_{1A} receptor, 385, 825
 5-HT_{1B} receptors, 257
 5-HT_{1B/D}, 535
 5-HT₂ receptors, 271, 765
 5-HT_{2C} receptor, 107, 385
 5-Hydroxytryptamine, 33, 1023
 5,7-DHT, 951
 Fixed-ratio schedule, 979
 Flunarizine, 155
 Fluvoxamine, 265
 Food, 995
 Food competition, 951
 Food intake, 221, 297, 425, 433, 777, 839, 1023
 Food-related drinking, 347
 Food restriction, 995
 Food reward, 221
 Foot-shock, 735
 Forced, 843
 Forced swimming, 469
 Forced swimming test, 843
 Formalin, 411
 Fowls, 995
 Free fatty acids, 549
 Freezing behavior, 825
 Functional recovery, 163
- GABA, 27, 51, 629, 943, 995
 GABA (γ -aminobutyric acid), 995
 GABA_A, 971
 GABA_A receptors, 361
 GABA_A receptor subtypes, 723
 GABA_B, 73, 303
 GABA_B receptor, 943
 GABA_C receptor, 777
 γ -Butyrolactone, 73
 γ -Hydroxybutyric acid, 73
 γ -Linolenic, 843
 γ -Linolenic acid, 843
 Gastric emptying, 839
 Gastric lesion, 957
 GBR12909, 911
 Generalization, 891
 Genetics, 425, 585, 871
 Ginger, 271
Ginkgo biloba, 271
 Glucose, 549
 Glycine, 791
 Glycogen, 549
 Gnawing behavior, 67
 GR 127935, 535
 Grooming, 935
 Guinea pig, 799
 Guinea pig ileum, 885
- Habituation, 401, 517, 857
 HAD rats, 33
 Halcion, 317
 Haloperidol, 401, 437, 833, 853
 Handling for vaginal smear screening, 965
- Hibernation, 885
 Hibernation-induction trigger, 885
 High responder, 191
 Hippocampus, 361, 613, 899
 Histamine, 347
 Histamine H_1 -receptor antagonist, 567
 Histamine H_3 -receptor antagonist, 567
 Histamine H_2 -receptor agonist, 567
 Histamine H_2 -receptor antagonist, 567
 Histaminergic, 347
 H_1 receptors, 347
 Horizontal activity, 877
 Hormone, 27
 Hot-plate analgesia test, 449
 HPNS, 257
 H_1 receptors, 347
 H_2 receptors, 347
 Hyperactivity, 185
 Hyperphagia, 87, 1005
 Hypoalgesia, 649
 Hypothalamic 5-HT, 965
 Hypothalamus, 425
 Hypothermia, 87, 657
- Ibogaine, 863
 Immunity, 227
 Impromidine, 567
 Individual differences, 191, 511
 Indole levels and release, 155
 Inferior colliculus lesions, 503
 Inferior colliculus nuclei, 503
 Infusion, 309
 Ingestion, 731
 Ingestive behavior, 657
 Insulin, 549
 Intracerebral injection, 541
 Intracranial self-stimulation, 741
 Intrauterine cocaine, 857
 Intravenous, 309
 In vitro binding, 41
 In vivo microdialysis in freely moving rats, 99
 Ipsapirone, 825, 891
 Isolation, 41
 Isradipine, 243
 IV, 919
- Juvenile rats, 987
- κ Agonists, 411
 κ -Opioid, 863
 κ -Receptor, 665
 K^+ channel opener, 839
- Lamotrigine, 559
 Lapping, 853
 Lateral hypothalamus, 417
 Laterodorsal tegmental nucleus, 323
 Learning, 317, 385, 765
 Learning/memory, 735, 943
 Licking, 853
 Lithium, 511
 Locomotion, 335, 935
 Locomotor activity, 87, 191, 257, 481, 535, 623
 Long-term facilitation, 735
 Loreclezole, 723
 Loss of control, 11
 Low responder, 191
 Lymphocyte, 227
 LY262691, 493

- Majonoside-R2, 957
 Male, 433
 Maze, 463
 Maze-learning selected chicks, 581
 Mazindol, 911
 MBDB, 99
 mCPP, 107
 MDMA, 99, 455, 477
 Medial frontal cortex, 641
 Medial prefrontal cortex, 5
 Memantine, 791
 Membrane, 27
 Memory, 51, 317, 361, 385
 Memory and learning, 713
 Menthol, 355
 Metergoline, 1023
 Methamphetamine, 575
 Methiothepin, 155
 Methylecgonidine, 57
 Methylnaloxonium, 809
 Mice, 285, 329, 411, 425, 433, 437, 701, 735, 843
 Microdialysis, 221, 575, 679, 747, 809
 Microwaves, 613
 Midazolam, 649
 (–) Eticlopride, 525
 (–)-Norpseudoephedrine, 297
 (–)-3-PPP, 903
 MK-801, 369, 701
 MMAI, 99
 Moclobemide, 469
 Morphine, 227, 411, 433, 511, 531, 731, 791, 809, 979, 1013
 Morphine derivatives, 665
 Morris maze, 163
 Morris water maze, 303, 783
 Motility, 525
 Motivation, 115
 Motor, 179
 Mouse, 673, 877
 Mouse spleen, 141
 MSG, 425
 Mu-opioid, 927
 μ -Receptor, 665
 Muscimol, 629, 971

 Naloxone, 81, 411, 885
 Naltrexone, 987
 Naltrindole, 477
 Neonatal exposure, 197
 Neuroactive steroid, 27
 Neuroactive steroids, 777
 Neurosteroids, 27, 51
 Nicotinamide, 783
 Nicotine, 81, 309, 355
 Nicotine abstinence, 81
 Nicotine dependence, 81
 Nicotine withdrawal, 81, 635
 Nictitating membrane, 617, 857
 Nitric oxide, 147, 673, 1013
 NMDA antagonists, 799
 NMDA receptor antagonists, 701, 791
 NMDA receptors, 799
N-Methyl-DL-aspartate, 673
 N^6 -*p*-Sulfophenyladenosine (*p*-SPA), 341
 Nociception, 27, 133
 $N\omega$ -Nitro-L-arginine, 673
 Nongenomic, 27
 Nootropic, 943
 Noradrenaline, 285, 541
 Noradrenergic, 979
 Noradrenergic activity, 517

 Nor-binaltorphimine, 411
 Norcocaine, 133
 Norepinephrine, 141, 213, 235, 641, 1023
 Novelty, 191
 NPC 17742, 791
 NS-3 (CG3703), 391
 Nucleus accumbens, 99, 221, 635, 747, 809
 Nucleus basalis, 277
 Nucleus basalis magnocellularis (NBM), 391

 Obesity, 425, 549
 Object recognition, 277
 Obsessive-compulsive disorder, 123
 Ontogeny, 575
 OPC-14597, 903
 Open field, 303
 Open-field test, 833
 Operant response, 335
 Operant test battery, 115
 Opiate antagonists, 81, 987
 Opiates, 11, 81, 809, 871
 Opioids, 67, 433, 871, 885, 987
 Oral, 919, 995
 Oral movements, 935
 Organophosphate, 771
 ORG2766, 163
 Osmotic minipumps, 713

 Pain, 411, 449, 567
 Palatability, 221, 731
 Panax ginseng, 185
 Paradoxical sleep, 291
 Paraventricular nucleus, 1023
 Parental behavior, 987
 Parkinsonian bradykinesia, 335
 Parkinsonism, 179
 Partial agonists, 87
 Particle-size aerosol, 57
 Passive avoidance, 735
 Passive avoidance response, 391
 Pavlovian conditioning, 617
 Peak force, 853
 Peak procedure, 759
 Pedunculopontine tegmental nucleus, 323
 Penile erection, 525
 Pentobarbital-induced sleep, 957
 Pentylenetetrazole, 73, 673
 Performance, 317
 Peripheral chemoreceptors, 341
 Petit mal, 73
 PGO waves, 323
 Phaclofen, 73
 Phenobarbital, 369, 559
 PI turnover, 107
 Picrotoxin, 673
 Piracetam, 943
 Place aversion, 99
 Place conditioning, 487, 511
 Place preference, 511, 1013
 Plaque-forming cell response, 235
 Plasma, 927
 Plasticity, 147
 (+)-Amphetamine, 455
 (+)-Fenfluramine, 455
 (+)MK-801, 799
 (\pm)Cyanopindolol, 257
 Plus-maze, 1005
 Polydrug exposure, 197
 Postictal prolactin, 503
 Prazosin, 979
 Prefrontal cortex, 809

 Pregnenolone, 51, 777
 Pregnenolone sulfate, 51
 Prenatal, 843
 Prenatal alcohol effects, 197
 Prenatal cocaine, 617, 857
 Prenatal cocaine effects, 197
 Prenatal ethanol intoxication, 361
 Prepubertal, 987
 Pressure, 257
 Problem solving, 197
 Progesterin, 27
 Progressive ratio, 5, 115
 Prolactin, 379, 641
 Propranolol, 979
 pseudo-Parkinsonism, 853
 Psychological stress, 957
 Psychomotor performance, 265
 Purposeless chewing, 179
 Pyruvate kinase, 549

 Quinpirole, 379, 759

 Rabbit, 857
 (R)- α -methylhistamine, 567
 Race, 355
 Rat pup, 41
 Rats, 1, 11, 73, 205, 249, 271, 291, 335, 341, 379, 385, 391, 433, 455, 463, 531, 559, 593, 657, 679, 765, 809, 853, 871, 891, 919, 971, 979, 1013
 Rearing, 877
 Receptor, 995
 Reference memory, 463
 Reflex modification, 857
 Reinforcement, 5, 243, 657, 971
 Repeated prenatal exposure, 771
 Repeated testing procedures, 369
 Resistance, 965
 Response decrements, 853
 Response sequence, 335
 Restraint, 205, 927
 Retrograde messenger, 147
 Reward, 99, 191, 417, 657, 695, 731
 Ritanserin, 603
 RO 41-9067, 291
 Ro16-6028, 87
 Ro23-1590, 87
 Ro23-0364, 87
 Rotation, 903
 RT1-55, 911
 RU 24969, 535
 Running wheel activity, 329

 Saccharin, 919
 Saccharin taste aversion, 695
 Saclofen, 73
 Salbutamol, 979
 Schizophrenia, 493
 SCH23390, 437, 759
 Scopolamine, 277, 463, 679, 713, 735, 853
 Seizure, 73
 Selected rat lines, 723
 Selective breeding, 871
 Self-administration, 5, 919, 971
 Self-stimulation, 417
 Sensitization, 441, 585, 623, 911, 935
 Sensorimotor, 701
 Sensorimotor integration, 857
 Sensory gating, 817
 Septal area, 541
 Serotonin, 123, 257, 271, 323, 455, 441, 549, 641, 765, 747, 825, 863, 891

- Serotonin agonists, 385
 Serotonergic activity, 517
 Serotonin (5-HT), 425
 Serotonin receptors, 33
 Serotonin reuptake inhibitor, 123
 Serotonin, receptors, 603
 7-Hydroxy-*N,N*-di-*n*-propyl-2-aminotetralin, 695
 7-OH-DPAT, 379, 695
 17 β -Estradiol, 379
 Sex, 433
 Sexual behavior, 329, 525
 Sigma receptor, 695
 6-Hydroxydopamine, 5, 817
 SKF 38393, 759
 Sleep, 1
 Sleep apneas, 341
 Sleep-wake cycle, 559
 Smoking, 309
 Social behavior, 11
 Social isolation, 11, 531
 Spatial learning, 303, 361
 Spatial learning and memory, 701
 Spatial working memory, 541
 SRBC, 235
 Stereotyped behavior, 525
 Stereotypy, 903, 935
 Steroid mechanism, 27
 Stimulants, 481
 Stone maze, 713
 Stress, 41, 123, 205, 235, 641, 735
 Stress model, 469
 Stress susceptibility, 581
 Striatum, 179, 257, 575, 635
 Strong learning, 629
 Subdiaphragmatic vagotomy, 839
 Substantia nigra, 493
 Substantia nigra lesions, 503
 Sucrose, 731, 971
 Sweet solution consumption, 243
 Tail-flick latency, 27
 Tail-flick test, 665
 Taste, 731
 Taste aversion, 511, 839
 Taste avoidance, 511
 Taste reactivity, 731
 Temporal response differentiation, 115
 TFMP
 Thigmotaxia, 303
 Time course, 369, 935
 Time estimation, 115, 759
 Tolerance, 227, 593
 Tongue, 853
 Tongue protrusions, 935
 Topography, 355
 Tremor, 179
 Triazolam, 317
 Trifluoperazine, 155
 Trihexyphenidyl, 463
 Tropane, 133
 Turnover, 41
 (2-[4-[4,4-bis(4-fluorophenyl)butyl]-1-piperazinyl]-3-pyridinecarboxamide), 33
 Type A monoamine oxidase inhibitor, 469
 U-50488H, 411
 U78875, 87
 Uncontrollable foot-shock, 877
 Undernourished pigeon, 951
 Vacuous chewing, 179
 Vacuous chewing movements, 401
 Valium, 317
 Vapor pressure, 57
 Ventral tegmental area (VTA), 971
 Ventral tegmentum, 493
 Viable yellow, 425
 Vietnamese ginseng extract, 957
 Vietnamese ginseng total saponin, 957
 Vocal control system, 213
 Voltammetry, 257
 Water intake, 297
 Water maze, 317, 385
 Weak learning, 629
 Withdrawal, 249, 593, 791, 809
 Women, 355
 Working memory, 277, 463
 Yawning, 903, 1017
 Yohimbine, 979
 ZG-63, 723
 Zolpidem, 723