

VOLUME 66, 2000 KEYWORD INDEX

- A9 neurons, 747
A10 neurons, 747
Abnormal posture, 841
Abstinence, 419, 553
Accumbens, 857
Accumbens shell, 429
Acetaldehyde, 137, 695
Acoustic startle reflex, 375
Acoustic startle response, 403
Activities of daily living, 827
Activity, 343
Addiction, 3, 419
S-Adenosylmethionine, 841
Adrafinil, 293, 301
Aged rats, 827
Aging, 293, 301
Alcohol, 153, 163, 679
Alcohol drinking, 169
Alcohol nonpreferring rats, 113
Alcohol preference, 455
Alcohol-preferring rats, 105, 113
Alcohol reward, 455
Alcoholism, 455, 609
Allodynia, 873
Allopregnanolone, 39
Ambivalence, 3
Aminoglutethimide, 879
Aminonaphthalenic derivatives, 199
AMPA receptors, 615
Amphetamine, 211, 435, 489, 835, 841
d-Amphetamine, 509
Amphetamine-induced stereotyped behavior, 671
Analgesia, 343, 347, 595
Animal models, 73, 455, 811
Aniracetam, 827
Anticipatory contrast, 603
Antidepressants, 329
Antinociception, 343, 653
Anxiety, 65, 249, 265, 573, 585
Apomorphine, 435
Apomorphine-induced stereotyped behavior, 671
Appetite, 3, 429
Arousal, 729
Arrhythmias, 623
Ascorbic acid, 413
Atropine, 227
Attention, 729, 747, 893
Attribution, 3
Autonomic responses, 19
Autoradiography, 495
Aversion, 559
Avoidance conditioning, 887
- Baclofen, 857
Basal ganglia, 803
Beer, 163
Behavior, 465, 713, 789
Behavioral genetics, 609
Behavioral sensitization, 211, 285, 835
Benzodiazepines, 371, 429, 887
Betacarbolines, 713
“Binge” pattern, 449
Binocular depth inversion, 175
Blood cholesterol, 163
Blood ethanol levels, 129
Blood pressure, 15, 19
Body temperature, 183
Bourdon task, 29
Brain, 39, 465, 475
 δ -Bromo-cAMP, 383
BTCF, 631
Bupivacaine, 623
Buspirone, 389, 645
t-[³H]Butylbicycloorthobenzoate ([³H]TBOB) binding, 879
BW 723C86, 797
- Caffeine, 15, 19, 29, 39, 47, 257
Calcium/calmodulin, 771
Calcium channel blocker, 347
cAMP, 687
Candy flipping, 483
Canine, 293, 301
Cannabidiol, 175
Cannabinoids, 175, 803
Carbachol, 227
Cardiac sudden death, 707
Cardiomyopathic hamsters, 707
Catalase, 137
Cathine, 489
CB₁ cannabinoid receptors, 183
C57BL/6J, 811
 β CCM, 371
Cell firing increase, 747
Central zone, 863
Cerebral blood flow, 15
CGS12066B, 129
Chinese medicine, 771
Chlordiazepoxide, 893
Chocolate, 3
Cholinergic system, 827
Cholinesterase inhibition, 739
Chronic ethanol intake, 153
Chronic nicotine, 95
Chronic stress, 403
Chronic treatment, 235
Cigarette smoking, 563
Cigarettes, 47, 553
Cinanserin, 541
Citalopram, 211
Clonazepam, 329
Clozapine, 413
Cocaine, 221, 249, 285, 313, 353, 397, 449, 631, 765, 857, 863
Cocaine abstinence syndrome, 323
Cocaine dependence, 323
Cocaine self-administration, 397
Coffee, 19, 47
Cognition, 301, 475
Cognitive concepts, 169
Concentration, 29
Conditioned fear, 573
Conditioned place preference, 221, 285, 595
Conditioned taste aversion, 547, 603, 609, 695, 779, 851
Conditioning, 3, 143
Conflict behavior, 211
Constant infusion, 87
Control motivations, 169
Convulsions, 879
Correlated trait, 241
Corticosterone, 39, 235, 879
Cortisol, 713
CP-94, 253, 797
Craving, 3, 123, 553, 563, 637
CRH, 713
Crosstolerance, 205
Crouching, 249
Crude drugs, 771
CTA, 603, 695
Cyclo-(7-aminoheptanoyl-phe-d-trp-lys-thr(bzl)), 721
- D_{1/5} receptors, 573, 707
D₃ dopamine receptors, 183
D₂ receptors, 579, 747
d-Amphetamine, 307
Defensive behavior, 249
Defensive burying, 265
Delayed reinforcement, 501
Delta receptor, 779
Dependence, 419
Depression, 79, 811
Desensitization, 87
Designer drugs, 483
Desire, 169
Development, 419, 547
Dexamethasone, 585
Diabetes, 329
Diazepam, 265, 371, 389, 429, 645, 887
Diazepam-dependent rats, 751
Dibutyryl cAMP, 383
Dieting, 3
5,7-Dihydroxytryptamine, 105
Discrimination learning, 301
DOI, 797
Dopamine, 153, 307, 353, 397, 425, 573, 615, 667, 679, 803, 857
Dopamine agonists, 257
Dopamine antagonists, 257
Dopamine D₁ receptors, 579
Dopamine microdialysis, 47
Dopamine synthesis, 771
Dopaminergic system, 465, 523
Dorsal hippocampus, 65

- Dose, 671
 Dose-response, 789
 8-OH-DPAT, 65, 389, 403, 863
 Drinking behavior, 443
 DRL, 819
 Drug abuse, 47
 Drug discrimination, 47, 199, 517, 701
 Drug self-administration, 47
 DTG, 533
- Eating, 3
 Ejaculation, 337
 Elevated plus-maze, 211
 Emotion, 169
 Environmental context, 671
 Environmental factor, 285
 Ephedra, 489
 Ephedrine, 489
 ERP, 29
 Estrogen, 509
 Estrous cycle, 887
 Estrus, 449
 Ethanol, 137, 143, 163, 169, 241, 413, 465, 585, 591, 679, 701, 819
 Ethanol consumption, 307
 Ethanol intake, 105
 Ethanol self-administration, 123, 129
 Exercise, 343
 Expectations, 169
 Extinction, 123
- Farnesylcysteine, 841
 Fatigue, 29, 771
 Fear, 249
 Feeding, 713
 Female, 449
 Female rats, 383, 739
 Fetal, 419
 Fetus, 547
 Figure-8 maze, 403
 Finasteride, 879
 Flumazenil, 265, 751
 Fluoxetine, 337
 Food, 3
 Food and water intake, 257
 Food intake, 429
 Forced swimming test, 105, 329
 Forskolin, 383
 Fos protein, 87
 Freezing, 249
 Frontal cortex, 397
 FSL rats, 73
- GABA, 429, 615, 667, 857
 GABA_A receptors, 371, 887, 893
 Galanin, 721
 Gender, 751
 Gender differences, 653
 Gene detection, 371
 Genetic background, 811
 Genetics, 241, 811
 Glucocorticoid receptor, 235
 Glutamate, 687
 Glycine, 65
 Golgi staining, 235
 GR127935, 129
 Gulf War Illness, 739
- Hallucinogens, 483
 Haloperidol, 413, 707, 863
 HDL, 163
 Head turning, 747
- Heart failure, 707
 Heroin, 603
 Hippocampal 5-HT, 79
 Hippocampal dendritic atrophy, 235
 Hippocampus, 495, 585
 [³H]muscimol binding, 645
 Hot-plate test, 653
 HPA axis, 39
 5-HT, 153
 5-HT receptors, 797
 5-HT₄ receptors, 443
 5-HT_{1A} receptors, 65, 383, 403, 797
 5-HT_{2A} receptors, 729, 797
 5-HT_{2B}, 797
 5-HT_{1B} receptor knock-out, 221
 5-HT_{1B} receptors, 129, 797
 5-HT_{1B} receptors, 221
 5-HT_{2C} receptors, 797
 5-HTP, 211
 Human laboratory study, 563
 Humans, 175, 475, 637
 6-Hydroxydopamine, 841
 5-Hydroxytryptamine receptors, 797
 Hyperactivity, 189, 353, 729
 Hyperalgesia, 873
Hypericum perforatum, 105
 Hypokinesia, 841
 Hypoxia, 679
- ICV, 591
 Impulsiveness, 729
 In vivo antioxidant activity, 661
 Ingestive behavior, 429, 797
 Inhibitory avoidance, 235
 Intracerebral, 857
 Intracerebral microdialysis, 397
 Ipsapirone, 797
- Kainic acid, 879
 Kappa opioids, 343, 517
 Ketamine, 547
 Ketanserin, 541
 Khat, 489
 Kidney failure, 707
 Kindling, 425
 Knockout mice, 811
- Lapses of attention, 29
 Latent inhibition, 533, 893
 Lead, 465
 Lead acetate, 137
 Learned helplessness, 811
 Learning, 235, 547, 559, 739
 Lever press, 739
 Lipid peroxidation, 661
 Liquid nutritive and tonic drug, 771
 Lithium, 559
 Lithium chloride, 547
 Locomotor activity, 113, 137, 205, 211, 285, 293, 403, 495, 631, 771, 863
 Locomotor stimulation, 241
 Long-Evans rats, 343
 Lorazepam, 361
 Luteinizing hormone, 275
- m-CPP, 797
 M₁ muscarinic receptor, 65
 Majonoside-R2, 661
 Male, 343
 Male rats, 739
 Maternal aggression, 389
 Maternal behavior, 353, 389
- McN-A-343, 65
 MDMA, 501
 Mealtime-associated anticipation, 827
 Mecamylamine, 65, 73, 637
 Memory, 547, 559, 595, 687
 Memory consolidation, 615
 Menstrual cycle, 509
 Mesolimbic dopamine, 79
 Metergoline, 541
 Methamphetamine, 285, 579
 N-Methyl-aspartate receptors, 579
 Methylation, 841
 Mice, 221, 371, 413
 Mice brain, 771
 Microdialysis, 227, 425
 Microinjections, 227, 429
 Midazolam, 371
 Mixed schedule, 313
 MK-801, 533
 Modafinil, 293, 301
 Mood, 3, 15, 19
 Moreishness, 3
 Morphine, 189, 199, 205, 313, 347, 419, 429, 517, 559, 595, 653, 851
 Morphine-6-glucuronide, 205
 Motivation, 429
 Motives, 169
 Motor control, 803
 Motor function, 523
 Motor incoordination, 241
 Mouse, 95
 Muscimol, 429, 667
- Nabilone, 175
 Nalmefene, 275
 Naltrexone, 347, 563
 Naltrindole, 779, 851
 Neonate, 547
 Nest building, 789
 Neuroactive steroids, 39
 Neuroleptic drugs, 227
 Neuropeptide, 721
 Neuropeptide Y, 591
 Nicotine, 47, 65, 73, 87, 495, 553, 563, 637, 695, 819
 Nicotine dependence, 79
 Nicotinic acetylcholine receptors, 87
 Nicotinic receptors, 73, 495
 Nimodipine, 347
 Nitric oxide synthase inhibitors, 623
 NMDA, 547
 NMDA receptors, 533, 615
 Noradrenaline, 153
 Norephedrine, 489
 Norepinephrine, 873
 Novelty seeking, 113
 NP rats, 455
 Nucleus accumbens, 47, 227, 307, 397
 Nursing behavior, 353
- 129/J, 811
 Ontogeny, 419, 835
 Operant behavior, 819
 Operant conditioning, 803
 Opiate antagonists, 701
 Opiate receptors, 579
 2-Opiate receptors, 701
 Opiates, 205, 419
 Opioid, 429
 Opioid antagonists, 275, 517, 563
 μ-Opioid receptor regulation, 347
 Opioids, 653

- ORG 37684, 797
 Ovarian hormones, 887
 Overwork-induced physical fatigue, 771
 OVX, 449

 P rats, 455
 Pain, 343, 751
 Palatability, 653
 Parkinson's disease, 841
 Paroxetine, 609
 Pentoxifylline, 687
 Pentyletetrazole, 425, 879, 893
 Peripheral benzodiazepine receptors, 751
 Permethrin, 739
 PET, 475
 Pharmacodynamics, 475
 Pharmacokinetics, 475
 Phencyclidine, 533
 Phenylpropanolamines, 489
 Physiological sensation, 169
 Physostigmine, 475
 Picrotoxin, 879
 Pigeons, 313
 Pigs, 713, 789
 Pirenzepine, 65
 PK 11195 tolerance, 751
 Place aversion, 559
 Place preference, 559
 Plasma, 39
 Pre-pulse inhibition, 375
 Precipitated withdrawal, 751
 Prefrontal cortex, 615
 Prenatal, 489
 Progesterone, 449
 Progressive ratio schedule, 857
 Prolactin, 275
 Prostaglandin, 789
 Protein kinase A, 835
 Pseudoephedrine, 489
 Pseudoginsenoside-F11, 595
 Pseudonorephedrine, 489
 Psychological stress, 661
 Pyridostigmine bromide, 739

 Questionnaire, 169
 Quinpirole, 95, 257
 Quipazine, 541

 Raclopride, 189, 307
 Radiotelemetry, 143, 361
 Rats, 39, 65, 199, 235, 307, 323, 343, 425, 465, 495, 501, 523, 547, 631, 653, 695, 729, 747, 751, 779, 819, 851, 893
 rCBF, 475
 Receptor binding, 523
 Reinforcement strength, 455

 Reinstatement, 123, 559
 Relapse, 123, 559
 REM sleep deprivation, 721
 Repeated alcohol deprivation, 143
 Resistance to change, 455
 Response acquisition, 501, 739
 Reuptake kinetics, 609
 Reward, 559
 Reward comparison, 603
 Righting reflex loss, 413
 Rigidity, 841
 Rimazole, 105
 Risperidone, 189
 Ro15-4513, 371, 893
 Rotarod, 241
 RU24969, 129
 Running wheels, 343

 Saccharin, 547, 603, 653
 Saline self-administration, 129
 SCH23390, 257, 707
 SCH 23390, 189, 413, 667
 Schedule-controlled behavior, 47
 Schizophrenia, 533
 Sciatic nerve, 873
 Seizures, 623
 Selected mouse line, 241
 Selectively bred rats, 609
 Self-administration, 765, 857
 Self-injurious behavior, 579
 Sensitization, 249, 631, 765
 Sensorimotor integration, 747
 Serotonin, 211, 337, 403, 579, 609, 873
 Serotonin transporter, 609
 Sex, 169
 Sex differences, 375
 Sexual behavior, 337, 383
 Shell of nucleus accumbens, 397
 Sigma receptor, 105
 Sigma receptor antagonist, 105
 Sigma receptors, 533
 SKF 38393, 257
 Smoking, 163
 Smoking cessation, 563
 SNC 80, 779, 851
 Sniffing, 249
 Social interaction, 265
 Soft beverage, 15
 Spinal cord, 873
 Spiradoline, 517
 Spirits, 163
 Spontaneous open-field behavior, 293
 Sprague-Dawley rats, 375, 803
 Stationary dowel, 241
 Stereotyped behavior, 435
 Stereotypy, 249, 353, 667

 Stimulus mechanisms, 483
 Strain differences, 811
 Stress, 667, 707, 811
 Striatal dopamine metabolism, 95
 Striatum, 679, 857
 Styrene, 523
 Subchronic neurotoxicity, 523
 Subjective effect, 509
 γ 2 Subunit: γ 2 splice variant, 371
 Sucrose, 591, 653
 Sudden death, 707
 Sulpiride, 227, 257, 747
 L-Sulpiride, 413
 Supersensitivity, 347
 Sustained attention, 29
 Swim stress, 879
 Swim test, 73
 Sympathetic nerves, 707
 Synergism, 739

 Tail-flick test, 343, 653
 Tail pinch, 667
 Taste reactivity, 307
 Tea, 19
 Temporal regulation of behavior, 827
 Testing environment, 375
 Testosterone, 275
 δ^9 -Tetrahydrocannabinol, 183
 TFMPPr, 797
 Theophylline, 257
 Third ventricle injections, 443
 Tobacco, 47, 637
 Tolerance, 95, 205, 313, 361, 595
 Traditional Chinese medicine, 771
 Transport response, 541
 Tremor, 841
 Type II alcoholism, 113

 U50,488H, 343
 Uptake and release, 523
 Urge, 563

 Variable-interval schedules, 455
 Ventral tegmental area, 153, 857
 Vietnamese ginseng, 661
 Voltammetry, 679
 Voluntary alcohol self-administration, 143

 Wine, 163
 Withdrawal, 15, 361, 419, 553
 Withdrawal symptoms, 143
 Withdrawal syndrome, 323
 Working memory, 475

 Zolpidem, 361, 371, 645