

VOLUME 67, 2000 KEYWORD INDEX

- AC927, 659
Acamprosate, 629
Acoustic startle response, 313
Acquisition studies, 537
ACTH, 25, 423, 527
Acute administration, 45
Acute drug effect, 773
Acute withdrawal, 709
Addiction, 71
Adjunctive behavior, 207
 α_2 -Adrenoceptor, 247
Aggression, 271, 773
Agonist-stimulated [35 S]GTP γ S auto-radiography, 701
Akinesia, 121
Alcohol, 583, 773, 801
Alcohol deprivation effect, 621, 759
Alcohol intake, 271
Alcohol preference, 621, 671, 759, 783
Alcohol sensitivity, 671
Alcohol tolerance, 719
Alcohol withdrawal, 671
Alcohol-non-preferring NP rats, 313
Alcohol-preferring P rats, 313
Allodynia, 247
Allopregnanolone, 29, 137, 587, 709
AMI-193, 257
Amphetamine, 29, 93, 241
Anabolic androgenic steroids, 271
Analgesia, 83
Anesthesia, 749
Anhedonia, 183
Animal model, 45
Antidepressant, 137, 325, 449
Anticholinergic drugs, 497
Antidepressant drug screening, 519
Antiepileptogenic, 411
Antimalarial, 37
Antisense, 629
Anxiety, 45, 145, 177, 199, 225, 313, 325, 433, 489, 739, 773
Anxiolysis, 177
Anxiolytic, 199, 325
Anxiolytic effect, 489
Anxiolytic-like activity, 597
AP7, 325
Apomorphine, 93, 241, 801
Apomorphine-induced aggressive behaviour, 339
Area postrema, 233
Artemisinin, 37
Ataxia, 583
Atropine, 215, 663
Autosomal mutants, 749
Barbiturates, 199
Basal ganglia, 93, 567
Behavior, 93, 161, 377, 465, 483, 701, 719, 773
Behavioral adaptation, 519
Behavioral screening, 663
Behavioral sensitization, 559
Benzodiazepine, 433, 483
Beta-endorphin, 25
Betaxolol, 507
“Binge” pattern cocaine, 417
Bioavailability, 479
BOL, 103
Brachydanio rerio, 773
Brain peptides, 271
Bromocriptine, 121, 161
Buspirone, 45
BW 723C86, 291
Cannabinoid receptors, 567
 β -Carboline, 169
Castration, 193
Catalepsy, 767
Caudal brainstem, 371
Caudoputamen, 93
CB $_1$, 265
CBG, 193
C57Bl/6J mice, 559
C57Bl/6 \times DBA/2 F2 hybrid mice, 693
C57Bl/6J, 17
C57Bl/10J mice, 729
CCK-A receptors, 603
c-fos, 233
c-fos induction, 559
4'-Chlorodiazepam, 137
Cholecystokinin, 603
Cholinergic system, 511
Chronic stress, 423
Cigarette smoking, 479
Cigarettes consumed per day, 25
Cimetidine, 145, 489
Classical conditioning, 103
Clock, 377
Clomipramine, 449
Clonidine, 397
Clorgyline, 719
Clozapine, 307, 647
Cocaine, 111, 151, 257, 559
Cocaine-seeking, 363
COLD mice, 821
Common marmosets, 121
Compound 48/80, 145, 489
Conditioned acceptance, 545
Conditioned flavor preference, 537
Conditioned place aversion, 17
Conditioned place preference, 111, 693
Conditioned preference, 545
Conditioned taste aversion, 17
Conflict behavior, 199, 613
Congenic strain, 671
Consumption, 683
Convulsions, 507
Coping behavior, 519
Copulation, 387
Cortex, 319
Corticosteroid-binding globulin, 193
Corticosterone, 193, 423, 527
Corticotropin-releasing factor, 519
Cortisol, 25, 465
CP-94, 253, 291
Craving, 71
CRF, 809

- CRH, 465, 527
 Cross-fostering, 801

 D₂, 161
 D₃, 161
 DBA/2J, 17
 DBA/2 mice, 433
 DBI, 355
 D₁ dopamine receptors, 567
 D₂ dopamine receptors, 567
 Deaths, 151
 Defeat, 433
 Defensive aggression, 271
 Delay alternation, 397
 Dependence, 629
 Depression, 183, 331
 Devazepide, 603
 Development, 111, 281, 575
 Dextromethorphan, 405
 2-DG, 233
 Diabetes mellitus, 247
 Diazepam, 151, 207, 225, 433, 465, 739
 Discriminative stimulus, 483
 Disinhibition, 613
 Dizocilpine, 647
 DOI, 291, 339, 701
 Dopamine, 29, 55, 93, 257, 387, 397, 537, 783, 801
 Dopamine D₂ receptor, 693
 Dopamine receptor, 83, 161, 637
 Dopaminergic system, 511
 D₁ receptor, 537
 D₂ receptor, 537
 DRL, 377
Drosophila, 749
 Drug discrimination, 257, 483
 Drug self-administration, 257
 Drugs of abuse, 773
 DTG, 659

 Ejaculation, 215
 Elevated plus maze, 177, 225, 597, 739, 809
 Enalapril, 151
 β-Endorphin-deficient mice, 621, 759
 Enkephalin, 331
 Environmental context, 241
 Epipregnanolone, 459
 Estrogen, 417, 501
 Ethanol intake, 629
 Ethanol, 151, 225, 459, 483, 671, 683, 693, 709, 767, 821
 Ethanol-induced sleep, 345
 Ethological measures, 739
 Euphoria, 71

 Exploration, 177
 Exploratory activity, 719
 Expression studies, 537

 Familiar, 575
 Fear, 177, 773
 Feeding, 603
 Female, 417
 Fetus, 575
 FG7142, 397
 FGIN 1–27, 137
 Fischer, 417
 Fischer rat, 809
 Fixed-ratio schedule, 265
 Fleeing, 271
 Flight, 433
 Flumazenil, 465
 Fluoxetine, 137, 449
 Food control, 405
 Food-maintained responding, 265
 Forced swimming test, 519
 Formalin test, 449
 Fos immunoreactivity, 793
 FR 15, 265
 Freezing, 271
 Frontal cortex, 473

 GABA_A, 355
 GABA_A-receptor, 137
 Gastric distension, 371
 GBR 12909, 257
 Gender, 801
 Genetics, 749, 801
 Genotype by drug interaction, 729
 Glucocorticoid receptors, 527
 Glucose, 233
 Glutamate binding, 169, 411
 Glutamate, 325, 371
 Gomori, 233
 GR127935, 559
 Grooming, 511
 Guanfacine, 397

 Habituation, 773
 Haloperidol, 307, 647, 767
 HDS rats, 199
 HDS, 701
 Hindbrain, 371
 Hippocampus, 587, 647
 Histamine, 489
 Histamine receptors, 145
 Histogranin, 83
 Honokiol, 597
 Honokiol analogs, 597
 HOT mice, 821
 Hot plate test, 449

 HPA axis, 809
 HPG axis, 613
 5-HT₂, 701
 5-HT_{1A}, 291, 701
 5-HT_{1A} receptor, 45, 55, 199
 5-HT_{2A}, 291
 5-HT_{1B}, 291
 5-HT_{2B}, 291
 5-HT_{1B} receptors, 559
 5-HT_{2C}, 291
 5-HT_{1D}, 291
 5-HT receptors, 701
 Humans, 131
 Hydrogenated honokiol, 597
 5-Hydroxytryptamine (5-HT), 199
 5-Hydroxytryptamine (5-HT) receptors, 291
 Hyperalgesia, 449
 Hypercortisolemia, 247
 Hypolocomotion, 637
 Hypothalamus, 233
 Hypothermia, 701, 821
 Hypoxia, 65

 ICI 118, 551, 507
 Idazoxan, 247
 [¹²⁵I]epibatidine, 319
 Impulsivity, 613
 In situ hybridization, 331
 Inbred mice, 17
 Inbred strain of mice, 739
 Inbred strains, 821
 Incentive, 387
 Inebriometer, 749
 Ingestive behavior, 291
 Innate alcohol sensitivity, 793
 Interval-specific congenic strain, 671
 Intracerebroventricular injections, 345
 Intraperitoneal injections, 345
 Inverse agonism, 103
 Ipsapirone, 291
 Isobologram, 265

 Kainic acid, 501
 Ketamine, 575
 Ketanserin, 339
 Kindling, 169
 Kinetics, 479
 Knockout mice, 693
 Knockout, 683

 L-741, 626, 161
 Lamb, 603
 Lamivudine, 511
 L-AP4, 93
 L-DOPA, 121

- LDS, 701
 LDS rats, 199
 Lead, 111, 281
 Learning and memory processes, 519
 Learning, 103, 169, 603
 Lesions, 473
 Lewis rat, 809
 Lick, 207
 Light/dark, 739
 Light/dark test, 145, 489
 Lithium chloride, 17
 Locomotion, 55, 121, 417, 793
 Locomotor, 281
 Locomotor activity, 29, 225, 319, 559, 683, 693, 767

 Maltodextrin, 545
 MAO A-knockout, 719
 Maternal deprivation, 801
 Maternal environment, 801
m-CPP, 291
 Meal termination, 371
 Median eminence, 527
 Melatonin, 131
 Memory, 355, 575
 Mepyramine, 145
 Methamphetamine, 405
 Methionine sulfoximine, 233
 Metyrapone, 137
 Mianserin, 103
 Mice, 45, 345, 433, 507, 719, 729
 Microdialysis, 783
 Midazolam, 177
 MK-801 binding, 411
 Mood, 131
 Morphine analgesia, 671
 Morphine preference, 671
 Morphine, 193, 281, 783
 Morris water task, 473
 Mother–infant interactions, 729
 Motivation, 387
 Motor activity, 93
 Motor deficits, 307
 Motor dysfunction, 567
 Mouse writhing, 83
 Mouse, 767
 MPPG, 93
 MPTP, 121
 Muscarine, 215
 Mutagenesis, 773

 Nafadotride, 161
 Nandrolone decanoate, 271
 2-NAP, 603
 Neck dystonia, 659
 Neonatal cocaine exposure, 1
 Neonatal ethanol exposure, 1
 Neonate, 575, 603
 Neuroactive steroid, 483
 Neuroleptic-induced acute dystonia, 497
 Neuronal nitric oxide synthase, 629
 Neuropeptide Y, 683
 Neuropeptide-Y, 331
 Neurosteroid, 29, 137, 343, 459, 483, 587, 709
 Neurotoxicity, 37, 663
 Nicotine, 71, 319, 473, 479
 Nicotine withdrawal, 131
 Nicotinic receptors, 319
 Nictitating membrane, 103
 Nimodipine, 151
 Nitric oxide, 629
 NMDA, 501, 575, 629, 647
 NMDA antagonist, 405
 NMDA receptor antagonists, 793
N-methyl-D-aspartate receptor, 371
 Non-genomic, 587
 Nonhuman primates, 257
 Norepinephrine, 397
 Novelty, 575
 NTS, 371
 Nucleus accumbens, 161, 637

 Obidoxime, 663
 7-OH-DPAT, 11
 8-OH-DPAT, 701
 8-OHDPAT, 199
 Olfactory bulbectomy, 183, 331
 Open field, 55
 Open-field mice, 225
 Operant, 377
 Opioid receptors, 65
 ORG 37684, 291
 Oscillating bar, 583
 Ovariectomized, 417

 Paraventricular nucleus of the hypothalamus, 527
 Parkinson's disease, 121
 Paroxetine, 45
 (+)-PD 128907, 161
 Pentobarbital withdrawal, 671
 Pentylene-tetrazol, 411
 Performance, 131
 Phenobarbital, 151, 411
 Phentolamine, 151
 β -Phenylethylamine, 527
 Phenytoin, 151
 Picrotoxin, 507
 Pigs, 465
 Place conditioning, 29
 Polydrug exposure, 1
 1-PP, 45
 Prazosin, 151
 Preconditioning, 65
 Prefrontal cortex, 397
 5 α -Pregnan-3 α -ol-20-one (3 α ,5 α -THP), 587
 Pregnanolone, 483
 Pregnenolone sulfate, 459
 Prenatal, 319
 Prenatal cocaine, 729
 Prenatal morphine, 501
 Prepulse inhibition, 313, 647
 Primary afferents, 371
 Priming, 11
 Progesterone, 417
 Progestin, 587
 Prolactin, 423
 Prolactin mRNA, 423
 Propranolol, 151, 507
 Protein synthesis, 355
 Punishment, 207

 QTL mapping, 671
 Quantitative trait loci, 767
 Quinpirole, 11

 Rabbit, 103
 Raclopride, 537
 Radioimmunoassay, 331
 Rat, 11, 37, 55, 177, 207, 309, 319, 339, 405, 497, 527, 575, 613, 637, 663, 801
 Rearing, 511
 σ_2 receptor subtype, 659
 Red nucleus, 497, 659
 Reinforcement, 387
 Reinforcing properties, 225
 Relapse, 363
 Response-independent shock, 207
 Review, 701
 Risk assessment, 433
 Ritanserin, 339
 Ropinirole, 121

 Saccharin, 545, 575
 Safety assessment, 37
 Saiboku-to, 489
 Satiating, 371
 SCH23390, 537
 Schedule-controlled behavior, 257
 Schedule-induced drinking, 207
 Schizophrenia, 647
 Scopolamine, 511
 Sedation, 683
 Seizures, 65, 151, 169, 345

- Selected lines, 709, 801, 821
Selected rat lines, 783, 793
Selective breeding, 701
Self-administration, 405
Sensitivity, 583
Sensitization, 225, 241, 281, 783
Sensorimotor gating, 313
Serotonin 5-HT₂ receptor antagonists, 103
Serotonin, 199, 257, 363, 449
Sex differences, 183, 801
Sexual experience, 387
Sexual reflexes, 215
Sham-feeding preparation, 537
Sheep, 603
Shock-induced behavioral inhibition, 613
Sigma ligands, 497
SJL/J mice, 729
SM-21, 659
Smoking, 25, 71
Smoking cessation, 479
SNK, Student–Newman–Keuls, 199
Social behavior, 1, 773
Social preference, 603
Social stress, 433
Soman, 663
Spatial memory, 473
Spinal cord, 247
Squirrel monkeys, 257
SR141716A, 265
Staircase, 739
Startle reflex, 719
Stereotypy, 241, 417
Stimulation, 225
Stress, 397, 449, 519, 527
Stressor, 809
STZ, streptozotocin, 247
Substance abuse, 71
Substantia nigra, 55
Suckling, 603
Sucrose, 545
Supersensitization, 11
129/Sv mice, 559
Swim stress, 507
Tail flick, 83
Taste recognition memory, 575
Temporal, 377
Testis, 613
Testosterone, 193, 613
TFMPP, 291
Thermoregulation, 307
Thioperamide, 145
Thioperamide, 489
Third trimester drug effects, 1
3 α , 5 α THP, 137
Time, 377
Tolerance, 225, 459, 583, 821
Transdermal, 479
TRD, 377
Tryptophan, 449
Ultrasonic calls, 729
Ultrasonic vocalizations, 1
Urethro genital reflex, 215
Vagal afferents, 371
Ventral tegmental area, 55
Visceral satiety signals, 371
WIN 55, 212-2, 265
Wistar, 801
Working memory, 397
WSP, 709
WSR, 709
Yawning, 11
Zebra fish, 773
Zidovudine, 511