



ELSEVIER

Pharmacology, Biochemistry and Behavior 72 (2002) 1003–1008

**PHARMACOLOGY
BIOCHEMISTRY
AND
BEHAVIOR**

www.elsevier.com/locate/pharmbiochembeh

**CONTENTS
VOLUME 72, 2002**

CONTENTS

VOLUME 72 NUMBERS 1/2 2002

Articles

| | | |
|--|--|-----|
| Ginseng total saponin potentiates acute U-50,488H-induced analgesia and inhibits tolerance to U-50,488H-induced analgesia in mice. | NEMMANI, K.V.S. and P. RAMARAO | 1 |
| Possible anti-Parkinson properties of N-(α-linolenoyl) tyrosine: A new molecule. | YEHUDA, S. | 7 |
| Male and female C57BL/6 mice respond differently to diazepam challenge in avoidance learning tasks. | PODHORNA, J., S. McCABE and R.E. BROWN | 13 |
| Interaction of angiotensin II and adenosine A₁ and A_{2A} receptor ligands on the writhing test in mice. | PECHLIVANOVA, D.M. and V.P. GEORGIEV | 23 |
| 5-HT_{2A} receptor-stimulated phosphoinositide hydrolysis in the stimulus effects of hallucinogens. | RABIN, R.A., M. REGINA, M. DOAT and J.C. WINTER | 29 |
| The effect of <i>Morinda officinalis</i> How, a Chinese traditional medicinal plant, on the DRL 72-s schedule in rats and the forced swimming test in mice. | ZHANG, Z.-Q., L. YUAN, M. YANG, Z.-P. LUO and Y.-M. ZHAO | 39 |
| Cholinergic and dopaminergic mechanisms involved in the recovery of circadian anticipation by aniracetam in aged rats. | TANAKA, Y., M. KURASAWA and K. NAKAMURA | 45 |
| The reinforcing effects of acetaldehyde in the posterior ventral tegmental area of alcohol-preferring rats. | RODD-HENRICKS, Z.A., R.I. MELENDEZ, A. ZAFFARONI, A. GOLDSTEIN, W.J. McBRIDE and T.-K. LI | 55 |
| Sexually conditioned incentives: Attenuation of motivational impact during dopamine receptor antagonism. | LÓPEZ, H.H. and A. ETTENBERG | 65 |
| A simple integrated circuit device for measuring distances traveled and determining speed in open-field environments. | CZECH, D.A. | 73 |
| Stimulus generalization by fenfluramine in a quipazine–ketanserin drug discrimination is not dependent on indirect serotonin release. | SMITH, R.L., P.J. GRESCH, R.J. BARRETT and E. SANDERS-BUSH | 77 |
| The aversive properties of acute morphine dependence persist 48 h after a single exposure to morphine: Evaluation by taste and place conditioning. | PARKER, L.A., J.A. CYR, A.N. SANTI and P.D. BURTON | 87 |
| Role of Ca²⁺ channels on the hypothermic response produced by activation of κ-opioid receptors. | GULLAPALLI, S., K.V.S. NEMMANI and P. RAMARAO | 93 |
| Prior experience with wheel running produces cross-tolerance to the rewarding effect of morphine. | LETT, B.T., V.L. GRANT, M.T. KOH and G. FLYNN | 101 |
| Context-specific tolerance to the ataxic effects of alcohol. | WHITE, A.M., D.C. ROBERTS and P.J. BEST | 107 |
| Effects of GABAergic agents on anesthesia induced by halothane, isoflurane, and thiamylal in mice. | SUGIMURA, M., S. KITAYAMA, K. MORITA, Y. IMAI, M. IRIFUNE, T. TAKARADA, M. KAWAHARA and T. DOHI | 111 |
| Increased drinking in mutant mice with truncated M5 muscarinic receptor genes. | TAKEUCHI, J., J. FULTON, Z.-P. JIA, W. ABRAMOV-NEWERLY, L. JAMOT, M. SUD, D. COWARD, M. RALPH, J. RODER and J. YEOMANS | 117 |

| | |
|--|-----|
| A simple procedure for assessing ataxia in rats: Effects of phencyclidine. | 125 |
| MELNICK, S.M., J.S. RODRIGUEZ, R.E. BERNARDI and A. ETTENBERG | |
| Behavioral effects of novel enterosorbent Noolit on mice with mixed depression/anxiety-like state. | 131 |
| BORODIN, J.I., N.N. KUDRYAVTSEVA, M.V. TENDITNIK, L.N. RACHKOVSKAYA, A.V. SHURLYGINA and V.A. TRUFAKIN | |
| Characterization of the hypothermic component of LPS-induced dual thermoregulatory response in rats. | 143 |
| DOĞAN, M.D., H. ATAOĞLU and E.S. AKARSU | |
| Assessing the stimulant effects of alcohol in humans. | 151 |
| DAVIDSON, D., K. HUTCHISON, C. DAGON and R. SWIFT | |
| Chronic opiate exposure in the male rat adversely affects fertility. | 157 |
| CICERO, T.J., L.A. DAVIS, M.C. LAREGINA, E.R. MEYER and M.S. SCHLEGEL | |
| Differential effects of prenatal morphine exposure on analgesia produced by vaginocervical stimulation or systemic morphine administration in adult rats. | 165 |
| VATHY, I. and B.R. KOMISARUK | |
| 8-OH-DPAT effects upon cocaine unconditioned and conditioned behaviors: A role for drug stimulus effects. | 171 |
| CAREY, R.J., G. DEPALMA and E. DAMIANOPOULOS | |
| GABA_A-benzodiazepine receptor complex ligands and stress-induced hyperthermia in singly housed mice. | 179 |
| OLIVIER, B., J.A. BOWKNECHT, T. PATTIJ, C. LEAHY, R. VAN OORSCHOT and T.J.J. ZETHOF | |
| Asymmetric calmodulin distribution in the hypothalamus: Role of sexual differentiation in the rat. | 189 |
| RODRÍGUEZ-MEDINA, M.A., A. REYES, M.E. CHAVARRÍA, M. VERGARA-ONOFRE, E. CANCHOLA and A. ROSADO | |
| Nicotine potentiation of morphine-induced catalepsy in mice. | 197 |
| ZARRINDAST, M.-R., P. SAMADI, A. HAERI-ROHANI, N. MOAZAMI and M. SHAFIZADEH ... | |
| Effects of adrenoceptor agonists and antagonists on morphine-induced Straub tail in mice. | 203 |
| ZARRINDAST, M.-R., B. RAMEZANI-TEHRANI and M. GHADIMI | |
| Basal forebrain infusions impair delayed-non-match-to-sample radial arm maze performance. | 209 |
| CHROBAK, J.J. and T.C. NAPIER | |
| Elevated extracellular CRF levels in the bed nucleus of the stria terminalis during ethanol withdrawal and reduction by subsequent ethanol intake. | 213 |
| OLIVE, M.F., H.N. KOENIG, M.A. NANNINI and C.W. HODGE | |
| Gonadal hormone-induced changes in adult male and female rats exposed to early postnatal handling are not altered by prenatal morphine exposure. | 221 |
| ŠLAMBEROVÁ, R. and I. VATHY | |
| Role of nitric oxide and β-adrenoceptors of the central nervous system on the salivary flow induced by pilocarpine injection into the lateral ventricle. | 229 |
| SAAD, W.A., I.F.M.S. GUARDA, R.S. GUARDA, L.A. DE ARRUDA CAMARGO, T.A.F.B. DOS SANTOS, W.A. SAAD and S. SIMÕES | |
| Effects of frequent marijuana use on memory-related regional cerebral blood flow. | 237 |
| BLOCK, R.I., D.S. O'LEARY, R.D. HICHWA, J.C. AUGUSTINACK, L.L.B. PONTO, M.M. GHONEIM, S. ARNDT, R.R. HURTIG, G.L. WATKINS, J.A. HALL, P.E. NATHAN and N.C. ANDREASEN | |
| Two related forms of memory in the crab <i>Chasmagnathus</i> are differentially affected by NMDA receptor antagonists. | 251 |
| TRONCOSO, J. and H. MALDONADO | |
| The involvement of nitric oxide in the antinociception induced by cyclosporin A in mice. | 267 |
| HOMAYOUN, H., A. BABAIE, B. GHARIB, A. ETMINANI, S. KHAVANDGAR, A. MANI and A.R. DEHPOUR | |
| μ-Opioid receptor down-regulation and tolerance are not equally dependent upon G-protein signaling. | 273 |
| GOMES, B.A., J. SHEN, K. STAFFORD, M. PATEL and B.C. YOBURN | |
| Continuous nicotine infusion reduces nicotine self-administration in rats with 23-h/day access to nicotine. | 279 |
| LESAGE, M.G., D.E. KEYLER, D. SHOEMAN, D. RAPHAEL, G. COLLINS and P.R. PENTEL ... | |
| Effect of NMDA antagonists, an NMDA agonist, and serotonin depletion on acute tolerance to ethanol. | 291 |
| KHANNA, J.M., G.S. MORATO and H. KALANT | |

| | |
|---|-----|
| Effect of PMA optical isomers and 4-MTA in PMMA-trained rats. | 299 |
| DUKAT, M., R. YOUNG and R.A. GLENNON | 299 |
| Effect of 1-(3,4-methylenedioxypyphenyl)-2-aminopropane and its optical isomers in PMMA-trained rats. | 307 |
| GLENNON, R.A. and R. YOUNG | 307 |
| Influence of estrogen in the acquisition of intravenously self-administered heroin in female rats. | 313 |
| ROTH, M.E., A.G. CASIMIR and M.E. CARROLL | 313 |
| Cholinergic blockade impairs performance in operant DNMTP in two inbred strains of mice. | 319 |
| ESTAPÉ, N. and T. STECKLER | 319 |
| A comparison of female and male rats' ETOH-induced ataxia and exploration following restraint or swim stress. | 335 |
| TAYYABKHAN, T.R., B.N. MAMMOLA and R.C. DRUGAN | 335 |
| BTCP is a potent reinforcer in rats: Comparison of behavior maintained on fixed- and progressive-ratio schedules. | 343 |
| MARTIN-FARDON, R. and F. WEISS | 343 |
| Effects of nicotine on alcohol intake in a rat model of depression. | 355 |
| MARTÍNEZ-GONZÁLEZ, D., O. PROSPÉRO-GARCÍA, S. MIHAILESCU and R. DRUCKER-COLÍN | 355 |
| Prazosin inhibits spontaneous locomotor activity in diabetic mice. | 365 |
| SAITO, A., K. ONODERA, K. MORITA, M. SODEYAMA and J. KAMEI | 365 |
| A novel behavioral model that discriminates between 5-HT_{2A} and 5-HT_{2C} receptor activation. | 371 |
| DAVE, K.D., J.A. HARVEY and V.J. ALOYO | 371 |
| Further characterization of the stimulus properties of 5,6,7,8-tetrahydro-1,3-dioxolo[4,5-g]isoquinoline. | 379 |
| GLENNON, R.A., R. YOUNG and J.B. RANGISETTY | 379 |
| The effect of cyanamide and 4-methylpyrazole on the ethanol-induced locomotor activity in mice. | 389 |
| ESCARABAJAL, M.D. and C.M.G. ARAGON | 389 |
| Effects of imipramine and lithium on wet-dog shakes mediated by the 5-HT_{2A} receptor in ACTH-treated rats. | 397 |
| KITAMURA, Y., H. ARAKI, K. SUEMARU and Y. GOMITA | 397 |
| Role of 5-HT_{1A} receptors in the control of food intake in obese Zucker rats of different ages. | 403 |
| VOIGT, J.-P., R. SCHADE, H. FINK and H. HÖRTNAGL | 403 |
| Mouse lines differing in sensitivity to β-CCM differ in tasks used for testing antidepressants. | 411 |
| DO-REGO, J.-C., C. SUAUDEAU, G. CHAPOUTHIER and J. COSTENTIN | 411 |
| Tamoxifen and toremifene impair retrieval, but not acquisition, of spatial information processing in mice. | 417 |
| CHEN, D., C.-F. WU, B. SHI and Y.-M. XU | 417 |
| Acute third ventricular administration of insulin decreases food intake in two paradigms. | 423 |
| AIR, E.L., S.C. BENOIT, K.A.B. SMITH, D.J. CLEGG and S.C. WOODS | 423 |
| Effects of progesterone treatment on smoked cocaine response in women. | 431 |
| SOFUOGLU, M., D.A. BABB and D.K. HATSUKAMI | 431 |
| Experimental anxiety induced by histaminergics in mast cell-deficient and congenitally normal mice. | 437 |
| IKARASHI, Y. and M. YUZURIHARA | 437 |
| Bidis—hand-rolled, Indian cigarettes: Effects on physiological, biochemical and subjective measures. | 443 |
| MALSON, J.L. and W.B. PICKWORTH | 443 |
| Prior maze experience required to alter midazolam effects in rats submitted to the elevated plus-maze. | 449 |
| BERTOGLIO, L.J. and A.P. CAROBREZ | 449 |
| Acute nicotine effects on auditory sensory memory in tacrine-treated and nontreated patients with Alzheimer's disease: An event-related potential study. | 457 |
| ENGELAND, C., C. MAHONEY, E. MOHR, V. ILIVITSKY and V.J. KNOTT | 457 |
| Behavioural and biochemical studies of citalopram and WAY 100635 in rat chronic mild stress model. | 465 |
| PAPP, M., I. NALEPA, L. ANTKIEWICZ-MICHALUK and C. SÁNCHEZ | 465 |
| Low alcohol preference among the "high alcohol preference" C57/BL10 mice; factors affecting such preference. | 475 |
| O'CALLAGHAN, M.J., A.P. CROFT, W.P. WATSON, S.P. BROOKS and H.J. LITTLE | 475 |

| | |
|--|-----|
| A comparison of the effects of 6-β naltrexol and naltrexone on the consumption of ethanol or sucrose using a limited-access procedure in rats. | |
| STROMBERG, M.F., M.R. RUKSTALIS, S.A. MACKLER, J.R. VOLPICELLI and C.P. O'BRIEN | 483 |
| Alcohol-preferring AA rats show a derangement in their central melanocortin signalling system. | |
| LINDBLOM, J., J.E.S. WIKBERG and L. BERGSTRÖM | 491 |

CONTENTS

VOLUME 72 NUMBER 3 2002

Articles

| | |
|--|-----|
| Effects of phosphorylation and cytoskeleton-affecting reagents on GABA_A receptor recruitment into synaptosomes following acute stress. | |
| BENAVIDEZ, E. and A. ARCE | 497 |
| Pavlovian autoshaping procedures increase plasma corticosterone levels in rats. | |
| TOMIE, A., Y. SILBERMAN, K. WILLIAMS and L.A. POHORECKY | 507 |
| Evidence for an involvement of nitric oxide and gamma aminobutyric acid in the anticonvulsant action of L-arginine on picrotoxin-induced convulsions in rats. | |
| PAUL, V., and E.H. SUBRAMANIAN | 515 |
| Cognitive deficits and CNS damage after a 4-day binge ethanol exposure in rats. | |
| OBERNIER, J.A., A.M. WHITE, H.S. SWARTZWELDER and F.T. CREWS | 521 |
| Strain differences in the response to the 5-HT_{1A} receptor agonist, 8-OH-DPAT. | |
| UPHOUSE, L., S. MASWOOD, A. JACKSON, K. BROWN, J. PRULLAGE, T.B. MYERS and F. SHAHEEN | 533 |
| Rapid anxiolytic activity of progesterone and pregnanolone in male rats. | |
| GOMEZ, C., A. SALDIVAR-GONZALEZ, G. DELGADO and R. RODRIGUEZ | 543 |
| Learning and memory in agmatine-treated rats. | |
| McKAY, B.E., W.E. LADO, L.J. MARTIN, M.A. GALIC and N.M. FOUMIER | 551 |
| Flavor improvement does not increase abuse liability of nicotine chewing gum. | |
| HOUTSMULLER, E.J., R.V. FANT, T.E. EISSENBERG, J.E. HENNINGFIELD and M.L. STITZER | 559 |
| Protective effect of adenosine against neuronal injury induced by middle cerebral artery occlusion in rats as evidenced by diffusion-weighted imaging. | |
| GUPTA, Y.K., K. SINHA, G. CHAUDHARY and N.R. JAGANNATHAN | 569 |
| Effect of prenatal administration of haloperidol, risperidone, quetiapine and olanzapine on spatial learning and retention in adult rats. | |
| ROSENGARTEN, H. and D. QUARTERMAIN | 575 |
| The effects of developmental cadmium exposure on morphine sensitization and challenge with selective D₁ and D₂ antagonists | |
| SMITH, K.R., J.R. NATION and G.R. BRATTON | 581 |
| Ontogenetic quinpirole treatments produce spatial memory deficits and enhance skilled reaching in adult rats. | |
| BROWN, R.W., J.T. GASS and R.M. KOSTRZEWA | 591 |
| One injection of estradiol valerate induces dramatic changes in rats' intake of alcoholic beverages. | |
| REID, L.D., P.W. MARINELLI, S.M. BENNETT, L.T. FISCAL, S.P. NARCISO, C.J. OPAROWSKI, M.L. REID, B.A. MERRIGAN, J. MORICONE, C.L. HUBBELL, C. GIANOULAKIS | 601 |
| An antisense oligonucleotide targeted at MAO-B attenuates rat striatal serotonergic neurotoxicity induced by MDMA. | |
| FALK, E.M., V.J. COOK, D.E. NICHOLS and J.E. SPRAGUE | 617 |
| Effects of 7-OH-DPAT on cocaine-seeking behavior and on reestablishment of cocaine self-administration. | |
| FUCHS, R.A., L.T.L. TRAN-NGUYEN, S.M. WEBER, T.V. KHROYAN and J.L. NEISEWANDER | 623 |
| Ethanol preexposure attenuates the interaction of ethanol and cocaine in taste aversion learning. | |
| GRAKALIC, I. and A.L. RILEY | 633 |

| | |
|--|-----|
| Effects of dysthyroidism in plus maze and social interaction tests. | 643 |
| SALA-ROCA, J., M.A. MARTÍ-CARBONELL, A. GARAU, S. DARBRA and F. BALADA | 643 |
| Pretreatment with methylphenidate sensitizes rats to the reinforcing effects of cocaine. | 651 |
| SCHENK, S., S. IZENWASSER | 651 |
| Injection timing determines whether intragastric ethanol produces conditioned place preference or aversion in mice. | 659 |
| CUNNINGHAM, C.L., J.M. CLEMANS and T.L. FIDLER | 659 |
| EEG spectra, behavioral states and motor activity in rats exposed to acetylcholinesterase inhibitor chlorpyrifos. | 669 |
| TIMOFEIEVA, O.A. and C.J. GORDON | 669 |
| Mood differences between male and female light smokers and nonsmokers. | 681 |
| FILE, S.E., A.K. DINNIS, J.E. HEARD and E.E. IRVINE | 681 |
| Gender-linked differences in the expression of physical dependence in the rat. | 691 |
| CICERO, T.J., B. NOCK and E.R. MEYER | 691 |
| Naloxone nonselective suppression of drinking of ethanol, sucrose, saccharin, and water by rats. | 699 |
| CICHELLI, M.J. and M.J. LEWIS | 699 |
| Psychophysiological effects of nicotine abstinence and behavioral challenges in habitual smokers. | 707 |
| AL'ABSI, M., T. AMUNRUD and L.E. WITTMERS | 707 |
| Modulatory activity of sildenafil on copulatory behaviour of both intact and castrated male rats. | 717 |
| OTTANI, A., D. GIULIANI and F. FERRARI | 717 |
| Dopamine-receptor stimulation in the prefrontal cortex ameliorates stress-induced rotarod impairment. | 723 |
| MIZOGUCHI, K., M. YUZURIHARA, M. NAGATA, A. ISHIGE, H. SASAKI and T. TABIRA | 723 |
| Effect of response-independent candy on responding maintained by candy using a novel model of commodity acquisition and consumption in nonhuman primates. | 729 |
| FOLTIN, R.W., S.M. EVANS | 729 |
| Differential in vivo effects of H₃ receptor ligands in a new mouse dipsogenia model. | 741 |
| FOX, G.B., J.B. PAN, T.A. ESBENSHADE, R.S. BITNER, A.L. NIKKEL, T. MILLER, C.H. KANG, Y.L. BENNANI, L.A. BLACK, R. FAGHIH, A.A. HANCOCK and M.W. DECKER | 741 |
| Rodent antinociception following acute treatment with different histamine receptor agonists and antagonists. | 751 |
| FARZIN, D., L. ASGHARI and M. NOWROUZI | 751 |

CONTENTS

VOLUME 72 NUMBER 4 2002

Articles

| | |
|---|-----|
| Chronic imipramine enhances 5-HT_{1A} and 5-HT₂ receptors-mediated inhibition of panic-like behavior in the rat dorsal periaqueductal gray. | 761 |
| JACOB, C.A., A.H.C.L. CABRAL, L.P. ALMEIDA, V. MAGIEREK, P. L. RAMOS, | 761 |
| J.M. ZANOVELI, J. LANDEIRA, FERNANDEZ, H. ZANGROSSI and R.L. NOGUEIRA | |
| Attenuation of the amphetamine discriminative cue in rats with the atypical antipsychotic olanzapine. | 767 |
| MECHANIC, J.A., J.A. WASIELEWSKI, K.L. CARL and F.A. HOLLOWAY | 767 |
| Amino acid and monoamine alterations in the cerebral cortex and hippocampus of mice submitted to ricinine-induced seizures. | 779 |
| FERRAZ, A.C., J.A. ANSELMO-FRANCI, S.R. PEROSA, E.F. DE CASTRO-NETO, | 779 |
| M.I. BELLISSIMO, B.H. DE OLIVEIRA, E.A. CAVALHEIRO, | |
| M.G. NAFFAH-MAZZACORATTI and C.D. CUNHA | |
| Intravenous ethanol/cocaine self-administration initiates high intake of intravenous ethanol alone. | 787 |
| IKEGAMI, A., C.M. OLSEN, S.M. FLEMING, E.E. GUERRA, M.A. BITTNER | 787 |
| J. WAGNER and C.L. DUVAUCHELLE | |
| Effects of prenatal cocaine exposure on latent inhibition in 1-year-old female rats. | 795 |
| BRUNZELL, D.H., J.J.B. AYRES and J.S. MEYER | 795 |
| Comparison of the reinforcing efficacy of two dopamine D2-like receptor agonist in rhesus monkeys using a progressive-ratio schedule of reinforcement. | 803 |
| WOOLVERTON, W.L. and R. RANALDI | 803 |

| | |
|--|------|
| Cannabis, tobacco, and caffeine use modify the blood pressure reactivity protection of ascorbic acid. | 811 |
| BRODY, S. and R. PREUT | |
| Role of the lateral septal noradrenergic system in the elaboration of male sexual behavior in rats. | 817 |
| GULIA, K.K., V.M. KUMAR and H.N. MALLICK | |
| Cocaine's effects on the discrimination of simple and complex auditory stimuli by baboons. | 825 |
| HEINZ, R.D., M.R. WEED, T.J. ZARCONÉ and J.V. BRADY | |
| The dose-response effects of repeated subacute sarin exposure on guinea pigs. | 835 |
| HULET, S.W., J.H. McDONOUGH and T.-M. SHIH | |
| Effect of electroacupuncture on response to immobilization stress. | 847 |
| YANG, C.H., B.B. LEE, H.S. JUNG, P.U. ROH and G.T. GOLDEN | |
| Effects of dopamine agonist and antagonist on locomotor activity in male and female rats. | 857 |
| SCHINDLER, C.W. and G.N. CARMONA | |
| Nicotine-alcohol interactions and cognitive functions in rats. | 865 |
| REZVANI, A.H. and E.D. LEVIN | |
| Effects of agmatine on the escalation of intravenous cocaine and fentanyl self-administration in rats. | 873 |
| MORGAN, A.D., U.C. CAMPBELL, R.D. FONS and M.E. CARROLL | |
| Uranyl acetate-induced sensorimotor deficit and increased nitric oxide generation in the central nervous system in rats. | |
| ABOU-DONIA, M.B., A.M. DECHKOVSKAIA, L.B. GOLDSTEIN, D.U. SHAH, S.L. BULLMAN and W.A. KHAN | 881 |
| Central administration of mCPP, a serotonin 5-HT_{2B/2C} agonist, decreases water intake in rats. | |
| CASTRO, L., I. MALDONADO, I. CAMPOS, B. VARJÃO, A.L. ANGELO, R.A. ATHANAZIO, M.C. BARBETTA, A.C. RAMOS, J.B. FREGONEZE and E. DE CASTRO e SILVA | 891 |
| Combined 192 IgG-saporin and 5,7-dihydroxytryptamine lesions in the male rat brain: A neurochemical and behavioral study. | |
| LEHMANN, O., H. JELTSCH, C. LAZARUS, L. TRITSCHLER, F. BERTRAND and J.C. CASSEL | 899 |
| Ginkgo biloba extract: Cognitive enhancer or antistress buffer. | 913 |
| WARD, C.P., K. REDD, B.M. WILLIAMS, J.R. CALER, Y. LUO and J.G. McCOY | |
| Reinforcing effects of the nuerosteroid allopregnanolone in rats. | 923 |
| SINNOTT, R.S., G.P. MARK and D.A. FINN | |
| Evidence for opponent-process actions of intravenous cocaine and cocaethylene. | 931 |
| KNACKSTEDT, L.A., M.M. SAMIMI and A. ETTERBERG | |
| Inhibitory action of halothane on rat masculine sexual behavior and sperm motility. | 937 |
| OROPEZA-HERNÁNDEZ, L.F., B. QUINTANILLA-VEGA, A. ALBORES | |
| and A. FERNÁNDEZ-GUASTI | |
| Experimental conditions for the continuous subcutaneous infusion of four central analgesics in rats. | 943 |
| SLOT, L.A.B., J.-P. TARAYRE, W. KOEK, J.-P. RIBET and F.C. COLPAERT | |
| Modulation of mood and cognitive performance following acute administration of <i>Melissa officinalis</i> (lemon balm). | |
| KENNEDY, D.O., A.B. SCHOLEY, N.T.J. TILDESLEY, E.K. PERRY and K.A. WESNES | 953 |
| Anticonvulsive activity of <i>Butea monosperma</i> flowers in laboratory animals. | 965 |
| KASTURE, V.S., S.B. KASTURE and C.T. CHOPDE | |
| One-trial tolerance to midazolam is due to enhancement of fear and reduction of anxiolytic-sensitive behaviors in the elevated plus-maze retest in the rat. | 973 |
| CRUZ-MORALEZ, S.E., N.R. SANTOS and M.L. BRANDÃO | |
| Dorsal and median raphe serotonergic system lesion does not alter the opiate withdrawal syndrome. | 979 |
| CAILLÉ, S., E.F. ESPEJO, G.F. KOOB and L. STINUS | |
| Antagonism of picrotoxin-induced changes in dopamine and serotonin metabolism by allopregnanolone and midazolam. | |
| MECIEJAK, P., P. KRAŚCIK, A.I. CZLONKOWSKA, J. SZYNGLER, A. BIDZIŃSKI J. WALKOWIAK, W. KOSTOWSKI and A. PLANZNIK | 987 |
| Effects of corticotropin-releasing hormone on distress vocalizations and locomotion in maternally separated mouse pups. | |
| DIRKS, A., E.W. FISH, T. KIKUSUI, J. VAN DER GUGTEN, L. GROENINK, B. OLIVIER and K.A. MICZEK | 993 |
| Contents of Volume 72 | 1003 |
| Author Index | 1009 |
| Keyword Index | 1013 |