



ELSEVIER

Pharmacology, Biochemistry and Behavior 73 (2002) 993–998

www.elsevier.com/locate/pharmbiochembeh

**PHARMACOLOGY
BIOCHEMISTRY
AND
BEHAVIOR**

CONTENTS VOLUME 73, 2002

CONTENTS

VOLUME 73 NUMBER 1 2002

SPECIAL ISSUE: ENVIRONMENTAL MANIPULATIONS IN RODENTS AND PRIMATES: INSIGHTS INTO PHARMACOLOGY, BIOCHEMISTRY AND BEHAVIOR

Editorial	1
ARTICLES	
Handling, genetic and housing effects on the mouse stress system, dopamine function, and behavior. GARIÉPY, J.-L., R.M. RODRIGUIZ and B.C. JONES	7
Neurobehavioral development of two mouse lines commonly used in transgenic studies. DIERSSEN, M., V. FOTAKI, M. MARTÍNEZ DE LAGRÁN, M. GRATACÓS, M. ARBONÉS, C. FILLAT and X. ESTIVILL	19
Craving for alcohol in the rat: Adjunctive behavior and the lateral hypothalamus. WAYNER, M.J.	27
Postnatal stress of early weaning exacerbates behavioral outcome in prenatal alcohol-exposed juvenile rats. ZIMMERBERG, B. and H.E. WESTON	45
Prenatal stress produces deficits in socio-sexual behavior of cycling, but not hormone-primed, Long-Evans rats. FRYE, C.A. and Z.A. ORECKI	53
Mothering begets mothering: The transmission of behavior and its neurobiology across generations. FLEMING, A.S., G.W. KRAEMER, A. GONZALEZ, V. LOVIC, S. REES and A. MELO	61
Neonatal isolation alters stress hormone and mesolimbic dopamine release in juvenile rats. McCORMICK, C.M., P. KEHOE, K. MALLINSON, L. CECCHI and C.A. FRYE	77
Peripheral benzodiazepine receptors reflect trait (early handling) but not state (avoidance learning). LEHMANN, J., R. WEIZMAN, S. LESCHINER, J. FELDON and M. GAVISH	87
Corticosterone administration to rat pups, but not maternal separation, affects sexual maturation and glucocorticoid receptor immunoreactivity in the testis. BIAGINI, G. and E.M. PICH	95
Maternal corticosterone influences behavior, stress response and corticosteroid receptors in the female rats. CATALANI, A., P. CASOLINI, G. CIGLIANA, S. SCACCIANOCE, C. CONSOLI, C. CINQUE, A.R. ZUENA and L. ANGELUCCI	105
Repeated maternal separation does not alter sucrose-reinforced and open-field behaviors. SHALEV, U. and N. KAFKAFI	115
Effects of maternal separation on brain nociceptin/orphanin FQ peptide levels in male Wistar rats. PLOJ, K., E. ROMAN and I. NYLANDER	123
Long-lasting changes in stress-induced corticosterone response and anxiety-like behaviors as a consequence of neonatal maternal separation in Long-Evans rats. KALINICHEV, M., K.W. EASTERLING, P.M. PLOTSKY and S.G. HOLTZMAN	131

Effect of a single maternal separation at different pup ages on the corticosterone stress response in adult and aged rats.	
LEHMANN, J., H. RUSSIG, J. FELDON and C.R. PRYCE	141
Multiple feedback mechanisms activating corticotropin-releasing hormone system in the brain during stress.	
MAKINO, S., K. HASHIMOTO and P.W. GOLD	147
Stress and nerve growth factor: Findings in animal models and humans.	
ALOE, L., E. ALLEVA and M. FIORE	159
Environmental influences on brain neurotrophins in rats.	
PHAM, T.M., B. WINBLAD, A.-C. GRANHOLM and A.H. MOHAMMED	167
Early maternal deprivation and prepulse inhibition: The role of the postdeprivation environment.	
ELLENBROEK, B.A. and A.R. COOLS	177
The effects of isolation rearing on glutamate receptor NMDARIA mRNA expression determined by in situ hybridization in Fawn hooded and Wistar rats.	
HALL, F.S., S. GHAED, A. PERT and G. XING	185
Psychological stress and environmental adaptation in enriched vs. impoverished housed rats.	
LARSSON, F., B. WINBLAD and A.H. MOHAMMED	193
Dissociable effects of isolation rearing and environmental enrichment on exploration, spatial learning and HPA activity in adult rats.	
SCHRIJVER, N.C.A., N.I. BAHR, I.C. WEISS and H. WÜRBEL	209
Enduring effects of environmental enrichment on novelty seeking, saccharin and ethanol intake in two rat lines (RHA/Verh and RLA/Verh) differing in incentive-seeking behavior.	
FERNÁNDEZ-TERUEL, A., P. DRISCOLL, L. GIL, R. AGUILAR, A. TOBEÑA and R.M. ESCORIHUELA	225
Early-life handling stimulation and environmental enrichment: Are some of their effects mediated by similar neural mechanisms?	
FERNÁNDEZ-TERUEL, A., L. GIMÉNEZ-LLORT, R.M. ESCORIHUELA, L. GIL, R. AGUILAR, T. STEIMER and A. TOBEÑA	233
Social stress in tree shrews: Effects on physiology, brain function, and behavior of subordinate individuals.	
FUCHS, E. and G. FLÜGGE	247
Early deprivation and behavioral and physiological responses to social separation/novelty in the marmoset.	
DETLING, A.C., J. FELDON and C.R. PRYCE	259
Effects of social manipulations and environmental enrichment on behavior and cell-mediated immune responses in rhesus macaques.	
SCHAPIRO, S.J.	271
Environmental enrichment for the captive spectacled bear (<i>Tremarctos ornatus</i>).	
RENNER, M.J. and J.P. LUSSIER	279

CONTENTS

VOLUME 73 NUMBER 2 2002

SPECIAL ISSUE: METABOTROPIC GLUTAMATE RECEPTORS

Editorial	285
ARTICLES	
Neuronal and glial mGluR5 modulation prevents stretch-induced enhancement of NMDA receptor current.	
LEA, P.M., S.J. CUSTER, S. VICINI and A.I. FADEN	287

NMDA-induced phosphorylation and regulation of mGluR5. ALAGARSAMY, S., S.T. ROUSE, C. JUNGE, G.W. HUBERT, D. GUTMAN, Y. SMITH and P.J. CONN	299
Metabotropic glutamate receptors control gating of spike transmission in the hippocampus area CA1. HÖLSCHER, C.	307
Modulation of DOI-induced increases in cortical BDNF expression by group II mGlu receptors. GEWIRTZ, J.C., A.C. CHEN, R. TERWILLIGER, R.C. DUMAN and G.J. MAREK	317
Group II mGlu receptor agonists inhibit behavioural and electrophysiological effects of DOI in mice. KŁODZINSKA, A., M. BIJAK, K. TOKARSKI and A. PILC	327
The mGlu2/3 receptor agonist LY379268 blocks the expression of locomotor sensitization by amphetamine. KIM, J.-H. and P. VEZINA	333
Effects of the mGlu2/3 receptor agonist LY379268 on motor activity in phencyclidine-sensitized rats. CLARK, M., B.G. JOHNSON, R.A. WRIGHT, J.A. MONN and D.D. SCHOEPP	339
D1 and D2 dopamine receptors contribute to the locomotor response induced by Group II mGluRs activation in the rat nucleus accumbens. BREYSSE, N., C. RISTERUCCI and M. AMALRIC	347
Anxiolytic-like activity of the mGluR5 antagonist MPEP: A comparison with diazepam and buspirone. BRODKIN, J., C. BUSSE, S.J. SUKOFF and M.A. VARNEY	359
The anxiolytic action of mGlu2/3 receptor agonist, LY354740, in the fear-potentiated startle model in rats is mechanistically distinct from diazepam. TIZZANO, J.P., K.I. GRIFFEY and D.D. SCHOEPP	367
Inhibition of mGluR5 blocks hippocampal LTP in vivo and spatial learning in rats. BALSCHUN, D. and W. WETZEL	375
Differential effects of mGluR1 and mGluR5 antagonism on spatial learning in rats. PETERSEN, S., C. BOMME, C. BAASTRUP, A. KEMP and G.R.J. CHRISTOFFERSEN	381
Impairment on contextual fear conditioning in rats by Group I mGluRs: Reversal by the nootropic nefiracetam. RIEDEL, G., K. SANDAGER-NIELSEN and E.M. MACPHAIL	391
Antisense oligonucleotide knockdown of mGluR₁ alleviates hyperalgesia and allodynia associated with chronic inflammation. FUNDYTUS, M.E., M.G. OSBORNE, J.L. HENRY, T.J. CODERRE and A. DRAY	401
Antinociceptive effects following intrathecal pretreatment with selective metabotropic glutamate receptor compounds in a rat model of neuropathic pain. FISHER, K., C. LEFEBVRE and T.J. CODERRE	411
Group II mGluR receptor agonists are effective in persistent and neuropathic pain models in rats. SIMMONS, R.M.A., A.A. WEBSTER, A.B. KALRA and S. IYENGAR	419
Activation of brainstem metabotropic glutamate receptors inhibits spinal nociception in adult rats. KIM, S.J., A.A. CALEJESAN and M. ZHUO	429
Activation of mGlu1 but not mGlu5 metabotropic glutamate receptors contributes to postischemic neuronal injury in vitro and in vivo. MELI, E., R. PICCA, S. ATTUCCI, A. COZZI, F. PERUGINELLI, F. MORONI and D.E. PELLEGRINI-GIAMPIETRO	439
Spinal cord mGlu1 receptors: Possible target for amyotrophic lateral sclerosis therapy. VALERIO, A., M. FERRARIO, M. PATERLINI, P. LIBERINI, G. MORETTO, N.J. CAIRNS, M. PIZZI and P. SPANO	447
Evaluation of the mGluR2/3 agonist LY379268 in rodent models of Parkinson's disease. MURRAY, T.K., M.J. MESSENGER, M.A. WARD, S. WOODHOUSE, D.J. OSBORNE, S. DUTY and M.J. O'NEILL	455
The selective group mGlu2/3 receptor agonist LY379268 suppresses REM sleep and fast EEG in the rat. FEINBERG, I., I.G. CAMPBELL, D.D. SCHOEPP and K. ANDERSON	467
Metabotropic and NMDA glutamate receptor interactions with osmotic stimuli in supraoptic neurons. MEEKER, R.B.	475

CONTENTS

VOLUME 73 NUMBER 3 2002

ARTICLES

- Sex-related glucose effects on responsiveness to brightness change in middle-aged rats.**
HUGHES, R.N. 485
- Chronic drug use and cognitive impairments.**
BLOCK, R.I., W.J. ERWIN and M.M. GHONEIM 491
- Effects of σ_1 receptor ligand MS-377 on D_2 antagonists-induced behaviors.**
KARASAWA, J.-I., S. TAKAHASHI, K. TAKAGI and K. HORIKOMI 505
- Combination of a novel antimentia drug FK960 with donepezil synergistically improves memory deficits in rats.**
TOKITA, K., S. YAMAZAKI, M. YAMAZAKI, N. MATSUOKA and S. MUTOH 511
- Observer-blinded comparison of two nonopioid analgesics for postoperative pain in piglets.**
REYES, L., K.D. TINWORTH, K.M. LI, D.F. YAU and K.A. WATERS 521
- Effect of nociceptin/orphanin FQ on food intake in rats that differ in diet preference.**
OLSZEWSKI, P.K., M.K. GRACE, J.B. SANDERS, C.J. BILLINGTON and A.S. LEVINE 529
- Behavioral responses to stress following central and peripheral injection of the 5-HT₂ agonist DOI.**
HAWKINS, M.F., S.M. UZELAC, A.A. BAUMEISTER, J.K. HEARN,
J.I. BROUSSARD and T.S. GUILLOT 537
- mCPP-induced hypophagia in rats is unaffected by the profile of dietary unsaturated fatty acids.**
RICE, H.B. and R.L. CORWIN 545
- Investigation of a possible sensitization development to a challenge dose of ethanol after 2 weeks following the single injection in mice.**
KAYIR, H. and I.T. UZBAY 551
- Effect of chronic treatment with milnacipran on sleep architecture in rats compared with paroxetine and imipramine.**
GERVASONI, D., E. PANCONI, V. HENNINOT, R. BOISSARD, B. BARBAGLI,
P. FORT and P.H. LUPPI 557
- Intracerebroventricular administration of colchicine produces cognitive impairment associated with oxidative stress in rats.**
KUMAR, M.H.V. and Y.K. GUPTA 565
- Comparison of the ability of adenosine kinase inhibitors and adenosine receptor agonists to attenuate thermal hyperalgesia and reduce motor performance in rats.**
JARVIS, M.F., J. MIKUSA, K.L. CHU, C.T. WISMER, P. HONORE, E.A. KOWALUK
and S. MCGARAUGHTY 573
- Pharmacologic thresholds for self-injurious behavior in a genetic mouse model of Lesch–Nyhan disease.**
KASIM, S. and H.A. JINNAH 583
- Dose–response relationships of intranasal cholecystokinin and the P300 event-related brain potential.**
DENECKE, H., N. CZEHAKE and R. PIETROWSKY 593
- Hyperalgesic response in rats fed sucrose from weaning to adulthood: Role of VMH.**
MUKHERJEE, K., R. MATHUR and U. NAYAR 601
- Effects of opioid antagonists on unconditioned and conditioned hyperactivity to morphine.**
RAUHUT, A.S., B.J. GEHRKE, S.B. PHILLIPS and M.T. BARDO 611
- Ascorbic acid prevents cognitive deficits caused by chronic administration of propionic acid to rats in the water maze.**
PETTENUZZO, L.F., P.F. SCHUCK, F. FONTELLA, C.M.D. WANNMACHER,
A.T. WYSE, C.S. DUTRA-FILHO, C.A. NETTO and M. WAJNER 623
- Triggers of paroxysmal dyskinesia in the calcium channel mouse mutant tottering.**
FUREMAN, B.E., H.A. JINNAH and E.J. HESS 631
- Sympathetic activation by fenfluramine depletes brown adipose tissue norepinephrine content in rats.**
SUBRAMANIAN, S. and R.R. VOLLMER 639
- Attenuation of iminodipropionitrile induced behavioral syndrome by sodium salicylate in rats.**
TARIQ, M., H.A. KHAN, K.A. MOUTAERY and S.A. DEEB 647

Conditioned place preference after single doses or “binge” cocaine in C57BL/6J and 129/J mice. ZHANG, Y., J.R. MANTSCH, S.D. SCHLUSSMAN, A. HO and M.J. KREEK	655
Wheel-running attenuates intravenous cocaine self-administration in rats: Sex differences. COSGROVE, K.P., R.G. HUNTER and M.E. CARROLL	663
Differential effects of ethanol on motor coordination in adolescent and adult rats. WHITE, A.M., M.C. TRUESDALE, J.G. BAE, S. AHMAD, W.A. WILSON, P.J. BEST and H.S. SWARTZWELDER	673
Object preference and nicotine consumption in rats with high vs. low rearing activity in a novel open field. PAWLAK, C.R. and R.K.W. SCHWARTING	679
Effects of nefazodone on voluntary ethanol consumption induced by isolation stress in young and aged rats. NÚÑEZ, M.J., M. RIVAS, P. RIVEIRO, J. SUÁREZ, J. BALBOA, L.A. NÚÑEZ, M. REY-MÉNDEZ and M. FREIRE-GARABAL	689
Rotational behaviour in AA and ANA rats after repeated administration of morphine and cocaine. MIKKOLA, J.A.V., S. JANHUNEN, P. HYYTIÄ, K. KIIANMAA and L. AHTEE	697
Fluoxetine-induced increases in open-field habituation in the olfactory bulbectomized rat depend on test aversiveness but not on anxiety. MAR, A., E. SPREEKMEESTER and J. ROCHFORD	703
Serotonin modulates offensive attack in adolescent anabolic steroid-treated hamsters. GRIMES, J.M. and R.H. MELLONI JR.	713
Improvement of learning processes following chronic systemic administration of modafinil in mice. BÉRACOCHEA, D., A. CELERIER, N. BORDE, M. VALLEAU, M. PERES and C. PIERARD	723

CONTENTS

VOLUME 73 NUMBER 4 2002

ARTICLES

Differential subjective effects of D-amphetamine by gender, hormone levels and menstrual cycle phase. WHITE, T. L., A.J.H. JUSTICE and H. DE WIT	729
Vaginal lavage attenuates cocaine-stimulated activity and establishes place preference in rats. WALKER, Q.D., C.J. NELSON, D. SMITH and C.M. KUHN	743
Reevaluation of PNU-99194A discriminative stimulus effects: Potentiation by both a D₂ antagonist and a D₃/D₂ agonist. BAKER, L.E. and A.J. PRUS	753
Prenatal protein malnutrition enhances stimulus control by CDP, but not a CDP/THIP combination in rats. SHULTZ, P.L., J.R. GALLER and J. TONKISS	759
Effects of cocaine and putative atypical antipsychotics on rat social behavior: An ethopharmacological study. RADEMACHER, D.J., A.L. SCHUYLER, C.K. KRUSCHEL and R.E. STEINPREIS	769
Sigma sites mediate DTG-evoked hypothermia in rats. RAWLS, S.M., D.A. BARON, E.B. GELLER and M.W. ADLER	779
Asymmetric serial interactions between ethanol and cocaine in taste aversion learning. GRAKALIC, I. and A.L. RILEY	787
Effects of N-acetylcysteine on macrophage and lymphocyte functions in a mouse model of premature ageing. PUERTO, M., N. GUAYERBAS, V.M. VÍCTOR and M. DE LA FUENTE	797
Effects of melatonin injection on running-wheel activity and body temperature differ by the time of day. ISOBE, Y., T. TORRI, E. KONISHI and J. FUJIOI	805
Iron deficiency in rats decreases acquisition of and suppresses responding for cocaine. JONES, B.C., D.S. WHEELER, J.L. BEARD and P.S. GRIGSON	813
Genetic variation in morphine analgesic tolerance: A survey of 11 inbred mouse strains. KEST, B., E. HOPKINS, C.A. PALMESE, M. ADLER and J.S. MOGIL	821

Effects of anticholinergics on serial-probe recognition accuracy of rhesus macaques (<i>Macaca mulatta</i>). MYERS, T.M., G. GALBICKA, M.L. SIPOS, S. VARADI, J.L. OUBRE and M.G. CLARK	829
Behavioral sensitization to amphetamine follows chronic administration of the CB₁ agonist WIN 55,212-2 in Lewis rats. MUSCHAMP, J.W. and S.M. SIVIY	835
Behavioral effects of aminochrome and dopachrome injected in the rat substantia nigra. DÍAZ-VÉLIZ, G., S. MORA, M.T. DOSSI, P. GÓMEZ, C. ARRIAGADA, J. MONTIEL, F. ABOITIZ and J. SEGURA-AGUILAR	843
Effects of pentylenetetrazol-induced kindling of seizures on rat emotional behavior and brain monoaminergic systems. SZYNDLER, J., P. ROK, P. MACIEJAK, J. WALKOWIAK, A.I. CZŁONKOWSKA, H. SIENKIEWICZ-JAROSZ, A. WISŁOWSKA, M. ZIENOWICZ, M. LEHNER, A. BIDZIŃSKI, W. KOSTOWSKI and A. PLAZNIK	851
Age-related changes in the antinociception induced by taurine in mice. SERRANO, M.I., C. GOICOECHEA, J.S. SERRANO, M.C. SERRANO-MARTINO, E. SÁNCHEZ and M.I. MARTÍN	863
Dopamine antagonists during parturition disrupt maternal care and the retention of maternal behavior in rats. BYRNES, E.M., B.A. RIGERO and R.S. BRIDGES	869
Tolerance and sensitization to the locomotor-activating effects of cocaine are mediated via independent mechanisms. IZENWASSER, S. and D. FRENCH	877
Pharmacokinetic differences of morphine and morphine-glucuronides are reflected in locomotor activity. HANDAL, M., M. GRUNG, S. SKURTVEIT, Å. RIPEL, J. MØRLAND	883
A comparative study in rodents of standardized extracts of <i>Bacopa monniera</i> and <i>Ginkgo biloba</i>: Anticholinesterase and cognitive enhancing activities. DAS, A., G. SHANKER, C. NATH, R. PAL, S. SINGH and H.K. SINGH	893
Nicotinamide therapy protects against both necrosis and apoptosis in a stroke model. YANG, J., L.K. KLAIDMAN, M.L. CHANG, S. KEM, T. SUGAWARA, P. CHAN and J.D. ADAMS JR.	901
Interactions between the CB₁ receptor agonist Δ^9-THC and the CB₁ receptor antagonist SR-141716 in rats: Open-field revisited. JÁRBE, T.U.C., M.E. ANDRZEJEWSKI and N.V. DiPATRIZIO	911
Neonatal toluene exposure selectively alters sensitivity to different chemoconvulsant drugs in juvenile rats. CHEN, H.-H. and Y.-F. LEE	921
Prepulse inhibition in rats with temporary inhibition/inactivation of ventral or dorsal hippocampus. ZHANG, W.-N., T. BAST and J. FELDON	929
Effect of imipramine on the expression and acquisition of morphine-induced conditioned place preference in mice. ZARRINDAST, M.-R., T. BAHREINI and M. ADL	941
Hormone-like behavioral effects of levonorgestrel and its metabolites in the male rat. MORALÍ, G., A.E. LEMUS, R. MUNGUÍA, G.A. GARCÍA, I. GRILLASCA and G. PÉREZ-PALACIOS	951
Anxiolytic effects of ethanol and phenobarbital are abolished in test-experienced rats submitted to the elevated plus maze. BERTOGLIO, L.J. and A.P. CAROBREZ	963
Stress-induced subsensitivity to modafinil and its prevention by corticosteroids. STONE, E.A., Y. LIN, R.F. SUCKOW and D. QUARTERMAIN	971
The effect of serotonin and serotonin receptor antagonists on motion sickness in <i>Suncus murinus</i>. JAVID, F.A. and R.J. NAYLOR	979
Contents of Volume 73	993
Author Index	999
Keyword Index	1003