

VOLUME 81, 2005 KEYWORD INDEX

- Abecarnil, 517
Absence seizures, 47
Accumbens, 715
Acetylcholine, 100, 917
Acetylcholinesterase, 89
Acoustic startle reflex, 497, 601
ACTH, 41, 65
Acupuncture, 146
Adaptogen, 424
Addiction, 165, 190, 263, 343, 381, 387, 396, 407
Adenylyl cyclase, 843
Adrenal, 41
Adrenocortical activity, 331
Aging, 593
Airway sensation, 821
Albizzia julibrissin, 205
Alcohol, 459, 506, 543, 943
Alcohol intake, 369
Alcoholism, 190
Alcohol-preferring (P) rats, 740
Alcohol-preferring P rats, 122
Alcohol's motivational properties, 369
Amfonelic acid, 769
4-aminopyridine, 725
Amphetamine, 1, 165
Amphetamine stereotypy, 701
Amygdala, 601
Analgesia, 78, 131
Anandamide, 78, 224, 248, 396
Anandamide transporter, 224
Angelica essential oil, 838
Animal model, 1, 478
Anti-amnesic, 424
Antidepressant activity, 535
Antinociception, 170, 417, 466, 725, 764
Antioxidant enzymes, 805
Anxiety, 15, 78, 205, 331, 645
Anxiety-like behavior, 122
Anxiolytic, 657, 683, 838
Apamin, 725
Apomorphine, 797
2-Arachidonoylglycerol, 224
2-arachidonoylglycerol, 248
2-Arachidonylglycerol, 396
Aricept, 879
Attention, 319
Auditory perception, 440
Autoshaping, 673
Aversion, 459
Baboon, 440
Baboon vocalizations, 440
Basal ganglia, 198, 887
Behavior, 15, 71, 485
Behavioral development, 849
Behavioral tests, 535
Behaviors, 854
Benzodiazepine, 657
Benzodiazepines, 517
Bicuculline, 854
Bimodal effects, 331
Brain, 32, 524
Brainstem, 657
Buprenorphine, 626
Bupropion, 65
Buspirone, 5-HT_{1A} receptor agonist, 122
Butyrylcholinesterase, 497
CA1, 139
Calcium flux, 211
Cancer pain, 114
Cannabinoid, 248, 381, 396
Cannabinoid antagonist, 387
Cannabinoid CB₁ receptor, 300, 369
Cannabinoid receptors, 224
Cannabinoids, 71, 221, 263, 285, 331, 343, 360
Cannabis, 285, 319
 β -Carbolines, 517
Catalepsy, 701
CB₁ receptor, 396
CB₁ receptors, 71
Charybdotoxin, 725
Chemical warfare nerve agents, 497
Cholecystokinin, 331
Cholinergic system, 575
Cholinesterase, 497
Cholinesterase inhibitors, 917
Choto-san, 616
Chronic cerebral hypoperfusion, 616
Chronic stress, 701
Cigarette smoking, 821
Cigarettes, 158
Circadian rhythms, 569
Citalopram, 694
Clozapine, 478, 750
Cocaine, 319, 396, 440, 459, 758, 843
Cocaine-induced taste aversions, 814
Cocaine-induced toxicity, 709
Cognitions, 575
Cognitive deficit, 407
Cognitive impairment, 319
Complete Freund's adjuvant, 146
Conditioned cue preference, 786
Conditioned place preference, 459, 871
Conditioned reinforcement, 821
Conditioned-taste aversion, 864
Consolidation, 139
Consumption, 943
Copolamine, 575
Cortex, 879
Corticosteroid, 894
Corticosterone, 41, 152, 424
CP 55,940, 369
CP 55,490, 407
CP-154,526, 122
CRF, 41, 701
CRF₁ receptor antagonist, 122

- D₁-like agonists, 843
 Daily rhythm, 41
 Delta-9-tetrahydrocannabinol, 285
 Dementia, 89
 Denicotinized cigarettes, 158, 821
 Dependence, 300, 343, 381, 396
 Depression, 901
 Desipramine, 65
 Desipramine concentration, 524
 Dextromethorphan, 131
 5,7-DHT lesions, 664
 Diarrhea, 917
 Diazepam, 657, 683
 Diisopropylfluorophosphate (DFP), 917
 2,5-dimethoxy-4-methylamphetamine (DOM), 750
 Discrimination, 440
 DOI, 65
 DOM, 830
 Donepezil, 879, 917
 Dopamine, 190, 198, 263, 701, 715, 769, 797, 805, 849, 935
 Dopamine agonists, 211
 Dopamine antagonists, 732
 Dopamine D₁ receptor, 887
 Dopamine D₂ receptor, 887
 Dopamine D₁-like receptors, 843
 Dopamine receptors, 71, 211
 Dorsal raphe nucleus, 664
 Drinking, 190
 Drug abuse, 343
 Drug discrimination, 626, 694, 830
 Drug-induced stimulus control, 750
 Drugs interaction, 417
 Dyskinesia, 887
- Ebselen, 608
 Ecstasy, 485, 635
 Ejaculation, 100
 Elevated plus maze, 683
 Elevated plus-maze, 205
 Emesis, 864
 EMG, 9
 Endocannabinoid, 396
 Endocannabinoids, 239, 263, 300
 Endocrinological abnormalities, 407
 Endogenous systems, 360
 Ephedra, 165
 Epilepsy, 47
 Epipregnanolone, 543
 Equisetum arvense, 593
 Estradiol, 907
 Ethanol, 543
 Ethanol abstinence, 740
 Ethanol drinking, 740
- Eticlopride, 887
Evolvulus alsinoides, 424
 Extinction, 139
- Fatty acid amide hydrolase, 224
 Feeding, 740
 Female rats, 871
 Ferrets, 211
 Fertility, 935
 Fetal alcohol effects, 54
 Flumazenil, 122
 Fluoxetine, 769
 Flutamide, 871
 Fluvoxamine, 65
 Food intake, 657
 Food restriction, 41
 Forced swim test, 524, 894
 Forced swimming test, 901
 Formalin test, 725
 Four-plate test, 645
 Free radical, 585
- GABA, 657, 935
 GABA_A, 331
 GABA_A receptor and chloride uptake, 854
 Gabapentin, 170
 Gateway, 396
 Genital reflexes, 758
Gentiana kochiana, 535
 Gestational stress, 601
 Glia, 239
 Glibenclamide, 725
 Glucocorticoid receptors, 894
 Glutamate antagonists, 732
 Glutathione, 805
 GNC92H2, 709
- Haloperidol, 1, 478, 585, 608, 879
 Handling, 506
 Harmaline, 9
 Hedonic, 657
 Hedonic impact, 821
 Heroin, 319, 626
 High fat diet, 585
 Hippocampus, 89, 139, 601
 Histology, 15
 Hole-board, 838
 Hotplate, 417
 HPA axis, 152
 Humans, 285, 559
 5-HT mRNA, 879
 5-HT receptors, 879
 5-HT_{1A} receptors, 664
 5-HT₂ receptors, 466
 5-HT_{2A} receptor, 65, 750
- 5-HT_{2A} receptors, 645
 5-HT_{2C} receptor inverse agonist, 122
 5-HT₆ receptors, 673
 Hyperactivity, 530
 6-Hydroxydopamine, 569, 715, 887
 Hyperalgesia, 146
 Hyperlipidic diet, 758
 Hyperthermia, 407
 Hypnotic, 559
 Hypothermia, 78, 917
- Ictal activity, 907
 Imipramine, 9, 65, 170, 524
 Imipramine concentration, 524
 Immunotherapy, 709
 Inflammatory pain, 433
 Inhibited temperament, 478
 Inositol phosphate, 843
 Intoxication, 943
 Intrathecal, 797
 Intrathecal injection, 146
 Ischemic brain injury, 182
 Isomer, 715
- K⁺ channels, 725
 Ketamine, 530
 Knockout mice, 343, 396
- LAAM, 626
 L-DOPA, 887
 Learned discrimination, 732
 Learning, 89, 139, 593
 Lethality, 635
 Lethargic mice, 47
 Lever release, 440
 Licking, 517
 Light/dark box, 683
 Limbic system, 657
 Lipid peroxidation, 805, 864
 Locomotion, 71
 Locomotor activity, 635, 843
 Loperamide, 114
 5-LOX: 5-Lipoxygenase, 433
 LSD, 830
 LTs: leukotrienes, 433
- M100907, 830
 Magnesium, 524
 Magnesium concentration, 524
 MAO inhibitor, 535
 Marijuana, 285
 Maternal aggression, 769
 Maternal behavior, 769
 Maternal deprivation, 506
 Maternal stress, 601
 Mazindol, 65

- MCAo, 182
 MDMA, 635
 Mecamylamine, 575
 Mechanism of action, 466
 Medial forebrain bundle, 263
 Meloxicam, 725
 Memory, 89, 139, 319, 593
 Memory formation, 673
 Memory systems, 786
 Mesolimbic, 657
 Methamphetamine MDMA, 319
 4-Methylaminorex, 715
 3,4-methylenedioxymetamine, 407
 3,4-Methylenedioxymethamphetamine, 485
 mGluR5, 901
 Mice, 131, 417, 524, 683, 709, 764, 923
 Milnacipran, 645
 MK-801, 146
 MLN519, 182
 Monoamines, 15
 Monoclonal antibody, 709
 Mood, 559
 Morphine, 131, 170, 569, 786, 923
 Morphine tolerance, 152
 Motor, 78
 Motor behavior, 923
 Motor incoordination, 943
 Mouse, 616, 830, 943
 α -MSH, 894
 MTEP, 901
 Muscarinic M₁ receptor, 616
 Muscarinic receptors, 575
 Muscarinic Receptors, 100

 Nadolol, 24
 Naloxone, 530, 657
 Naloxone/Naltrexone, 369
 Naltrexone, 657
 Natural and synthetic cannabinoids, 407
 Nausea, 211
 Neuroactive amino acids, 47
 Neuroactive steroid, 543
 Neurobehavior, 805
 Neurobehavioral, 864
 Neuroinflammation, 239
 Neuroleptics, 585
 Neuropathic pain, 170
 Neuropeptide Y, 740
 Neuroprotection, 182, 248
 Neurosteroid, 907
 Neurotoxicity, 198, 585, 805
 Nicotine, 165, 381, 387, 551, 821, 879
 Nicotinic acetylcholine receptor, 165
 Nicotinic receptors *n*-back, 575
 Nifedipine, 152
 Nitric oxide synthase, 764
 Nitrous oxide, 764
 NMDA [*N*-methyl-D-aspartate], 131
 NMDA receptor, 146
 Nociceptin/orphanin FQ, 506
 Nociception, 433
 Non-genomic, 907
 Noradrenaline, 645
 Nucleus accumbens, 263, 657, 732

 6-OHDA, 805
 Olfactory bulbectomy, 901
 Open-field, 923
 Opiates, 786
 Opioid, 506, 626, 657
 Opioid and Serotonergic systems, 331
 Opioid receptor, 369
 Opioids, 343, 360, 417, 451
 Orofacial dyskinesia, 585, 608
 Osteosarcoma, 114
 Oxidative stress, 593, 701, 805
 Oxytocin, 769, 797

 Paced mating, 871
 Paeonol, 683
 Pain, 248
 Palatability, 517, 657
 Parabrachial nucleus, 657
 Paradoxical sleep deprivation, 758
 Para-methoxyamphetamine, 485
 Parkinson disease, 805
 Parkinson's Disease, 887
P-chlorophenylalanine, 9
 Penile erection, 797
 Pentylentetrazole kindling, 47
 Perception, 732
 Performance, 559
 Perinatal toxicology, 935
 Perinate, 928
 Peripheral opioid receptors, 114
 Phencyclidine, 694
 Phenoxybenzamine, 24
 Physostigmine, 497, 551
 Phytohormones, 928
 Pigeon, 732
 Pilocarpine, 15
 Pirenzepine, 24
 Place avoidance, 451
 Place conditioning, 451
 Place learning, 32
 Place preference, 451, 715
 Placebo cigarettes, 158
 Plantar nerve, 170
 Polydrug, 459
 Polydrug use, 407
 PP2, 139
 PP3, 139
 Precipitated-withdrawal, 300
 Prenatal ethanol exposure, 54
 Prenatal nicotine exposure, 54
 Prepulse inhibition, 497, 664
 Primates, 285
 Procedural learning, 198
 Progesterone, 758
 Prophylaxis, 497
 Proteasome, 182
 Psychopathology, 407
 Psychostimulant, 715
 Pubescence, 635

 Quantitative autoradiography, 750
 Quinpirole, 71

 Raclopride, 715
 Radioligand binding, 601
 Radioprotection, 864
 Rapid tolerance, 1
 Rat, 32, 407, 543, 569, 694, 715, 838, 887
 Rat model, 805
 Rats, 459, 530, 673, 854
 Reacquisition, 139
 Receptor regulation, 32, 750
 Receptor-binding autoradiography, 205
 Receptors, 239, 673
 Reconsolidation, 139
 Reinforcement, 263, 285, 786
 Relapse, 343
 Repeated ethanol withdrawals, 122
 Repeated stress, 854
 Reproductive behavior, 935
 Reuptake inhibition, 769
 Reward, 263, 285, 343, 381, 459, 657, 715, 821
 Rodents, 285, 535
 Rotarod, 943
 Route of administration, 814

 Saffron, 805
 Sardinian alcohol-preferring (sP) rats, 369
 Sarin, 917
 SB 242084, 694
 SB243,213, 122
 SCH 23390, 715
 SCH23390, 887
 Schizophrenia, 575, 664, 732
 Scopalamine, 24

- SDZ SER 082, 694
Seizures, 15, 854
Self-administration, 263, 285, 407, 543, 943
Self-stimulation, 263
Sensitization, 1, 71, 165, 343
Sequential learning, 198
Serotonin, 9, 198, 205, 478, 601, 664, 673, 769, 894
Serum, 524
Sex, 131
Sex differences, 814, 854
Sex \times route interactions, 814
Sexual behavior, 100
Sexual climax, 100
Sexual development, 935
Sexual dimorphism, 635
Shift-work, 559
Short-term selective breeding, 764
Shyness, 478
Signalling, 360
Smoking, 158
Social interaction, 838
Social interaction test, 122
Solamargine, 928
Solanum lycocarpum fruit, 928
Solasodine, 928
Solasonine, 928
Soman, 917
Spaced smoking, 158
Spatial memory, 616
Spectral analysis, 551
Spinal cord, 100
Sprague–Dawley, 601
Sprague–Dawley rats, 122
Squirrel monkeys, 285
SR 141716, 396, 407
SR 141716 (rimonabant), 369
SR141716, 300
Src, 139
Stimulant, 559
Stress, 41, 894, 935
Stroke, 182
Sulpiride, 478
Tail suspension test, 901
Tardive dyskinesia, 585, 608
Taste, 657
Taste reactivity, 517
TBARS, 608
Telemetry, 485
Testosterone, 758
Tetraethylammonium, 725
Tetrahydrocannabinol, 78
 Δ^9 -tetrahydrocannabinol, 300
THC, 71, 285
 Δ^9 -THC, 407
Thermoregulation, 485
Three-lever drug-discrimination, 1
Tobacco craving, 158
Tolbutamide, 725
Tolerance, 300, 343, 626, 943
Tourette's syndrome, 879
Toxicology, 928
Tremor, 9, 551
Tropisetron, 24
Tyrosine hydroxylase, 849
Tyrosine kinase, 139
Uncaria tomentosa, 466
Urethrogenital reflex, 100
Ventral striatum, 569
Ventral tegmental area, 263
Vomiting, 211
Water maze, 32
WAY 100635, 205
Wet-dog shake, 65
WIN 55,212-2, 369
Withdrawal, 1, 158, 343, 381
Working memory, 575
Xanthenes, 535
Zingiber officinale, 864
Zolpidem, 417
Zopiclone, 417