which is indifferent to any three continual proportionals, as was thewed before. So that now we have had three Demonstrations of this Quadrature, (in his Rosetum, in his first paper, and in his third, ) and this common fault in all of them, that they equally prove the proportion by him proposed, or any other what you please. But such his Demonstrations use to be.

And this is what I thought fit to fay to Mr. Hobs's Four Papers (rather to satisfie the importunity of others, than because I thought them worth Answering:) And submit the whole, with all Respects, to the Royal Society, to whom Mr. Hobs makes his

Appeal.

His Fourth Paper;

THich came out fince the Three former were answer'd, (containing some faint endeavors to re-affert some

things in them,) is but meer Trifling, or worse than so.

What he would therein infinuate concerning God (that we may as well prove Him to have had a Beginning, as that the World had) smells too rank of Mr. Hobs. We are not to measure Gods Permanent Duration of Eternity, by our successive Duration of Time: Nor, his Intire Vbiquity, by Corporeal Extension.

What in it concerns Mathematicks, (whether his own or others, ) is fo weak and trivial, (and faid only, that he may feem to fay fomething, though nothing to the purple,) that I shall trust it with those to whom he makes his appeal, without thinking it to need any Reply; The view of what he writeth against, being a sufficient Answer to all he saith.

New Observations of Spots in the Sun; made at the Royal Academy of Paris, the 11,12 and 13th of August 1671; and English't out of the French, as follows.

\* See Numb-74.p. 2216; whence it will appear, that some such Spors were seen here in Lotidon, A.1660. And Mont. Picard affirm'd to Dr. Fogelius at Hamburg, that he had seen Gne in October 1661. witness the faid Doctor's own Letter, writ-

ten to the Fublisher August 11th Lift.

T is now about twenty \* years fince, that Astronomers have not feen any confiderable spots in the Sun, though before that time, fince the Invention of Telescopes, they have from time to time obferved them. The Sun appeared all that while with an entire brightnels, and Signor Caffini faw him fo

the ninth of this month of August.

But

But the Eleventh of the same, about six a clock at night, being furnisht only with a three-foot glass, he remarked in the Sun's disque Two Spots very dark, distant from his apparent Center about the third part of his Semi-diameter. And that he might the more exactly note their scituation, in respect of the several parts of the world, he made use of two very fine threds, cutting one another at right angles in the common socus of the two glasses and in the Axis of the Telescope: And having directed it toward the Sun, he so turn'd ir, that letting it afterwards rest, one might see the Center of the Sun, according to one of these threds, advance Westward, this same thred marking in the Sun a Circle parallel to the Equator; and the other thred marked the Circle of Declination; or the Horary Circle of the said Sun. See Tab. II. Fig. I.

Then he observed, that the Spots were in the Southern part of the Sun; that their elongation from this parallel, passing through his Center, could be no more than about the Sixtieth part of his Diameter; and that they were scituate on the Eastern side in respect of the said Center of the Sun. He also measured several times, from six a clock at night to seven, the time, which lapsed between the passage of the Sun's center, and that of the sirst of these Spots through the said horary Circle, which sometimes he found to be twenty three, sometimes twenty two seconds, the semi-diameter of the Sun then passing in sixty six seconds.

The first of these Spots, being look'd upon with a Telescope of seventeen foot long, appear'd of a somewhat Oval figure; the other was oblong and a little curv'd, like the Hebrew letter fod; and both together were surrounded by a corolla or coronet made up of little dark points, which conformed it self to the figure of the Spots, considered as they were joyned together: which coronet was more exactly observed the days. tollowing.

The twelfth of August he observed them from the time of Sunrising, and perceived that now they were nearer his Center. The time between the passage of the Suns center, and that of the interior edge of the Coronet which encompassed them both, was then of sixteen seconds. At seven a clock it was but of sisteen, and the Southern limb of the Coronet touched the parallel passing through the Sun's center. He continued exactly to observe them with a great Telescope, from six a clock in the morning to seven, and found them to be there, as they are represented in the II Figure of Tab.

2. The first was composed of two others almost round, and conjoyned. The second represented the shape of a Scorpion. The third was round. And they were all three environ'd with a Coronet, which was compos'd, as we said above, of abundance of little obscure pricks. This Coronet appear'd to be clearer than the rest of the Sun when look'd upon with the short Glass, and darker when seen with the long. Without it there were other points, but very black ones; viz. sive near the round Spot on the South-side, and another near the Scorpion's tail on the North-side.

At Eight a clock and fourty eight minuts, the figure of the Scorpion was feen divided into several pieces, as it his tail and arms had been cut off; represented in the III Figure of Tab. 2. The Northern point appear'd no more, there remaining none but those on the South side; and the length of the enclosure of all the Spots, comprehended between the extremities, was of one minut and sisteen seconds, and the breadth of thirty seconds.

The same twelfth day, at six in the evening, he found no great change in the first Spot. The other two were sever'd into sive distinctiones, compass'd about with a Coronet, as appears in the IV Figure of Tab. 2. Together with sive black points, which stood in a streight row, and after another manner than they did in the morning. From six at night unto seven, the time between the passage of the Sun's center, and that of the Coronets limb, was found to be, one time, of eight seconds, and another time of seven seconds and an half. The distance of the Spots unto the parallel, passing through the Sun's center, was near the same on the North side with what it had been observed to be in the morning on the South side.

The thirteenth of August, between the Rising of the Sun and half an hour past six in the morning, the Spots stood as is seen in the V Figure of Tab. 2; the edge of the Coronet, being turn'd to a point on the South-side, was distant from the Lquator, on the North-side half a minut; and there was but a second of time from the passage of the Suns Center into the passage of the same anterior edge of the Coronet.

Αt

At eight a clock thirty minuts, the fore-edge was in the same borary Circle with the Center of the Sun: So that in one day and an half these Spots have run through very near the third part of the Sun's apparent semi-diameter, which giveth an Arc of nineteen degrees and an half of the Circumference of the Sun's Body; and consequently their Diurnal motion about the Sun's Axe hath been of thirteen degrees; and the time of their Periodical revolution, as far as we could conjecture in so little time, must be about twenty seven days and an half: Which yet will be more exactly determined by Observations of a longer time. Mean while those that have been made, give us hopes to see them yet six or seven days longer, if they disappear not before they arrive to the Sun's limb.

We thought it not amiss to advertise those, that are addicted to Celestial Observations, of the Discovery of these Phanomes na, that they may also observe the same; and if they be not furnish't with great Telescopes, they ought not therefore to be diverted from it, since we have found, that by a glass of one foot these Spots may be seen, at least as making but one spot. But it will be particularly necessary, to observe with care from about the fourth unto the eighteenth of the month of September next, (st.n.) whether these Spots, after they have passed over the Upper Hemi-spere of the Sun which is hid from us, will not return and be seen again in its apparent disque.

So far the French Academists. To which we now add; 1. That fince their Observations were made publick, we had notice sent us from the above mention'd Dr. Fogelius residing at Hamburg, (as we touched in the foregoing Tract,) that Mr. Picard had observed at Sea a Spot in the Sun from the third of August (st.n.) to the nineteenth of the same inclusively; and seen it, at the first, like the Tayl of a Scorpion; but on the nineteenth day resembling a Melon-seed. 2. That several curious Observers at London have seen one of those Spots recurr'd to the Sun's Eastern limb, on the same day that Signor Cassini predicted in the Relation above deliver'd they should return, if they continued: The particulars of whose Observations, if they come to hand, we may give an account of hereafter.

Macule in Sole die 11.12.et 13 Augusti 1671.





