The Observations of the SPOTS of the SUN, made at the Royal Academy at Paris, Continued *; and English't out of French.

* See the Beginning of them in Numb. 75.

New Spots in the Sun, together with Signor Cassim's way of noting their scituation in his disque; which hath served to determine the Time when they should be visible on its apparent surface, and how long they should remain on his hidden Hemisphere before their re-appearing to us, and lastly to calculate the duration of their Periodical Revolution about his Axis; it may justly be exspected, we should give the Sequele of what hath been observed since the first and last appearance of these Spots.

It hath been noted in the first Paper, that in the last Observation, made the thirteenth of August, the Anterior Limb of the Misty Crown enclosing all the Spots, was in the same Horary

Circle with the Sun's center.

In the morning of the fourteenth of the same Month, from fix to seven a clock, there passed 15" of time between the pastage of the Anterior limb of the said Crown, and the passage of the Sun's center through the same Horary Circle: And then the Southern limb of the Crown was a minute and a balf distant, toward the North, from the parallel of the Equator, pasfing through the same Center of the Sun. The Figure of the first Spot was almost the same with that of the day before. The second had taken the form of an Heart, the point of which was turned to the North fide, and its base between the South and the East. Three other small spots, disposed Triangle-wise, flood over the said base, and were accompanied with two others upon a line turned South ward. And they were all encompassed by a Crown running out into a point on the South side; and on the North side, East ward, it had an Appendix, as is represented in Tab. 1. Fig. 1.

The fifteenth, at fix in the morning, there passed 27" between the passage of the Anterior limb of the Crown, and that of the Sun's Center through the same Horary circle. The Southern limb limb of the same Crown was two minutes and an half distant from the parallel of the Equator passing through the center of the Sun, whose Diameter passed in 2.9", through the same Horary circle. The first Spot had a little changed its figure; the second was quadrangular, longer from East to West, han from North to South; It appeared bigger than ordinary, and had withall on its sides, within the compass of the Crown, three other small spots. There were also seen four more without the said Crown on the South side; as they are marked in Tab. 1. Fig. 2.

The sixteenth, at fix in the morning, there wete 27" between the passage of the Suns Anterior limb, and the passage of the Anterior limb of the Crown through the same Horary circle; and 38" between the passage of the anterior limb of the Crown, unto the passage of the Sun's center. The Southern Limb of the Crown was 3 off from the parallel of the Equator, passing through the Center of the Sun towards the North. And the Observation having been made yet more exactly at half an hour past seven of the same morning, this distance was found of 2'.22". The Figure of the first Spot in the beginning of the Observation differ'd not much from that of the precedent day; but afterwards it was feen divided into two. The fecond, which likewise seemed to be the same in the beginning, was afterwards divided into three, accompanied with black and dark points without the Crown on the South side, as may be feen in Tab, 1. Fig. 3 and 4.

The same day, at fix a clock and 15', at night, the figures of these Spots were much changed. They appeared of the shape, as we have endeavoured to represent them in Tab. 1. Fig. 5; where there are Five Spots enclosed in the Crown The two fore-most were part of that which had been seen in the morning as one; the two others following those two first, were part of the second in the morning; and without, there were five points on the South side; and two more, a little surther to the North; which points were ranged as in another area made up of other points so small, that they could scarce be perceived; and the Engraver hath been obliged (to make them perceivable) to represent them much greater than they were.

Zzz 2 The

The Seventeenth in the morning, immediatly after the rifing of the Sun, there appeared three very dark Spots, which form'd in a manner these Letters, F, n, J, posited from East to West, and included in their wonted Crown, which stretched out, as twere, two Arms, or two Handles, one to the South, and the other to the North. There pessed 18". between the passage of the foremost limb of the Sun, and that of the foremost limb of the Crown, and 47" between the passage of the anterior limb of the Crown unto the passage of the Sun's Center. The Southern limb of the same Crown was distant 11'.17" from the parallel that touched the Sun on the North-side, and 4'. 38". from the parallel that passed through his Center. See Tab. 1. Fig. 6.

The Eighteenth, at seven in the morning, the Spots, which appeared through some clouds, had almost the same shape with those of the day before, only with this difference, that they were a little closer together, drawing from East to West. There is here no particular description exhibited of them, for sear of failing in their exactness, by reason of the clouds which hindred to see them distinctly. There lapsed 13". between the passage of the anterior limb of the Sun, and that of the anterior limb of the Spot, through the same Horary circle, and 52" of the foremost limb of the Spot unto the passage of the Center. The Southern limb of the Spot was 9'. 13". distant from the parallel that touched the Northern limb of the Sun, and 6'.41". from the parallel that passed through his Center. This Obsservation was ended between 7 and 8 in the morning.

At five a clock and 55', at night of the same day, the Spots appeared as in Tab. 1. Fig. 7. There lapsed 11", between the passage of the anterior limb of the Sun, through the same horary circle and the passage of the anterior limb of the Crown, and from thence unto the passage of the Suns center, 54". The limb of the Crown next to the parallel passing through the center of the Sun, was distant from the same parallel, 7'.40".

Prom four a clock to five in the evening of the Nineteenth, the Spot was observed whilest the Sun was emerging out of Clouds. It appeared oblong near the Suns Circumference; from which it was distant about the breadth of the same Spot,

as appears in Tab. 1. Fig. 8. And when we were preparing to measure its distance from the parallel of the Diurnal motion of the Suns Center, the Clouds, which rose from the Horizon, intercepted it from our sight.

The apparent velocity of the Spo's when they approached to the Suns center, (which had been noted in the first 10.6 course) gave ground to determin their apparent Periodical Revolution about the Suns Axe about Twenty feven days and an half, supposing them to be adherent to his Surface, or at least very nigh to it; and consequently that from the morning of the 13th of August, when they were near his center, they should take between fix and seven days to arrive at the limb of his apparent disque: the which hath come to pass conformably to the Observations made since that time. For since the morning of the 13th unto the evening of the 19th, when they were feen nighthe limb, there are 61 days; and then they were yet to far distant from it, that it was easie to Judge, they would not come out that day. The Clouds and Night did then hinder to observe them; but in the morning of the 20th, which was not the full seventh from the day that they were arrived to the middle of the disque, they were disappeared. This like. wife agrees well enough with what had been practifed, viz. that these Spots during the fourth part of the time of their motion about the Suns center, calculated according to this Hypothesis, and upon the first Observations, would remain in the Western Quadrant.

The apparent Velocity night the Center was such that if it had a continued the same, the Spots would have arrived almost in four days to the Limb of the disque; but in this Hypothesis this apparent velocity was to lessen according as the Spots should remove from the Center; as hath come to pass in essential the diminution of the Length of the Misty Crown was in a manner proportional to the diminution of the apparent Velocity; since that, when this Crown was in the midle, and in a scituation, wherein its true sigure could be best seen, it appeared oblong, and of the form of an human Ear, its greatest diameter respecting East and West; but being nigh the Limb, this same diameter seemed to shorten; and having appeared greatest

in its first scituation, it appeared least in this, because it was almost in a circle that passed through the center of the Sun, whose equal arches are by so much the more oblique, by how much they approach more to the limb of his disque, and consequently appear less, according to the rules of Opticks; mean time the diameter, that was turned from South to North, apparently kept the same bigness it had near the center, because it was in a circle almost parallel to the horizon of the Sun, which formed the representation of its limb, and whose equal arches (by the same Optical reasons) do not appear contracted.

Observations concerning Saturn, made in the same place with the former.

A T the same time that the New Spots of the Sun began to appear, Signor Cassimi observed in Saturn also something remarkable, in regard of the un-expected Change of his Astronomers know, that this Planet is for the most part seen with Arms or Anses fastned to the two sides of his disque, when he is beheld with some great Telescope; and that he retaketh not his Round Figure, but every fifteenth year. This Change was to come to pass this present year, and Saturn to appear in that Round Figure, without his Anjes or Handles, according to the Hypothesis and Predictions of M. Hugens, publish't A. 1659; which indeed hath so hapned, but not just within the time he had appointed: For this Spherical figure of Saturn should not have appeared, according to his suppositions, but in the month of July and August, and so continued for the rest of the time that Saturn was to be visible at this time, and even for a part of his appearance in the next year; but this Roundness hath been perceived sooner, and Saturn hath appeared orbicular fince the end of May, at a time when he was distant enough from the Sun and the Horizon, to be well observed. He hath remained in this figure unto the Eleventh of August. The said Signor Cassini did then observe him thus; but three days after he saw him with Arms, though very narrow ones, which do still continue *. They are represented in Tab. 1. Fig. 9. * See M. Hugens's Letter below. Monfieur

Monsieur Hugens having examined these Appearances, and the Cause of the difference from what he predicted of them, finds not that they are contrary to his Hypothelis of the Flat Ring about Saturn, by the means of which he explicate thall the Changes of his figure; but he esteems, that they will serve to determine, more precisely than could be done hitherto, the several Appeara ces of this Round figure; and because he forefeeth, that it will so appear again within a little time, and at the furthest in December next, and that the same will so continue the remaining time of its Appearance, he confiders the Return of the Arms, which do at present appear, as a little interruption of this Round figure; which would not so much as have been perceived with midle-fized Glasses of 6 or 7 feet. like those that were used by Galilai and Gassendi: which Experience may verifie, if instead of Telescopes of 15 or 20 feet long, you employ only some of these smaller ones, with which you are not able to difcern these Arms because of their tenuity, and that they are but faintly illuminated by the Sun beams, which do more obliquely fall upon the flat surface of the Ring.

Monsieur Hugens believeth also, that Saturn will appear the next Summer, after his Conjunction with the Sun, with Arms like those he hath now; in which he amends his Prediction of A.1659; having feen by these last Observations (as he was already aware of it in his Systeme,) that this Round appearance is to be defin'd to a less number of degrees than he had

done, in respect of great Telescopes.



