

after sitting, and it was a great difficulty to him to get up, which perhaps was occasioned by the Weight and Pressure of the Kidney and adjacent indurate Glands, lying on the head of the *Psoas* Muscle and *Quadratus lumborum*.

He had often a total Suppression of Urine ; but was much relieved by *Sal Succini* and *Corn. Cervi*. He took several Doses of *Cantharides* with Camphire, without any ill effect from the Fly, but had little Relief as to his Distemper. For Three Weeks past he was seized with a violent Looseness, which at last, in spite of all means, carry'd him off.

---

VII. *An Account of a Book, intitul'd, Index Plantarum Horti Lugduno-Batavi, per Herman. Boerhaven. Lugduni Batav. 1710. 8vo.*  
p. 278.

THE Author Dr. Boerhave hath in this Catalogue given the World an early Specimen of his large Knowledge in Botany, he being elected Professor of that Science at Leyden but the Spring before this Publication, upon the Death of Dr. Hotton, who succeeded that Celebrated Botanist Dr. Paul Herman, whose Catalogue of that Garden, with his *Prodromus* and *Paradysus Batavus*, are living Testimonies of his Immortal Fame. This Curious Botanist to repair his loss, obliges us here with a Methodical Index of all such Plants as actually grew in that Garden the last Year, that the World may see what he can

can furnish them withal, as well as what he wants ; so that by a mutual Commutation each may improve his Stock. It were highly to be wish'd, that other *Nations* would, as he has yearly promis'd, do the like, and especially our own, since we have several *Nobles* as well as private *Persons* in *ENGLAND*, and some particular *Communities*, which have not been wanting either for *Cost* or *Industry* to stock their *Gardens* with many *Rare* and *Exotick Plants* ; and till some *Curious Person* will take the Pains to publish a *Catalogue* of them, I presume it will not in the *interim* be amiss to give here an Extract from this, of such *Plants* as have very rarely or never been Cultivated in any of our *Publick* or other *Curious Gardens* here in *England*.

In giving these I shall follow the *Author's Method*, but divide them under these 3 general *Heads*, viz.

I. A List of the *Non-Descript Plants*, viz. such as Dr. *Boerhave* has given as *New*, or without any *Autor* to them.

II. A *Catalogue* of the more *rare Plants* lately *discovered*.

III. Such as are no less *rare* in our *English Gardens*, tho' *formerly described*.

*A Catalogue of the Non Descript Plants, viz.*

I. Such as Dr. Boerhave has given as New, or without any Author to them.

- R** *Anunculus* fol. *Rutæ*, flore aureo simplici p. 3.  
*Thaliærum* fl. luteo, caule angulato, fol. minori 7.  
*Oenanthe aquatica minor* 9.  
*Phellandrium* fol. *Thysellini*, caule rotundo 11.  
*Phellandrium* fol. *Thysellini*, caule sulcato 11.  
*Laserpitium* lato, glauco splendente, trifido folio, flore albo, umbella Sphærica 13.  
*Caucalis Africana*, fol. minore *Rutæ* 15.  
*Sphondylium* folio frequentius laciniato 16.  
*Panax* folio glabro nitente lato 16.  
*Panax* fol. glabro nitente altior 16.  
*Myrrhis annua glabra alba minor* 17.  
*Myrrhis Oriental.* fol. angustiore Peucedani, sem. villoso 17.  
*Lactuca altissima*, fol. Sonchi laciniato, fl. parvo cœruleo 21.  
*Lactuca Sylv.* folio ad latera spinoso 21.  
*Sonchus Orient.* *Lactuca* folio, fl. luteo, sem. eleganter crenato 23.  
*Hieracium* folio, caule, & calyce hirsutis 25.  
*Hieracium* folio ampio longo dentato, flosculis parvis luteis 25.  
*Dens Leonis* folio *Coronopi* 26.  
*Cichorium* sem. adunco, fl. triplo majore, capitulis minoribus 27.  
*Jacobeæ maritima*, fol. integro serrato viridi 31.  
*Anemonospermous Africana* fol. *Jacobeæ*, fl. luteo extus puniceo 31.  
*Helenium Indicum* maximum, flore pleno aureo 32.  
*Helenium Indicum* maximum, fl. pleno sulphureo 32.  
*Chamæmelum marin.* *Ausat.* nudum humifus. fol. crassio 36.

- Millefolium tomentosissimum 38.  
 Senecio *Egyptius* fol. *Matricarie* 40.  
 Senecio *African.* arborescens, fol. ferrato 41.  
 Eichrysum *Afric.* fol. oblongo subincano supra viridi,  
     fl. luteo 42.  
 Eichrysum *Afric.* fol. oblongo angusto, fl. rubello postea  
     aureo 42.  
 Eichrysum *Afric.* f. oblongo lato tomentoso, fl. luteo 43.  
 Eichrysum *Afric.* fol. oblongo tomentoso, caulem am-  
     plectante, flore luteo 43.  
 Santolina *Orient.* odore *Chamæmeli*, fol. vermiculato 44.  
*Absinthium* *Santonicum* *Egyptiacum* 45.  
 Scabiosa integrifolia *Syriaca* *Sivan dicta* 47.  
 Scabiosa *Africana* frutescens, fol. *Rutæ Canine* 47.  
*Cirsium* maximum, capite parvo 51.  
*Cirsium* rad. *Asphodeli*, fol. lato & lucido 51.  
*Cirsium* majus, fol. subtus incano 51.  
*Cirsium* angustifol. capitulo magno 51.  
*Clinopodium* *Siculum* folio *Satureiæ* 61.  
 Lamium arborescens perenne *Canadense*, fol. rotundiore  
     & viridiore 63.  
 Sclarea *Ethiopica* fol. subrotundo perennis 63.  
 Horminum pratense, folio non ferrato 64.  
 Sclarea *Africana* amplissimo folio annua 64.  
 Teucrium Orientale, facie Chamedryos 73.  
 Linum umbilicatum, folio latiore 78.  
 Symphytum magis maculosum 78.  
 Symphytum maximè maculosum 78.  
 Echium folio asperrimo & verrucoso 78.  
 Echium ferox *Egyptium*, fl. carneo 79.  
 Cerinthe quorundam major, versicolore fl. laciniatu 79.  
 Alliæ folio Kali, flore subcæruleo 83.  
*Lychnis* *Suecica* *Scrotum Arietis* *dicta* 85.  
*Lychnis* sylv. vel marina fl. rubro pulcherrimo 85.  
*Lychnis* fol. Bellidis crassiori subhirsato 85.  
*Lychnis* flore pallide viridi 85.

- Lychnis montana* folio Gramineo fl. spicato exiguo 86.  
*Lychnis Sicula* elatior, folio *Salicis* 86.  
*Lychnis angustifolia*, calyculis striatis 86.  
*Lychnis Alpina* repens alba, fol. *Lini*, petalis bifidis 86.  
*Lychnis* fol. *Centaurij minoris* glabro 86.  
*Lychnis repens*, caule lignoso, angustifolia 87.  
*Caryophylus Sinensis*, fl. pulcherrimo 88.  
*Sedum aizoides* *Alpina*, trifido folio minor 91.  
*Blattaria* fl. luteo ampio, folio laciniato 92.  
*Blattaria* fl. luteo ampio, fol. hirsuto *Verbasci* 92.  
*Digitalis* fol. glabro angusto 93.  
*Antirrhinum* flore luteo grandi 95.  
*Antirrhinum* fol. *Linariæ*, fl. toto albo 95.  
*Antirrhinum angustifolium*, fl. magno purpureo 95.  
*Scrophularia* fol. *Sambuci* hirsuta 96.  
*Polygala Afric.* frutesc. fol. *Myrti*, fl. alto intus rubro 97.  
*Veronica* fol. tenuiter laciniatis instar *Paronychiæ* 98.  
*Veronica pratensis* *Serpillifolia* angustifolia 98.  
*Convolvulus peregrinus* fol. anguloſo, fl. albo parvo 102.  
*Convolvulus peregrinus* tenuifol. argent. pilosus, fl. carneo 102.  
*Campanula longifolia*, fl. conglomerato albo 104.  
*Trachelium peregrinum* frutesc. crassissimo trunko, instar *Endiviae* 104.  
*Rapunculus Valerianoides* cœruleus umbellatus 104.  
*Rapuntium galeatum* Virginianum, cœruleo flore 105.  
*Tithymalus* folio *Salicis* hirsuto 106.  
*Tithymalus* fol. cordiformi serrato 107.  
*Tithymalus Mauritanicus*, aphyllos angulosus spinosus minor 107.  
*Geranium Afric.* frutesc. Malvæ fol. laciniato odorato instar *Melissæ* fl. purpurascente 110.  
*Geranium Afric.* frutesc. fol. Achimillæ hirsuto, cum fimbrijs purpureis 110.  
*Geranium Columbinum* flore minore dilute rubro 111.  
*Geranium* fol. *Altheæ Afric.* odore *Melisse* 111.

- Ceranium Afric.* fol. *Alchimillæ* piloso maculato 112.  
*Ceranium Uvæ crispe* fol. caulin. virid. surrectis, fol. profundius incisis, flore saturatè rubro 112.  
*Malva Afric.* frutesc. fol. *Grossulariæ*, fl. rubro 114.  
*Althea Sabdariffa* erecta trifoliata 115.  
*Hermannia* frutescens fol. oblongo ferrato latiori 115.  
*Hermannia* frutesc. fol. *Grossulariæ* parvo hirsuto 115.  
*Hermannia* frutesc. f. *Ibisci* hirsuto molli, caule piloso 115.  
*Hermannia* frutesc. fol. multifido tenui, caule rubro 116.  
*Hermannia* frutesc. fol. oblongo molli cordato hirsuto 116.  
*Cistus* mas folio longiore 116.  
*Papauer Orientale* annum 119.  
*Nigella latifol.* fl. parvo simplici 120.  
*Linum Afric.* luteum, folijs conjugatis 120.  
*Linum* fl. rubro, odore Moschi 120.  
*Sedum Afric.* arboresc. fol. viridi obtuso majus 120.  
*Sedum Afric.* frutesc. fol. longo ferrato confertim nato 121.  
*Sedum Afric.* frutesc. caule pellucido, fol. subrotundo 121.  
*Sedum Afric.* folio villoso oblongo 121.  
*Sedum Afric.* folio rotundo minori 121.  
*Telephium* majus caule rubro, fl. luteo 122.  
*Ficoides Afric.* arboresc. lignosa, fol. glauco brevi, fl. pallido 122.  
*Ficoides Afr.* arboresc. lignosa, persfoliata, fol. glauco brevi ad suprema aversa parte spinâ unica armatâ 123.  
*Ficoides Afric.* arboresc. fol. tenuissimo triangulari aspero, fl. luteo 123.  
*Ficoides Afric.* arboresc. fol. viridi longo triangulari aspero 123.  
*Ficoides Afric.* arboresc. lignosa, spinis validis ligneis ad ramos armata, folio tenui & brevi 123.  
*Ficoides Afr.* frutescens fol. glauco parvo, fl. violaceo 123.  
*Ficoides Afric.* fol. triangul. crasso glauco ad 3 margines aculeato 123.  
*Ficoides Afric.* humilis fol. crasso viridi ad extrema spinosa, fl. violaceo 123.

Ficoides

- Ficoides Afr. humilis, fol. viridi crasso longo ad iuperiora spinoso conjugato 123.
- Ficoides Afric. erecta arboresc. geniculato caule, fol. viridi 123.
- Ficoides Afr. erecta arboresc. lignosa, fl. radiato primo purpureo, dein argenteo interdui clauso, nocte aperto 124.
- Ficoides Afric. fol. glatico crasso fl. aureo 124.
- Ficoides Afric. fol. variegato aspero, ad apicem stellâ spinosâ ornato, flore violaceo 124.
- Ficoides Afric. fol. variegato aspero ad apic. stellâ purp. ornato, minor 124.
- Ficoides Afric. fol. variegato aspero, ad apic. stella purp. ornato erecta 124.
- Ficoides Afric. fol. viridi, micis quasi glaciatis splendentibus ornato fl. coccineo 124.
- Ficoides Afric. fol. longo tenui, flore rubro 124.
- Ficoides Afric. fol. longo tenui, fl. aurantio 124.
- Ficoides Afric. humilis fol. crasso splend. viridi Aloeformi, fl. luteo magno 124.
- Pæonia fol. trifidi ampio supra viridi, infra pallido, fl. simpl. purp. ampio 125.
- Consolida Regalis Hort. fl. carneo, calcari longissimo 128.
- Fumaria Neapolitana flosculis subflavescentibus in sumitate nigrificantibus 130.
- Fabago Africana frutescens minor 135.
- Thlaspi Alysson dictum*, campestre minus, fol. breviori 137.
- Thlaspi Alysson* fol. Leucoij latissimo aspero viridi 137.
- Sinapi arvense album hyemale, folio Rapi, sem. luteo 142.
- Erysimum* sem. minimo pallido, siliquis *Erucæ* 143.
- Hesperis exigua lutea, fol. dentato angusto 146.
- Hesperis fl. albo minimo, siliquâ longâ, fol. profundè dentato.
- Hesperis maritima exigua supina 147.
- Hesperis siliquis hirsutis, flore parvo rubello 147.
- Hesperis hirsuta fl. albo minore, fol. aspero parvo Lavandulæ, siliquis *Cornu Cervini* divisura 147.

Eadem

- Eadem fl. purpureo vario 147.  
*Dentaria pentaphyllos*, folijs mollioribus 147.  
*Genista Hisp.* virgultis longioribus tenuioribus & sulcatis 148.  
*Genista-Spartium* fol. minimis, spinis mollissimis 149.  
*Cytisus glaber*, folijs medijs longioribus 150.  
*Phaseolus erectus* caule & folio rigido, flore pallido luteo, siliquâ crassa & amplâ 152.  
*Melilotus lutea*, flosculis minimis spicatis 152.  
*Trifolium annum fuscum*, flore dilute rubello 153.  
*Trifolium perenne fuscum*, fl. albo 153.  
*Trifolium Afric.* fol. obtuso, fl. pallide cæruleo 153.  
*Anonis spinosa*, fl. albo minor 154.  
*Anonis spicata* sive *Alopecuroides major* 154.  
*Anonis folio Viciæ* 154.  
*Medica siliquâ falcatâ planâ*, ad margines aculeata, lutea 155.  
*Medica Cochleata polycarpos*, capsula compressa 155.  
*Medica Cochl.* *polycarpos spinosâ capsulâ*, seu spinis longioribus capsulam inuolventibus 155.  
*Lotus siliquis geminis peregrina* 156.  
*Lathyrus latifol. minor*, fl. majore 158.  
*Lathyrus Siculus* flore odorato magno 159.  
*Lathyrus angustifol.* *Siculus*, siliq. hirsutis, fl. purpureo cæruleo 159.  
*Lythyrus latifolius* fl. gilvo é *Smyrna* Dr. Sherard 159.  
*Vicia fl. albo siliquâ longâ glabrâ* 160.  
*Vicia* fol. & siliquâ latis, siliquâ hirsutâ 160.  
*Vicia major*, fl. purpureo sparso, siliquis multis erectis 161.  
*Orobus latifolius repens*, siliquâ parvâ 162.  
*Orobus latif. repens* fl. cæruleo, fol. & siliquis hirsutis 162.  
*Coronilla major*, fl. violaceo 165.  
*Hedysarum clypeatum asperum*, siliquâ spinosissimâ fl. purpureo 165.  
*Astragalus Orient.* fol. *Vicie incanis*, angustis, oblongis! 167.  
*Astragalus Syriacus* hirsutus Sherard 167.

- Astragalus hirsutus Smyrna missus Sher.* 167.  
*Astragalus fol. Tragacanthæ glabro, parvus Sher.* 167.  
*Astragalus repens minor fl. cæruleo, siliquâ Epiglottidi simili* 167.  
*Astragalus siliquâ bullatâ & bifariam divisa Sher.* 167.  
*Herba mimosæ Zeylanica spinosissima* 168.  
*Bryonia alba asperior, folijs majoribus* 170.  
*Solanum fruticosum bacciferum fol. rigidiore* 173.  
*Colocasia folijs ad caulem apertis* 176.  
*Opuntia* fol. oblongo media ; spinis frequentioribus & brevioribus armato 181.  
*Lapathum* fol. longissimo crispo 183.  
*Acetosa rotundifolia annua* 184.  
*Halimus* folio minore 186.  
*Chenopodium Americ. vel Armenium* folio Kali 187.  
*Botrys Ambrolioides Mexiocana* perennis 187.  
*Reseda maxima Cretica,* folijs Cannabinis 194.  
*Hyacinthus Oriental.* fl. pleno carneo parvo 199.  
*Hyacinthus Orient.* fl. pleno cærul. purp. minore 199.  
*Hyacinthus Orient.* fl. pleno albo internè rubis punctis adsperso 199.  
*Hyacinthus Orient* fl. pleno cæruleo porcellano 199.  
*Hyacinthus Orient.* fl. pleno cærul. purp. magno 199.  
*Crocus vernus latifol.* aureus minor 200.  
*Crocus vernus latif.* fl. externè pallido, intus cæruleo striato 202.  
*Crocus vern. latif. fl. ext. pallido violaceo variegato, intus cæruleo* 202.  
*Crocus vern. latif. fl. purpureo minor* 202.  
*Crocus vern. latif. fl. albo purpureo major* 202.  
*Crocus vern. latif. fl. albo purp. minor* 202.  
*Crocus vern. alterno floris folio albo, alterno cæruleo* 202.  
*Crocus vernus fl. candido* 202.  
*Iris bulbosa Hispanica* variegata 205.  
*Iris bulb. Anglicana* fl. albo, cæruleis lineis variegato 205.

- Aloe Afric. caulescens perfoliata, angustiori spinosissimo folio Beaum.*
- Aloe Afric. caulesc; fol. spinosis, macul. ab utraque parte albanticibus obscurioribus, folijs glaucis Beaumont 210.*
- Aloe Afric. humilis spinis herbaceis inermibus & verrucis obsita, folio crassiori Beaum. 210.*
- Aloe Afric. fol. obscuro viridi, spinis ad latera & verrucis in dorso armato 211.*
- Lilium Martagon purpureum punctatum 214.*
- Lilium Martagon Bizantinum medium 214.*
- Lilium Martagon Bizantinum minus 214.*
- Ornithogalum viride minus 218.*
- Lilium Javanicum habitum. an Lilio-Asphodelus Com. Rar. 14?*
- Cyclamen radice Anemones, fl: purp. minore odorato 223.*
- Lingua Cervina fol. in summo multifidis & corniculatis, minor, eleganter laciniata 234.*
- Buxus Africana folio oblongiori non serrato 238.*
- Lycium Africanum fructu rubro 246.*
- Lycium Pruni folio subrotundo, fl. candicante 246.*
- Rhamnus Afric. spinis longis, cortice albo fructu cæruleo 246.*
- Alaternoides Afr. fol. Ericæ, flore muscoso albo 248.*
- Alaternoides Afr. fol. Telephij legit. Imperati 248.*
- Philyrea fol. magis serrato subrotundiori 248.*
- Ligustrum fol. latioribus 248.*
- Lauro similis flore, folio tenero 249.*
- Jasminum Indicum fol. conjugatis max. fl. albo odoratissimum 250.*
- Jasminum Cafrena folio, fl. odoratissimo rubro, fructu qui COFFE duro Commel. 250*
- Olea Africana humilis lucida 250.*
- Viburnum Americ. fl. albo 255.*
- Viburnum Americ. fl. purpureo cæruleo 255.*
- Viburnum Americ. folijs longioribus 255.*

- Periclymenum* minus 256.  
*Periclymenum Afric.* folio *Pruni* 257  
*Berberis Mauritanica* 260.  
*Malus Limonia* fol. angustiore spinosa 264.  
*Malus Limonia* fol. angustiore non spinosa 264.  
*Cerasus Hottentottorum* fol. minori magisque rotundo 266.  
*Mespilus* magno oblongo lacinato folio 275.  
*Evonymo* affinis Afric. *Ulmi* folio, fl. rotundo Malvacea,  
 tetracoccus 278.  
*Chrysanthemum* baccifer. *Populi* fol. *Africanum* 278.  
*Arbuscula* alatis folijs ad *Jasminum vulgatius* acceden-  
 tibus 278.  
*Arbuscula Africana* tenui muscoso flosculo 278.

II. *These are of late Discovery, and rare in our English Gardens.*

- P***Entaphylloides* fol. *Ulmariæ*, flore albo 5. Tournef.  
*Bulbocastanum Lusit.* fol. tenuiter diviso. 9. V. *Lusit.*  
*Oenanthe* caule flexoso & fistuloso 9. Mor. Umb.  
*Oenanthe Lusit.* sem. crassiore globoso 9. Tourn. 313.  
*Angelica Alpina* ad nodos florida 10. Tour. 313.  
*Apium degener* fol. longius dissectis 12. Mor. U. 24.  
*Thapsia Apij* folio *Lusit.* fætidissima fl. albo 12. T. 322.  
*Laserpitium* folijs amplioribus, sem. crispo 13. T. 324.  
*Laserpitium humilius* *Paludapij* folio, fl. purp. 13. T. 325.  
*Laserpitium angustifolium* sem. crispo 14. Tourn.  
*Pastinaca tenuifolia Cretica*, umbella radijs Gingidij lon-  
 gioribus M. Umb.  
*Caucalis major* *Daucoides Tingitana* M. Umb. 65.  
*Cachrys* sem. fungoso lævi, fol. Ferulaceis M. U. 62.  
*Ferula durior* seu rigidis & brevissimis folijs Bocc. M. 84.  
*Sphondilium max.* *Transylvanicum Ricini* fol. Breyn. Prodr. 2.  
*Valeriana* fol. Calcitrata magis secto 19. M. Umb.  
*Hieracium* fol. caulem amplexo 23. Triumfet.

- Aster Amer. latif. maximus, puniceis caulis H. Ludg.  
Bat. 651. Fig.
- Aster Novæ Belgiae latifol. paniculatus, fl. saturatè violaceis H. L. Bat. 67. Fig.
- Aster Novæ Belgiae latifol. umbellatus, fl. dilutè violaceis H. L. B. 69. Fig.
- Aster Novæ Angliae altissimus hirsutus, fl. amplissimis purpuro violaceis Parad. Batav. Prodr. 98. Fig.
- Aster Novæ Angliae purp. Virgæ aureæ facie & folijs undulatis P. Bat. pr. 96. Fig.
- Virga Aurea Novæ Angliae lato rigido folio P. Bat. pr. 243. Fig.
- Jacobea Afric. frutesc. fol. rigido & hirsuto major H. Amst. 2. Fig. 75.
- Jacobea Afric. frutesc. fol. rigido & hirsuto minor H. Amst. 2. p. 149.
- Jacobea Afric. frutesc. fol. glauco crasso succulento H. Amst. 2. Fig. 74.
- Jacobea Afr. fol. Hederæ terrestris H: Amst. 2. Fig. 73.
- Anemoneospermous Afric. fol. Card. Benedict. fl. albo extus puniceo H. Amst. 2. Fig. 22.
- Chrysanthemum Canadense, Ranunculi rad. Strumosum vulgo H. L. B.
- Ptarmica Alpina Matricariae folijs 37. Triumfet. 83.
- Ptarmica Alpina incanis ferratis folijs H. L. Bat. 694.
- Ptarmica fol. profundius ferratis, late viridibus elatior H. L. B. 694.
- Calendula humilis Afr. fol. Leucoij, fl. albo H. Amst.
- Senecio Amer. purpureo cæruleo flore El. Bot. 362.
- Senecio Afric. arborescens, fol. Ficoides H. Amst. 2. Fig.
- Eupatorium Novæ Angliae Urticæ folijs, fl. purp. maculato caule H. L. B. 667.
- Coma aurea Afric. frutesc. fol. glauco ad extrema trifido H. Amst. 2. Fig.
- Chrysanthemum Cannabinum Americanum H. R. Blæs 254.
- Abrotanum fæm. canescens fol. Stæchadis citrinæ Breyn. Pr. I. Pana.

- Tanacetum Afr. arborescens*, fol. *Lavandulæ H. Aſtm.* 2. Fig.  
*Scabiosa* folio *Cardiacæ Bocc.* *Sicul.*
- Carduus Creticus incanus*, fl. luteo purpureo I. R. H. 441.  
*Carduus Melitensis capitulis conglobatis* I. R. H. 442.  
*Carduus Melitensis Erucæ folio* fl. luteo I. R. H. 442.  
*Carduus Sphærocephalus Tingitanus* I. R. H. 441.
- Jacea argentea Ragusina Zanon* 107.  
*Jacea cinerea laciniata*, fl. purpureo *Triumpheti* 72.  
*Serratula Virginiana* folijs rigidis P. B. pr. 227. Fig.  
*Serratula Novaeborac.* altissima, fol. *Doriæ mollibus subin-*  
*canis P. Bat.*
- Gallium saxatile glauco folio Bocc.* Mus. Tab. 116.  
*Betonica major Danica Park.* 615.  
*Betonica minima Alpina Helvetica Park.* 614.  
*Clinopodium Canad.* fistulolum angustifolium H. L. Bat.  
*Horminum sanguineum Asphodeli radice Triumph.* 69.  
*Horminum Verbenæ lacinijs Triumph.* 66.  
*Bugula odorata Lusitanica Corn.* 46.  
*Ocimum Ægyptiac odorat.* fol. longis pediculis innixus  
*Ambros.*
- Marrubiastrum* fol. *Cardiacæ Bocc.* Mus. Tab. 98.  
*Pseudo-Dictamnus Afric.* *Hederæ Terrestris* fol. Old. I.  
*R. H. 188.*
- Calamintha præalta odore Pulegij Bocc.* Tab. 40.  
*Dracocephalum Americanum Breyn.* Pr. 1. Fig.  
*Bugula Alpina maxima I. R. H.* 209.  
*Marrubium aq.* fol. profundissimè diflectis H. L. B. 408.  
*Verbena altissima Americana P. Bat.*  
*Verbena latifol.* *Lusit.* procerior I. R. H. 200.
- Auricula Ursi minima*, fl. carneo & niveo I. B. 3. p. 869.  
*Portulaca Curassavica Capparidis* fol. P. Bat. pr. 213. Fig.  
*Portulaca Curass. lanuginosa erecta* P. Bat. pr. 214. Fig.  
*Blattaria fl. cæruleo*, fol. splendente *Mandragoræ Triump.*  
*Blattaria incana multifida Bocc.* 61.
- Linaria Americ. max.* purpureo flore H. L. Bat. 377 Fig.  
*Scrophularia nemorensis* fol. *Urtice rugoso*, fl. atro puni-  
*cante H. Catholic.*

- Polygala frutescens* Cap. Bonae Spei Breyn. Cent. 107.  
*Polygala frutesc.* fol. *Buxi* fl. maximo Old. I. R. H. 175.  
*Hypericum frutescens* Virgin. tomentosum & incanum P.  
 Bat. pr. 188. Fig.  
*Convolvulus Amer.* pilosus, fl. luteo, umbone purpureo  
 H. Amst. Fig.  
*Campanula altissima hirsuta* flor. conglomeratis Hort. Bat.  
*Campanula minima Afric.* Erini facie, fl. violaceo, caulinis  
 procumbentibus H. L. B. 109.  
*Tithymalus Ragusinus* fl. luteo pentapetalo H. L. B. 601.  
*Tithymalus Afric.* caule tuberoso minor ex *Hort.* Beaum.  
 107.  
*Datura Amer.* *Hyoscyami* folio Hor. Bat. 2.  
*Datura Cochin.* spinosissima Zan. 76.  
*Geranium Afric.* noctu olens tuberosum fol. *Vitis* hirsuto  
 H. Amst. 2.  
*Geranium Afric.* frutescens fol. glauco, sapore *Acetosa*  
 Com. 2. Fig.  
*Geranium fætidum Park.*  
*Altheæ frutesc.* *Lusit.* fol. rotundiori undulato I. R. H. 97.  
*Malva rotundifolia Italica*, fl. amplio purpurecente I. R.  
 H. 96.  
*Malva Hispan.* fol. rotundis undulatis Flor. Bat. 2.  
*Malva rotundifol.* *glabra Hisp.* fl. amplio rubello Pluk. 44.3.  
*Malva Sylvestris* fol. *Beironice* Bocc. 114.  
*Ketmia Africana Populi* folio I. R. H. 100.  
*Cistus Ledon* fol. latis & hirsutis Flor. Bat. 2.  
*Colyledon* fl. luteo rad. repente Dodart. mem. 73.  
*Colyledon* fl. luteo medio H. L. Bat. 191.  
*Colyledon Afr.* frutesc. fl. umbellato coccineo Comel. 2.24.  
*Telephium Amboinense maximum* H. Beaumont.  
*Helleborus niger trifoliatus* H. Fernes. 92.  
*Sinapisrum Lusit.* *tryphyllum* fl. rubro, siliquis cornicu-  
 latis H. L. Bat.  
*Fumaria Africana vesicaria scandens* P. Bat.  
*Clematis tetraphyllum Americana siliquosa* H. R. Par. 71.  
*Asclepias*

## ( 49 )

*Asclepias Africana* aizoides, fl. pulchré fimbriato Com. 19.

*Apocynum majus Syriacum* rectum Corn. 91.

*Apocynum minus rectum Canadense* Corn. 93.

*Apocynum Canad.* humilius fol. angustissimo H. L. Bat.

*Apocynum rectum latifol.* Amer. majus Park. 385.

*Apocynum fruticos.* fol. rotundiori crasso P. Bat.

*Apocynum frutesc.* fol. rotundiori magis acuto P. Bat.

*Apocynum erect.* Canad. latifolium P. Bat.

*Thlaspi incanum* fol. *Leucoij* Bocc.

*Levoium saxat.* fol. viridi, fl. purpureo eleganti *Cupani*.

*Thlaspi latif.* platycarpon *Leucoij* folio Bocc. 55.

*Thlaspi verum primum* *Dioscoridis Zan.* 191.

*Lepidium humile minus incanum* *Alepicum I. R. H.*

*Cochlearia major Batavica erecta* fol. oblongo H. L. Bat.

165.

*Sinapi Indicum* *Lactucæ* folio P. Bat.

*Sinapi Indic.* Lact. fol. minus seu angusto profundius crenato P. B.

*Sinapi Hispanicum* fol. *Nasturtij* Tourn. 227. fl. pallide purpureo 142.

*Nasturtium Pyrenaicum aquaticum* P. Bat.

*Nasturtium montanum* fol. *Asari* Bocc. 5.

*Cardamine Sicula* fol. *Fumariae T.* 224. Bocc. 84.

*Leucoium Lust.* purpureum fol. eleganter dentatis P. Bat.

193. Fig.

*Hesperis Sicula frutescens*, siliqua tricuspidi T. 223. Boc. Mus. Tab. 111.

*Hesperis Sicula Coronopi* fol. siliquâ tricuspidi T. 223. Boc. Mus. Tab. 111.

*Genista tinctoria Germanica* fol. lucidis glabris H. L. B.

*Phaseolus Indicus* flor. & fructu candidissimi Volk.

*Phaseolus Indicus* cochleato flore Triumph. 92.

*Fenum Græcum* *Sylv.* minus *Monspel* Breyn. Cent. 79. Fig. *Fenum Græcum* *Sativum*, polyceration *Cretic.* majus Breyn.

Cent. 80.

*Anonis spicata* sive *Alopecuroides Lusitanica* Hofm.

Med. 12

- Medica annua*, siliquis hirsutis falcatis *Flor. Bat.* 1.  
*Golutea* vesic. *Afr.* frut. fol. *Senæ*, fl. sanguineo *Corn.*  
*Onobrychis minus*, fr. maximo insigniter echinato *Triumph.*  
 65.  
*Lupinus peregr.* major, fl. incarnato *H. L. Bat.*  
*Lupinus angustifol.* cerul. elatior *Ray H. Plant.* 908.  
*Hedysarum triphyllum* *Canad.* *Cornuti* 44.  
*Hedysarum annuum* siliqua aspera undulata intorta *T. 401.*  
*Astragalus* purp. perennis *Monspellierianus* *Magn.*  
*Bryonia Zeyl.* fol. profundè laciniatis *H. L. Bat.* Fig.  
*Bryonia Afr.* laciniata, tuberosa rad. fl. herbaceis *P. Bat.*  
*Polygonatum* racemosum fl. luteo majus *Corn.* 37.  
*Polygonatum* racemosum fl. luteo minus *Corn.*  
*Asparagus aculeatus* max. sarmentosus *Zeylanicus* *H. L. Bat.*  
 Fig.  
*Anapodaphyllum* *Canad.* *Morini* *T. 239.*  
*Arum* max. caulinis nigricantibus, *Zeylanicum* *H. L. Bat.*  
*Arum tryphyllum* *Dodart. Mem.* 81.  
*Cucumis Canad.* monospermous, fr. echinato *Par. Bat.* Fig.  
 133.  
*Cucumis puniceus* *Iudicus* major *P. Bat.*  
*Ficus Indica* *Scolopendriæ* folio *Epiphyllitis* *P. Bat. Cat.* 8.  
*Cerens* erect. *Curaß.* *tetragonus* articulatus *P. B. pr.*  
*Cerens* scand. minor *trigonus* articulatus, fr. suavissimo  
*P. Bat.* 118. Fig.  
*Cereus* scand. minor *polygonus* articulatus, *P. Bat.* 120.  
*Acetosa* *Moscovitica* sterilis *H. Ox.* 583.  
*Atriplex* angustissimo & longissimo folio *H. L. Bat.*  
*Parietaria Sicula* fol. *Alsinæ* *Bocc.* 47.  
*Pimpinella* sanguisorba eleganter laciniata *S. B. P. T.*  
*Pimpinella* max. *Canad.* alba spicata *Corn.* 175.  
*Pimpinella* *Agrimonioides* *Bocc.* 58.  
*Gnaphaloides* *Lusitanica* *T. 439.*  
*Mercurialis* procumbens dicoccos *Afric.* fol. *Violæ trico-*  
*loris* *P. Bat.*

*Hyacintho affinis Afric.* tuberosa rad. umbellata cærulea inodora H. L. Bat.

*Colchicum variegatum Corn.* 137.

*Canna Indica angustifol.* fl. flavo H. L. Bat.

*Ornithogalo affinis rad. tuberosa, fol. Cyclaminis Breyne.* Cent.

*Ornithogalum Afric.* lut. odorat. fol. Cepaceis rad. tuberosa H. L. Bat. Fig.

*Scilla Afric.* fl. parvo viridi, bulbo amplissimo lanuginoso H. Amst. 2 Fig.

*Lilium Amer.* puniceo flore, *Bella dona dictum* P. Bat. Fig. 194.

*Lilio narcissus Afr.* platicaulis humilis, fl. purp. odorato H. Amst.

*Gramen Sparteum marit Hollandium*, spicâ Secalinâ Ray.

*Gr. Dactylon max. Americanum* H. R. Par.

*Arundo Indica variegata seu Laconica Theophrasti Corn.* 55.

*Polypodium majus folio ferrato* Barrel. Icon.

*Fraxinus Alepensis* H. L. Bat.

*Fraxinus Americana florida* H. R. Par,

*Fraxinus florifera Botryoides* H. R. Blæs.

*Lentiscus vulg.* fol. minoribus & pallidioribus H. L. Bat.

*Jasminum Afric.* folio Ilicis Com. Fig. 6.

*Vitis Idea Zelanica odoratissima* T. 608.

*Myrtus folijs Buxi* Schnyl. Hort. 49.

### III. The following Plants, tho formerly discovered, are not common in our English Physick Gardens.

*A Nemone trifolia* C. B. 176. *Phyt.* 317.

*Anemone Sylv. alba major* C. B. 176.

*Ranunculus nemorosus luteus* C. B. 198. flor. duobus Var.

*Meum latifol.* adulterinum C. B. 148.

*Cithmum marit.* majus odore Apij C. B. 288. 1.

*Apium montanum tenuifolium* C. B. 153.

*Thapsia latifol.* villosa C. B. 148.

*Thapsia folijs Libanoditis fætidissima* C. B. 148.

*Caucalis*.

- Caucalis pumila maritima* C. B. 152.  
*Valeriana tuberosa* I. B. 3. p. 209.  
*Sonchus lœvis laciniatus cœruleus Alpinus* C. B. 124.  
*Tussilago Alpina rotundifolia glabra* C. B. 197.  
*Cacalia tomentosa* C. B. 198.  
*Bellis spinosa* fol. *Agerati* C. B. 262.  
*Dipsacus sativus* fol. *laciniato* C. B. 385.  
*Eryngium montanum pumilum* C. B. 386.  
*Atractylis* fl. *purpureo Ludg.* 1468.  
*Jacea Babylonica* C. B. pr. 129.  
*Jacea marit. candidissima* fol. *Stæbes* C. B. 272.  
*Centaurium Alpinum luteum* C. B. 117. pr. 56.  
*Rubeola repens lutea folijs spinosis* C. B. 334.  
*Tragoriganum Creticum minus & tenuis Alpin.* Exot. 79.  
*Tragorig. Cret. majori crassiori, asperiori folio Alp.* Ex. 79.  
*Sideritis Alpina Hyssopifolia* C. B. 233.  
*Sideritis hirsuta vulg. erecta* C. B. 233.  
*Verbena nodiflora* C. B. pr. 125. Fig.  
*Alsine affinis Androsace dicta major* C. B. 251.  
*Soldanella Alpina rotundifolia* C. B. 295.  
*Gentiana palustris latifol.* fl. *punctato* C. B. 188.  
*Hyoscyamus albus Ægyptius Alp.* Exot. 192.  
*Linaria tryphylla minor lutea* C. B. 212.  
*Hedera saxatilis magno flore* C. B. 306.  
*Tithymalus Characias* fol. *serrato* C. B. 293.  
*Ruta Sylv.* fl. *magno albo* C. B. 336.  
*Alcea villosa hirsuta* C. B. 3 6.  
*Nigella Cretica* C. B. prodr. 75.  
*Peonia folio latiori promiscua Vormarij* I. B.  
*Zonthlaspi minimum spicatum* Col. 284.  
*Lencoicum mont.* fl. *pedato* Col. 2. 61.  
*Jondraba Apula Alyffoides spicata* Col. 285.