

BOTANICUM Hortense IV.

II. Continued from No. 345. By James Petiver,
F. R. S.

SECT. II.

Indian Herbs and Trees.

94. A Ntego Green Blite.

Blitum Antegoanum viride, caule & pediculis rubris.

This rises about a Yard high, its Leaves smooth, veined and oval, standing on long slender Pedicles, red, as are the large Stalks, from whence grow Tufts of green Panicles, which Flower and Seed from July till Autumn.

I received Plants and Seed of this and many others from my worthy Friend Mr. John Douglas Surgeon, and Brother to his Excellency the Governour of Antego.

95. Climbing *Virginia Eupatorium*.

Eupatorium Carolin. scandens, Fegopyri folio Hort. nosl.

Sicc. Ray Vol. 3. Append. 244. E. 30.

Clematitis novum genus, Cucumerinis foliis Virginianum Pluk. Tab. 163. fig. 3.

Planta peculiaris pappescens non laetescens Banister Alm.

Botan. p. 109 pl. 6.

This elegant Plant is accurately Figured in Dr. Pluknet's Phytographia, and Mr. Banister's Herbarium *Virginianum* which is now in the Press from his own Original Designs. It is the only *Virginia Climber* of this Tribe that has as yet come to our Knowledge, and never raised in any European Garden before.

K k k

96.



96. Braynes Cape Naked Dasie, Ray H. Pl. 362. pl. 2. & Vol. 3. p. 220 pl. inter 6 & 7.

Coma Capensis Coronopi folio.

Bellis Afric. lutea minor, fl. nudo cernuo Alm. Bot. 66. pl. 6.

Bellis Afric. Coronopi folio, fl. nudo Ciaffi.

Bellis Afric. capitulo aphylo luteo, Coronopi folio, caulinis procumbentibus Herm. H. Leyd. 86.

Bellis annua, capitulo aphylo luteo H.Ox. Sect. 6. Tab. 7. fig. ult. opt.

Chrysanthemum Afric. minimum, flosculo nudo cernuo Ejusd. p. 3c. pl. 24.

Chrysanthemum exoticum minus, capitulo aphylo, Chamomeli nudi facie Breyn. Cent. 156. c. 76. fig.

Chrysanthemum Tingitanum minimum procumbens, foliis versus imum dentatis, flosculo nudo cernuo Moris.

Its Leaves, naked Flowers, and Way of growing distinguish it from others.

97. Trifid Cape Gold Tufts, Ray 3. p. 173. 1.

Coma aurea Africana foliis glaucis in extremitate trifidis Hort. Amstelod. Vol. 2.

It Flowers in September, and the Seed is ripe about Christmas.

98. Small Headed American Liverwort.

Elichrysum Carolin. Gnaphalii Americani facie Hort. nost. Sicci Ray 3. Append. 244.

Helichrysum annum majus, erectum Virginianum H. Ox. Sect. 7. Tab. x Ser. 2. pl. 1.

Helichrysum sive Chrysocome Gnaphaloides Virginiana annua, foliis obtusioribus, capitulis argenteis congregatis Bob. Oxon. 88. pl. 21.

Gnaphalium Luti. comis argenteis Pluk. Tab. 31. fig. 5. ex sent. J. Eobart.

This rises near a *Yard* high, is somewhat *Woody* with many Branches ending in *Tufts* of small straw coloured *Heads* which rarely or never fully open. The *Indians* rub their *Head* with this Plant, and assert its good for the Eye-sight, as my late curious Friend Mr. *John Larson* informed me. By another Person I am told they drink a *Tea* of it in *Feavers*.

99. *Fairchild's* small-flowred *Live-ever*.

Elichrysum fl. palescentibus minimis, *Spica* foliis.

Its *Stalks* are thick set, with whitish pointed *Leaves*; the *Flowers* grow in *Tufts* of a pale *Yellow* and very small. It *Flowered* in *July*, &c. in Mr. *Thomas Fairchild's* Garden at *Hoxton*, the only Place I have yet seen it in.

100. *Woolly Live-ever* with red thready *Flowers*.

Elichrysum *Lychnidis Coronariae* folio.

This elegant *Plant* and the next, I have with Pleasure seen in the *Bishop* of *London's* Gardens at *Fulham*, under the Care of Mr. *Millward*.

101. Round Saddle-leaved *Cape* *Live-ever*.

Elichrysum Capense, *Perfoliatæ* folio.

These *Leaves* are round, somewhat bristle-edged, grow alternate and saddle the *Stalk*, like our *Perfoliatæ* or *Thorow Wax*. My late industrious Friend Mr. *William Brown*, Surgeon, brought me from the *Cape of Good Hope* the only Specimens of this singular *Plant* I have since seen.

102. *Welted Antego* *Spike-Cudweed*.

Gnaphaloides Antegoana *spicata*, *caule alato*.

an *Amaranthoides fruticosum* *fol. longis angustis, subtus niveis* *Jam. Cat* 48. pl. 3. *Hist. p. 43. Tab. 7.f. Ray Vol. 3.*
p. 127. 2.

This elegant *Plant* was raised in *Chelsey-Garden* from Seed sent me by my kind Friend Mr. *John Douglass* at *Antego*.

103. Herman's Cape Live-ever with Sage Leaves Ray 1860
Hist. Ox. Bob. 905.

Pseudo-Elichrysum Cap. *Salviae* folio.

Conyza Afric. arboresc. *Salicis Capreae* foliis, odore *Rorismarini* Breyn. Pt 2.

Conyza Afric. incana arb odore *Salvia & Rorismarini* Flor.
Pruss. 149.

Elichryso affinis Afric arb fl purp. violaceis, *Salviae* foliis,
odore *Rorismarini* Herm. H. Leyd. 229. fig. Pluk. 174. I.

It Flowers in March and April in our Stows, and at the
same time at the Cape of Good Hope.

104. Herman's Peruvian Live-ever Ray 1869. pl. ult.

Elichryso affinis Peruviana frutescens Herm. H. Leyd. 666.
Pluk. 27. fig. t.

Agerato affinis Peruviana frutescens Par. Bat. & Prodr.

Pseudo-Helichrysum frut. Peruv. fol. longis serratis Bob. Ox.
90. 3.

This by some has been erroneously shewn in our Gar-
dens for the true Cortex Peru.

105. Mary-land Bobart. Ray 3. p. 210. pl. 15.

Bobartia lutea hirsuta, c.ule Echii.

Chrysanthemum Helenii folio, *umbone* floris grandiusculo
prominente Pluk. 242. fig. 2. Bob. Ox. 23. pl. 65.

Chrysanthemum pilosissimum *umbone* purpurascente, *petalis*
extus *villosis* Nob. Act. Phil. No. 246. p. 401. pl. 26.

Its lower Leaves somewhat like Plantain, lightly notcht,
rough and hairy, the Stalks speckled with red, and rough
as Vipers Bugloss, its Flowers composed of 13 yellow Petal-
le set in a double Row of narrow green hairy pointed
Leaves. What is remarkable in this Tribe, is a large pur-
ple Umb or Disk, rising in the midst of the flower like a
Button. A very peculiar sort, of this Family, I first saw
many Years since with Mr. Jacob Bobart in the Physick-Gar-
den at Oxford; for which reason I have presumed to di-
stin-

stinguish it by his Name, that it may be the easier known from *Chrysanthemum*, *Dracunculus* or *Ptarmica* to which others have ranked it. This Flowers most part of the Year.

106. *Fairchild's broad Bobart.*

Bobartia Virginiana, fol. lato scabro, basi alato.

Its Flower-stalk swells gradually towards the Head, which is composed of many regular broad pointed blackish green *Scales*, the Rim consists of 15 or more yellow *Petala*, out of its purple Disk come many small yellow *Flosculi*, which I have not observed in the other. Mr. Thomas Fairchild raised this Plant from Seed he received, with many others, from that curious Botanist Mr. Mark Catesby of Virginia. It Flowered at Hoxton about the middle of October.

107. *Cape Uvedale with a Poplar Leaf*, Ray 339. 1.

Uvedalia Capensis Populi folio.

Chrysanthemum arborescens Aethiopicum, foliis *Populi* albæ
Breyne. Cent. 155. c. 76. fig. Bob. Oxon. 23. pl. 58.
Sect. 6. Tab. 3. Ser. 3. fig.

an *Chrysanthemum lanatum*, crenatis foliis *Aethiopicum* Pluk.
Tab. 274 f 5.

This differs from the *Chrysanthemums* in having a *lacciferous* Rim.

108. *Wild Hopps.* Ray 3. p. 307. 16.

Nediflora Jamaic. Scrophulariae folio.

Sideritis spicata Scrophulariae folio, fl. albo, spicis brevibus
habitioribus rotundis, pediculis insidentibus Sloane.
Cat. Jam. 65. Hist. Tab. 109. fig. 2.

That curious Naturalist Dr. Hans Sloane has well described this Plant, and given a very accurate Figure of it, which truly agrees with a fair Specimen my hearty Friend Capt. Thomas Wilduck sent me from Barbadoes, from the Seed of which this Plant was raised. I take the *Nediflora*

Luzon. *Sideritidis folio Gazoph.* Naturæ Tab. 69. fig. 6. to be a sort of this with narrower Leaves.

109. Herman's *Virginia yellow Basil.*

Clinopodium Virgin. angustifol. fl. luteo Herm. H. Leyd. 161.

Clinopodium angustifol. Virg. Lamii fl. luteo maculato Bob.

H. Oxon. 375. 8. Sect. xi. Tab. 2. Ser. 2. fig. 2.

Clinopodium Virgin. angustifol. flor. amplis luteis, punctatis purpureis Pluk. Tab. 24. fig. 1.

Origanum flor. amplis luteis purpureo maculatis, cuius caulis sub quovis verticillo 10 vel 12 foliis est circum- cinctus Banist. Ray 1927.

I have seen this in Flower with Mr. Fairchild, raised from Seed which Mr. Catesby sent him.

110. *Canary Ciary.* Ray 3. p. 291. 5.

Horminum hastatis amplioribus foliis s. Ari modo alatis, caulis & pediculis araneosâ lanugine villoso ex Insula Gomera Pluk Tab 301. fig. 2.

Mustazi Insulanis & Salvia arborea vulgo Alm. Bot. 185. pl. 5.

Horminum Canariense tomentosum hastato folio, Mustazi & Salvia arborea nominata Bob. Oxon. 394. 17. Ray 3. p. 292. pl. 24.

Sclarea folio triangulari caule tomentoso Inst. Rei Herb. 180.

This Flowers in divers of our curios Gardens from June till Autumn.

111. White *Canary Horehound.* Ray 3. p. 302. pl. xi. & 12. *Stachys Canariensis frutesc.* *Verbasci folio Instit.* 186.

Stachys amplissimis Verbasci foliis, floribus albis parvis non galeatis, spicâ Betonicae ex Insula Canarina Pluk. Tab. 322. fig 4. Alm. Bot. 356.

Stachys Canarica frutescens Salvia folio, fl. candido, Arvada Salvia incolis nominata Bob. Oxon, 382. pl. 6.

Stachys

Stachys Canariensis frutescens, *Verbasci* foliis Hort. Amst.

Vol. 2:

Salvia sylv. amplissimis *Verbasci* foliis graveolens, fl. albo parvo *Canariensis* Alm. Bot. 329. pl. 15. Ray 274. pl. xi.
It holds its Leaves all the Winter in our Stoves.

112. Munting's yellow Maracoc. R. 651. 8.

Clematis f. *Flos. Passionis* fl. luteo H. Pisan. 18.

Clematis Passionalis triphyllos fl. luteo Ox. Mor. 7. 3. Tab. 2. Ser. 1. f. 3.

Clematis Passiflora fl. luteo Munt. Prax. 422. fig. opt.

Cucumis Flos Passionis dictus, *Hederaceo* folio, fl. ex luteo viridanti, Herm. H. Leyd. 205.

Clematitidis f. *Flos Passionis Americana* luteo flore Vallot. 53.

an *Clematitidis Indica* fl. minimo pallido Plum. 73. Tab. 88.

Balsamina altera Indica repens, *Hedera arboreæ* foliis, fl. subviridi Ambros. phyt. 91.

Granadilla folio tricuspidi, fl. parvo flavescente El. Bot. 206. Inst. 240.

Granadilla folio *Hederaceo*, fl. luteo minore Flor. Norib. 200.

Granadilla pumila, fl. parvo luteo D. Alex. Balam. H. Patav. à Turre 55.

Flos Passionis minor, folio in 3 lacinias non ferratas minus profundas divisio Ca: Jam. 104.

Passiflora Hepatica Nobilis folio parvo non crenato, fl. ex luteo viridante Alm. Bot. 282. 1.

This Plant is a Native of *Virginia* from whence Mr. *Catesby* has lately sent it.

113. The Old Trefoil Maracoc Ray 649. 1.

Balsamina Indica repens, Pomifera Honuphr. 5.

Clematis Passiflora, fl. Roseo triphylla Munt. Prax. 423. f.

Clematis Passionalis triphyllos, fl. Roseo Mor. Ox. 7. 2.

Tab. 1. fig. 9.

Cle-

Clematis trifolia, fl. Roseo clavato C B. 301. xi.

Cucumis triphyllus, fl. Roseo clavato Herm. Leyd. 205.

Granadilla Hispanis, Flos Passionis Italis Col. in *Herm.*
887. & 90. fig. opt.

Granadilla triphylla, fl. Roseo clavato Fl. Nor. 199.

Maracoc sive *Clematis Virginiana* Park. Gard. 393. 10. fig.
395. 7.

Maracot Indicum Aldini Hort. Farnes. 50.

Passiflora foliis crenatis tripartito divisis Alm. Bot. 281.
pl. 3.

This beautiful Old Plant has been an Ornament in our
English Gardens for near a Hundred Years, and was first
brought to us from *Virginia*.

114. Common Fingered Maracoc.

Clematis Passiflora pentaphylla, fl. cæruleo punctato Munt.
421. fig.

Clematis pentaphylla, fl. Roseo clavato Mor. Ox. 6. 8.
Tab. 1. fig. 8.

Clematis quinquefolia Americana f. *Flos Passionis Roberti*
Icon.

Cucumis Flos Passionis dictus, pentaphyllos, fl. clavato
Herm. H. Leyd. 205.

an *Flos Passionis* major pentaphyllos Cat. Jam. 104. pl. 1.

This elegant Climber is found in divers Gardens of the
Curious, but I could never yet observe the Fiddle-like Dent,
in the middle Leaf, as *Munting*, *Morison*, &c. have Fi-
gured it.

115. Ever-green Fingered Maracoc.

Passiflora pentaphylla sempervirens.

This chiefly differs in being ever-green. I have obser-
ved it both in Flower and Fruit, in Mr. Thomas Fairchild's
Garden at *Hoxton*.

116. Yellow Thorney Poppey Ray 856. 8.
Argemone Mexicana El. Bot. 204. Inst. 239.

Papaver spinosum C B. 171. 17. prodr. 92. fig. *phyt.* 311
15. C B. Matth. 748. f. 2. I. B. 3. l. 30. p. 397. fig. *Clus.*
93. fig. 1. *Imperat.* 662. fig. 2. *Fonst.* 371. f. 4.

Papaver campestre spinosum Chab. 459. x. Ic.

Papaver spinosum Americanum Park. 366. f. 5. opt.

Papaver spinosum luteum, foliis albis venis notatis Morif.
Ox. 277.

Papaver spinosum, fl. luteo simplici Munt. p. c. 555.

Carduus Chrysanthemus Peruanus Ger. 993. f. 2. *Fonst.*
1155. 2.

Chicallotl Mexic. seu Spina Hernand. 215. c. 60. fig.

Ficus Infernalis Italorum an Glaucium Diosc. Ray 856. 8.

The Purging Thistle, i. e. Carduus Purgans nostratis dicta
Alm. Bot. 279. pl. 8.

This singular Plant is a Native of both the *East* and
West Indies.

It Flowers and Seeds in our Gardens in *July, August, &c.*

117. *Hairy Oriental Poppy.*

Papaver Oriental. hirsutissimum, fl. magno T. Coral. 17 Co-
mel. Plant. rar. 34. fig.

My hearty and very worthy Friend Mr. George London
was the first who shew'd me this in *Flower*; since which I
have observed it in our *Physick Garden at Chelsey.*

118. *Spanish Potatoes* Ray 728. 22.

Batata Hispanor. Camotes s. Amores & Ignanes Lob. Ic.
647. Obs. 369. f.

Batatas Clus. Exot. 341. & *Inhame Lusitan. Hist.* 78. fig.

Batatas Occid. Indie & Inhame Orient. Lusit. Park. 1383.
f. 3.

Battades, Ignames Adv. 317. fig. *radicum.*

Convolvulus Indicus Batatas dictus Ray H. Pl. 728. pl 22.

Convolvulus Ind. Orient. Inhame seu Batatas Mor. Ox xi.
4. *Tab.* 3. fig. 4.

*Convolvulus Ind. Or rad. tuberosa eduli, cortice rubro & al-
bo Battatas dictus Par. Bat. prodr.* 326.

Convolvulus rad. tuberosa esculenti, Spinachie folio, fl. albo fundo purpureo, semine post singulos Flores singulo Jam. Cat 53. Hist. 150.

I have gathered this in the *Duchess of Beaufort's Garden at Chelsea.*

119. *White Virginia Bindweed*, with a blackish bottomed Flower.

Convolvulus Virg. fol. cordato, fl. albo minore, fundo nigricante.

an *Convolvulus Scammonii folio subrotundo, fl. albo, umbone nigro Curassavicus Herm. Par. Bat Cat. 6.*

Its Leaves cordated, small and very pointed, the Flowers also small, slender and white, but blackish at the Bottom. We owe the Discovery of this to the inquisitive Mr. Catesby.

120. *Broad-leaved Cape Goat-Cranesbill.*

Geranium Tragodes Capense, folio maximo.

an *Geranium Africanum frutescens, Malva folio laciniatum, odorato instar Melisse, fl. purpurascente Boerhaave 6 p. 110.*

Its Flowers are generally composed out of two small flesh coloured Petals, with a Blot of deep scarlet in the Middle, and a Streak of white running from thence down to the Bottom. I first observed this with the Bishop of London at Fulham, and since in our *Physick Garden at Chelsea*. It Flowers in April and May.

121 *Cape Codding-Cranesbill with bright Flowers.*

Geranium Capense frutesc. folio rotundo, Pomaceo odore, fl. vivido.

an *Geranium Afric. arboresc. fol. Malva piano, lucido, glabro, fl. kermesino D. van Leur. Boer. 3. p. 109.*

I have only seen this at the Bishop of London's Garden at Fulham; it differs from *Botan. Hortense* No. 2. pl. 103. in having a much livelier red Flower.

122. Small Smooth curl-leaved Cape Cranesbill,
Geranium Capense folio Betonicae crispo, fl. minimo.

Its lower Leaves are smooth and more or less round and broad, the upper Leaves are deep cut, with two or three small purple Flowers standing on very fine slender Footstalks.

123. Dr. Uvedale's Spot-Flowred Cape Cranesbill R. 3. p.
 510. pl. 2.

Geranium Capense fol. Betonicae molli, fl. maculato.

Geranium African. Betonicae folio procumbens, fl. parvis eleganter variegatis Alm. Bot. 169.

Dr. Pluknet, that copious Botanist, first observed this in Dr. Uvedale's curious Garden at Enfield. It's Stalks and Leaves are soft and hoary, the Flowers small and deeply spotted like the *Lychnis hirta minor*.

124. Spotted American Arum, with whitish Veins.

Arum Amer. majus maculatum, venis eleganter albis.

I have seen this beautiful Arum in Flower in the Bishop of London's curious Gardens at Fulham.

125. Small Virginia Trefoil Arum.

Arum humile Virgin. triphyllum.

an Arum Zeylan. trilobato folio, humilius & minus Par. Bat. 79. fig.

Mr. Thomas Fairchild gave me the only Specimen of this which I saw growing in his Garden at Hoxton.

126. Great-Smooth Cape Sumac. Ray Dendr. 58. 12.

Sumach Capensis fol. rotundo splendido majore.

Rhus Afric. trifoliatum majus, splendente folio rotundo integrum Ray Dendr. 58. 12.

This and the next I have seen in the Dutchess of Beaufort's Gardens at Badminton.

127. Small Smooth Cape Sumac. R. Dendr. 58. xi.

Sumach Capensis fol. rotundo splendido minore.

Lentiscus humilis, trifolia Africana P. Bat. pr.

Rhus Afric. trifoliatum minus glabrum, splendente foliō
subrotundo integro *Pluk.* Tab. 129. fig. 9. & *Ray Dendr.*
58. xi

This chiefly differs from the last in being less, particularly in its Leaves.

128. Hairy dented *Cape Sumac.* *R. Dendr.* 56. 1.
Sumach Cap. folio dentato hirsuto.

Rhus seu Sumach Afric. trifoliatum hirsutum & crenatum
Herm. Ray Dendr. 56. 1.

Rhus Afric. trifol. majus, fol. obtusis & incisis hirsutis
pubescentibus *Pluk.* 129. f. 7. & *Ray Dendr.* 56. 1.

These Leaves are deeply dented and hairy, by which its known from the rest.

129. Narrow white *Cape Sumac.* *R. Dendr.* 57. 8.
Sumach Cap. fol. angusto subtūs incano, hinc inde dentato.
Rhus Afric. trifoliatum fol. serratis *Herm. R. Dendr.* 57. 8.
Rhus Afric. trifol. majus, fol. subtūs argenteis acutis &
marginē incisis *Pluk.* Tab. 129. fig. 6. & *Ray Dendr.*
5. p. 57. 8.

Rhus Afric. trifoliatum, folio *Agni Casti* *Herm. Boerhave*
257. & 8.

Rhus Afric. trifol. angustissimo folio subtūs incano, seu
Agni Casti lobis *Herm. R. Dendr.* 56. 2.

This differs from the next in having narrow Leaves somewhat jagged.

130. Round white *Cape Sumac* *Ray Dendr.* 58. 13. & 14.
Sumach Cap. folio subrotundo integro subitus incano.

Rhus Afric. trifol. majus, fol. subrotundo integro molli &
incano *Pluk.* T. 219. fig. 8. & *Ray Dendr.* 58. 14.

Rhus Afric. trifol. fol. brevioribus nervosis superne gla-
bris & splendentibus, subtūs incantis *Ray Dendr.* 58. 13.

All these Trifoliate Sumachs grow spontaneously about the fertile Cape of good Hope, and from thence brought into the Gardens of the most Curious, where I have seen them both in England and Holland.