was not more than their Prime Cost; the dearness of keeping them near London necessitating the Cow keep-

ers to buy the very best.

His Majesty was further pleased, on the Sollicitation of the four Gentlemen, to grant a Brief fot the 24500 l. but the many false Reports that were then industriously propagated, to lessen the value of those poor Mens losses, so frustrated that Charity, that the entire Sum Collected (the charges of Collecting being first paid) was but 6278 l. 21. 6 d. which on a Dividend, amounted to Five Shillings and Three Half Pence in the Pound, computing their Loss as above, at Six Pounds per Cow; tho' if we consider their Contracts with Brewers for Grains, their Rent of Grounds which lay useless, Servants wages, Sc. their real I oss may (by a modest Computation) be allowed to be Ten Pounds for every Cow that died.

IV. A Description of the Organ of Hearing in the Elephant, with the Figures and Situation of the Officles, Labyrinth and Cochlea in the Ear of that large Animal. Communicated to the Royal Society, by Dr. Patrick Blair, R. S. S.

N the Description I formerly wrote to the Honour'd Sir Hans Sloane, Bart. of the Elephant I Dissected in Lundee, Anno 1706. which he was pleased to Communicate to the Royal Society, as you have it in Philos. Irans. N°. 226 227. I treated of the Bony part of the Ear of that prodigious Animal a little too superficially: because I was unwilling at that time to break up the Os Petrosum of the right Ear, which had accidentally been

been separated on dividing of the Scull, by which the account I then gave of the Linea Semilunares, or Labyrinth and Cochlea was but Lame. But I have chosen since rather to destroy that Bone (however seldom such Bones are to be mer with) than that the Publick should be deprived of an exact Description of that curious Organe, and that I may give a clear Idea of all its Bony parts, I shall repeat what I formerly advanced upon that Subject, and add what Improvements I have made upon it since.

Before I proceed, 'tis fit I observe that the Auris Externus of this big Creature lyes flat, and not Protuberent as in other Quadrupeds, whose Cartilaginous Substance is capable of divers Motions perform'd by several Muscles, whereby the inner Ear is preserv'd from the great violence of the External Air, which upon some occasions might perhaps injure or break the thin and delicate Membrane of the Tympanum. also for this reason that the Meatus is further guarded, by the Contorsions and oblique Position of the Cartilage at the Orifice of the Meatus, which only admits of a determinate quantity of Air, sufficient for the vibration of the Membrana Tympani, by which a distinct found is convey'd to the Sensorium commune; whereas did the Air admitted exceed its due proportion, nothing but the confus'd Idea of a Sound would follow. fuch as resemble the rushing of Waters, Gc. or that noise often observ'd when, by a supervenient Cold or the like, obstructions are generated within the Ear it self. And in Man, because the Auris externus is also flat, not only are these turnings and windings observable in the Cartilage at the entry, but the Meatus it felf is likewise obliquely Situated, to prevent the afore-But there is no need for such faid inconveniencies. a contrivance in the Elephant, whose external Orifice of

the Meatus is patulent, open (scarfe being guarded by the Cartilage) and streight, whose length (it reaching from the external to the internal Table of the Scull) is sufficient to prevent the accession of too great a quantity of Air to the Tympanum; for in its progress most of the Columna Aeris beat against one or other of the sides of the Meatus, in so much that their force is inhibited, and only so many as suffice to convey the Sound, can reach the Tympanum it self.

The Meatus Auditorius then is a long streight Tube or Canule situated Horizontally, and reaching from the outer to the in-

Meatus Auditorius.

ner Table of the Scull, in Figure not unlike the Barrel of a Pistol, but somewhat Oval, the sides of whose Cavity are hard and solid, about the thickness of a Halfpenny, from whose outer Part several of the Lamina betwixt the two Tables of the Scull do arise, (Fig. I.) Its Cavity is an Inch or \(\frac{3}{4}\) of an Inch Diameter, and length $9^{\frac{1}{2}}$ inches; being somewhat enlarg'd as it arrives at the Crena for the Membrana Tympani. (Fig. II.)

This Crena is two Inches in Circumference, within which is the Cavitas Tympani, conlisting of two different Surfaces;

Crena and Cavitas Tympani.

the one much deeper and Cellulous, the other more fuperficial and Smooth. The first runs perpendicularly down Inch from the Crena Tympani. Its bottom is variously divided into several Celluls, not unlike a Hony Comb, but irregularly disposed. Its Bony Lamina, by which these Cellules are distinguished from each other, are thicker at the Top than at the Bottom, they being one Line, two Lines, or 1 I Line distant from each other, and about I linch deep. Could I have got it so well cleansed as I wished for, doubtless I might have observed their Communication with each other, by means of certain Orisices which serve to convey what super-

fluous Moisture is contain'd in them for we may reasonably suppose, as in all other Cavities of the Body, there are certain Glands for separating proper Liquors convenient for the uses design'd; so here there seems to be a necessity for separating a certain quantity of Moisture, fit to lubrifie the Muscles of the Ossicles, and facilitate their Motion; as also to preserve the Membrana Tym pani from becoming too dry. This dryness of the Membrana Tympani, and the thickness of the Liquor separated by these Glands, is often the cause of a Deafness in Human Subjects; especially those that are advanc'd in Age. This cellulous Structure of the Cavitas Tympani, seems to be very proper for receiving of the superfluous Humidity; and these Communications are requifite for conveying it from one Cellule to another, till it is emptyed into the Receptaculum Commune the Aqueduct, whereof hereafter.

This first or cellulous Cavity is two Inches broad, and reaches from the Crena Tympani to the foramen Ovale, or entry into the Vestibulum, which is shut by the Stapes. The second Part of this Cavity is more superficial (Fig. II. (e), in form not unlike a Pear, from a narrow beginning becoming broader and more superficial, terminating Semicircularly, smooth in the Bottom, and having several incurvated Lines running across it; it reaches much farther than the Vestibulum, being one Inch five Lines from before to behind, and one sinch transversly where broadest. What superfluous Moissure it contains is discharg'd into the fore-named Aqueduct.

Beside the above-mentioned uses for these two Cavities, viz. to receive and discharge the superfluous Moisture; they are also most beneficial and assisting to the Hearing: for, no sooner is the external Air modulated, and the Membrana Tympani mov'd thereby,

than the Sound is conveyed by the Officles to the Nervus Auditorius, and the Undulation continued, first by the Anfractuofities of the first Cavity, and then by the Gyres and incurvated Lines of the second, so that we may easily account for the acute Sensation of Hearing, wherewith Elephants are said to be endow'd: For as the Tame ones are most exact in obeying their Masters commands; so the wild Ones are soon aware of what Traps or Snares are laid to catch them, by the tremulous Motion convey'd to their Ear from the Cayous parts of the Earth, where the Pit into which it is expected they should fall, is digg'd. It is easy therefore to explain whence the acuteness of the Sensation of this Animal may proceed; for as the Nervus Olfactorius has a large Space and Bounds wherein to be dispers'd viz. the two Cavities of the Proboscis, which are both long and large, so that scarce any Columna aeris can enter them, but some one or another of the Filaments of the Nervus Olfactorius dispers'd in these Cavities must be toucht, whereby the Idea of smelling must be conveved to the Sensorium commune in a more intense Degree, and the Animal foon become fensible of whatever approaches that is noxious or nauseous to it, and thereby is taught how to avoid it; so this Structure, for a quick conveyance and long continuance of the Sound, is a great means both to make the Elephant soon receive the Sound and have a deep impression of it.

The Aqueduct is a flat Tube or Pipe, whose Orifice is so situated betwixt the two forementioned Cavities, that if there be any superfluous Humidity contain'd in them, it must needs be dischara'd (at least in this Animal) into the Mouth.

be discharg'd (at least in this Animal) into the Mouth; for as it is situated where the first Cavity terminates, so the second, from a broader and more superficial be-

ginning must needs discharge its Moisture, by its more narrow and deeper termination, into this receptacle; also it descends directly towards the Mouth, passing through

Ostcographia Elephantina, ot Philos. Transact. No. 327-Tab. 3. Fig. 3. the Scull below the hole for the Jugular Vein (mm) betwixt the hole for the Carotid Artery, (pp) and that for the Arteria dura matrix (qq) whence descending (nn) it is joynd with its

Fleshy part, which discharges it self into the Mouth on each fide, behind the back part of the inner Teeth of the upper Jaw. This fituation of the Aqueduct makes it plainly appear, that its Use is to receive the superfluous Moisture from the Cavitas Tympani; for beside the Glands above-mentioned, fit for separating such a quantity of Humidity as may lubrifie the Muscles, and facilitate both their Motion and that of the Officles: the very Vapours that arise in such a Cavity as that of the Tympanum in this Animal, must at last be converted into a Liquor, and that must either again be receiv'd into the Blood Vessels, or otherwise discharg'd by such a Receptacle as this. Further if there be a necessity for Glands in the Meatus Auditorius without the Tympanum, to separate a certain Liquor, by which the acrimonious Particles of the Air are obtunded, and hindred from being offensive to the Nervous Membrane of the Tympanum, (which must be of a most acute Sensation) and for moistning it, by which it the more eafily receives the Vibration of the Air; so such Glands as these seem to be most requisite in the Cavitas Tympani for the Uses above nam'd. And since what superabounds of this Moisture, cannot be discharg'd outwardly as that of the Meatus, this Aqueduct seems to be most convenient for that purpose. Some are of opinion that this Aqueduct is also affishing to the Hearing, especially in Men; because it is generally observed than

that they who are Deaf, open their Mouths wide, when they are desirous to hear more distinctly: But I see not how that can be, for tho' the Cavity of the Bony part of the Aqueduct, in most of Animals, is proportionally large enough; yet its carnous or sleshy Part lyes for the most part so slat, and its two sides are so collaps'd together, that scarce any Air can be admitted, at least so far as to be subservient to the Hearing.

The Officles in this as in other Animals are three or rather four in number; for though I did not procure the Os quadran-

The four Bones: of the Ear.

gulare of Du Verney, yet I have good reason to believe it was there; because there is a conspicuous Sinus in the extremity both of the Incus and Stapes, where they are articulated, so big as to contain the Head of an ordinary Pin; and when I consider the Angle which must have been form'd by the articulation of these two Bones, I look upon this small Bone to serve for the same purposes as the Patella in the Knee, and Sesamoide Bones in the Fingers and Toes.

The Malleolus is an irregular Bone, and The Maldoubtless has been endow'd with pretty large Muscles, because of the rugosities, protuberances and Sinus's observable in it. It has a protuberant Head (Fig. IV. (1) four Lines broad, next to that a Crena or semicircular Sinus, (2) after which the Bone is rais'd, affording a protuberant Margin to an oblong Sinus (3) for receiving the head of the Incus, four Lines broad. The opposite part of this sinus, or back part of the Bone, is convex of an unequal rugous Surface, with a great many protuberances and depressions, for the Origins and infertions of the Mulcles, for the space of five Lines; where it forms an Angle, from whence it becomes Flat and Smooth, being three Lines broad and reaching four

Lines to another Angle, (5.) where the Manubrium Malleoli begins, and where it becomes more round; from whence it gradually Tapers to the Point, being fix Lines in length.

The head of the Incus is four Lines broad, (Fig. VI. (1) below which is the Neck or an oblique Sinus; (2) next to that are two Apophyses, one on each side. These descending obliquely outwards, and becoming flat, meet in a Point, (Fig. VII. (5.) whence ascending obliquely inward, this Production is join'd to another small round one, like the Manubrium Malleoli 4 1/2 Lines long (6.) This has the fore-mentioned small excavation or half round Sinus, (7.) which with the extremity of the Stapes, I suppose to have contain'd the Os quadrangulare, or rather Orbiculare, according to the Figure of the Sinus.

The Stapes differs much in Figure from the Human one. From its Concave extremity 'tis enlarg'd on each fide by two small slender Productions, not unlike the Processes of the Vertebra of some Fishes (Fig. VI. (22) to which is join'd the Basis, (3.) so thin almost as the Scale of a Fish. This was accidentally separated from its two Sides, and remain'd in the Foramen Ovale, from whence I pull'd it with a Pin; 'Tis Concave towards the Stapes, and Convex toward the Vestibulum.

The Foramen Ovale lyes so hid and obliquely in the fide of the Cavitas Tympani, that it could not be delineated in its true Dimensions. Near to it is another hole Oblong and Sharp at both ends, both which give

an entry into the Vestibulum.

The Vestibulum is of an irregular Figure, (Fig. X. (a) tis for the most part three Lines from the one side to the other, and perforated by eight Orifices, viz. five for the Canals of the Labyrinth, (Fig. 1X. X. (a) one for the Cochlea, (Fig. X. (h) and two for the Fenestræ (b,c.)

The Cochlea is a long Cavity confissing of three Gyres or Meanders; (Fig. XI. (def) Its Orifice where it proceeds from the Vestibulum is but small; but it afterwards widens, so that the first course of this Cavity is a third part larger than the second (e), and proportionally the third is less than the other two (f), till it terminates in an Orifice (g) situated in the Top, for receiving a branch of the soft portion of the Nervus Auditorius, which accompanies and passes along all its Gyres.

The hardness and solidity of the Bone (for which it may be justly called Os Petrolum in this Subject) was fuch that I could not so exactly trace the three Canals or Ducts of the Labyrinth, so as to give a true !dea of the manner of their several Turnings. But Valsalva's Figures of the Humane Ear directed me so exactly, that I easily found out the several Orifices, and opened them so far as to find out their situation and true Dimensions, by introducing a Hogs bristle, then cutting it off and stretching it out to the Scale. Thus after laving open the two Foramina which gave an inlet to the Vestibulum, I soon perceiv'd the several Orisices which in so large a Subject were pretty conspicuous. I first turn'd to the one hand and discovered the Duct of the Cochlea; this I pursued all along the Protuberance, (Fig. III. (d) in doing of which I laid wholly open the Lesser Duct of the Labyrinth. (Fig. IX. X. (d) Then turning up the other fide of the Bone, I trac'd the lost Portion of the Nervus Auditorius divided into two Branches, one whereof was distributed into the Cochlea, and the other to the Labyrinih. In filing the Bone a little further, I opened a small part of the Middle Duct, and in a short time I discovered the Ductus Major: Major; after which I measured their several lengths as is said.

The Labyrinth then consists of three Lineae Semilunares or incurvated Dutts, whereof the Major lyes in that part of the Processus Petrosus which regards the seat of the Brain (b) This is twenty Lines or one Inch eight Lines long. The Medius Duttus, one part whereof regards the Orifice of the Cochlea, and the other is common with the Major for the space of three Lines; (e) this is fifteen Lines or one Inch three Lines long: And the Minor which regards the Cavitas Tympani, has one Orifice which is near to the Medius, were it approaches the Cochlea; and the other near to the Orifice of the Major. This is one Inch long.

The seventh pair of Nerves called in general the Nervus Auditorius, enters the Processus Petrosus, and is divided into the hard and soft Portions,

Ofteog. Eleph. Tab. 3. Fig. III. Fig. IV. as in other Animals. In this Subject I find one Canule entring the Bone from the fides of the Orifice for the Carotide

Artery, about three Lines diameter, (e) (h) from thence running forward for the space of one inch four Lines, then bending downwards one inch till it meets with the Orifice at the Sides of the Meatus Auditorius, by which it pierces the Scull, and passes outward. This Canule, after it is entred the Process Petrosus for the space of eight Lines, communicates with the Orifice which usually enters the foresaid Process from the Base of the Scull; and both these Orifices, after they have accompany'd one another about five Lines, are separated, and the soft Portion penetrates the Bone at two places, as is said.

I have now endeavoured to give such a Description of the Ossess or Bony part of the Ear of this stupendious Animal, as I am in hopes may be useful for the clearing

clearing up of some Phanomena in lesser Subjects. least we may hereby observe, what a variety of Mechanism the great Author of Nature has thought fit to employ, in the several parts of different Species of Animals. Thus both the external Ear of Man, and of the Elephant lye flat, as being most convenient: for if they had been Protuberant as in most Quadrupeds, how unsuitable would it have been in Man, who is the most perfect of all Creatures, not upon the account of his Reason alone, but also as he is a Pattern for Beauty and the Symmetry of his Parts; and how unseemly would it have been in the Elephant, if his external Eat had stuck out, and been proportional to his other Parts; considering what an extraordinary aspect he makes already by his Trunk and Tusks? But the Ears in these two Subjects differ by the tortuofity of the Cartilage, and oblique Meatus, to prevent the injury of the Air, by its immediate access into the inner Ear in Man: whereas in the Elephant the external Orifice is fully expos'd to the Air; but then the length of the Meatus hinders any more Air than is convenient from arriving at the Tympanum. We likewise see in the Seal and Otter, that those two Amphibious Quadrupeds have no external Ear further protuberant than the other Parts of their Head: for had it been otherwise, their swimming and diving would have been much hindred: But its two fides are so collaps'd, that no Water can enter in when in the Deep, though it can receive sufficient Air when ashoar. The cellulous Cavity of the Tympanum in the Elephant, may well be compar'd to the Apophysis Mastoides in Man; and the second Cavity of a plain Surface seems to be Analogous to the Cayous Masterides in Sheep, Cats, Dogs, &c. So that we see that whereas other Animals have but one Cavity for affifting the Vibration of the Air, and continuation of the Sound **Zzzzz**

Sound in the Tympanum; this Animal has two, or a large one with two different Surfaces. The Aqueduct both by its Figure and Position in this Animal doth plainly shew us the Use of it in other Animals, which is to receive the superstuous Humours in the Tympanum, and convey them to be discharg'd in the Mouth.

Explication of the FIGURES.

Figure I.

R Epresents the Bony part of the Meatus Auditorius of the Right Ear.

a The external Orifice of the Meatus Auditorius.

b The Processus Petrosus.

c The Orifice where the Nervus Auditorius enters.

d The Meatus Auditorius.

e A part of the Laminæ
which proceed from it on
each side, by which the
Cellules betwixt the two
Tables of the Scull are
form'd; those situated above
the Meatus being remov'd.

* Part of the inner Table of the Scull.

Fig. II.

Represents part of the Meatus Auditorius o-

pened, with other parts of the inner Ear.

a The ragged part of the Bone from whence the Os Petrosum was separated.

b The Processus Petrosus opened.

c The Crena for the Membrana Tympani.

d The Hony comb Cavity of the Tympanum.

e Its inner Cavity of a smooth Surface.

f Its Semicircular or undulated Lines.

the Meatus being remov'd. g The Orifice of the Aque-Part of the inner Table duct.

> h The Orifice of the hard Portion of the Nerve.

> > Fig. III.

o- Represents the lower Surface

of the Os Petrosum, as 3 it was separated from above the Tympanum and other parts of the inner Ear.

a a The ragged Margine of the Bone.

bb The upper part of the Cavitas Tympani.

c The Foramen Ovale.

d The Protuberance in which the Labyrinth and Cochlea are lodg'd.

e The Orifice of the hard portion of the Nervus Auditorius.

Fig. IV.

Represents the Malleolus a lone in its true dimensions

1 The Protuberant Head.

2 The Semicircular Sinus be twint it and the Margin

3. The Sinus which receives the head of the Incus.

4 The angle below the Sinus for the head of the Incus.

5 The angle where the Manub ium Malleoli begins.

6 The Manubrium Malleoli.

Fig. V.

Represents the Incus.

I The head of the Incus.

2 The Sinus or neck of the Incus: 3 Two Apophyses.

4 A long protuberance with the Sinus for the Os quadrangulare at its extremity.

Fig. VI.

Represents the Stapes.

I The small part of the Stapes, where it is articulated with the Incus, with a Sinus at its extremity, being the other half of the Cavity for the Os quadrangulare.

22 Two small portions of the Stapes, where it is articulated with the Basis.

3 The Basis of the Stapes separated.

4 The whole Stapes.

Fig. VII.

The Malleolus and Incus join'd together, with their lower side turn'd up.

I The Malleolus.

2. Its articulation with the Incus.

3 The Incus.

4 The Manubrium Malleoli.

5 A point of the Incus, fram'd by the other two Productions.

6 The

- 6 The long protuberance of the Incus.
- ty of its long Production.

Fig. VIII.

The Malleolus, Incus and Stapes articulated together.

- I The Incus.
- 2 The Malleolus.
- 3 The Stapes where it shuts the Foramen Ovale.

Fig. IX.

Represents the upper part of the Linex Semilunares, or that fide which is towards the passage of the Nervus Auditorius.

- a The five extremities cut off.
- b The Linea Semilunaris Major.

The Semilunaris Media

- d The Minor.
- the Major and Media.

Fig. X.

7 The Sinus in the extremi- Represents the Cochlea and Labyrinth together.

- a The Vestibulum.
- b The Foramen Ovale.
- The Foramen Oblongum.
- d The Linea Semilunaris Minor, which is towards the Cavitas Tympani.
- e The common Canule to the Major and Media.
- f The Major.
- g The Media
- h The Cochlea.

Fig. XI.

Represents the Cochlea.

- a The Vestibulum.
- b The third Gyre or turning.
- c The Orifice.
- d The first Gyre or turning opened.
- e The second turning.
- e The common Canule between g The Orifice at the top of the Cochlea.

7

ERRATA. No. 357. Pag. 847. lin. 22. lege ab h 11'. 32". pag. 885, lin. 27. lege No. 326. 327.

LONDON:

Printed for W. and J. INNYS, Printers to the Royal Society, at the Princes-Arms at the West-End Sr. Pauls Church-Yard.

