

II. A Catalogue of the 50 Plants, from Chelsea Garden, presented to the Royal Society, for the Year 1724. by the Company of Apothecaries, pursuant to the Direction of Sir Hans Sloane Bart. *Pr. Coll. Med. S. P. V. Pr. By Mr. Isaac Rand, Apothecary, F. R. S.*

101. *G*Eranium lucidum, saxatile. C.B. 318.  
 102. *G*eranium folio Malvæ rotundo. C. B. Ib.  
     *Majus*, foliis in breviores & latas lacinias divisis.  
 103. — *Columbinum*, *vulgare*, *petalis florum bifidis*,  
     *purpureis*.  
     — *Secundum Camer. Epit.* 600.  
 104. — — *Petalis florum bifidis albis*.  
     *An Ger. Malacoides*, *flore albo. H. Reg. Blæf.*  
 105. — — *Humile*, *flore cæruleo, minimo. Raii Syn.*  
     *Ed. 3. p. 359.*  
     — — *Tenuius laciniatum. C. B. 318. Prod. 138.*  
 106. — — *Majus*, *flore minore, cæruleo. Raii H.*  
     *1058.*  
 107. — — *Maximum*, *dissectis foliis. Plot. Hist.*  
     *Ox.*  
 108. — *Orientale*, *columbinum*, *flore maximo, Asphodeli radice. T. Cor. 20.*  
 109. — *Sanguineum*, *maximo flore. C. B. 318.*  
 110. — — *Cauliculis erectis*, *flore minore. H. L.*  
     *Bat. 286.*  
 111. — *Hæmatodes*, *foliis majoribus, pallidioribus &*  
     *altius incisis, D. Dale. Raii Syn. 219.*



112. Geranium hæmatodes Lancastrense, flore eleganter striato. *Raii Hist.* 1061.
113. — Batrachoides. Gratia Dei, Germanorum. C. B. 318.
114. — — Montanum nostras. *Raii Hist.* 1062.
115. — — Odoratum. C. B. 318.
116. — Annuum minus Batrachoides, Bohemicum, purpureo-violaceum. *H. Ox.* p. 2. 511.
117. — Phæum, flore reflexo I. B T. 3. 477.
118. — Magnum, folio trifido I. B. T. 3. 478.
119. — Romanum versicolor, five striatum. *Park. Parad.* 229.
120. — Robertianum primum. C.B. 319.
121. — — Rubens, flore albo.
122. — Lucidum, saxatile, foliis Geranii Robertiani. *D. Sherard. Raii Syn.* 218.
123. — Folio Althææ. C. B. 318.
124. — — — Floribus saturatiūs rubentibus. *H. L. Bat.* 290.
125. — Chium Vernum, Caryophyllatæ folio. *T. Cor. 20.*
126. — Folio Alceæ, tenuiter laciñiato; flore pentapetalō; purpurascente, semine tenui. *Boerb. Ind. alt.* 266.
127. — Cicutæ folio, moschatum. C. B. 319.
128. — — — Minus & supinum C. B. 319.
129. — Arvense, album. *Taberu. Ic.* 57.
130. — Myrrhinum, tenuifolium, ampio flore purpureo. *Barrel. ob.* 55.
131. — Latifolium, longissimâ acu. C. B. 319.
132. — Cicutæ folio, acu longissimâ. C. B. ib.
133. — Acu longissimâ, Cicutæ folio tenuiūs laciñiato.  
— Cicutæ folio, viscosum, acu longissima. D. *Jus. sieu.*

134. — Triste *Corunti*. 109.
135. — *Aethiopicum*, noctu olens, radice tuberosa, foliis Myrrhidis, angustioribus. *Breyn. Cent.*
136. — *Africanum*, Coriandri folio, floribus incarnatis, minus. *H. L. Bat.* 279.
137. — *Africanum frutescens*, *Chelidonii* folio, petalis florum angustis, albidis; carnoso caudice.
138. — — Noctu olens, tuberosum & nodosum, *Aquilegia* foliis. *H. L. Bat.* 284.
139. — — *Betonicæ* folio, procumbens, floribus parvis, eleganter variegatis. *Pluk. Alm.* 169.
140. — — Foliis inferioribus *Asari*, superioribus *Staphydis agriæ*, maculatis, splendentibus, & *Acetosæ* sapore. *Com. Præl.* 52.
141. — *Africanum frutescens*, folio crasso & glauco, *Acetosæ* sapore. *Com. Præl.* 54.
142. — — *Alchimillæ hirsuto* folio, floribus albidis. *H. L. Bat.* 282.
143. — — Folio *Malvæ* crasso, molli, odoratissimo, flosculo pentapetalo, albo. *Boerb. Ind. alt.* 263.
144. — — *Frutescens*, *Malvæ* folio laciniato, odorato. *H. L. Bat.* 277.
145. — — — — — Instar *Melissæ*, flore purpurascente. *Boerb. Ind.* 110.
146. — — *Arborescens*, *Malvæ* folio mucronato, petalis florum inferioribus vix conspicuis.
147. — — — *Alchimillæ hirsuto* folio, floribus rubicundis. *Com. præl.* 51.
148. — — — Folio *Malvæ* plano, lucido, glabro; flore Kermesino, *Di van Leur.* *Boerb. Ind.* 109.
149. — — — *Ibisci* folio rotundo; *Carlinæ* odore. *H. L. Bat.* 274.
150. — — — , — — Angulosò; floribus amplis purpureis.  
— — *Frutescens*, *Alchimillæ* folio, *hirsuto*, cum fimbriis purpureis. *Boerb. Ind.* 110.