

III. A Catalogue of Fifty Plants from Chelsea Garden, presented to the Royal Society for the Year 1723, by the Company of Apothecaries of London, pursuant to the Direction of Sir Hans Sloane, Bart. President of the College of Physicians.

- 51. *A Butilon Carolinianum, reptans, Alceæ foliis, gibvo flore.*
- 52. *Ambrosia maritima, Artemisiæ foliis inodoris, elatior.* H. L. Bat.
- 53. *Alysson Veronicaæ folio.* T. Inst. 217  
*Bursa Pastoris major loculo oblongo.* C. B. prod.
- 54. *Aster peregrinus, Cisti folio non crenato, flore magno, luteo.* Pluk. Phyt. T. 16. f. 2.
- 55. *Aster montanus, Salicis glabro folio.* C. B. 266
- 56. *Bidens Indica, Hieracii folio, caule alato.*  
T. Inst. 462.
- 57. *Blitum monospermum, Indicum, aculeatum,* Breyn. prod. 18.
- 58. *Blitum quod Amaranthus Græcus, sylvestris, angustifolius.* T. Cor. 17.
- 59. *Calcitrapoides pumila, supina, tenuifolia, calyce turbinato.* D. Vaillant. Act. Ac. Par.
- 60. *Cassia decaphylla, Orobii Pannonicæ foliis mucronatis.*
- 61. *Cataria major Vulgaris.* T. Inst. 202.
- 62. — *angustifolia minor.* Ib.
- 63. — *que Nepeta Pannonica major & elatior.*  
H. Ox. 3. 415.  
64. — *His-*



64. *Cataria Hispanica*, *Betonicæ folio angustiori*,  
*flore albo.* T. Inst. 202.
65. —— *Lusitanica*, *erecta*, *Betonicæ folio, tube-*  
*rosa radice.* T. Inst.
66. —— *quæ Horminum Spicatum*, *Lavendulae*  
*flore & odore.* Boccon. rar. 48.
67. —— *Orientalis*, *Teucrij folio, Lavendulae odo-*  
*re, Verticillis florum crassissimis.* T. Cor. 13.
68. *Chrysanthemum tenuifolium*, *flore bullato aureo.*  
Barrel. Ic. 450.
69. —— *flore luteo, aphylllo minore.* Barrel. Icon.  
452
70. *Cirsium humile*, *ramosum, foliis integris.*
71. *Helianthemum Anglicum*, *vulgari simile, flore*  
*stellato.*
72. —— *ampliore folio, flore roseo.* D. Sherard.
73. —— *Halimi folio, angustiore, acuto. An Cistus*  
*Halimi folio, 2.* Clus. Hist. 71.
74. *Hieracium Pyrenaicum Blattariae folio, minus*  
*hirsutum.* Schol. Bot.
75. —— *Castorei odore nostras. Hieracium Cichorei,*  
*vel potius Stæbes folio, hirsutum.* Raij Cat.  
Cantab.
76. *Lychnis Or. longifolia, nervosa, flore purpura-*  
*sciente.* T. Cor. 24.
77. *Malva Sinensis*, *annua, erecta flore minimo.* Kit-  
saitse dicta.
78. —— *Lusitanica, annua, flore parvo striato.*
79. —— *Sylvestris, foliis sinuatis minoribus, flos-*  
*culis minimis, Anglicæ.* Boerh. Ind. 2. 268.
80. —— *Or. erecta, major, flore vix conspicuo.*  
D. Sherard.
81. —— *Erectior, flore magno, suave rubente.*  
T. Cor. 2.
82. *Malva.*

82. *Malva Syriaca*, *Ela Haur taunal dicta.* *Malva Cretica*, *annua, altissima, flore parvo, ad alas umbellato.* T. Cor. Ib.  
 83. *Mimosa Jamaicensis* Zanon. Hist. 149.  
 84. *Rhagadiolus alter.* Cæsalp. 511.  
 85. — *Lampranæ foliis.* T. Cor. 36  
 86. *Salvia Or.* *Absinthium redolens, foliis pinnatis, flore carneo, elatior.* D. Sherard.  
 87. *Scabiosa annua, Centauroides fistulosa.* H. Cath.  
 88. — *Altissima, annua, foliis Agrimonæ nonnihil similibus* H. L. B. 539.  
 89. *Stachys Cretica.* C. B. 236.  
 90. — *foliis sub verticillis latioribus, acuminatis, flore majore.*  
 91. *Stachys major Germanica.* C. B. 236.  
 92. — *Folio obscurè virente, flore ferrugineo.* H. Ox. 3. 382.  
 93. — *Salviae folio, flore luteo.* D. Jussieu.  
 94. — *Elatior flore flavescente punctato.*  
 95. *Vicia, Craccæ majori Germanicæ similis, per omnia minor Anglica.*  
 96. *Vicia supina, latissimo folio, non serrato.* T. Inst. 397.  
 97. — — — — *Serrato.* Ib.  
 98. *Sylvestris, incana, major, & præcox, Parisiensis, flore suave rubente.* T. Inst. 397.  
 99. — *Sylvatica maxima.* Phyt. Britan. 129.  
 — *Multiflora maxima.* Raij. Syn. 189.  
 100. — *Multiflora, Cassubica, frutescens, Lentis siliqua.* Breyn. Prod. 52.