

I. *A Catalogue of the fifty Plants from Chelsea-Garden, presented to the Royal Society, by the Company of Apothecaries, for the Year 1728; pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. Præs. Col. Reg. Med. & Soc. Reg.* By Isaac Rand, Apothecary, F. R. S.

301. **A**NONIS Americana; folio latiori, subrotundo. T. Inst. 409.
302. Apocynum frutescens; Salicis folio, angusto.
An Apocynum erectum, Africanum; Villosifrutu; Salicis folio, glabro, angusto. Par. Bat. 24?
303. Aster Americanus, ferotinus, altissimus; folio brevi, caulem amplectente.
304. Betonica maxima; Scrophulariæ folio; flore e luteo pallefcente. Schol. Bot. 64.
305. Betonica maxima; Scrophulariæ folio; floribus incarnatis. Par. Bat. 106.
306. Chamædrydys; vulgo vera existimata. J. B. 3. 288.
307. Chamædrydys; foliis parvis levitè crenatis.
308. Chamædrydys; frutescens; Teucrium vulgo. T. Inst. 205.
309. Chamædrydys; laciniatis foliis. Lob. Icon. 385.
310. Chamædrydys; quæ *Teucrium Hispanicum, spinum; Verbena tenuifoliae foliis.* D. Goiffon. D. Fuffieu.
311. Commelina graminea, latifolia; flore cæruleo. Plum. N. Gen. Plant.

H h

312. Co•

312. *Conyza Orientalis*, humilis; *Verbasci folio*, candidissimo.
An Conyza tomentosa & candidissima; subrotundo, crasso folio; flore luteo. D. Sberard. Ac. Reg. Sc. Par. Anno 1719?
313. *Corona Solis*; *Trachelii folio*; radice repente. T. Inst. 490.
314. *Corona Solis*; *Trachelii folio*, ramosior; radice non repente.
315. *Corona Solis*; *Trachelii folio*, tenuiore; calyce floris foliato.
316. *Cotinus coriaria*. Dod. 780.
317. *Doria major*, repens.
Virga aurea maxima; radice repente; sive Dorea major, repens. D. Bobart. Hist. Ox. 3. 123.
318. *Doria*; foliis tenuitè ferratis, ad caulem latis.
An Alisma Monspeliensium; sive Doria. J. B. 2. 1064?
319. *Doria*; quæ *Jacobææ Orientalis*; *Limonii folio*. T. Cor. 36.
320. *Elatine*; folio acuminato in basi auriculato; flore luteo. C. B. 253.
321. *Elatine*; folio subrotundo. Ib.
322. *Elatine Hispanica*, rotundifolia; pediculis florum brevissimis.
323. *Ferrum equinum*, Germanicum; filiquis in summitate. C. B. 349.
324. *Geranium Ægyptiacum*; *Althææ folio*, subtùs glauco. Lippii. D. Jussieu.
325. *Geranium Alpinum*; *Coriandri folio*; longiùs radicatum; flore purpureo. D. Micheli. Hort. Pisan. 68.

326. *Hermannia frutescens*; folio Ibisci, hirsuto, molli;
caule piloso. Boerh. Ind. 1. 115.
327. *Hermannia*; Alni folio parvo.
An Ketmia Africana, fruticans & erecta;
Alni foliis latioribus & majoribus; flore
Spirali Sulphureo. Hort. Amst. p. 2. 155?
328. *Hermannia*; minimo Alni folio.
An Ketmia, &c. Foliis triplo minoribus. Ib?
329. *Jacobæa Hispanica*, minùs laciniata; petalis bre-
vissimis. T. Inst. 486.
330. *Jasminum Arabicum*; *Castaneæ folio*; flore albo,
adoratissimo; cujus fructus Coffy in officinis. Boerh.
Ind. alt. 217. *Arbor Yemensis fructum Coffè fe-*
rens. D. Douglas.
331. *Linaria vulgaris lutea*; flore majore. C. B. 212.
332. *Linaria lutea elatior & ramosior*; flore minori.
333. *Linaria, Hispanica, procumbens*; foliis unciali-
bus, glaucis; flore flavescente, pulchrè striato, la-
biis nigro-purpureis.
334. *Linaria multicaulis, erecta annua*; angusto Mol-
luginis folio; floribus luteis rarè dispositis.
335. *Lactuca perennis, humilior*; flore cœruleo. T.
Inst. 473.
336. *Parietaria Officinarum & Dioscoridis*. C. B. 121.
337. *Parietaria vulgaris, Anglica. Parietaria minor,*
Ocimi folio. C. B. Ib.
338. *Partheniastrum Americanum*; *Ambrosiæ folio.*
Ac. Reg. Sc. Par.
339. *Ricinoides arbor, Americana*; folio multifido.
T. Inst. 656.
340. *Satureia montana*. C. B. 218.
341. *Satureia montana*; latiori folio; ramulis minùs
erectis.

342. *Sclarea*, folio *Salviæ*, minor, five glabra. T. Inft. 180.
343. *Sclarea*, folio triangulari; caule tomentoso. Ib.
344. *Tribulus terrestris*. J. B. 2. 352.
345. *Tribulus terrestris*, hexaphyllos, Americanus.
An Tribulus terrestris major; flore maximo, odorato. Sloan. Hist. Vol. I. p. 209. Tab. 132. Fig. 1?
346. *Trifolium*, angustifolium spicatum. J. B. 2. 376.
347. *Trifolium arvense*, humile, spicatum five *Lagopus*. C. B. 328. foliis latioribus. *Lagopodium Lagopus. Tab. Icon. 524.*
348. *Trifolium*, *Lagopus* dictum, angustioribus foliis. *Lagopus Lob. Icon. 39.*
349. *Trifolium pratense*, hirsutum, majus; flore albo Sulphureo. Raii Syn. Ed. 2. 193.
350. *Trifolium pratense*, folliculatum. C. B. 329.
-

II. *An Examination of Monsieur Perault's new-invented Axis in Peritrochio, said to be entirely void of Friction: With an Experiment to confirm the Reasoning made upon an Axis in Peritrochio first us'd in Mons. Perault's Manner, then in the common Way, by J. T. Desaguliers, L L. D.*

AS the Recommendation and Contrivance of a Person, who is considerable in mechanical Performances, is a great Inducement for others to make use of
of