

effectus bis *e*. Similiter patet actione ter *a* produci debere effectum ter *e*, &c. Immo in genere, actione *na* (= *A*) produci debere effectum *ne* (= *E*). Est igitur  $A : a :: E : e$ , hoc est, actiones sunt in ratione effectuum.

*Theorema 12 nostrum.*

Vires sunt in ratione composita massarum & celeritatum.

*Demonstratio.*

Per *Theorema 4*, actiones sunt in ratione composita temporum & virium. Per *Theorema 11*, eadem sunt in ratione effectuum. Ergo effectus sunt in ratione composita temporum & virium. At per *Theorema 8*, effectus sunt in ratione composita massarum atque spatiorum. Ergo ratio composita temporum et virium par est rationi compositæ massarum atque spatiorum. Unde vires sunt in ratione composita massarum et spatiorum directe, et temporum reciproce; h. e. in ratione composita massarum et celeritatum.  
*Q. E. D.*

V. *An Account of Two extraordinary Deers Horns, found under-ground in different Parts of Yorkshire; in a Letter from Mr. Tho. Knowlton, to Mr. Mark Gatesby, F. R. S.*

Read March 13.  
1745-6.

THE Head and Horns, which is represented in TAB. I. *Fig. 2.* were found in a Sand-bed, in the River *Rye*, which runs into the *Derwent*,

*Derwent*, in the East-Riding, belonging to *Ralph Crathorn*, Esq; They were discovered as he was fishing for Salmon; the Net happening to hang on one or two of the Antlers, he ordered to pull away; by which some of the Antlers were broke off, and discovered it to be Part of a Deer's Horn. At length, with some Difficulty, it was dug out pretty intire. Mr. *Crathorn* supposes, that these wild Moors were once inhabited with these Kind of Deer, not any such now being known to be in this Kingdom; and supposes it is, at least, seven or eight Hundred Years since its Death; and that by Age or Poverty destroyed, and by Time buried in those Sands. It is about three Years since it was found (as the above-said worthy Gentleman told me) where he lives; which is at *Nefs* near *Malton* in *Yorkshire*.

TAB. I. *Fig. 2.*

*a* is 12 Inches long.

*b* is ditto.

*c* is ditto.

*d* is 4 Inches from the main Horn, and the two cross Branches are 8.

*e* is 6 Inches.

*f* is 7 Inches.

*g* is 6 Inches; and 2 Feet 10 Inches from the Root of the Horn to the Tip.

All those Places with Marks were broke, and put together again.

TAB. I. *Fig. 3.*

	St. lb.
This Skull and Horns weigh ———	4 12

It

It was found in a Peat-Mofs, at *Cowthrop* near *North Dreighton* in *Yorkshire*, in the Year 1744.

	Ft.	Incher.
The Length of the Skull, from the Nose-End } mark'd <i>A</i> , to the Back-Part of the Head <i>B</i> , }	1	10
The Breadth of the Forehead, from <i>C</i> to <i>C</i>	0	11
Length of each Horn, from the Skull <i>D</i> to } the Tip, - - - }	5	1
The Extent of the Horns, from <i>E</i> to <i>E</i>	6	1
The Breadth of the Web or Palm, from <i>FG</i> to <i>F</i> , <i>FG</i> and <i>G</i> , two Places where the Horns are broke.	2	1

1 The Noftrils.

2 The Eye.

3 The Teeth, which are very large and found.

*N. B.* It is evident the Horns are not at their full Growth, being yet covered with what is called the Velvet.

The Figure above is the Representation and extraordinary Dimensions of the Skull and Horns of a Deer, dug from the Depth of 6 Feet out of a Peat-Mofs, as above mentioned.

But what I think more extraordinary is, that the late Earl of *Carlisle's* Steward, Mr. *Joice*, in digging the Foundation of an House and Cellars, found, at the Depth of 6 Feet, a Part of a Jaw-bone with Teeth, and a Horn of a Buck or Stag, of most exceeding large Dimensions, which lay buried under two Feet common Soil; then one Foot of Scalping or Sand-bed; then eighteen Inches of Stone; then another Vein of Sand, six Inches; then another Head of Stone; under

under which lay those before-mention'd Jaw-bone, and Piece of Horn ; which, in all Appearance, to every one that viewed these *Stratums*, had never been removed.

M. C.

*Dimensions of the Deers Horns in the Musæum of the*  
ROYAL SOCIETY.

	Feet	Inches.
Length of the Skull	1	4
Breadth of the Forehead	0	9
Length of each Horn	5	0
Distance of the extreme Tips of the Horns	6	0

N. B. These Horns (*Fig. 2.*) are evidently of the same sort as those often found in *Ireland*, of which Descriptions are given in *Transact.* n. 227, n. 394. and n. 444, p. 389. But I do not remember to have met with any before of this Species found in *England*, or any-where else besides *Ireland*.

C. M.

VI. *The Phænomena of Venus, represented in an Orrery made by Mr. James Ferguson, agreeable to the Observations of Seignor Bianchini.*

Read March 20. 1745-6. **I**N all the Orreries that I have here printed with Alterations. I seen, *Venus* is represented as having her *Axis* perpendicular to the Plane of the Ecliptic, and her diurnal Motion thereon equal to 23 Hours of our terrestrial Time. Hence, as her annual Motion is performed in about 225 of our Days, it will contain 234 of hers; consequently, to an Eye placcd in *Venus*, the Sun will always appear to go

R

thro'




Fig. 2.

p. 125.




Fig. 3.

p. 126.




Fig. 1.

p. 96.

*Fig. 3.*  
*126.*

