

XII. A Catalogue of the FIFTY PLANTS  
 from Chelsea - Garden, presented to the  
 Royal Society by the Company of Apothe-  
 caries, for the Year 1746. pursuant to the  
 Direction of Sir Hans Sloane Bart. Med.  
 Reg. & nuper Soc. Reg. Praef.; by Jof. Miller  
 Apothecary, Hort. Chels. Praef. ac Praelect.  
 Botan.

- Presented Feb. 16. 1748-9.*
1201. **A** Dianthus Americanum.  
*Cornut.*
1202. Adiantum nigrum. *Offic.*
1203. Acriviola maxima odorata, flore pleno. *Boerh.*
1204. Alaternoides Africana Telephii *Imperati* folio.  
*Hort. Amst.*
1205. Alnus nigra. *Offic.*
1206. Aquilegia hortensis multiplex, flore pleno.  
*C. B.*
1207. Arum maximum, quod Colocasia vulgò cau-  
 libus nigricantibus. *Hort. Lugd.*
1208. Asperula odorata, flore albo. *Offic. et Dodon.*
1209. Asteriscus perennis maritimus patulus. *Tourn.*
1210. Buphthalmum orientale, Tanaceti minoris  
 folio, flore luteo amplo. *Ibid.*
1211. Calendula minor Hispanica. *Hort. Lugd. Bat.*
1212. Chamæpitys lutea vulgaris, folio trifido. *C. B.*  
 et *Offic.*
1213. Clinopodium minus, Ocimi facie. *C. B.*
1214. Clinopodium Americanum rotundifolium, Pu-  
 legii odore. *Houst.*

F 2

1215.

3



1215. Convolvulus cæruleus major, folio subrotundo.  
*Ger. Park.*
1216. Conysa minima. *Ger. emac.*
1217. Corona Solis annua, flore pleno. *Tourn.*
1218. Coronilla herbacea, flore vario. *Ibid.*
1219. Euphrasia pratensis rubra. *C. B.*
1220. Galega Africana, floribus majoribus, et siliquis crassioribus. *Tourn.*
1221. Geranium Africanum Malvæ folio, petalis florū inferioribus vix conspicuis. *Index Hort. Chelf.*
1222. Guidonia Ulmi foliis, flore roseo. *Plum.*
1223. Helianthemum vulgare, flore luteo. *J. B.*
1224. Horminum coma purpureo-violacea. *Ibid.*
1225. Jacea spinosa alata, cinerea caule, spinis luteis longissimis.
1226. Lavatera, folio et facie Altheæ. *Aet. Reg. Soc.*
1227. Lavatera flore albo.
1228. Lotus angustifolia flore luteo-purpureo, ex insula Sancti Jacobi. *Hort. Amst.*
1229. Lychnis sylvestris flore albo minimo. *Raii Hist.*
1230. Lychnis sylvicstris, quæ Saponaria. *Tourn.*
1231. Mespilus aculeata, Pyri denticulato folio, splendens Virginiana. *Pluk.*
1232. Myagrum siliculis longis. *C. B.*
1233. Myrtus latifolia Romana. *Ibid.*
1234. Myrtus Buxi folio. *Schyl. Hort.*
1235. Obeliscotheca minor, integro folio. *Dillen.*
1236. Ophioglossum, Lingua serpentina. *Park.*
1237. Ophrys bifolia. *C. B.*
1238. Orobus sylvaticus, Viciæ foliis. *Ibid.*

1239. Pæonia mas. *Officin.* et *C. B.*  
 1240. Phaseolus flore coccineo. *Cornut.*  
 1241. Pisum humile caule firmo. *Tourn.*  
 1242. Polemonium vulgare. *Ibid.*  
 1243. Rapantium maximum, coccineo spicato flore.  
*Col. in Rech.*  
 1244. Rhamnus catharticus. *Off.* et *C. B.*  
 1245. Satureia hortensis æstiva. *Ibid.*  
 1246. Sclarea Indica flore variegato. *Boerh.*  
 1247. Saururus humilis, folio carnosæ subrotundo.  
*Plum.*  
 1248. Spiræa Hispanica, Hyperici crenato folio.  
*Tourn.*  
 1249. Thuya Theophrasti. *C. B.*  
 1150. Turritis muralis hirsuta minor. *Tourn.*
- 

XIII. *The Reverend Mr. Robert Clarke to  
 Mr. Fleming, concerning a Boy, who had a  
 Calculus formed between the Glans and the  
 Præputium.*

*S I R,*

*Read Feb. 23.* 1748-9. **U**PON Inquiry, I find that the Boy  
 you desire to have an Account of,  
 from his Infancy labour'd under the Difficulty of  
 making Water; for tho' he was three Years of Age,  
 when put under the Care of the Person from whom  
 I have this Intelligence, yet he could not go alone.  
 He was in the greatest Agony upon every Motion;  
 but was relieved by putting a great Pin, the Head  
 foremost,