## [ 142 ]

I will only tell you, that, in general, this stone is very hard and heavy, and that the whole city of Naples is paved with it. I have seen some of it, that will bear a fine polish, and of which they make snuff-boxes.

XIX. A Letter to the President, concerning the Hermaphrodite shewn in London: by James Parsons M. D. F. R. S.

SIR, Red-lion square, March 14, 1750.

Read March 14. A S I find the Friench girl, now shewn at Ludgate as an hermaphrodite, makes some noise in town, and as the generality of the world are apt in this very case to take the erroneous side of the question in giving their opinions about it, for want of having a proper knowlege of the parts, I have taken the liberty to trouble you with this letter, containing some account of the matter, which is intended to undeceive such as are mistaken about it.

She is now about eighteen years old, and the true

description of her pudenda is as follows:

What is mistaken for a penis and has at first fight caused the deception, is the clitoris, grown to an inordinate size. The prepuce of this is continued down on each side, to form the nymphæ: under these the natural urethra is in its proper place, as in all semales; and just under this is a natural vagina. This vagina is concealed by a skin growing up from the perinæum, and continued to the labium of each side

## [ 143 ]

fide quite over it; which, if snipp'd with scissars, would lay the orifice of the vagina bare, and shew the person a persect semale, having only this morbid size of the clitoris.

This is really the fact relating to the present subject; which any one may be satisfied of, by passing a finger down under this skin to the perinæum, and he will meet the orifice of the vagina, and find it as perfect as that of any other woman of the same

age.

The vagina being thus cover'd, and the clitoris thus large, it is no great wonder, that she should at first sight be taken for a male by the vulgar: but it would seem a little too careless in any of the faculty to be so deceiv'd. However if we do but consider the following observations, we shall find it no such strange affair, as it now seems to the world: nor is it new, to find people imagine, that, since this mistaken penis is imperforate, the urethra is preternaturally directed to appear under it, without considering it to be a true semale urethra, in its natural place.

I had the honour, on the 30th of April, 1741. to lay before the Society seven or eight semale fatus's, from about six to somewhat more than seven months growth. Each of these had its clitoris bigger in proportion than the present girl, or any other whom I have ever seen; which is the case with all semale fatus's, during the greatest part of the time of gestation. And this is nature's common rule all over the

 $\mathbf{w}$ orld.

Now it is impossible, that so many hermaphrodites should be formed at once, since we have so few instances

instances among the European nations of those so reputed; tho' they are common enough in Asia and Africa, in all those places especially, that are nearest the equinoctial line, where the non naturals themselves conduce much to the general relaxation of the solids in human bodies, and consequently this un-

feemly accretion of that part.

Now as the female fætus increases in the uterus in a natural way, the neighbouring parts of the pudenda grow more in proportion than the clitoris, drawing away the integuments from it, whereby it becomes by degrees less conspicuous; and at length, as the child grows up, it is shrunk between the labia, and remains always cover'd, as it is now the common appearance in our women. But when it continues its growth, together with the neighbouring parts in the same proportion, which all female fætus's have it in, maintaining its first proportional size, the perfon, when grown up, is call d by the vulgar an hermaphrodite since the natural structure of this part is in a great measure like that of a penis virilis.

Nor is its largeness in a fætus much to be wonder'd at, since there are other very similar cases in the same body, as the gland thymus and glandulæ renales; both which, as the child grows larger, di-

minish in their proportion.

These macroclitorideæ are so numerous among many nations of Asia and Africa, that the antients, Albucasis especially in his 71st chap. inform us of the necessary operation and method of cure, which he terms cura tentiginis, finding the part so call'd inconvenient from its largeness. Nor was this knowlege confin'd to men of science alone amongst the Egyptians and Ethiopians,

## [ 145 ]

Ethiopians, and Angolans; for every parent knows, when the child has these parts longer than ordinary, and cut or burn them off, while girls are very young, and at the same time never entertain the least notion of the existence of any other nature besides the true female, in those children, who are thus deprived of that part.

The learned De Graafe was well acquainted with this, and gives his approbation of the operation, as highly necessary, as well as decent: " estque hujus " partis chirurgia orientalibus tam necessaria quam

" decora."

It has been faid too, that this girl in town has not the least appearance of breasts; but those, who report this, must surely have never seen the breasts of the women of any other nation but our own. On the contrary, she has as large breasts as any French girl of her age, and as good a nipple; whatever care they take to squeeze and compress them with her apparel. Besides she is a thin girl, and small of her age; and really among our own young women, when they are spare, and small in stature, it will be hard to find any with breasts more conspicuous than, if so much as, hers.

I have consider'd this subject more at large in my Critical Inquiry into the Nature of Hermaphrodites, which the curious may see; and am, in the mean time, Sir,

Your most humble servant,

J. Parsons.

T XX.