

VII. Aurora borealis, observata a *Petro Gabrij*, J. V. D. *Phyf. Aftron. et Math.* anni 1750, die 27 *Februarii*, *Nov. St. Hagæ Com.*

Read Jan. 24. 1750. **O**BSE^RVAVI tempore vespertino perarum meteoron, quæ mihi aurora borealis visa, referens magnam lucem, eamque formam iridis, principium fumens ab horizonte circa orientem, finiensque ad horizontem circa occasum. Culmen erat versus meridiem zenith, et fere 80 grad. supra horizontem; (Tab. I. Fig. 2.) latitudo autem prope verticem fere 2 grad. ad utramque extremitatem pergens quasi cuspidatim. Medius arcus magnam candidamque lucem emittebat, quæ tamen ad limbos et magis debilis et subcœrulea apparebat.

Meteoron hoc decima vespertina maxime vividum conspiciere, at vero post horæ quadrantem discussum erat. Quum autem sidera noctem belle illustrabant, distincte dabatur hæc, quanquam debilius, quam quæ extra arcum, transpiciere.

VIII.

Fig. 3. p. 64.






Fig. 4. p. 68.







Fig. 1. p. 3.




Fig. 3. p. 64.




Fig. 4. p. 68.




Fig. 2. p. 39.




Fig. 5. p. 73.




Fig. 1. p. 3.

