

method, given in the appendix to M. De Moivre's *Miscellanea Analytica*, it may be transformed to another, converging quicker; which method is applied to this very series, in folio 362 of the *Mathematical Repository*, Vol. I.

XLI. *A Letter from John Lining, M. D. of Charles-Town, South-Carolina, to the Rev. Thomas Birch, D. D. Secr. R. S. concerning the Quantity of Rain fallen there from January 1738, to December 1752.*

Rev. Sir, South Carolina, Charles-Town, April  
9, 1753.

Read July 8, 1753. **T**HE favourable reception, which my former papers met with from the Royal Society, encourages me to send you a table of the quantity of rain, which fell in Charles-Town for these 15 years last past; which, if continued for half a century, might be of use, in discovering to us the changes made in a climate, by clearing the land of its woods. Tho' I formerly sent a table of the rain from 1738 to 1745 inclusive, which is publish'd in N<sup>o</sup> 487 of the *Philosophical Transactions*; yet, as I thought it would be more convenient to bring the whole into one view, I have not only added to this table the rain of those years, but have likewise distinguished the quantity which fell in the several seasons. In this table I continued the old stile to the first of last February, that the mean quantity, in each month, and in the different seasons, might be given exactly.

As

A TABLE of the Depth of Rain, in Inches and millesimal Part

	1738	1739	1740	1741	1742	1743	1744	1745	1746	1747	1748
January	1.097	2.310	4.875	4.492	2.189	3.172	1.994	0.863	1.144	3.429	2.112
February	4.416	2.875	3.084	4.615	1.650	2.435	3.063	7.739	2.701	2.860	1.573
March	4.532	5.609	1.141	5.713	5.203	0.621	0.582	3.229	1.628	2.585	3.047
April	1.082	0.195	1.092	1.308	0.918	5.292	2.866	3.842	1.128	0.292	0.979
May	3.127	5.120	5.612	4.841	5.898	2.535	2.871	1.832	3.988	0.924	1.826
June	1.567	5.839	4.648	5.538	3.250	1.903	5.814	9.510	4.109	2.470	1.859
July	10.660	5.452	3.013	3.399	1.252	7.738	8.437	6.771	9.895	6.413	9.273
August	4.104	12.211	7.301	7.144	7.647	3.767	4.202	9.339	6.114	4.895	6.881
September	10.792	4.834	3.200	6.734	2.895	4.686	5.657	0.754	0.932	7.216	7.442
October	1.358	6.593	1.358	3.399	0.759	1.672	1.595	2.962	0.506	9.504	5.550
November	2.656	1.235	1.848	2.964	3.388	3.220	1.562	0.682	3.586	1.056	5.368
December	3.877	3.689	2.736	1.919	0.957	2.706	9.680	2.623	3.916	2.921	5.588
Spring	10.030	8.679	5.317	11.636	7.771	8.348	6.511	14.810	5.457	5.737	5.599
Summer	15.354	26.411	13.273	13.778	10.400	12.176	17.122	18.113	17.992	9.807	12.958
Autumn	16.254	23.638	11.759	17.277	11.301	10.125	11.454	13.055	7.552	21.615	19.873
Winter	8.843	9.797	9.076	7.072	7.517	7.920	12.105	4.449	10.931	6.089	12.012
Total Depth	49.926	65.962	65.962	52.086	36.006	39.747	48.323	50.146	39.653	44.565	51.498

The Depth of Rain in January 1753, O. S. was 2.

Place this between p. 284, 285.

I Parts, which fell in Charles-Town.

1748	1749	1750	1751	1752	Greatest	Least	The Means
2.112	1.056	2.563	None	3.597	4.873		2.326
1.573	4.516	3.135	5.374	3.798	7.739	0.798	3.389
3.047	7.475	0.943	1.342	1.716	7.475	0.621	3.024
0.979	1.760	2.310	2.310	0.440	5.292	0.195	1.721
1.826	5.555	2.371	5.533	2.794	5.898	1.826	3.655
1.859	4.686	8.690	2.462	2.618	15.839	1.567	5.000
9.273	6.219	5.687	6.544	1.485	10.660	1.252	6.140
6.881	11.124	5.346	12.144	10.725	12.211	3.767	7.530
7.442	1.298	12.370	11.671	14.663	14.663	0.754	6.345
5.550	3.900	5.000	0.352	1.199	9.504	0.352	3.040
5.368	1.238	3.137	0.682	0.814	5.368	0.682	2.220
5.588	5.594	4.609	2.409	2.035	9.680	0.957	3.684
5.599	13.751	6.388	9.026	2.954	14.810	2.954	8.068
12.958	16.460	16.748	14.569	6.897	26.411	6.897	14.804
19.873	16.322	22.716	24.167	26.587	26.587	7.552	16.913
12.012	9.355	7.744	6.688	5.456	12.105	4.449	8.340
51.498	54.421	56.159	50.853	42.884	65.962	36.006	48.023

was 2.607 inches.

As we have many thunder-gufts in the hot months, in which a vaft quantity of rain falls, the depth of the rain, in thefe months, is thereby greatly increafed; for then we have very little rain, excepting in thunder-showers.

On the 30 of June, 1750, in a thunder-ftorm, there fell, in two hours, 5.335 inches of rain.

On the 16 of September, 1751, there fell, in 24 hours (but the greateft part in 6 hours) 9.955 inches of rain.

On the 15 of September, 1752, during the time of the moft violent hurricane, that was ever felt in this town, the depth of rain, which fell, was only 3.740 inches, and the greateft part of that was the fpray of the fea.

From the 17 Sept. 1751, to the 7 Auguft 1752, was the drieft feafon ever known in this province.

Since I fent an abftraft of my meteorological tables to the Royal Society, I have feen Fahrenheit's thermometer in the fhade once down at the 10 degree; and once laft fummer it rofe to the 100 degree. I am,

S I R,

Your moft humble fervant,

John Lining.

A TABLE of the Depth of Rain, in Inches and millesimal Parts, which fell in Charles-Town.

	1738	1739	1740	1741	1742	1743	1744	1745	1746	1747	1748	1749	1750	1751	1752	Greatest	Least	The Means
January	1.097	2.310	4.875	4.472	2.189	3.172	1.994	0.863	1.144	3.429	2.112	1.056	2.563	None	3.597	4.873		2.326
February	4.416	2.875	3.084	4.615	1.650	2.435	3.063	7.739	2.701	2.860	1.573	4.516	3.135	5.374	3.798	7.739	0.798	3.389
March	4.532	5.609	1.141	5.713	5.203	0.621	0.582	3.229	1.628	2.585	3.047	7.475	0.943	1.342	1.716	7.475	0.621	3.024
April	1.082	0.195	1.092	1.308	0.918	5.292	2.866	3.842	1.128	0.292	0.979	1.760	2.310	2.310	0.440	5.292	0.195	1.721
May	3.127	5.120	5.612	4.841	5.898	2.535	2.871	1.832	3.988	0.924	1.826	5.555	2.371	5.533	2.794	5.898	1.826	3.655
June	1.567	15.839	4.648	5.538	3.250	1.903	5.814	9.510	4.109	2.470	1.859	4.686	8.690	2.462	2.618	15.839	1.567	5.000
July	10.660	5.452	3.013	3.399	1.252	7.738	8.437	6.771	9.895	6.413	9.273	6.219	5.687	6.544	1.485	10.660	1.252	6.140
August	4.104	12.211	7.301	7.144	7.647	3.767	4.202	9.339	6.114	4.895	6.881	11.124	5.346	12.144	10.725	12.211	3.767	7.530
September	10.792	4.834	3.200	6.734	2.895	4.686	5.657	0.754	0.932	7.216	7.442	1.298	12.370	11.671	14.663	14.663	0.754	6.345
October	1.358	6.593	1.358	3.399	0.759	1.672	1.595	2.962	0.506	9.504	5.550	3.900	5.000	0.352	1.199	9.504	0.352	3.040
November	2.656	1.235	1.848	2.964	3.388	3.220	1.562	0.682	3.586	1.056	5.368	1.238	3.137	0.682	0.814	5.368	0.682	2.220
December	3.877	3.689	2.736	1.919	0.957	2.706	9.680	2.623	3.916	2.921	5.588	5.594	4.609	2.409	2.035	9.680	0.957	3.684
Spring	10.030	8.679	5.317	11.636	7.771	8.348	6.511	14.810	5.457	5.737	5.599	13.751	6.388	9.026	2.954	14.810	2.954	8.068
Summer	15.354	26.411	13.273	13.778	10.400	12.176	17.122	18.113	17.992	9.807	12.958	16.460	16.748	14.569	6.897	26.411	6.897	14.804
Autumn	16.254	23.638	11.759	17.277	11.301	10.125	11.454	13.055	7.552	21.615	19.873	16.322	22.716	24.167	26.587	26.587	7.552	16.913
Winter	8.843	9.797	9.076	7.072	7.517	7.920	12.105	4.449	10.931	6.089	12.012	9.355	7.744	6.688	5.456	12.105	4.449	8.340
Total Depth	49.926	65.962	65.962	52.086	36.006	39.747	48.323	50.146	39.653	44.565	51.498	54.421	56.159	50.853	42.884	65.962	36.006	48.023

The Depth of Rain in January 1753, O. S. was 2.607 inches.

Place this between p. 284, 285.