

XXIX. *A Catalogue of the Fifty Plants from
Chelsea Garden, presented to the Royal
Society by the worshipful Company of Apo-
thecaries, for the Year 1756, pursuant to
the Direction of Sir Hans Sloane, Baronet,
Med. Reg. & Soc. Reg. nuper Praeses, by
John Wilmer, M. D. clariss. Societatis
Pharmaceut. Lond. Socius, Hort. Chels.
Præfet. & Prælector Botan.*

- Read April 28, 1701 A *Brotanum campestre incanum*
 1757. Carlinæ odore. C. B. P.
- 1702 *Abrotanum humile corymbis majoribus aureis.*
 H. Reg. Par.
- 1703 *Acer platanoides. Muntingii histor.*
- 1704 *Amelanchier. Lobel.*
- 1705 *Anchusa lutea minor. J. B. 3. 583.*
 Buglossum luteum annum minimum. Tourn.
- 134.
- 1706 *Arctotis ramis decumbentibus foliis linear-
 lanceolatis rigidis subtus argenteis flore mag-
 no aureo pediculo longissimo. Miller's Icons.*
- 1707 *Ascyrum magno flore, C. B. 280.*
- 1708 *Asphodelus Allobrogicus magno flore Lilii*
 H. L. 65.
- 1709 *Aster caule ramoso scabro perenni foliis ovatis
 sessilibus pedunculis nudis unifloris. Miller's
 Icons.*
- 1710 *Astragalus repens minor flore cæruleo, siliqua
 Epiglottidi simili. Index Plant. Boerh.*

1711

- 1711 *Barleria inermis* foliis ovatis denticulatis petiolatis. Lin. Sp. Plant. 637.
Barleria solani folio flore coccineo. Plum. nov. gen. 31.
- 1712 *Blitum Kaly minus* album dictum. *Kaly minus* Ger. Emac. 535.
- 1713 *Campanula maxima* foliis latissimis. C. B. 94.
- 1714 *Caryophillus montanus* umbellatus floribus variis, luteis ferrugineis Italicus. Barrel. obs. 648.
- 1715 *Cataria Hispanica* Betonicæ folio angustiore flore cæruleo. Tourn.
- 1716 *Celastrus spinis nudis*, ramis teretibus, foliis acutis. Hort. Cliff. 72.
Lycium. Boerhaav. Ind. alt. 2. 237.
- 1717 *Cerasus racemosa* sylvestris fructu non eduli rubro. H. R. Par.
Cerasia racemosa rubra. 2. Tabernamont. Icon, 987.
- 1718 *Chamaedrys Hispanica* tenuifolia multiflora. H. R. Par. Tourn. 205.
- 1719 *Cherophyllum palustre* latifolium flore albo. Boerh. 70.
Myrrhis palustre latifolia rubra. Tourn. 315.
- 1720 *Chenopodium Stramonii* folio. Vaill.
- 1721 *Cirsium foliis non hirsutis* floribus compactis. C. B. P. 377.
- 1722 *Cirsium maximum* Asphodeli radice. C. B. 377.
- 1723 *Colutea foliolis ovatis integerrimis* caule fruticoso. Phil. Miller's Icons.
- 1724 *Convallaria* foliis sessilibus racemo terminali composito. Lin. Sp. Pl. 315.

- 1725 Conyza mas Theophrasti major Dioscoridis. C. B. P. 265.
 Major Monspeliensis odorata. J. B. 2. 1053.
- 1726 Coriandrum majus. C. B. 158. Officinar. 145.
- 1727 Cornus Orientalis sylvestris fructu teretiformi. T. Cor.
- 1728 Crithmum, sive Fæniculum maritimum, minus. C. B. 288. Offic. 152.
- 1729 Crocus sativus. C. B. 65. Officinar. 152.
- 1730 Cyclamen vernum minus orbiculato folio, inferne rubente, flore minore ruberrimo. Mor. Hist. 3. 551.
- 1731 Elichrysum graveolens acutifolium alato caule. Hort. Eltham.
- 1732 Gramen spica aristata. Lin. Sp. Pl. 83.
 Gramen loliaceum spica longiore lolium Dioſcoridis. C. B. P.
- 1733 Leucanthemum Tanaceti folio, flore majore. Boerh. 107.
 Matricaria Tanaceti folio, flore majore, semine umbilicato. Tourn. 493.
- 1734 Meadia. Catesby Hist. Car. 3. p. 1. Dodecatheon. Lin. Sp. Pl. 144.
- 1735 Medica magno fructu, aculeis sursum et deorsum rendentibus. Tourn. 411.
- 1736 Moscatellina foliis fumariæ bulbosæ, de qua Cordus. J. B. 2. 206.
 Radix cava minima viridi flore. Ger. 933.
- 1737 Narcissus Illyricus Liliaceus. C. B. P. 55.
 Pancratii Monspeliaci Hemerocallidis Valentiniæ facie. Lilio-narcissus, vel Narcissus tertius Matthioli. J. B. 2. 613.

- 1738 *Osmunda vulgaris et palustris.* Tourn. 547.
Filix ramosa non dentata florida. C. B. P. 357.
- 1739 *Papaver laciniato folio capitulo hispido rotundiore.* Tourn.
Argemone capitulo rotundiore. Park. 369.
- 1740 *Papaver Orientale hirsutissimum magno flore.*
 Tourn. Cor. 17.
- 1741 *Periclymenum perfoliatum Virginianum sem-pervirens et florens.* H. L. B.
- 1742 *Phillyrea, Oleæ Ephesiæ folio.* Pluk. Phyt. Tab. 310. fig. 5.
- 1743 *Phlomis Lychnitis.* Cluf. Hist. 27.
Verbascum sylvestre Monspeliense flore luteo hiante. J. B. 3. 307.
- 1744 *Polygonum foliis cordatis caule volubili, floribus carinatis.* Lin. Sp. Plant. 364.
Fagopyrum scandens Americanum maximum.
 Tourn. Inst.
- 1745 *Saxifraga sedi folio, flore albo, multiflora.*
 T. 252.
Sedum Pyrenaicum pyramidale longifolium elegansissimum. Schol. Botan. Par.
Sanicula Pyrenaica longifolia multiflora elegansissima. H. L.
- 1746 *Serratula Noveboracensis maxima foliis longis serratis.* Hort. Eltham. 355.
- 1747 *Thaliætrum minus.* C. B. P. 337.
Thaliætrum minus seu Rutæ pratensis genus minus semine striato. J. B. 3. 487.
- 1748 *Verbascum fœmina flore luteo magno.* C. B.
 239.
- 1749 *Vicia leguminibus sessilibus reflexis pilosis solitariis pentaspermis corollæ vexilis glabris.*
 Lin. Sp. Pl. 736.

Vicia

- Vicia leguminibus solitariis deorsum flexis hirsutis. Sauv. Monspeliens. 235.
- 1750 Ulmus folio latissimo scabro. Ger. Emac. 1481.
Latiore folio. Park. 1404.
-

XXX. *Remarks on the Opinion of Henry Eeles, Esq; concerning the Ascent of Vapour, published in the Philosoph. Transact. Vol. xlix. Part i. p. 124. By Erasmus Darwin, M.D. Communicated by Mr. William Watson, F.R.S.*

To Mr. William Watson, F.R.S.

SIR,

THE inclosed papers were designed for the perusal of the Royal Society; being an endeavour to confute the opinion of Mr. Eeles about the ascent of vapours, published in the last volume of their Transactions. But the author, having no electrical friend, whose sagacity he could confide in, has at length prevailed upon himself to be so free to send them to Mr. Watson; to whom the world is so much indebted for the advancement of their knowlege in electricity.

Whence, Sir, if you should think, that these papers have truth, the great Diana of real philosophers, to patronize them, you will confer a favour upon me, by laying them before that learned Body. If, on the contrary, you should deem this confutation trifling

or