

XV. *A Catalogue of the Fifty Plants from
Chelsea Garden, presented to the Royal
Society by the worshipful Company of Apo-
thecaries, for the Year 1764, pursuant to the
Direction of Sir Hans Sloane, Bart. Med.
Reg. et Soc. Reg. aliquando Praes : By
John Wilmer, M. D. clariss. Societatis
Pharmaceut. Lond. Soc. Hort. Chelsean.
Præfector et Prælector Botanic.*

- Read March 14, } 2101 A *Chillea* foliis bipinnatis
1764. } subpilosis, laciniis linearibus,
 dentatis, auriculis decussatis. Linn.
 Sp. plant. 1267.
- 2102 *Achillea* foliis setaceis dentatis, denticulis subintegris subulatis reflexis. Hort. Cliff. 412.
- 2103 *Amaranthus* glomeribus triandris pentandriisque, foliis ovatis obtusissimis emarginatis rugosis. Linn. Sp. plant. 1403.
- 2104 *Anastatica* foliis obtusis, spicis axillaribus brevissimis, siliculis unguilatis spinosis. Linn.
 Sp. plant. 895.
- 2105 *Antirrhinum* foliis lanceolatis sparsis, inferioribus oppositis, nectariis subulatis, floribus subfamilibus. Hort. Cliff. 498.
- 2106 *Astragalus* caulescens procumbens, leguminibus contortuplicatis villosis. Linn. Sp. plant. 1068.

N 2

2107



- 2107 *Bidens* foliis trifidis quinatisque ferratis petiolatis, pedunculis longissimis.
- 2108 *Borago* foliis ramificationum oppositis amplexicaulis, calycinis foliolis fagittatis. Linn. Sp. plant. 197.
- 2109 *Bupleurum* frutescens, foliis obovatis integerrimis. Linn. Sp. plant. 343.
- 2110 *Carica* foliorum lobis sinuatis. Hort. Cliff. 461.
- 2111 *Cassia* foliis octojugis ovato-oblongis æqualibus, glandula baseos petiolorum. Hort. Cliff. 159.
- 2112 *Chrysanthemum Indicum* foliis simplicibus ovatis sinuatis angulatis ferratis acutis. Linn. Sp. plant. 1253.
- 2113 *Cistus (Ægyptiacus)* herbaceus erectus stipulatus foliis linearis lanceolatis petiolatis, calycibus inflatis corolla majoribus. Linn. Sp. plant. 742.
- 2114 *Cleome* floribus gynandris, foliis quinatis, caule inermi. Linn. Sp. plant. 938.
- 2115 *Corchorus capsulis* linearibus compressis, foliis lanceolatis æqualiter ferratis. Linn. Sp. plant. 746.
- 2116 *Coris (Monspelienfis)*. Linn. Hort. Cliff. 68.
- 2117 *Coronilla* fruticosa, foliis quinatis ternatisque linearis-lanceolatis subcarnosis obtusis. Linn. Sp. plant. 1047.
- 2118 *Crambe* foliis laciniatis, caule erecto ramosissimo. Dic. Hort.
- 2119 *Crepis* foliis amplexicaulis Lyrato runcinatis. Hort. Cliff. 79.

- 2120 *Cynosurus spicis quaternis obtusis patentibus dimidiatis, calycibus mucronatis, caule repente.* Linn. Sp. plant. 106.
- 2121 *Cytisus floribus umbellatis terminalibus, caulis erectis, foliolis lanceolatis.* Linn. Sp. plant. 1042.
- 2122 *Delphinium nectariis diphyllis.*
- 2123 *Dianthus floribus solitariis, squamis calycinis subulatis tubam æquantibus, petalis multifidis.* Amœn. Acad. 4. p. 313.
- 2124 *Dianthus floribus paniculatis, squamis calycinis brevibus acuminatis, corollis multifido capillaribus, caule erecto.* Amœn. Acad. 4. p. 272.
- 2125 *Dipsacus foliis petiolatis appendiculatis.* Hort. Upsal. 25.
- 2126 *Genista foliis ternatis subtus villosis, pedunculis lateralibus subquinque floris foliolatis, leguminibus hirsutis.* Amœn. Acad. 4. p. 284.
- 2127 *Gentiana corollis quinquefidis hypocrateriformibus, fauce barbatis.* Linn. Sp. plant. 334.
- 2128 *Hieracium foliis lanceolatis amplexicaulibus dentatis, floribus solitariis, calycibus laxis.* Hort. Cliff. 387.
- 2129 *Imperatoria.* Hort. Cliff. 103.
- 2130 *Ifatis foliis omnibus dentatis.* Linn. Sp. plant. 937.
- 2131 *Malpighia foliis ovatis integerrimis glabris, pedunculis umbellatis.* Hort. Cliff. 169.

- 2132 *Marrubium calycum* limbis tubo longioribus membranaceis, angulis majoribus rotundatis. Linn. Sp. plant. 817.
- 2133 *Matricaria* foliis simplicibus linearilanceolatis sessilibus, pedunculis uniformis.
- 2134 *Ocimum* foliis lanceolatis ovatis ferratis racemis verticillatis. Linn. Sp. plant. 834.
- 2135 *Plantago* foliis ovatis glabris, scapo angulato spica flosculis distinctis. Linn. Sp. plant. 163.
- 2136 *Potentilla* foliis ternatis, caule dichotomo, pedunculis axillaribus. Linn. Sp. plant. 715.
- 2137 *Rosa* germinibus ovatis glabris, pedunculis cauleque hispidis, petiolis inermibus fructibus pendulis. Linn. Sp. plant. 705.
- 2138 *Rudbeckia* foliis inferioribus semilobatis incisis, caulinis trifidis vel quinquefidiis, pedunculis longissimis.
- 2138 *Scabiosa* corollulis quadrifidis æqualibus, floribus cernuis; foliis pinuatis, foliolis lanceolatis ferratis. Hort. Cliff. 30.
- 2140 *Serapias* bulbis fibrosis, floribus erectis bracteis longioribus. Linn. Sp. plant. 1345.
- 2141 *Scolymus* foliis margine incrassatis. Linn. Sp. plant. 1143.
- 2142 *Scorzonera* foliis omnibus runcinatis amplexicaulibus. Linn. Sp. plant. 1114.
- 2143 *Sophora* foliis pinuatis, foliolis numerosis oblongis villosis, caule herbacco. Linn. Sp. plant. 533.
- 2144 *Statice* scapo dichotomo ancipiti foliis lanceolatis mucronatis, floribus aggregatis. Linn. Sp. plant 395.

- 2145 *Teucrium foliis ovatis acute inciso-ferratis glabris, floribus axillaribus geminis caule, erecto.*
Linn. Sp. plant. 790.
- 2146 *Tithymalus Linariae folio, lunato flore.* Mor.
H. Reg. Blef.
2147. *Valeriana sylvestris major altera, fol. lucido.*
H. Reg. Par.
2148. *Veratrum racemo composito, corollis patentissimis.* Linn. Sp. plant. 1479.
- 2149 *Veronica racemis lateralibus, foliis linearis lanceolatis pinnato dentatis.* Linn. Sp. plant.
17.
- 2150 *Volkameria ramis inermibus.* Linn. Zeyl. 231.
-

XVI. *A Course of Experiments to ascertain the Specific Buoyancy of Cork in different Waters: The respective Weights and Buoyancy of Salt Water and Fresh Water: And for determining the exact Weight of Human and other Bodies in Fluids.* By John Wilkinson, M. D. F. R. S. of London and Gottingen.

[*Experiments to determine the Specific Buoyancy of Cork in River Water.*]

Experiment I.

Read March 14,
1765. **S**I X cubes of good cork, every one
measuring an inch square, as nearly
as they could possibly be ascertained, with a gra-
duated