

9.4343965 at Upſal, by putting 10 for that of the radius of the ſphere determined as before.

F. Mallet.

**XXX. A Catalogue of the Fifty Plants from Chelsea Garden, presented to the Royal Society by the worshipful Company of Apothecaries, for the Year 1765, pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. et Soc. Reg. nuper Praeses : By William Hudson, Societatis Regiae & clariss. Societatis Pharmaceut. Lond. Soc. Hort. Chelſean. Praefectus et Praelector Botanic.**

Read Nov. 20, 2151  
1766.

- A** CHYRANTHES lanata,  
caule prostrato, spicis ovatis  
lateralibus, calycibus tomentosis. Lin. Sp. pl.  
296. Mill. Dict. tab. 11. fig. 1.  
Amaranthus Indicus verticillatus albus, foliis  
lanugine incanis. Pluk. alm. 27. tab. 79. f. 8.  
2152 Andrachne procumbens herbacea. Lin. Sp. pl.  
<sup>1439</sup>  
Telephoides Græcum humifusum flore albo.  
Tourn. cor. 50. Dill. Hort. Elth. 377. tab.  
282 f. 364.  
2153 Bryonia Africana, foliis palmatis quinquepartitis  
utrinque lœvibus: laciniis pinnatifidis. Lin.  
Sp. pl. 1438.

Bryonia

- Bryonia Africana laciniate, tuberosa radice,  
floribus herbaceis. Herm. parad. 107. tab. 1c 8.
- 2154 Carthamus corymbosus, floribus corymbosis  
numerofis. Lin. Sp. pl. 1164.  
Chamæleon niger. Dalech. hist. 1454.  
Chamæleon niger umbellatus, flore cœruleo  
hyacinthino. Bauh. pin. 38.
- 2155 Ceanothus Americanus, foliis trinerviis. Lin.  
Sp. pl. 284. Mill. Dict. tab. 86.  
Euonymus Novi Belgii, cornifeminæ foliis. Comm.  
hort. Amst. 1. p. 167. tab. 86. Raj. Dendr. 69.  
Euonymus, jujubinis foliis, Caroliniensis, fructu  
parvo, fere umbellato. Pluk. alm. 139.  
tab. 28. f. 6.
- 2156 Chrysocoma, Coma aurea, fruticosa, foliis lin-  
earibus, rectis glabris. Lin. Sp. pl. 1177.  
Conyza Æthiopica, flore bullato aureo, pinastris  
brevioribus foliis læte viridibus. Pluk. alm.  
400. tab. 327. f. 2.
- 2157 Coronilla juncea, fruticosa, foliis quinatis ter-  
natisque linear-lanceolatis subcarnosis obtusis.  
Lin. Sp. pl. 1047.  
Colutea caule genistæ fungoso. Bauh. hist. 1.  
p. 383.
- Polygala major massiliotica. Bauh. pin. 246.
- 2158 Draba muralis, caule ramoso, foliis cordatis  
dentatis amplexicaulibus. Lin. Sp. pl. 897.  
Huds. Fl. angl. 243.  
Bursa pastoris major loculo oblongo. Bauh. pin.  
108. pr. 50. tab. 50.
- 2159 Galium verrucosum, foliis senis lanceolatis  
ferrato-aculeatis, pedunculis trifloris, fructi-  
bus verrucosis.

- Aparine; semine coriandri saccharati. Park.  
theatr. 567. Rand. Ind. Hort. Chels. 19.
- 2160 *Gypsophylla pilosa*, foliis lanceolatis trinerviis  
amplexicaulibus, caule piloso, floribus solita-  
riis, pedunculis filiformibus longissimis.
- 2161 *Gypsophylla prostrata*, foliis lanceolatis lævibus,  
caulibus diffusis, pistillis corolla campanulata  
longioribus. Lin. Sp. pl. 581.
- 2162 *Hedera quinquefolia*, foliis quinatis ovatis  
ferratis. Lin. Sp. pl. 292.  
*Edera quinquefolia* Canadensis. Corn. Canad.  
99. tab. 100.
- 2163 *Hypericum Androsænum*, floribus trigynis,  
pericarpiis baccatis, caule fruticoso ancipiti.  
Lin. Sp. pl. 1102. Hudf. Fl. Engl. 291.  
*Hypericum maximum*, *Androsænum vulgare*  
dictum Raj. Syn. 343.  
*Androsænum maximum* frutescens. Bauh.  
pin. 208.
- 2164 *Hypericum hirsutum*, floribus trigynis, calycibus  
ferrato-glandulosis, caule tereti erecto, foliis  
ovatis subpubescentibus. Lin. Sp. pl. 1105.  
Hudf. Fl. Engl. 291.  
*Androsænum hirsutum*. Bauh. pin. 280.
- 2165 *Hypericum montanum*, floribus trigynis, caly-  
cibus ferraturis glandulosis, caule tereti erecto  
glabro, foliis ovatis. Lin. Sp. pl. 1105.  
Hudf. Fl. Engl. 291.  
*Hypericum elegantissimum* non ramosum, folio  
lato Bauh. hist. 3. p. 383.
- 2166 *Hypericum supinum*, floribus trigynis axillaribus  
solitariis, caulibus ancipitibus prostratis fili-  
formibus,

- formibus, foliis glabris. Lin. Sp. pl. 1105.  
Huds. Fl. Engl. 290.
- Hypericum minus supinum glabrum.* Bauh.  
pin. 279.
- 2167 *Hypericum pulchrum,* floribus trigynis, caly-  
cibus serratoglandulosis, foliis cordatis glabris,  
caule tereti. Lin. Sp. pl. 1106. Huds. Fl.  
Angl. 290.
- Hypericum minus erectum.* Bauh. pin. 279.
- Hypericum pulchrum Tragi.* Bauh. hist. 3. p.  
383. Raj. Syn. 343.
- 2168 *Hypericum elodes,* floribus trigynis, foliis  
rotundis tomentosis, caule repente. Huds.  
Fl. Engl. 292.
- Hypericum floribus trigynis, caule tereti foliis-*  
*que villofis subrotundis.* Lin. Sp. pl. 1106.
- Aescyrum supinum villosum palustre.* Bauh.  
pin. 280.
- 2169 *Hypericum Balearicum,* floribus pentagynis,  
caule fruticoso, foliis ramisque cicatrisatis.  
Lin. Sp. pl. 1101. Mill. Ic. tab. 54.
- Myrto-Cistus Pennæi.* Clus. hist. 1. p. 68.
- 2170 *Lepidium Bonariense,* floribus diandris tetrape-  
talidis, foliis omnibus multifidis. Lin. Sp. pl.  
901.
- Thlaspi Bonariense multiscissum,* flore invisibili.  
Dill. Elth. 281. tab. 286. f. 370.
- 2171 *Lotus, edulis, leguminibus subfolitariis gibbis*  
*incurvis.* Lin. sp. pl. 1090.
- Lotus pentaphyllos, siliqua cornuta.* Bauh.  
pin. 332.
- Lotus edulis Cretica.* Raj. hist. 967.
- 2172 *Lotus hirsutus, capitulis hirsutis, caule erecto*  
*hirsuto*

- hирto, leguminibus ovatis. Lin. Sp. pl. 1091.  
*Lotus pentaphyllos siliquosus villosus.* Bauh.  
pin. 372.
- 2173 *Oldenlandia biflora*, pedunculis bifloris petiolo  
longioribus, foliis lanceolatis. Lin. Sp. pl.  
174. Fl. Zeyl. 68.
- 2174 *Oxalis stricta*, caule ramoso erecto, pedunculis  
umbelliferis. Gron. virg. 161. Lin. Sp.  
pl. 624.
- Trifolium acetosum corniculatum luteum*  
majus rectum Indicum. Hist. Ox. 2. p.  
184. f. 2. tab. 17. f. 3.
- 2175 *Physalis angulata*, ramosissima, ramis angulatis  
glabris, foliis dentatis ovatis. Lin. Sp. pl.  
262.
- Solanum vesicarium Indicum.* Bauh. pin. 166.  
*Alkekengi Indicum glabrum, chenopodii folio.*  
Dill. Elth. 15. tab. 12. f. 12.
- 2176 *Physalis pubescens*, ramosissima, foliis villoso-  
viscosis, floribus pendulis. Lin. Sp. pl. 262.
- Solanum vesicarium Virginianum procumbens*  
annuum, folio lanuginoso. Hist. Ox. 3. p.  
527. f. 13. tab. 3. f. 24.
- 2177 *Physalis curassavica*, caule fruticoso, foliis ovatis  
tomentosis. Lin. Sp. pl. 261.
- Solanum vesicarium curassavicum*, solano anti-  
quorum simile, foliis origani subincanis. Hist.  
Ox. 3. p. 527. Pluk. Alm. 352. tab. 111.  
f. 5.
- 2178 *Passiflora laurifolia*, foliis indivisis ovatis integer-  
rimis, petiolis biglandulosis, involucris denta-  
tis. Lin. Sp. pl. 1356.

Passiflora

- Passiflora arborea*, laurinis foliis, Americana.  
Pluk. alm. 282. tab. 211. f. 3.
- 2179 *Passiflora vespertilio*, foliis bilobis basi rotundatis glandulosisque : lobis acutis divaricatis, subtus punctatis. Lin. Sp. pl. 1357.  
*Granadilla bicornis*, flore candido, filamentis intortis. Dill. Elth. 164. tab. 137. f. 164.
- 2180 *Reseda alba*, foliis pinnatis, floribus tetragynis, calycibus sexpartitis. Hort. Ups. 149. Lin. Sp. 645.  
*Reseda maxima*. Bauh. pin. 100.  
*Reseda* foliis calcitrapæ ; flore albo. Moris. Hort. Bless.
- 2181 *Reseda undata*, floribus trigynis tetragynisque, calycibus quinque partitis, foliis pinnatis undatis. Lin. Sp. pl. 644.  
*Reseda minor*, foliis incisis. Barr. rar. 78. tab. 588.
- 2182 *Serratula scariosa*, foliis lanceolatis integerrimis, calycibus squarrosois pedunculatis obtusis laterationibus. Lin. Sp. pl. 1147.  
*Eupatorio affinis Americana bulbosa*, floribus scariosis, capitulis contextis. Pluk. alm. 142 tab. 177. f. 4.
- 2183 *Sibbaldia procumbens* foliolis tridentatis. Lin. Sp. pl. 406. Huds. Fl. Ang. 118.  
*Pentaphylloides pumilla* foliis ternis ad extremitates trifidis. Raj. Syn. 256.
- Fragariae sylvestri affinis* planta, flore luteo. Sibb. pr. hist. natur. Scot. p. 11. pag. 25. tab. 6. f. 1.
- 2184 *Silene quinquevulnera*, petalis integerrimis subrotundis,

- subrotundis, fructibus erectis alternis. Lin.  
Sp. pl. 595.
- Lychnis sylvestris lanuginosa minor.* Bauh.  
pin. 206.
- Lychnis hirsuta,* flore eleganter variegato.  
Raj. hist. 997.
- 2185 *Silene Vallesia,* caulis subunifloris decumben-  
tibus, foliis lanceolatis tomentosis longitudine  
calycis. Lin. Sp. pl. 603.
- Lychnis maritima pinguis e Corsica.* Bocc.  
mus. tab. 34.
- 2186 *Solanum Bonariense,* caule subfrutescente subin-  
ermi, foliis cuneiformibus sinuato-repandis.  
Lin. Sp. pl. 264.
- Solanum Bonariense arborescens,* papas floribus.  
Dill. Elth. 364. tab. 272. f. 351.
- 2187 *Solanum Indicum,* caule aculeato fruticoso,  
foliis cuneiformibus angulatis subvilloso in-  
tegerrimis, aculeis utrinque rectis. Lin. Sp.  
pl. 268. Fl. Zeyl. 94.
- Solanum Indicum spinosum,* flore boraginis.  
Robert. Ic. 28. Dill. Elth. 362. tab. 270.  
f. 349.
- 2188 *Sophora alopecurioides,* foliis pinnatis : foliolis  
numerofisis oblongis villotis caule herbaceo.  
Lin. Sp. pl. 533.
- Ervum Orientale alopecurioides perenne,* fructu  
longissimo. Tourn. cor. 27. Dill. Elth. 136.
- 2189 *Theligonum.* Lin. Sp. pl. 1411.
- Cynocrambe Dioscoridis.* Bauh. pin. 122. pr.  
59. tab. 59.
- 2190 *Trigonella polycerata,* leguminibus subsessilibus  
congestis erectis subrectis longis linearibus,  
pedunculis

- pedunculis communibus muticis. Lin. Sp. pl. 1093.
- Fœnum Græcum sylvestre alterum polyceration.*  
Bauh. pin. 348.
- 2191 *Trygonella corniculata*, leguminibus pedunculatis congestis declinatis subfalcatis, pedunculis communibus longis subpinosis, caule erecto. Lin. Sp. pl. 1094.  
*Melilotus, corniculis reflexis, major.* Bauh. pin. 331.
- 2192 *Trigonella spinosa*, leguminibus subpedunculatis congestis declinatis subfalcatis, pedunculis communibus spinosis brevissimis. Lin. Sp. pl. 1094.  
*Fœnum græcum sylvestre polyceration Creticum majus.* Breyn. Cent. 79. tab. 33. f. 1.
- 2193 *Trygonella Monspeliaca*, leguminibus sessilibus congestis arcuatis divaricatis inclinatis brevibus, pedunculis molliter mucronatis. Lin. Sp. pl. 1095.  
*Fœnum græcum sylvestre polyceration minus Monspeliacum.* Breyn. Cent. 80. tab. 33. f. 2.
- 2194 *Valantia hispida*, floribus masculis trifidis hermaphroditici germini hispido insidentibus. Lin. Sp. pl. 1490.
- Galium floribus masculis trifidis omnibus plantæ partibus hispidis.* Zinn. goet. 233.
- 2195 *Valantia muralis*, floribus masculis trifidis hermaphroditico germini glabro insidentibus. Lin. Sp. pl. 1490.  
*Rubeola echinata saxatilis.* Bauh. pin. 334.  
*Cruciata muralis minima Romana.* Col. ecphr. I.

- p. 298. tab. 297. hist. Ox. 3. p. 328. f. 9.  
tab. 21. f. 2.
- 2196 *Valantia articulata*, floribus masculis quadrifidis,  
pedunculis dichotomis nudis, foliis cordatis.  
Lin. Sp. pl. 1491.  
*Cruciata orientalis latifolia erecta glabra*. Tourn.  
Cor. 4.
- 2197 *Valantia cruciata*, floribus masculis quadrifidis,  
pedunculis diphyllis. Lin. Sp. pl. 1491.  
Huds. Fl. Engl. 375.  
*Cruciata hirsuta*. Bauh. pin. 335.
- 2198 *Veronica*, *Chamædrys*, racemis lateralibus, foliis  
ovatis sessilibus rugosis dentatis, caule debili.  
Lin. Sp. pl. 17. Huds. Fl. Engl. 5.  
*Chamædrys spuria minor rotundifolia*. Bauh.  
pin. 249.
- 2199 *Veronica montana*, racemis lateralibus pau-  
cifloris, calycibus hirsutis, foliis ovatis rugosis  
crenatis petiolatis, caule debili. Lin. Sp. pl.  
17. Huds. Fl. Engl. 5.  
*Veronica chamaedryoides*, foliis pediculis oblongis  
insidentibus. Raj. Syn. 281.  
*Chamædrys spuriae affinis rotundifolia scutellata*.  
Bauh. pin. 249.
- 2200 *Vitis arborea*, foliis supra decompositis: foliolis  
lateralibus pinnatis. Lin. Sp. pl. 294.  
*Frutex scandens*, *petrofælini* foliis, *Virginianus*  
claviculis donatis. Pluk. Mant. 85. tab.  
412. f. 2.