

XLIX. *A Catalogue of the Fifty Plants from Chelsea Garden, presented to the Royal Society by the worshipful Company of Apothecaries, for the Year 1766, pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. et Soc. Reg. nuper Praeses: By William Hudson, Societatis Regiae & clariss. Societatis Pharmaceut. Lond. Soc. Hort. Chelsean. Praefectus et Praelector Botanic.*

- Read Dec. 10, 2201 1767. **A** *Agrostis spica venti*, petalo exteriore exferente aristam rectam strictam longissimam. Lin. Sp. pl. ed. II. 91. Huds. Fl. Angl. 26.
Gramen segetum altissimum, panicula sparsa. Bauh. pin. 3.
- 2202 *Agrostis mil ea*, petalo exteriore arista terminali recta stricta mediocri. Lin. Sp. pl. ed. II. 91.
- 2203 *Aira cæspitosa*, foliis planis, panicula patente, petalis basi villosis aristatisque, arista recta brevi. Lin. Sp. pl. ed. II. 96. Huds. Fl. Angl. 29.
Gramen segetum, panicula arundinacea
 Bauh. pin. 3. Theatr. 35.
- 2204 *Aira*

- 2204** *Aira caryophyllea*, foliis setaceis, panicula divaricata, floribus aristatis distantibus. Lin. Sp. pl. ed. II. 97. Huds. Fl. Engl. 31.
Gramen paniculatum, loculis purpuro-ar- genteis, annuum. R. Syn. 407.
- 2205** *Alopecurus pratensis*, panicula cylindrica spi- ciformi, glumis villosis, culmo erecto. Huds. Fl. Engl. 23.
Alopecurus culmo spicato erecto, glumis vil- losis. Lin. Sp. pl. ed. II. 88.
Gramen phalaroides spica molli. Bauh. pin. 4.
- 2206** *Alopecurus agrestis*, spica cylindrica longissi- ma, glumis glabris, culmo erecto. Huds. Fl. Engl. 23.
Alopecurus culmo spicato erecto, glumis nudis. Lin. Sp. pl. ed. II. 89.
Gramen typhoides, spica angustiore. Bauh. pin. 4.
- 2207** *Alopecurus geniculatus*, culmo spicato infracto. Lin. Sp. pl. ed. II. 89. Huds. Fl. Engl. 24.
Gramen aquaticum geniculatum spicatum. Bauh. pin. 3.
- 2208** *Alopecurus bulbosus*, spica cylindrica, culmo erecto, radice bulbosa. Huds. Fl. Engl. 24.
Gramen myosuroides nodosum. R. Syn. 397.
- 2209** *Alopecurus Monspeliensis*, panicula subspicata, glumis scabris, corollis aristatis. Lin. Sp. pl. ed. II. 89.
Gramen alopecuroides Anglo-br̄itannicum max- imum. Bauh. pin. 4.
- 2210** *Alopecurus paniceus*, panicula subspicata, glu- mis villosis, corollis aristatis. Lin. Sp. pl. ed. II. 90.

- Gramen alopecurum minus, spica virescente
divulsa. Barr. ic. 115. f. 1.
- 2211 Anthoxanthum odoratum, spica ovato-oblonga,
flosculis subpedunculatis arista longioribus.
Lin. Sp. pl. ed. II. 40. Huds. Fl. Engl.
10.
- Gramen pratense spica flavescente. Bauh.
pin. 3.
- 2212 Avena sativa, paniculata, calycibus dispermis,
seminibus lævibus. Lin. Sp. pl. ed. II.
118.
- Avena alba. Bauh. pin. 23.
- 2213 Avena nuda, paniculata, calycibus trifloris, re-
ceptaculo calycem excedente, petalis dorso
aristatis. Lin. Sp. pl. 118. Huds. Fl.
Angl. 41.
- Avena nuda. Bauh. pin. 23. R. Syn. 289.
- 2214 Avena fatua, paniculata, calycibus trifloris,
flosculis omnibus basi pilosis, aristis totis
lævibus. Lin. Sp. pl. ed. II. 118. Huds.
Fl. Engl. 41.
- Avena sylvestris pilosa, aristis recurvis. Hist.
Ox. III. 209. t. 7. f. 5.
- 2215 Avena fragilis, spicata, flosculis subquaternis
calyce longioribus. Lin. Sp. pl. ed. II.
119.
- Gramen loliaceum spurium hirsutum, aristis
geniculatis. Barr. ic. 905. f. 1, 2, 3.
- 2216 Briza eragrostis, spiculis lanceolatis, flosculis
viginti. Lin. Sp. pl. ed. II. 103.
- Gramen paniculis elegantissimis. Bauh. pin.
2. Hist. Ox. III. 204. t. 6. f. 52.
- 2217 Briza pinnata, spica disticha, spiculis ovat-
lanceolatis.

- Gramen *filiceum*, paniculis integris. Bocc.
Sicil. 62. t. 33. f. 2.
- 2218 *Bromus secalinus*, panicula patente, spiculis ovatis, aristis rectis. Lin. Sp. pl. ed. II. Huds. Fl. Angl. 39.
- Gramen *avenaceum segetate majus*, gluma turgidiore. Hist. Ox. III. t. 7. f. 17.
- 2219 *Bromus mollis*, panicula erectiuscula, spicis ovatis, aristis rectis, foliis mollissime villosis. Lin. Sp. pl. ed. II. 112.
- Gramen *avenaceum pratense*, panicula squamata et villosa. Hist. Ox. III. 213. t. 7. f. 18.
- 2220 *Bromus rubens*, panicula fasciculata, spiculis subsessilibus villosis, aristis erectis. Lin. Sp. pl. ed. II. 114.
- Gramen panicula molli rubente. Bauh. hist. II. 266.
- 2221 *Bromus giganteus*, panicula nutante, spiculis quadrifloris aristis brevioribus. Lin. Sp. pl. ed. II. 114. Huds. Fl. Angl. 40.
- Gramen *sylvaticum glabrum* panicula recurva. Vaill. paris. 93. t. 18. f. 3.
- 2222 *Bromus distachyos*, spicis duabus erectis alternis. Lin. Sp. pl. ed. II. 115.
- Gramen *spica brizæ minus*. Bauh. pin. 9. Pluk. Phyt. t. 33. f. 1.
- 2223 *Cynosurus cristatus*, bracteis pinnatifidis. Lin. Sp. pl. ed. II. 105. Huds. Fl. Angl. 47.
- Gramen *cristatum*. Bauh. hist. II. 468. R. Syn. 398.

- 2224 *Cynosurus echinatus*, bracteis pinnato-paleaceis aristatis. Roy. Lugdb. 64. Lin. Sp. pl. ed. II. 105. Huds. Fl. Engl. 47.
Gramen alopecuroides spica aspera. Bauh. pin. 4.
- 2225 *Cynosurus aureus*, paniculæ spiculis sterilibus pendulis ternatis, floribus aristatis. Lin. Sp. pl. ed. II. 107.
Gramen panicula pendula aurea. Bauh. pin. 3. theatr. 33. Scheuch Agr. 149.
- 2226 *Festuca elatior*, panicula secunda erecta, spiculis linearibus muticis, floris planis. Huds. Fl. Engl. 37.
Gramen loliaceum, spica divisa, pratense majus. Hist. Ox. III. 184. t. 2. f. 15.
- 2227 *Festuca pratensis*, panicula secunda erecta, spiculis linearibus muticis, floris planis. Huds. Fl. Engl. 37.
Gramen paniculatum elatius, spicis longis muticis et squamosis. R. S. 411.
- 2228 *Festuca fluitans*, panicula ramosa erecta, spiculis subfessilibus teretibus muticis. Lin. Sp. pl. ed. II. 111. Huds. Fl. Engl. 38.
Gramen aquaticum cum longissima panicula. Bauh. hist. II. 490. R. S. 412.
- 2229 *Festuca bromoides*, panicula secunda spiculis erectis lævibus calycis altera valvula integrata, altera aristata. Lin. Sp. pl. ed. II. 111. Huds. Fl. Engl.
Gramen paniculatum bromoides minus, panicula aristatis unam partem spectantibus. R. Syn. 415.

- 2230 *Festuca ovina*, panicula secunda coarctata aristata, culmo tetragono nudiusculo, foliis felaceis. Lin. Sp. pl. ed. II. 108. Huds. Fl. Engl. 36.
- Gramen capillaceum*, locustis pennatis non aristatis. Pluk. ph. t. 34. f. 2. R. Syn. 410.
- 2231 *Holcus spicatus*, glumis bifloris muticis floribus geminis penicillo involucratis, spica ovato-oblonga. Lin. Sp. pl. ed. II. 1483.
- Gramen paniceum sylvestre maximum*, Indiæ orientalis. Pluk. Phyt. t. 32. f. 4.
- 2232 *Holcus Sorghum*, glamis villosis, feminibus aristatis. Lin. Sp. pl. ed. II. 1484.
- Milium arundinaceum*, subrotundo semine, forgho nominatum. Bauh. pin. 26. Hist. Ox. III. 196. t. 5. f. 7.
- 2233 *Hordium murinum*, flosculis lateralibus masculis aristatis, involucris intermediis ciliatis. Lin. Sp. pl. ed. II. 125.
- Gramen secalinum chalepense*, radice tuberosa. Hist. Ox. III. 179. t. 6. f. 7.
- 2235 *Lolium temulentum*, spica aristata, spiculis compressis aristatis. Lin. Sp. pl. ed. II. 122.
- Lolium spica aristata*, radice annua. Lin. Sp. pl. 83. Huds. Fl. Engl. 44.
- Gramen loliaceum*, spica longiore. Bauh. pin. 9. Theatr. 121.
- 2236 *Lolium perenne*, spica mutica, spiculis compressis multifloris. Lin. Sp. pl. ed. II. 122.

- Lolium spicis muticis, radice perenne. Lin.
Sp. pl. 83. Huds. Fl. Engl. 44.
- Gramen loliaceum angustiore folio et spica.
Bauh. pin. 9. Theatr. 121.
- 2237 Melica *ciliata*, flosculis inferioris petalo exte-
riore ciliato. Lin. Sp. pl. ed. II. 97.
Gramen avenaceum montanum lanuginosum.
Bauh. pin. 10. pr. 20.
- 2238 Melica *nutans*, petalis imberibus, panicula
nutante simplici. Lin. Sp. pl. ed. II. 98.
Huds. Fl. Engl. 31.
Gramen avenaceum locustis rarioribus. Bauh.
pin. 10.
- 2239 Panicum *patens*, panicula oblonga patente, ca-
lycibus bifloris, foliis linear-lanceolatis.
Lin. Sp. pl. ed. II. 86.
Tsiamia-pullu. Hort. Mal. XII. 75. t. 41.
- 2240 Panicum *miliaceum*, panicula laxa flaccida,
foliorum vaginis pubescentibus. Lin. Sp.
pl. ed. II. 86.
Milium semine albo et luteo. Bauh. pin.
8. Theatr. 139.
- 2241 Panicum *verticillatum*, spica verticillata, ra-
cemulis quaternis invocellis unifloris bi-
fetis, culmo diffuso. Lin. Sp. pl. ed II.
82.
Gramen paniceum spica simplici. Bauh. pin.
8. Theatr. 139.
- 2942 Panicum *viride*, spica tereti, involucellis bi-
floris fasciculato-pilosis, seminibus nervosis.
Lin. Sp. pl. ed. II. 83. Huds. Fl. Engl.
21.

Gramen

- Gramen paniceum, spica simplici. Bauh.
pin. 8. Sch. Agr. 46.
- 2243 Panicum *colonum*, spicis alternis secundis muticis ovatis scabris, rachi teretiuscula. Lin.
Sp. pl. ed. II. 84.
- Gramen paniceum minus spica divulsa insulæ Barbadensis. Pluk. Ph. t. 189. f. 5.
- 2244 Phalaris *canariensis*, panicula subovato spiciformi : glumis carinatis. Lin. Sp. pl.
ed. II. 79.
- Phalaris major, semine albo. Bauh. pin.
28.
- 2245 Phalaris *utriculata*, panicula spicata, petalis arista articulata, vagina supremi folii spathiformi. Lin. Sp. pl. ed. II. 80.
- Gramen pratense, spica purpurea ex utriculo prodeunte. Bauh. pin. 3. Theatr. 44.
- 2246 Phalaris *arundinacea*, panicula oblonga ventricosa. Lin. Sp. pl. ed. II. 80. Hudsi.
Fl. Angl. 21.
- Gramen arundinaceum spicatum. Bauh. pin.
6. Theatr. 94.
- 2247 Poa *ciliaris*, panicula glomerata, glumarum valvulis interioribus piloso-ciliatis. Lin. Sp.
pl. ed. II. 102.
- Gramen pratense, spicis brevibus muticis locustis minimis. Sloan. Hist. Jam. I. 114.
t. 73. f. 1.
- 2248 Poa *Eragrostis*, panicula patente, pedicellis flexuosis, spiculis ferratis decemfloris. Lin.
Sp. pl. ed. II. 100.

[478]

- Gramen phalaroides, sparsa brizæ panicula,
min. Barr. Ic. 44. f. 2.
- 2249 Poa *rigida*, panicula lanceolata subramosa,
floribus alternis secundis. Lin. Sp. pl. ed. II.
102. Huds. Fl. Engl. 35.
- Gramen exile duriusculum in muris et aridis
proveniens. R. Syn. 410.
- 2250 Poa *compressa*, panicula secunda coarctata,
culmo obliquo compresso. Lin. Sp. pl.
ed. II. 101. Huds. Fl. Engl. 33.
- Gramen paniculatum, radice repente, cul-
mo compresso. Vaill. paris. 91. t. 18.
f. 5.

Received