

V. A Catalogue of the Fifty Plants, from
 Chelsea Garden, presented to the Royal
 Society, by the Worshipful Company of
 Apothecaries for the Year 1771, pur-
 suant to the Direction of the late Sir
 Hans Sloane, Bart. M. D. Soc. Reg.
 nuper Praes: By Stanesby Alchorne,
 Member of the said Society of Apothecaries
 in London.

- Read Nov. 26, 2451 1772. **A** C E R, *Pseuso - Platanus*,
 foliis quinque lobis in-
 æqualiter ferratis, floribus racemosis. Lin.
 Spec. plant. 1495. 2.
- 2452 *Acer montanum candidum*. Bauh. pin. 430.
- 2452 *Æsculus, Hippo-Castanum*, floribus heptandris.
 Lin. Spec. plant. 488. 1.
- 2453 *Castanea folio multifido*. Bauh. pin. 419.
- 2453 *Andromeda, Polifolia*, pedunculis aggregatis,
 corollis ovatis, foliis alternis lanceolatis re-
 volutis. Lin. Spec. plant. 564. 5.
- 2454 *Erica humilis rosmarini foliis, unedonis flore*,
 capsula cistoide. Pluck. alm. tab. 175. fig. 3.
- 2454 *Aquilegia, vulgaris*, nectariis incurvis. Lin.
 Spec. plant. 752. 1. α .
- Aquilegia

- Aquilegia sylvestris. Bauh. pin. 144.
- 2455 Arbutus, *Andrachne*, caule arboreo, foliis glabris integerrimis, baccis polyspermis. Lin. Spec. plant. 566. 2.
- Arbutus folio non ferrato. Bauh. pin. 460.
- 2456 Artemisia, *Dracunculus*, foliis lanceolatis glabris integerrimis. Lin. Sp. plant. 1189. 19.
- Dracunculus hortensis*. Bauh. pin. 98.
- 2457 Artemesia, *vulgaris*, foliis pinnatifidis planis incisis; subtus tomentosis; racemis simpli-cibus, floribus ovatis, radio quinquefloro. Lin. Spec. plant. 1189. 16.
- Artemisia vulgaris major. Bauh. pin. 137.
- 2458 Betula, *nana*, foliis orbiculatis crenatis. Lin. Spec. plant. 1394. 4. Flor. Lap. tab. 6. fig. 4.
- Betula pumila. Laef. Pruff. 10.
- 2459 Caltha, *palustris*. Lin. Spec. plant. 784. 1. α .
- Caltha palustris flore simplici. Bauh. pin. 276.
- 2460 Capsicum, *annuum*, caule herbaceo, pedunculis solitariis. Lin. Spec. plant. 270. 1.
- Piper Indicum *vulgatissimum*. Bauh. pin. 102.
- 2461 Capsicum, *frutescens*, caule fruticoso, pedunculis geminis. Lin. Spec. plant. 271. 2. β .
- Capsicum minus, fructu parvo pyramidali erecto. Sloan. Hist. I. 240. tab. 146. fig. 2.
- 2462 Centaurea, *benedicta*, calycibus duplicato-spi-nosis lanatis involucratis, foliis semidecur-rentibus

- rentibus denticulato-spinosis. Lin. Spec.
plant. 1296. 42.
- Carduus sylvestris hirsutus*, f. *Carduus benedictus*. Bauh. pin. 378.
- 2463 *Cupressus, sempervirens*, foliis imbricatis, frondibus quadrangulis. Lin. Spec. plant. 1422.
I. α .
Cupressus. Bauh. pin. 488.
- 2464 *Daphne, Laureola*, racemis axillaribus, foliis lanceolatis glabris. Lin. Spec. plant. 510. 6.
Laureola sempervirens flore viridi, quibusdam *Laureola mas*. Bauh. pin. 662.
- 2465 *Daphne, Mezereum*, floribus sessilibus ternis caulinis, foliis lanceolatis deciduis. Lin. Spec. plant. 509. 1.
Laureola folio deciduo, flore purpureo, officinis *Laureola foemina*. Bauh. pin. 462.
- 2466 *Dirca, palustris*. Lin. Spec. plant. 512. 1.
Thymelæa floribus albis primo vere erumpentibus, foliis oblongis acuminatis, viminibus & cortice valde tenacibus. Geor. Virg. 155.
- 2467 *Erica, daboecii*, racemo terminali, foliis alternis subtus tomentosis. Lin. Spec. plant. 509. 38.
Erica Hibernica, foliis myrti pilosis subtus in canis. Pet. gaz. 42. tab. 27. fig. 4.
- 2468 *Fragaria, sterilis*, caule decumbente repente. Lin. Spec. plant. 709. 3.
Fragaria sterilis. Bauh. pin. 327.
- 2469 *Gardenia, Florida*. Lin. Spec. plant. 305. 1.

- Jasminum, foliis lanceolatis oppositis integerrimis, calycibus acutioribus. Miller's Icons, tab. 180.
- 2470 Genista, *Anglica*, spinis simplicibus, ramis floriferis inermibus, foliis lanceolatis. Lin. Spec. plant. 999. 11.
- Genista minor aspaltoides. Bauh. pin. 395.
- 2471 Heuchera, *Americana*. Lin. Spec. plant. 328. 1.
- Sanicula, s. *Cortusa Americana* spicata, floribus squalide purpureis. Pluk. alim. tab. 58. fig. 3.
- 2472 Hyssopus, *officinalis*, spicis fœcundis. Lin. Spec. plant. 796. 1. a.
- Hyssopus officinarum cærulea, s. spicata. Bauh. pin. 217.
- 2473 Jasminum, *officinale*, foliis oppositis pinnatis. Lin. Spec. plant. 9. 1.
- Jasminum vulgatius flore albo. Bauh. pin. 397.
- 2474 Knautia, *orientalis*. Lin. Spec. plant. 146.
- Scabiosa orientalis, caryophylli flore. Vail. act. 1772. p. 241.
- 2475 Ligusticum, *Levisticum*, foliis multiplicibus, foliolis superne incisis. Lin. Spec. plant. 359. 1.
- Ligusticum vulgare. Bauh. pin. 157.
- 2476 Medicago, *lupulina*, spicis ovalibus, leguminibus reniformibus monospermis, caule procumbente. Lin. Spec. plant. 1097. 7.
- Trifolium pratense luteum capitulo breviro. Bauh. pin. 228.

- 2477 *Mercurialis, annua, caule brachiato, foliis glabris, floribus spicatis.* Lin. Spec. plant. 1465. 3.
Mercurialis testiculata, f. mas. & } Bauh. pin.
Mercurialis spicata, f. foemina. } 121.
- 2478 *Mercurialis, perennis, caule simplicissimo foliis scabris.* Lin. Spec. plant. 1465. 1.
Mercurialis montana testiculata, & } Bauh. pin.
Mercurialis montana spicata. } 122.
- 2479 *Petiveria, alliacea, floribus hexandris.* Lin. Spec. plant. 486. 1.
Verbenæ aut Scorodonie affinis anomala, flore albido, calyce aspero, allii odore. Sloan. Hist. I. 172.
- 2480 *Pæonia, foemina, foliolis oblongis.* Lin. Sp. plant. 747. 1. α .
Pæonia communis, f. foemina. Bauh. pin. 323.
- 3481 *Pteris, aquilina, frondibus supradecompositis, foliolis pinnatis: pinnis lanceolatis: infimis pinnatifidis, superioribus minoribus.* Lin. Spec. plant. 1533.
Filix ramosa major, pinnulis obtusis non dentata. Bauh. pin. 357.
- 2482 *Quercus, Ilex, foliis ovato-oblongis indivisis ferratisque, petiolatis, subtus incanis, cortice integro.* Lin. Spec. plant. 1412. 3. β .
Ilex folio angusto non ferrato. Bauh. pin. 424.
- 2483 *Quercus, Suber, foliis ovato-oblongis indivisis ferratis subtus tomentosis, cortice ramoso fungoso.* Lin. Spec. plant. 1413. 5.
Suber latifolium sempervirens. Bauh. pin. 424.
 2484 Ra-

- 2484 Ranunculus, *Auricomus*, foliis radicalibus reniformibus crenatis incisis, caulinis digitatis linearibus, caule multifloro. Lin. Spec. plant. 775. 13.
- Ranunculus nemorosus, s. *sylvaticus*, folio subrotundo. Bauh. pin. 178.
- 2485 Ranunculus, *Flammula*, foliis ovato-lanceolatis petiolatis, caule declinato. Lin. Spec. plant. 773. 1. α .
- Ranunculus longifolius palastris minor. Bauh. pin. 180.
- 2486 Rheum, *palmatum*, foliis palmatis acuminatis. Lin. Spec. plant. 531. 3.
- Rhabarbar. Brun. orient. 192. tab. 73.
- 2487 Rubus, *arcticus*, foliis ternatis, cane inermi unifloro. Lin. Spec. plant. 708. 11.
- Rubus caule unifloro, foliis ternatis. Lin. Fl. Lap. 207. tab. 5. fig. 2.
- 2488 Ruscus, *Androgynus*, foliis margine floriferis. Lin. Spec. plant. 1474.
- Ruscus latifolius è foliorum sinu florifer & baccifer. Dil. Hort. Elth. 330. tab. 250. fig. 332.
- 2489 Salvia, *nemoroſa*, foliis cordato-lanceolatis ferratis planis, bracteis coloratis, corollæ labio infimo reflexo. Lin. Spec. plant. 35. 10.
- Horminum sylvestre, salvifolium minus. Bauh. pin. 239.
- 2490 Scutellaria, *albida*, foliis subcordatis ferratis rugosis opacis, spicis secundis bracteis ovatis. Lin. Mantissa. 248.
- Scutellaria Teucrii facie flore albo. Bauh. hist. III. 291.

- 2491 *Serratula, spicata*, foliis linearibus basi ciliatis, floribus spicatis sessilibus lateralibus, caule simplici. Lin. Spec. plant. 1147. 11.
Jacca angustifolia, tuberosa radice Virginiana.
 Pluk. alm. tab. 424. fig. 6.
- 2492 *Sibthorpia, peregrina*, foliis reniformibus crenatis, pedunculis geminis. Lin. Spec. plant. 880. 3.
Planta anonyma. Pluk phyt. tab. 257. fig. 5.
- 2493 *Staphylea, pinnata*, foliis pinnatis. Lin. Spec. plant. 386. 1.
Pistacia sylvestris. Bauh. pin. 401.
- 2494 *Taxus, baccata*, foliis approximatis. Lin. Spec. plant. 1472. 1.
Taxus. Bauh. pin. 505.
- 2495 *Teucrium, bircanicum*, foliis cordato-oblongis obtusis, caule brachiatu dichotomo, spicis longissimis terminalibus sessilibus spiraliibus. Lin. Spec. plant. 789. 16.
Teucrium foliis cordatis crenatis petiolatis, spicis oblongis densissimis. Arduin. Spec. 13. tab. 4.
- 2496 *Teucrium, Scordium*, foliis oblongis sessilibus dentato-ferratis, floribus geminis lateralibus pedunculatis, caule diffuso. Lin. Spec. plant. 790. 20.
Scordium. Bauh. pin. 247.
- 2497 *Thymus, Acinos*, verticillis sexfloris, caulibus erectis subramosis, foliis acutis ferratis. Lin. Spec. plant. 826. 4.
Clinopodium arvense, ocymi facie. Bauh. pin. 225.
- 2498 *Thy-*

- 2498 Thymus, *Serpyllum*, floribus capitatis, caulis decumbentibus, foliis planis obtusis, basi ciliatis. Lin. Spec. plant. 825. 1. &
Serpyllum foliis citri odore. Bauh. pin. 220.
- 2499 Thymus, *vulgaris*, eretus, foliis revolutis ovatis, floribus verticillato-spicatis. Lin. Spec. plant. 825. 2. α .
 Thymus vulgaris folio tenuiore. Bauh. pin.
 219.
- 2500 Viola, *odorata*, acaulis, foliis cordatis, stolibus reptantibus. Lin. Spec. pl. 1324. 8.
 Viola martia purpurea, flore simplici odore.
 Bauh. pin. 199.